12490 R

JANUARY 1984 Vol. 9, No. 1 \$3.50 in USA \$3.95 in Canada/£2.10 in U.K. A McGraw-Hill Publication

the small systems journa

FUTURE TRENDS

Inside App

Adot matrix printer that will improve your image.

Meet the Apple® Imagewriter, the newest dot matrix printer for your Apple Personal Computer.

And with all that it has going for it, just maybe the best dot matrix printer on the market.

Take legibility, for instance.


The Imagewriter crams 140 x 160 dots into each square inch. So you get text that's highly readable and high resolution graphics, besides.

And is it fast.

The Imagewriter cruises at an unbelievable 120 characters per second. And that's just in the text mode. It's even faster printing graphics. 180 characters per second, to be exact.

What's more, the graphics dump is up to 60% faster than other comparably priced dot matrix printers. And that makes the Imagewriter fast enough to handle the Lisa™

Yet it's just as at home with an Apple III or Apple IIe. Thanks to Apple software experts who designed the control electronics to give the Imagewriter perfect compatibility. Not to mention some special capabilities




like superscript and subscript, to name just two.

Now, with all this high-speed performance, you'd expect the Imagewriter to make the Devil's Own Noise. It doesn't. In fact, the Imagewriter is specially constructed — with overlaid seams and special sounddeadening materials — to achieve a remarkable 53 dB. How loud is a remarkable 53 dB? You'd make more noise if you read this aloud.

The Imagewriter even has quiet good looks, since we designed it to look like the rest of the Apple Family.

> Yet even with all its improvements, the Imagewriter is a better deal than any er with comparable

other dot matrix print-E INAGEURITER APPLE PRESENTS THE INAGEURITER APPLI performance. And you can print that.





pherals and software.
Like all our products, it works

card reserved exclusively for the purchase of Apple Computers, peri-

simply:

Fill out an application (short, to the point and annotated in English) at an authorized Apple dealer honoring the Card. Your salesperson will call in the application and in most cases get an approval for you right on the spot.

You can then take your Apple system home. You don't even have to wait for the Card; we'll mail it out to you. And by the time you get it, you'll probably be well into doing whatever you bought your Apple

system to do.

There is no annual fee for the Card, although a couple of restrictions do apply. The first purchase must include an Apple Personal Computer and you have to put 10% down. And subsequent purchases need to be at least \$100 if made with the Card. Oh, yes — you'll also have a credit limit.

When you use the Apple Card to make additional purchases, all you have to do is show the Card and sign the invoice. As long as it's within your credit limit, of course. Our dealers get a little nervous when someone signs for half their inventory. You understand.

You'll also receive monthly statements that include the latest purchases, credit available, and the minimum payment due. You'll also be happy to know Apple Card credit terms are affordable and the payments can be spread out. It's all

spelled out for you at the time your Card is approved.

So stop by a participating authorized Apple dealer and get an Apple Card. Just think of it as credit where credit is due.

Give your floppy disks the boot.

We call it the "floppy disk shuffle." It happens when you have two or more software programs on floppies and you need to work with both. What do you do? You put one disk in, boot it, do your work, take it out, put the other disk in, boot it, do your work — you get the idea.

Well, you can stop shuffling any

time now.

Thanks to a unique new software program called Catalyst™ from Quark, Inc. Specially designed for your Apple III and ProFile™ hard disk.

Catalyst allows you to take a wide variety of software programs and store them on your ProFile. Once they're on your ProFile, you just select the program you want from the Catalyst menu that appears on your monitor — then Catalyst does the rest. You'll never have to boot those programs again.


What kinds of programs will work with ProFile and Catalyst?

Almost anything written for the Apple III including copy-protected programs like VisiCalc, Quick File™ and Apple Writer III. Or languages like Pascal, BASIC, or COBOL.

And once you've loaded these programs into your ProFile, the only diskette you may ever need is the

Catalyst.

So if you have an Apple III and a ProFile and more floppies than you care to flip through, get yourself a Catalyst. And boot those disks for good.




Apple Computer Inc., 20525 Mariani Ave., Cupertino, CA 95014. For the authorized Apple dealer nearest you, call (800) 538-9696. In Canada, call (800) 268-7796 or (800) 268-7637. © 1983 Apple Computer Inc.

In The Queue

RUTE

Volume 9, Number 1



Page 37



Page 122



Page 172

Columns

- **37** Build the Circuit Cellar Term-Mite ST Smart Terminal, Part 1: Hardware by Steve Ciarcia / Thanks to advancing technology, you can construct an intelligent video terminal with just 21 integrated circuits.
- **53 BYTE West Coast: Beyond the Word Processor** by Phil Lemmons *I* Tomorrow's text editors may facilitate text composition from the earliest conceptual stages to the analysis of finished documents.
- **61** User's Column: Too Many Leads, or What In *;7!#"*7 Goes First? by Jerry Pournelle I Jerry covers a lot of territory this month, beginning his journey of a thousand words with a trip to the Circuit Cellar.

Themes

- **100 1984 and Beyond** by G. Michael Vose *I* The year calls up inevitable associations with George Orwell's novel of a futuristic, technologically oppressed society and raises questions concerning the present and future significance of technology to our own culture.
- **104 Reason and the Software Bus** by Michael F. Korns *I* The Reason research project, exploring artificial intelligence, has developed a software bus that may have a significant effect on future software. As a hardware bus uses ICs, so the software bus manipulates various program components to provide integration, networking, and multitasking.
- **122** A General-Purpose Robot-Control Language by Dan Prendergast, Bill Slade, and Nelson Winkless *I* By bridging the communication gap between people and robots, a plain-language system called Savvy increases the usefulness of these mechanical assistants.
- **134 1984, the Year of the 32-bit Microprocessor** by Richard Mateosian *I* As manufacturers rush to introduce their 32-bit designs, it's time to take a look at what these microprocessors are and what they're good for.
- **154 Memory Cards: A New Concept in Personal Computing** by Mark Mills *I* Picture a microcomputer without a keyboard, without a power supply, and small enough to fit in your wallet. That's just one possible application of memory-card technology.
- **172 Computer-aided Design** by Rik Jadrnicek *I* CAD capabilities on desktop systems can simplify a variety of tasks, from flowcharting to product design, but the choices in hardware and software can be baffling.
- **213** Speech Recognition: An Idea Whose Time Is Coming by George M. White I While the multidisciplinary nature of the technology may slow its advance, speech recognition is well on its way to becoming a major factor in our interactions with machines.
- **226 Using Natural-Language Systems on Personal Computers** by Jane Eisenberg and Jeffrey Hill *I* Artificial intelligence offers possible solutions to the problems of communication between people and computers.
- **243** Portables—1984 and Beyond: Idea-Processing Software and Portable Computers by David Winer and Peter Winer I When your personal computer leaps off your desktop and into your briefcase, what type of software will accompany it?
- **251** Beyond the Application Program: A Different Approach to Integrated Software by John Banning *I* Element managers that implement objects such as spreadsheet tables and paragraphs may supplant the traditional concept of the application program.

Reviews

- **267 Reviewer's Notebook** by Rich Malloy *I* This month's notes touch on Seequa Computer Corporation's Chameleon Plus and new trends in the printer market.
- **268** The Zenith Z-100 by Ken Skier I Supporting both 8-bit and 16-bit software, the Z-100 also offers impressive color graphics.

BYTE is published monthly by McGraw-Hill Inc., with offices at 70 Main St., Peterborough, NH 03458, phone (603) 924-9281. Office hours: Mon—Thur B:30 AM — 4:30 PM, Friday 8:30 AM — Noon, Eastern Time. Address subscriptions to BYTE Subscriptions, POB 590, Martinsville, NJ 08836. Address changes of address, USPS Form 3579, and fulfillment questions to BYTE Subscriptions, POB 596. Martinsville, NJ 08836. Second-class postage paid at Peterborough, NH 03458 and additional mailing offices. USPS Publication No. 528890 (ISBN 0360-5280). Postage paid at Winnipeg, Manitoba. Registration number 9321. Subscriptions are \$21 for one year, \$38 for two years, and \$55 for three years in the USA and its possessions. In Canada and Mexico, \$23 for one year, \$42



- **282 Pinball Construction Set** by Elaine Holden *I* Tired of the same old pinball games? Try creating your own with this software-design package.
- **288** The TRS-80 Model 16B with Xenix by Steve Barry and Randy Jacobson / One of the most significant features of Radio Shack's new computer is its Unix-derived operating system.
- **324** Naturallink to Dow Jones News/Retrieval by Mark Haas I A new software package from Texas Instruments simplifies access to a financial database.
- **339** The Vamp DVM-1 Computer/TV Interface KIt by Richard F. Gillette / The picture quality of your display can suffer when you use a radio-frequency modulator to interface your computer's video output to a standard color television, but a kit from Vamp offers an alternative.
- **349** The Einstein Compiler by Peter Callamaras *I* In addition to speeding up Applesoft BASIC programs, the Einstein compiler provides statistical information on the programs compiled and can function as a debugging tool.
- **354** The Basis 108 by Seth P. Bates I Apple compatibility is just one of this German import's interesting features.

Features

- **362** Bubbles on the S-100 Bus, Part 1: The Hardware by Louis Wheeler / Using Intel's BPK 72 Bubble-Memory Prototype Kit, you can put together a 128K-byte bubble-memory board for an S-100 bus system.
- **384** Mockingbird: A Composer's Amanuensis by John Turner Maxwell III and Severo M. Ornstein I The chief purpose of this music notation editor from Xerox is to help composers capture their ideas by speeding up the notation process.
- **403** The VU68K Single-Board Computer by Edward M. Carter and A. B. Bonds / You can construct a 68000-based system for under \$200.
- **417 Translating the SAS Language Into BASIC** by Jeff Bass *I* A preprocessor program that translates SAS-like statements into equivalent BASIC statements permits SAS-like programs to run on a microcomputer.
- **437** A Software Review Method That Really Works by Andrew Citron I The group walk-through, a process of "playing computer," provides a workable means of correcting programming problems.
- **442 Real-Time Clocks and PC-DOS 2.0** by David Broadwell *I* A device-driver program for the clock chip on a typical multifunction board takes advantage of special provisions in the IBM PC operating system.


Nucleus

- **4** Editorial: Revisiting the Luddites
- 9 MICROBYTES
- 14 Letters
- 451 BYTE's User to User
- 459 Ask BYTE
- 466 Software Received

Cover painting by Robert Tinney

471 Event Queue

- 476 Books Received
- 478 Clubs and Newsletters
- 480 What's New?
- 557 Unclassified Ads
- **558** BYTE's Ongoing Monitor Box, BOMB Results
- 559 Reader Service



Page 268



Page 288



Page 339



for two years, \$61 for three years. \$53 for one year air delivery to Europe. 17,100 yenfor one year surface delivery to Japan. \$37 surface delivery elsewhere. Air delivery to selected areas at additional rates upon request. Single copy price is \$3.50 in the USA and its possessions, \$3.95 in Canada and Mexico, \$4.50 in Europe, and \$5.00 elsewhere. Foreign subscriptions and sales should be remitted in United States funds drawn on a US bank. Printed in the United States of America.

Subscription questions or problems should be addressed to: BYTE Subscriber Service, POB 328, Hancock, NH 03449



the small systems journal

Editor in Chief: Lawrence J. Curran Managing Editor: Philip Lemmons Senior Technical Editors: Gregg Williams, Richard Malloy, G. Michael Vose

Technical Editors: Richard S. Shuford, Arthur A. Little, Stanley Wszola, Bruce Roberts, Gene Smarte, Richard Krajewski, Jane Morrill Tazelaar; Anthony J. Lockwood, New Products Editor; Steve Ciarcia, Consulting Editor; Mark Welch, Staff Writer; Alan Easton, Drafting Editor.

West Coast Editors: Ezra Shapiro, Technical Editor; Donna Osgood, Assistant Editor. McGraw-Hill, 425 Battery Street, 4th Floor, San Francisco, CA 94111, (415) 362-4600

Copy Editors: Nancy Hayes, Chief; Warren Williamson, Elizabeth Kepner, Joan V. Roy, Dennis E. Barker, Anne L. Fischer, Bud Sadler, Margaret Cook

Assistants: Faith Kluntz, Beverly Jackson, Lisa Jo Steiner, Peggy Dunham

Production: David R. Anderson, Assoc. Director; Virginia Reardon, Production Manager; Jan Muller, Michael J. Lonsky; Sherry McCarthy, Chief Typographer; Donna Sweeney, Valerie Horn,

Advertising: Deborah Porter, Supervisor; Marion Carlson, Rob Hannings, Cathy A. R. Drew, Lisa Wozmak, Jeanne Cilley, Jeanna Reenstierna; Patricia Akerley, Reader Service Coordinator; Wai Chiu Li, Quality Control Manager; Linda J. Sweeney, Advertising/Production Coordinator

Advertising Sales: J. Peter Huestis, Sales Manager; Sandra Foster, Administrative Assistant Circulation: Gregory Spitzfaden, Director; Andrew Jackson, Subscriptions Manager; Barbara Varnum, Asst. Manager; Agnes E. Perry, Louise Menegus, Jennifer Price, Jane Varnum, Phil Dechert, Mary Emerson; James Bingham, Single-Copy Sales Manager; Linda Turner, Asst. Manager; Carol Aho, Edson Ware

Marketing Communications: Horace T. Howland, Director; Vicki Reynolds, Coordinator; Stephanie Warnesky, Graphics Design Manager; Michele P. Verville, Research Manager

Business Manager: Daniel Rodrigues Controller's Office: Kenneth A. King, Asst. Controller, Mary E. Fluhr, Acct. & DIP Mgr.; Karen Burgess, Linda Short, Vicki Bennett, Vern Rockwell, Lyda Clark, Janet Pritchard, JoAnn Walter, Julie Ferry, Patricia Burke

Traffic: N. Scott Gagnon, Manager; Brian Higgins, Cynthia Damato

Receptionist: Linda Ryan

Personnel/Office Manager: Cheryl A. Hurd Associate Publisher/Production Director: John

Publisher: Gene W. Simpson; Doris R. Gamble, Publisher's Assistant

Editorial and Business Office: 70 Main Street, Peterborough, New Hampshire 03458, (603) 924-9281

Officers of McGraw-Hill Publications Company: President: John G. Wrede: Executive Vice Presidents: Paul F. McPherson, Operations; Walter D. Serwatka, Finance & Services. Senior Vice President-Editorial: Ralph R. Schulz, Senior Vice President Publishers: Harry L. Brown, David J. McGrath, James R. Pierce, Gene W. Simpson, John E. Slater. Vice President Publishers: Charlton H. Calhoun III, Richard H. Larsen, John W. Patten. Vice Presidents: Kemp Anderson, Business Systems Development; Shel F. Asen, Manufacturing; Michael K. Hehir, Controller; Eric B. Herr, Planning and Development; H. John Sweger,

Editorial

Revisiting the Luddites

As 1984 dawns, only a small fraction of the general population of this nation owns or regularly operates a computer. Indeed, there is still widespread concern that the increasing encroachment of computers into daily life carries with it the threat of substantial unemployment as computers displace people on the job. We think an article that appeared last summer in the Wall Street Journal ("The Luddite Answer to Unemployment") addresses the fears of those who remain unconvinced that computers aren't threatening. The article was written by Bruce Bartlett, executive director of the Joint Economic Committee of Congress. We've reprinted it here because we think Mr. Bartlett's views deserve an even broader audience. . . . Lawrence J. Curran, Editor in Chief

In the early 1800s a group of British Lworkers, concerned that the introduction of machinery was destroying jobs in the textile industry, went about destroying such machines in the hope of saving jobs. They issued proclamations in the name of the mythical King Ludd of Sherwood Forest and became known as Luddites. They still exist, although they no longer smash textile equipment. Instead, they issue dire warnings about how computers and robots are destroying jobs and will create an economic crisis unless the federal government adopts massive new programs to absorb the new unemployed.

Wassily Leontief, a Nobel laureate in economics, argues that increasing technology and automation will lower real incomes, as workers attempt to forestall technological innovation by reducing their wages. Nevertheless, he sees the tide of technology moving relentlessly onward, leaving in its wake a vast army of unemployed. Assemblyman Tom Hayden in California put the issue even more starkly:

"The economy is moving toward dependence on machines instead of human labor as a means of producing goods in each plant, and toward high-technology, capital-intensive industries in place of older, established craft or labor-intensive processes. As this 'progress' rolls on, fewer and fewer jobs are created per dollar invested. Each recovery from recession involves a greater investment of capital in expensive, high-tech industry, and this in turn makes greater unemployment a growing likeli-

Echoing the Line

There is, of course, not a scrap of evidence in either theory or history to suggest that technological development won't increase employment and real incomes today just as it always has. Those who suggest otherwise are just echoing the Lud-

One can go back as far as Adam Smith for evidence. In the first chapter of "The Wealth of Nations" Smith tells his famous story about the pin factory where a single worker without machinery "could scarce, perhaps, with his utmost industry, make one pin in a day, and certainly could not make twenty." But with the introduction of machinery a single worker could make as many as 4,800 pins a day. Given the number of pinmakers in England at that time and the demand for pins, such machinery should have created about 99% un-

How Cromemco plugs you into the state of the art.

Cromemco offers you the most complete line of S-100 boards and peripherals in the business. These boards use the new IEEE-696 state-of-the-art standard. One-stop shopping can satisfy your design needs the easy way.

You can build one system, or a hundred, exactly the way you want, and upgrade existing systems with a simple board swap or addition. And since we design our own boards for our own systems, we always take advantage of the latest developments in IC technology.

68000 microprocessor performance. Cromemco's Dual Processor Unit gives you the best of both worlds: the

68000 and the Z-80A microprocessors on the same board. It's the easiest way to move into 68000 performance and still use your existing 8-bit software. Or use Cromemco's Z-80A CPU board or our Z-80A-based single board computer.

For selection, Cromemco can't be matched. From the well-known SDI High Resolution Color Graphics board to the new 512MSU, 512K byte RAM board. From our highly reliable Local Area Network interface (C-NET) to our wide variety of general purpose interface boards. And you can put them in one of our 8-, 12-, or 21-slot card cages with our 12 amp PS-8 power supply to get your system into operation fast

We have over 30 S-100 boards to fill your needs. And all are supported by a broad line of software. Our Board Products Catalog has the latest information. Call today for your copy, or to get the name of our nearest dealer or distributor. Or, write Cromemco, Inc., 280 Bernardo Avenue, P.O. Box 7400, Mountain View, CA 94039. Tel: (415) 964-7400. In Europe: Cromemco A/S, Vesterbrogade 1C, 1620 Copenhagen, Denmark.

In the U.S., contact your local Hall-Mark or Kierulff distributor.

Cromemco

Circle 119 on inquiry card



employment in the pinmaking industry. Obviously it did not because the vast increase in pinmaking productivity resulting from mechanization so lowered the cost of making pins that new uses for them were discovered. Moreover, the increased real income of those who previously used high-cost, handmade pins increased demand for other products and gave rise to employment in other industries, not the least being makers of machines for pinmaking.

Another aspect of the new Luddite argument is that rising productivity is not altogether a good thing. As Robert Kuttner asks in The Atlantic, "What would happen if all the physical goods were produced by robots? The one worker who flipped the switch would boast astronomically high productivity. What should he be paid? And what would everyone else do for a living?" Somewhat along these same lines I have heard members of Congress express concern that if productivity rises too rapidly in the current recovery more output will be achieved without reducing unemployment.

Again, the flaw is static analysis—assuming that things won't change, that technology and automation won't change relative prices or incomes, that the economy will essentially continue to produce the same goods in the same quantities only using less labor.

One might respond by asking what our economy would look like without rising productivity. In 1910 the Bell System had 121,310 employees. Approximately 7 million calls were placed that year, or 57 per employee. In 1981 the Bell System had 874,000 employees, who serviced over 219 billion calls. Had there been no increase in productivity since 1910 it would have required close to 4 billion employees to service that many calls. The result, of course, has been that telephones are widely available and calls can be made at very modest cost compared with 1910. This has given rise to vast numbers of jobs in every industry which simply couldn't exist without efficient, inexpensive phone service.

While it may be obvious in the long run that rising productivity and technological innovation create more jobs than they destroy, might there still be short-run adjustment problems to consider? According to two British researchers, J. D. Whitley and R. A. Wilson, who studied the employment effects of technological change in the British microelectronics industry, probably not. They identify interrelated factors that contribute to overestimates of employment loss from new technology.

'Those who dwell on the apparent adverse effects of technological change on employment are only creating unnecessary fear and anguish among workers...'

First, people tend to overgeneralize from particular case studies. It might seem obvious that a firm employing 10 secretaries that could get the same work from one with a word processor would then lay off nine. But studies of firms adopting such technology indicate that actual job displacement amounts to about 10% of the potential effect. In this case, therefore, only one secretarial position is likely to be permanently lost in that firm.

Second, people tend to be overly optimistic about the speed at which new technology will be adopted. They imply that adopting it is somehow costless. Yet it is clear that creating and implementing technology requires previous investment in both physical and human capital.

Third, Whitley and Wilson found that there is a tendency to exaggerate the extent to which microelectronics represents a completely revolutionary technology. "Even if microelectronics represents the major source of technology."

nological change likely to occur during the 1980s and 1990s," they say, "it will need to result in a marked acceleration in the pace of improvement in productivity for it to displace labor faster than achieved by previous generations of technological change. The general consensus appears to be that the new technology is best regarded as a development from previous technologies rather than a revolutionary change." Again, the data indicate that the potential for job loss is much less than has been generally feared.

Unnecessary Fear

The authors might also have mentioned that to the extent productivity is enhanced it will forestall layoffs which might take place in plants and industries where union wage demands would otherwise exceed productivity growth.

The Luddite argument has no more validity today than it had in 1811. Those who dwell on the apparent adverse effects of technological change on employment are only creating unnecessary fear and anguish among workers who worry they will be laid off. Though they may not in fact advocate restrictions on the introduction of technology, as the Luddites did, they may be sowing seeds of discontent which could take root in other ways. Already there is pressure for trade restrictions, industrial policy, plant-closing laws and government bailouts for companies in declining industries. The new Luddite argument only adds to the pressure.

All this isn't to say that some specific individuals may not become unemployed as a result of technological change. Legitimate efforts should be made to ease their plight and help them find new work. But such instances shouldn't obscure the larger good to society from increased productivity.

—Bruce Bartlett

Reprinted with permission of the *Wall Street Journal* © 1983, Dow Jones and Co. Inc. All rights reserved.



Net results are what you get with PerComNet" ... the sophisticated, user-installable Local Area Network from PERCOM DATA CORPORATION.

PerComNet IBM* interface cards are available now to provide true networking capabilities for IBM and most IBM compatible personal computers. This includes the sharing of peripheral devices such as printers, modems, floppy disk drives, and all PERCOM DATA High Performance PHD™ Hard Disk Drives.

PerComNet provides these **net results**: Token passing reliability.

- · Built-in 64K FIFO buffer, to speed data transmissions.
- · Signal regeneration at each node to eliminate noise, regardless of network size.
- User installation simplicity.
- · Optional NBS encription for data security.
- · Support for simultaneous voice/data transmissions.
- Operating system compatibility for MS-DOS™, CP/M*, UNIX™, and uNETix*. uNETix for PerComNet is distributed by Percom Data.

If you want **net results**... PerComNet is the logical, economical and reliable choice. PERCOM DATA has a PerComNet OEM Evaluation Package* ready for your immediate use. The package includes all the hardware, and communications and file transfer utilities you need for configuring a network of three IBM PC computers. Package price is only \$1695.

To order your evaluation package or to get more information contact us today!

	A CORPORATION Road · Dallas, Texas 752	243		
Name:	Т	tle:		
Company:				
Address:				
City:	State:	ZIP:		
l'd like you to send me more information. I'm very interested, please have your rep call me at I'd like to know more about your PHD Hard Disk.				



Expanding Your Peripheral Vision

 NETWORKS **SOFTWARE**

11220 Pagemill Road, Dallas, Texas 75243 (214) 340-5800

1-800-527-1222

*Does not include operating system or application software.

PerComNet and PHD are trademarks of Percom Data Corporation. • IBM is a registered trademark of International Business Machines. • MS-DOS is a trademark of Microsoft, Inc.

CP Mis a registered trademark of Digital Research. • UNIX is a trademark of Earlier 1983.• All prices and descriptions subject to change with police.

COPVEIGHT Rescom Page Corporation 1983.• All prices and descriptions subject to change with police. COPYRIGHT Percom Data Corporation 1983 • All prices, and descriptions subject to change with notice.



Brilliant!

ere's another brilliant idea from the makers of the popular MicroAngelo® graphics board—the SCION PC 640.


Whether you're a systems developer or an enduser, this solidly-designed color graphics board is your best choice for high-resolution color graphics on the IBM PC, as well as many PC-compatibles.

Here's why:

- $640 \times 480 \times 16$ out of 4096 colors
- · Memory-mapped for very high speed operation
- Over 60 2-D drawing primitives, accessible from Basic, Fortran, C, Pascal or Assembler
- High-level software packages available for painting,

business graphics, CAD and slide production

For more information on why the PC 640 may be a brilliant idea for you, please



The PC640 Professional Color™ board delivers superior resolution at 640 × 480, and the simultaneous use of 16 out of 4096 colors.

contact Jim Mather at (703) 476-6100, TWX: 710-833-0684, or write: SCION Corporation, 12310 Pinecrest Road, Reston, Virginia 22091.



MICROBYTES

Staff-written highlights of late developments in the microcomputer industry.

COMDEX: IBM CLONES AND A NEW TANDY ENTRY

Two major electronics companies, including one of the pioneers of the computer industry, jumped into the crowded market of IBM PC compatibles at last month's Comdex show in Las Vegas. Sperry Corp., inventor of the Univac mainframe, introduced its Sperry Personal Computer. Sperry says its PC is fully compatible with the IBM but can run 50 percent faster and can talk to both Sperry and IBM mainframes. Prices range from \$2643 (one floppy-disk drive, 128K bytes of RAM, and a monochrome monitor) to \$5753 (one 10-megabyte Winchester, one floppy disk, 128K RAM, and a color monitor). Lower-priced models are scheduled to be available this month. . . .ITT Corp. showed its XTRA computer, which is claimed to be operationally compatible with the IBM PC. Major features of the XTRA include a mouse, 128K to 640K bytes of RAM, color graphics, a processor-unit footprint 30 percent smaller than IBM's, and prices about 5 percent lower than comparable IBM units. . . . Radio Shack introduced its Tandy Model 2000, an MS-DOS system using an 8-MHz Intel 80186 central processor instead of the 4.77 MHz 8088 of the IBM PC and look-alikes. The Model 2000 retails for about \$3000 with two disk drives and a monochrome monitor or \$4400 with a 10-megabyte hard disk. . . . Radio Shack also announced that it will support the Ovation software package for the Model 2000. Ovation is a modeless word-processor, spreadsheet, information-management, graphics, and communication package.

COMDEX: A HARDWARE DATABASE HELPER

Cogent Data Technologies borrowed an idea from the mainframe and minicomputer worlds to develop a back-end processor for database processing in multiuser systems. Its Database Machine— a card for the IBM PC, XT, and 3270-PC—incorporates Winchester control, database commands, and a multitasking operating system. Using an on-board 80186 chip as a coprocessor allows 64K-byte files to be written in just over a tenth of a second, Cogent claims. One card will be needed for each hard disk in a network and will cost from \$1500 to \$1700.

COMDEX: INTEGRATED SOFTWARE

Among the many integrated software packages making their debuts were 20/20 from Access Technology Inc. and DayFlo Inc.'s Personal Information Manager. 20/20 will run on numerous micros, minis, and mainframes. It incorporates spreadsheet modeling, graphics, data management, scheduling, text processing, and interfaces to external programs. It will sell for about \$500....DayFlo allows free-form data entry, revision of formats of existing files, word processing, note-taking, forms design, and integration of external programs such as spreadsheets. It runs on the IBM PC and costs \$495.

COMDEX: OPERATING SYSTEMS

Digital Research Inc. introduced two new versions of Concurrent CP/M, a generic version for OEMs and an IBM PC end-user version featuring windowing. DRI says the OEM version is compatible with PC-DOS and supports DR Soft/Net, networking software also introduced by DRI at Comdex. The end-user package will be available through April 1 at promotional prices starting at \$150....Cosmos Inc. announced that it is now an authorized Pick system licensee. Cosmos was showing its Revelation relational database-management system for the IBM PC. The Revelation system allows both MS-DOS and Pick applications to run on the PC. (Pick Systems, the developer of the program, will offer an implementation for the IBM PC XT sometime this quarter.)

COMDEX: A 32-BIT MICRO

Silicon Valley Micro Inc. introduced two 32-bit portable computers with some IBM PC compatibility. Descriptively named the \$5000 Model and the \$10,000 Model, each features both a National Semiconductor NS32032 microprocessor and an Intel 8088, an 80-column thermal printer, a 9-inch, 80 by 25 monitor, a Unix subset and MS-DOS, and serial and parallel ports. In addition, the \$5000 Model has two half-height 360K-byte floppy-disk drives and 512K bytes of RAM. The \$10,000 Model adds a 140-megabyte hard disk, a ¼-inch 60-megabyte tape drive, and 2 megabytes of RAM.

COMMITTEE ON IN-FLIGHT COMPUTER USE WAITS FOR TEST RESULTS

"Very few airlines that allow portable computers on their planes have actually tested them," said Andreas Fraga, chief avionics engineer at Eastern Airlines, after the December meeting of SC-156, the committee studying potential hazards portable computers might present to airplane navigation equipment. Convinced that "ignorance is our worst enemy," Fraga wants testing before portable computers are used in planes. One possible result of the study might be a list of approved computers that flight attendants could refer to. Only three computer manufacturers and five airlines sent representatives to the meeting. Committee SC-156 of the Radio Technical Commission for Aeronautics meets again February 28–29 in Washington, when preliminary test results may be available.

APPLE ANNOUNCES INTEGRATED SOFTWARE, HARD DISK FOR THE APPLE III

Apple Computer has unveiled Apple Works, a \$250 integrated software package for the Apple IIe that includes a word processor, a database manager, and a spreadsheet. A similar program for the Apple III, called III E-Z Pieces, will be available this month. Apple also announced that the Profile, a 5-megabyte hard-disk drive previously available only for the Apple III and the Lisa, will be available for the Apple IIe for under \$2200.

INMOS ANNOUNCES A 32-BIT 10-MIPS "TRANSPUTER"

Inmos Corp. has announced the IMS T424 transputer, a 32-bit microprocessor with 4K bytes of on-chip high-speed (50-nanosecond) RAM. Inmos says the transputer will execute an average of 10 million instructions per second.

UNIX ADDED TO DEC PROFESSIONAL, IBM PC XT, AND APPLE LISA

The Santa Cruz Operation Inc. announced that it will market Microsoft's Xenix operating system for the IBM Personal Computer XT, the Digital Equipment Corporation Professional 350, and the Apple Lisa for \$595 to \$795.

Digital Equipment Corp. announced PRO/V7M, based on Unix version 7, which will cost \$695 for its Professional Computer.

FOUR COMPANIES OFFER IBM COMPATIBLES WITH EXTRA FEATURES

Seequa Computer Corp. and Intertec introduced dual-processor IBM-compatible computers, both with 8086 and Z80 processors. The Seequa XT includes a 10-megabyte hard disk for \$3995, without a monitor. Intertec's HeadStart, with a 3½-inch floppy-disk drive, is priced from \$3495. North Star Computers Inc. and Onyx Systems Inc. introduced multiuser 80186-based computers. The North Star Dimension allows up to 12 users to access the system, which includes a 15-megabyte hard disk and two workstations for \$7000. Onyx's 186 Series allows multiple users to use Concurrent CP/M-86, or a single user may use MS-DOS; a single-user system is \$4495.

NANOBYTES

Dysan Corp. is entering the software publishing business in an effort to enhance the market position of 3¼-inch disks and drives. Dysan plans to enhance and standardize the documentation of the top 100 software packages and market them on 3¼-inch disks....Tandon Corp. announced that it will begin selling 10- and 15-megabyte hard-disk subsystems to IBM Personal Computer users through dealers. Previously, Tandon sold products only to manufacturers....Digital Research Inc. has announced a FORTRAN-77 compiler that was developed using a new technology DRI says will enable it to develop and translate compilers more quickly than in the past....Tri-Data has unveiled the Oz Guardian, a \$750 modem that verifies passwords before permitting access to a system. The modem may be programmed to hang up and call back the phone number associated with that user....Softech Microsystems Inc. has announced a family of network software products based on its p-System operating system. Initially available for Corvus's Omninet, software for up to eight users costs \$750....Eastman Kodak has announced that it will manufacture and market Drivetec's high-density 5¼-inch disk drive for use in image storage and analysis applications. Kodak hopes to use its Isomax high-density disk with the drive, which can store 2.8 megabytes of data on a high-density disk....Lotus Development Corp. is reportedly working on a version of its popular 1-2-3 spreadsheet program for Motorola's 68000 microprocessor.



Introducing COMPAQ PLUS, the first high-performance portable personal computer.

The makers of the COMPAQ™ Portable Computer, the industry standard, announce another breakthrough—the COMPAQ PLUS™ Portable Personal Computer. No other personal computer can handle so much information in so many places.

The new COMPAQ PLUS offers the power of an integrated ten-megabyte fixed disk drive in a portable. You get problem-solving power that no other personal computer can match.

Plus a bigger payload


How much is ten megabytes? Enough to tackle jobs that can't be conveniently handled on most personal computers. used programs and data can be permanently kept in the COMPAQ PLUS, ready to call up and run.

With programs permanently stored, the COMPAQ PLUS becomes a wellinformed traveling companion, a tool to help you apply your best thinking anytime, anywhere.

You could store a complete library of accounting programs on the disk—payables, receivables, general ledger, and payroll—with the company's books.

You could store an inventory control program with your inventory records and a list management program with your mailing list and a filing program with your personnel files.

The COMPAQ PLUS is also equipped with a 360K byte diskette drive for entering new programs, copying data files, and making backup copies.




More programs means more versatility. And the COMPAQ PLUS is impressively versatile because it runs all the popular programs written for the IBM* Personal Computer XT, available in computer stores all over

the country. And they run as is, with no modification whatsoever.

And the high-capacity portable multiplies the productivity of every program it runs. Your inventory and its control programs can go with you to the factory. Your books and your accounting programs can go with you to a board meeting. Your building specs and your project management programs can go with you to the construction site.

You're buying a computer to solve problems. Why not have more problem-solving programs to choose from?



Plus a traveler's toughness

Life can be tough on the road. A true portable has got to be tougher. The COMPAQPLUS is.

Its integrated fixed disk drive is unique, designed specifically to travel. Rough roads and hard landings don't bother it because of a specially designed shock isolation system that protects the disk from jolts and vibration.

All the working components are surrounded by a uniquely cross-

membered aluminum frame. This structure, common in race car design technology, strengthens it side-to-side, front-to-back, and top-to-bottom.

The outer case is made of LEXAN*, the same high-impact polycarbonate plastic used to make bulletproof windows and faceplates for space suit belings.

Does a portable personal computer really have to be this tough? Take a good look at your briefcase and then decide.



A mailing list of 100,000 names, addresses, cities, states, and Zip codes.

A full year of daily prices for every stock on the New York exchange.

Inventory records on a quarter million items.

The entire San Francisco phone book. And room left over for Peoria.

The fixed disk drive keeps all the information seconds away, ready to be searched, sorted, retrieved, analyzed or updated.

Plus better use of your time

The integrated fixed disk drive will store programs. That means your most



The COMPAQ
PLUS runs all
the popular programs written for the
IBM Personal Computer XT.

Plus ease of use

The COMPAQ PLUS is big where it counts.

The display screen is big. Nine inches diagonally. Big enough to show a full 25-line-by-80-character page that's easy to read even if you're leaning back in your chair.

The keyboard is full-sized and typewriter-style for easy control.

With its built-in display, the COMPAQ PLUS makes a smooth, low profile on your desk, not an obstacle that you have to talk around.

Plus an easy way to get started

If you're buying your first personal computer and you're not sure how much capacity you need, your choice is easier now.

Start with the COMPAQ Portable with single or double 320K byte diskette drives. If you need more capacity later, upgrade to the COMPAO PLUS. A conversion kit is available that turns the COMPAQ Portable into a COMPAQ PLUS, complete in every detail and capability.

Plus a lot more

The COMPAO PLUS also works with optional printers, plotters, and communications devices designed for IBM's personal computer family.

It has two IBM-compatible slots for adding optional expansion boards. With companion programs, they'll let you share information with a network of personal computers in your office, communicate with your headquarters computer files while you're away, or add memory capacity if your needs grow.

The COMPAO Portable, the industry standard in portable personal computers.

The problem-solving power of a highperformance desktop personal computer can now go where you need it.



It's got high-resolution graphics and text on the same screen. A detached keyboard. Programmable function keys. Expandable memory. Dozens of other features that simply make it do a better job of personal computing.

And when you see all that the COMPAQ PLUS has to offer, you'll be pleasantly surprised by the price. The fact is, it costs hundreds less than comparably equipped desktop personal computers.

See the first high-performance portable personal computer. The COMPAQ PLUS-performance, programs, productivity. Plus problem-solving power.

The new COMPAQ PLUS, the first highperformance portable personal computer.

COMPAQ PLUS **Specifications**

Storage

- ☐ One integrated 10-megabyte fixed disk drive
- ☐ One 360K byte diskette drive.

Software

☐ Runs all the popular programs written for the IBM XT.

☐ 128K bytes RAM, expandable to 640K bytes

Display

- ☐ 9-inch diagonal monochrome
- ☐ 25 lines by 80 characters
- ☐ Upper- and lowercase highresolution text characters
- ☐ High-resolution graphics

Interfaces

- ☐ Parallel printer interface ☐ RGB color monitor interface
- ☐ Composite video monitor interface
- ☐ RF modulator interface ·

Expansion board slots

☐ Two IBM-compatible slots

Physical specifications

- ☐ Totally self-contained and portable
- □ 20"W × 8½"H × 16"D

For the name of the **Authorized Dealer nearest** you, call 1-800-231-0900.

°1983 COMPAQ Computer Corporation COMPAQ™ and COMPAQ PLUS™ are trademarks of COMPAQ and COMPAQ FLUS are trademarks of COMPAQ Computer Corporation.

IBM® is a registered trademark of International Business Machines Corporation.


LEXAN® is a registered trademark of General Electric Company.





COMPAG





Letters

in Praise of the Morrow

I have just finished "The Morrow Micro Decision" (October, page 306) by Tom Wadlow. As the satisfied owner of one of these fine machines, I must take exception with a few of his statements.

A user does not have to suffer the indignities inflicted by the Control key. This is the only review on the Morrow that I've read (and I've read at least three others) that does not mention that Morrow offers two terminals. The more expensive terminal has a much more professional "feel"; the Control key is located beside the Lock key.

I agree with the complaint about the ports. However, the latest advertisements show that a parallel port has been added. Didn't the author get the latest information before writing his review? The MD-11, another recent introduction, should also have been mentioned. It offers hard-disk storage.

As a first-time microcomputer user, I found the documentation quite adequate. Perhaps Mr. Wadlow would prefer Apple; as far as I know, you still have to pay extra for its documentation. As far as configuring the terminal, I cannot imagine a dealer who would not assist in this admittedly distasteful task.

My only real complaint is that I am still waiting for the database manager.

I guess the Morrow ads are correct; maybe it does take a special breed to recognize the value of the Morrow machines.

Gregory Diehl Data Processing Consultant 2561 Hungary Spring Rd. Richmond, VA 23229

Two other major microcomputer publications reviewed the Morrow Micro Decision small-business computer in September. Based on these reviews and my own 11-month experience as an MMD owner, I can only conclude that Tom Wadlow's October review was superficial because of an impending deadline.

In any case, I believe Mr. Wadlow seriously underestimated a machine that may be the best buy available for the firsttime business user uninterested in portability.

I have tried in vain to explain to colleagues the utility of the MMD's "virtual-

drive" feature for saving files when confronted with a filled-up disk, for copying files from one disk to another without leaving Wordstar, and for other ways to avoid a few of the irritations that plague

I appreciate the CP/M interrupt that allows me several tries at a BDOS (basic disk operating system) error before giving up and retreating to the operating system. Although I'm sure other manufacturers could offer these BIOS (basic input/ output system)/BDOS modifications, I know of no other under-\$2000 microcomputer that does. Do any over-\$2000 machines offer them?

Similarly, I've found the disk-emulation feature convenient: friends and coauthors with Osbornes or IBMs simply mail me a disk if they don't have a modem. I wish Mr. Morrow had included a disk-formatting option as well, so I wouldn't have to stockpile supplies of my friends' disks.

In the only "benchmark" in the review, Mr. Wadlow says the bundled Correct-It spelling checker is slow in "loading and sorting," based on his "test" of a single sentence of 14 words. As anyone who has used various spelling checkers knows, most of the time in operating these packages is spent checking the sorted object file against the master dictionary. My own "test" (without leaving Wordstar, thanks to the MMD virtual-drive feature) found that Correct-It took only 5.6 seconds to "load and sort" this 334-word letter. It then took another 75 seconds to check each of these words against its 36,000word dictionary. Given what a spellingchecker does, I submit that this is not slow.

Mr. Wadlow may have revealed himself as a dedicated "Selectric" keyboarder when he complained about the location of the Control key on the MMD keyboard. As in almost all Lear-Siegler ADM terminals, the Control key is conveniently located in an easily learned position, immediately below the Z key. But those used to stretching beyond the left-hand shift key (as on Apples, IBMs, and many other terminals) will have trouble adjusting. I can assure Mr. Wadlow that the only drawback to an experienced user is the difficulty of making a one-hand stretch to achieve "Ctrl-Y" (line-delete in Wordstar), and I have often thought of this as fortunate.

My fellow members in the Morrow Micro Decision Users Group have found



Videoterm[™] The Best Selling 80-column Card For Apple®

By the end of 1982, the Videoterm had outsold all other 80-column cards two to one. Today, the Videoterm continues to be the standard for the Apple [and Apple][plus. This is the ideal 80-column card for word processing, spreadsheets, and other business applications.

With the Videoterm, you can display your text with a 7 x 9-dot matrix which provides upper and lower case letters with true descenders. The single-wire shift mod is also supported. The Videoterm will list both Integer and Applesoft BASIC programs using all 80 columns without splitting keywords. The popular ESCape sequence editing capabilities and a stop-list function using Control-S are supported. If you install the Videoterm in Slot #3, it will automatically be used by Pascal and CP/M, since these operating systems recognize the Videoterm as a standard video display terminal.



This kit contains an OPTIONAL Videoterm firmware and a redesigned softswitch for the Apple //e. This OPTIONAL firmware is for a BASIC programmer and includes: NORMAL, INVERSE, HOME, and lower-case entry of BASIC commands.

The Videoterm has no trouble keeping up with 1200 baud modems during normal printing or scrolling. The Videoterm is not compatible with cards plugged into the auxillary slot of the Apple I/e. For this situation, we recommend the UltraTerm display card.

Videoterm Utilities Disk

The six programs on the Videoterm Utilities Disk will complement the creativity of the 80-column screen. This disk contains:

GRAPHICS TEMPLATE — Create a business form in 80 columns

SCROLL UTILITY PROGRAM—Set a window in 80 columns FONT EDITOR—Create new character fonts

READ SCREEN—Read characters from screen locations

PASCAL DEMONSTRATION PROGRAMS
VIDEXGRAPHICS—Provides MID-RES Graphics in Pascal
MID-RES GRAPHICS—Graphics in 80 columns

Alternative Characters

Spanish

Siñi' ng

French

£à°ç§'éùè

The Videoterm comes with ASCII standard character set. There is a second socket for an alternate character set. You may choose from foreign languages, inverse, underline, APL language, symbol (math and Greek), and line drawing graphic character sets.

Soft Video Switch



The Soft Video Switch knows whether it should display 40 or 80 columns or Apple graphics. It does the tedious work of video-switching so you don't have to.

Switchplate

Some programs
(especially those that
use Run-Time Pascal)
write directly to the
40-column text page and
do not use standard
video-switching protocol. For these programs, the Switchplate
allows you to easily toggle to the 40-column
video output.



Videx

1105 N.E. Circle Blvd. Corvallis, OR 97330 503-758-0521

Circle 370 on inquiry card.

Apple is a registered trademark of Apple Computers, Inc. Videoterm is a trademark of Videx, Inc. many ways they can use the Micro Decision as a fully equipped, low-cost solution to business needs. I only hope BYTE will assign a more sophisticated reviewer to Mr. Morrow's latest offspring, the 11megabyte/128K/\$2745 MD-11 (with bundled software, of course).

Andrew J. Boots 2619 Washington Ave. Chevy Chase, MD 20815

In "The Morrow Micro Decision" Tom Wadlow states that, "The basic drive is single-sided single-density and stores about 200K bytes." I do not think this can be true because my machine has singlesided double-density disks on it. They hold only about 200K bytes.

He implies, at the end of the same paragraph, that programs written for the IBM PC can be run on the Micro Decision. This statement, the way it is worded, is inexcusable from a reviewer. How can one run a program written for a 16-bit machine on an 8-bit machine? While the format is readable, unless the program is written so that the Z80 can read it, it is unusable.

Also, he should have admonished people to be careful with any compatible software, i.e., Xerox 820, Osborne I. These program formats are usable only if there has been no configuration in the software that addresses the hardware ports, etc. If they are not written to be transportable, they will not work. Most of the software manufacturers that I have contacted are not sure if their Xerox or Osborne formats will run on the Micro Decision. If they don't, you may lose the price of the software, unless you can go inside and rewrite that part of the software.

I don't know where Mr. Wadlow got his prices, but an ad in the same issue lists different prices for the MMD. But the point of his article that really made me mad was his assessment that "The Micro Decision would make a good second computer for people who are familiar with CP/M systems or for those who have had experience with computers." Because I do not fall into either category, I have to interpret that Mr. Wadlow thinks the system would not be good for me. However, I did not have any trouble with the MMD. I found the turnkey menus to be invaluable. Had I purchased a system that was not supported in the way the MMD was, I would probably have been turned off by computers. Instead, I am enthusiastic about them. I have learned the 8080 assembly language and have started writing many programs. I would not hesitate to recommend the MMD to someone who had never laid hands on a computer system before. In all fairness, I think that Mr. Wadlow's evaluation was somewhat biased simply because he was not a novice user.

David M. Gambs 2612 N.E. Skidmore Portland, OR 97211

Tom Wadlow responds:

In my opinion, the purpose of a review is threefold: first, the equipment should be reviewed to see if it lives up to the manufacturer's claims; second, the equipment should be compared with the competition and its merits and faults should be brought to light; and third, a machine should be examined to see if it is all it should be-i.e., does it have any serious design errors?

I seem to have stepped on some toes with my review of the Micro Decision. Non-Micro Decision owners said they appreciated the review because it suggested things they should watch out for when purchasing any machine. Micro Decision owners' opinions were mixed. Some said the machine was a mistake and they would not recommend it to anybody. Others think it's the best thing since peanut butter. I think it is a good machine with some problems that should be examined out in the open, not hidden under the gloss of an undercritical review.

Terminals:

The BYTE article pipeline is unfortunately long and, as you can see, this sometimes causes problems. The system I received from Morrow had an ADM-20 terminal, and Morrow was not supporting the Liberty at the time. I had never touched a Liberty (I have since) and therefore could not make any comments about

Keyboard:

Over the course of my career, I have extensively used approximately 25 different keyboards ranging from keypunches and teletypes to my current Lisp Machine keyboard (which has seven different kinds of shift keys, any combination of which may be and often is used with a single alphanumeric character). The issue of the "best" keyboard is touchy. I will simply settle for saying that the ADM-20 keyboard is far from the "best." The Liberty is much better.

Compatibility:

If you read the first paragraph under Disk Storage in my article, you will see that I did not say that programs written for the IBM-PC can run on the Micro Decision. I said that conversion programs to run on the Micro Decision that allow you to read IBM PC disks (which implies text files only, since binary files would be useless to the MMD) are available.

MD-11:

The MD-11 was announced just shortly before the October issue of BYTE hit the stands. And prices can change dramatically over the large fraction of a year between submission of an article and its publication.

I still stand by my review.

Name Change


We appreciate David Fiedler's mention of us in the table accompanying "The Unix Tutorial, Part 2" (September, page 257). However, we changed our name from Unisoft Inc. to Unicorp Software Inc., to avoid confusion with Unisoft Systems Corp. of Berkeley. Also, there was a typographical error in our phone number. The correct number is (212) 307-6800, not (212) 327-6800 as published.

Mark Pearson President Unicorp Software Inc. 303 West 42nd St. New York, NY 10036

Unix Update

In my recent article on Unix typesetting ("Typesetting on the Unix System," October, page 253), I did not want to sound negative about either Scribe or TEX, nor did I intend to portray any formatting system as being better than the others. There is at least one factual error in the article: TEX does not require non-ASCII symbols, but rather provides an alternative to using them (various escape sequences).

Good documentation—The TEX Book was scheduled for publication by Addison-Wesley in late 1983. TEX is actually written in WEB, a Pascal preprocessor language that is capable of producing code for a wide variety of machines. A new macro package to produce tables (a TBL equivalent) and a set of bibliographic for-



25 Mb the hard way.



25 Mb the Rana way.

mats (using a Scribe-like database) are now available.

There are two important ways in which TEX surpasses troff when measured by traditional typesetting standards. First, TEX provides kerning, whereas troff does not. Kerning is the moving of small letters underneath large overhanging letters, as in the digraphs To and Ve. Second, TEX and Scribe allow for different design sizes, while troff has width tables for only a single design size. Traditionally, good type designers always drew several variations of a single typeface to suit the optical requirements of different print sizes. Current trends point back to this tradition.

Bill Tuthill Imagen Corporation 2660 Marine Way Mountain View, CA 94043

The Model 4's Hitches

All in all, I was quite pleased with Rowland Archer Jr.'s review of the new Radio Shack TRS-80 Model 4 (October, page 292). I recently purchased a 64K-byte two-disk-drive version myself, and I am glad that I did. However, as with all things electronic, there are always a few hitches and glitches and compromises. Some of the problems with the TRS-80 were covered in the Archer article; however, there are a few niggling gripe points that he either failed to uncover or simply omitted for lack of space.

For one thing, there is the matter of the on-board speaker and the sound that can be generated with a new statement in TRSDOS 6.0. I defy anyone to find a reference to that statement and the method for its use in either the BASIC section of the Disk System Owner's Manual or in the Radio Shack Model 4 Quick Reference Guide. (Or, for that matter, in any other piece of documentation that comes with your new computer.) In order to be able to make use of this feature, I had to contact my dealer, who in turn had to call the nearest Radio Shack Computer Center, who then informed us of the following:

- 1) The proper statement syntax is SOUND X,Y where X is the pitch and Y is the duration.
- 2) The permissible range of values for pitch is 0-7.

3) The permissible range of values for duration is 1-31.

He then gave us the following program with which to provide ourselves with a demonstration of the Model 4's soundmaking capabilities:

10 FOR X = .1 TO 7 STEP .1

20 PRINT X

30 SOUND X,1

40 NEXT X

50 END

Unfortunately, I was not impressed. This feature, with its limited ranges of both pitch and duration, is less than useless. Radio Shack could have omitted it and no one would have missed a thing. Fortunately, one is still able to generate a regular range of TRS-80 sound through the previous method of sending the appropriate values to an output port. (After doing some reading about the Job Control Language features of the Model 4, I realized that the primary reason for the inclusion of this piddley sound capability was for use as an alerting device when the computer is being used for a multiplicity of different processing tasks in a business or other office environment.)

F COPY SERVICE

1315F Nelson Street

Denver, CO 80215

(303) 234-0871

FAST • RELIABLE • LOW COST

If you produce software, ALF's disk copying service is the quick, convenient answer to your duplication needs. Most orders are shipped in less than a week. Every disk we copy is verified bit by bit and guaranteed 100% flawless.

We can copy virtually any soft-sectored mini format. Standard formats: Apple II (including ribble-copy proof, double-boot, and fast load), Apple III, Atari, IBM PC, Kaypro, NEC PC8000, Osborne, TRS-80 I and III, Zenith Z-90 and Z-100, and more. Copy protection is available for most formats.

Our "no frills" pricing means you don't have to buy extras you don't need—set-up charges start at \$10, and copying charges are 30¢ to 40¢ per side. (See blank disk prices at right. Minimum: 50 copies.) Quantity discounts available for large orders,

Of course, we have the frills too; label application, 3-hole vinyl pages, printing of labels and sleeves, shrink packaging, heat sealing, and much more. We can put your product in a customized package-vinyl folder or IBM-style binder/slip case—for a low price in small or large quantities.

ALF is one of the oldest and most trusted names in the duplication business. ALF designs and manufactures copying machines that other copying services and software publishers around the world rely on every day. Our complete understanding of duplication technology assures you of the finest reproduction available.

We're eager to solve your duplication and packaging problemswhether you want one service or a total package. Give us a call today!

BLANK DISKS

ALF buys large quantities of disks for our disk copying serviceand we can pass our savings on to you. If you're buying hundreds of disks, ALF is your ideal source for top quality disks at a reasonable price. We buy our disks in bulk packages, avoiding the expense of fancy printing and labeling.

The disks listed below are 5 1/4". single sided, double density (except as noted), unlabeled, with hub reinforcement ring. Other disks are available, call for details.

3M \$165 per 100 MEMOREX **\$165** per 100 NASHUA **\$160** per 100 NASHUA **\$140** per 100 (single density) VERBATIM **\$190** per 100

Without sleeves: add \$2.50 shipping per 100.

With tyvek sleeves: add \$7 plus \$2.50 shipping per 100.

Packed in boxes of 10 with tyvek sleeves: add \$15 plus \$3.00 shipping per 100.



Introducing the First 2.5 Mb Minifloppy Drive.

Isn't it just like Rana Systems to introduce a floppy disk drive for the IBM® with the mass storage benefits of a hard disk, plus the floppy's strength of removable media. The first minifloppy that stores an incredible 2.5 megabytes on a single diskette. Imagine, storing a word processor, a spelling checker, mailing list, and dictionary on one floppy. With megabytes to spare.

Rana's new drive needs only 10 floppies to give you all the capacity of five 5-megabyte hard disks. And that's not the limit. In fact, there is no limit. Like any floppy with its removable media, you can use diskette after diskette to increase your storage. Our expanded capacity disk drive not only acts like a hard disk, it also serves as an ideal back-up for one.

And that's just the beginning, because Rana's drive introduces totally new "closed loop servo" minifloppy technology, making the drive insensitive to temperature or humidity. Rana's controller card can be used with standard internal drives also, so you don't have to

use an additional slot. Our drive comes with its own power supply, software enhancements for PC-DOS 2.0 and 1.1, and CP/M-86°, and a box of diskettes. Everything you'll need to make your IBM operate to its maximum potential.



The new 2.5 megabyte minifloppy drive, available first for the IBM® PC and XT and soon for the Apple®. It's Rana's latest proof that to stay a step ahead, you've got to lead the way.

Always a step ahead.



RanaSystems

21300 Superior Street, Chatsworth, CA 91311 213-709-5484. For dealer information call fell free: 1-800-421-2207 in California only call: 1-800-262-1221. Source Number: TCT-654 Available at all participating Computerland stores and other fine computer dealers. See us at Comdex Booth: #326-427 Circle 388 on inquity calld.

UBM is a registered trademark of International Business Machines. Inc. At CP/M-86 is a registered trademark of Digital Research. A Apple is a registered trademark of Apple of a

The new 384K Quadboard by Quadram is the most comprehensive board you can buy for the IBM PC or XT. Now with added hardware features and advanced software. But our same low price.

NEW EXPANDED QUADBOARD Quadboard now delivers 9 of the most needed PC functions/ features. To let you get the most out of your Personal Computer, And help

you work better and

THE WORLD'S faster. BEST SELLING MULTIFUNCTION BOARD IS NOV EVEN BETT

All of these features are standard on the new Ouadboard:

· Parallel Port: With the new Quadboard, you for operating most printers and other parallel devices. Serial Port: There's

get a Parallel Port. Perfect

a Serial Port, too. Fully programmable, use it to connect to plotters. modems, and other serial devices.

 Chronograph: And Quadboard's Chronograph (Real-time clock/ calendar) keeps your system's clock up-to-date.

· Game Port: The new Ouadboard has an IBM

compatible Game Port. Plug in a joystick or game paddles, and fire away.

• I/O Bracket: Ouadboard now comes with a special I/O bracket. Use it to organize your expansion port connectors. Snaps right

onto the back of the PC.





QUADBOARD

Expandable to 384K:

The new Quadboard is expandable in 64K increments for up to 384K additional RAM. With full parity checking standard. With the new Quadboard and a fully populated system board, you can take your PC's memory up to the 640K limit.

QuadRAM Drive: Plus, with Quadboard you get advanced QuadMaster Software. Including the QuadRAM Drive program. Use it to set up multiple RAM Drives in Quadboard memory. Solid state drives that let you store and retrieve data quickly and easily. Or take advantage of QuadMaster disk caching. To access frequently

used data whenever you need it.

• MasterSpool: QuadMaster Software also includes MasterSpool. Use it to set up a software print buffer quickly and easily. This advanced spooler lets you pause at any time, back up or move forward in a file. Choose just the amount of buffer space you need and stop waiting on your printer.

 Qswap: Another feature of QuadMaster Software is Qswap.
 With Qswap change line printers
 1 and 2 back and forth, with just a few keystrokes, as often as you like.

QUADBOARD STANDS OUT FROM THE PACK

Now more than ever Quadboard is the first and only board your IBM PC or XT may ever need. No other board even comes close. Because Quadboard is designed for performance. Engineered for dependability.

And built in the continuing tradition of Quadram Quality.

There are many imitators, but only one leader. So make sure you ask for Quadboard by Quadram, the leader in microcomputer enhancement products.

Compare. See why more Quadboards are bought than any other multifunction board...

Features/ Functions	Quadboard	SixPakPlus
Memory Available	0-384K	0-384K
Parallel & Serial Port	Yes	Yes
Clock/ Calendar	Yes	Yes
I/O Bracket	Standard	Optional
Game Port	Standard	Optional
Diagnostic Testing	Yes	Yes
Advanced Spooler	Yes	No
Simple Menu Setup	Yes	No
Disk Cache	Yes	No
LIST PRICE WITH 384K*	\$795	\$970

Manufacturer's suggested list price for board with all available features/functions as shown (options included) SixPakPlus is a trademark of AST Research Inc.



INTEROUADRAM In Europe

Interquadram, Ltd. 442 Bath Road/Slough, England

Interquadram GmbH.
FASANENWEG 7/6092 Keisterbach/West Germany

Interquadram S.A.R.L. 41 Rue Ybry./92522 Neuilly/France

Circle 298 on inquiry card.

BY QUADRAM

Perhaps Radio Shack should have taken the money that was spent on incorporating that insipid attempt at a sound statement and spent it on providing the Model 4's keyboard with a functioning "ON" light. After the computer has been turned on and before TRSDOS has been booted up, there is absolutely no way to tell that it is on: no cursor on the screen and no lights on the keyboard or front panel. It's such a simple thing, yet it seems to have completely slipped the attention of the engineers at Radio Shack. And it is important: I've had my Model 4 for only two months and I've already inadvertently left it on overnight several times (once with the cover on it).

And, of course, there are the seemingly obligatory documentation typos and ambiguities. When attempting to get the communications software that is included with TRSDOS 6.0 (a useful and sophisticated program, I might add) up and running, the unsuspecting Model 4 user is led on a wild goose chase for an appendix that doesn't exist: the included reference to Appendix L should have been to Appendix I. Once I got the Comm pro-

gram going and experienced difficulty in downloading a file from my disk space in Compuserve, I discovered that the problem lay with the instructions for transferring a file from a mainframe to a TRS-80. We are first told to "Type in the command which causes the mainframe to list the file, but do not press <ENTER>." The next instruction tells us to "Specify your receive file by pressing <CLEAR > < 6 > followed by < CLEAR ><9>," after which we are to type in the filename in response to the prompt. The third step begins by instructing the user to "Press < CLEAR > < 6 > followed by <CLEAR > <: > to open the receive area of memory." If the file to be downloaded is smaller than the available area of memory, we go to the next instruction. We are then told to "Press < ENTER > to start the file listing." The instructions are both clear and quite detailed, but the confusion results from assuming the user, who is being walked through the procedure verbatim, will suddenly break out of the rote mold and provide one key step that they have assumed to be one of common sense. When I attempted to carry out these instructions, I began by issuing the prescribed FILGE command to list my file:

Computer Supplies Shipped Anywhere



No ma ter where you use a micro computer or word processing machine, top quality supplies from Pryor are only a phone call away. We offer a full inventory of items, from ribbons and

printwheels to binders and furniture, diskettes, and magnetic tape...over 1600 items in all ...and everything's in stock. You can expect instant turnaround of all orders, even overnight express if you wish.



Over 67,000 customers rely on Pryor every day. Call toll-free for your own catalog now.

TYPE filename

but did not press < ENTER > . I then did the <CLEAR><6><CLEAR><9> to specify my receive file. The Comm program responded with the appropriate prompt and I typed in the filename

Filename: filename

Now, anyone with an ounce of computer literacy knows that, ordinarily, in order to get the computer to "take" the information that has just been typed on the keyboard, the user must press <ENTER>; but remember, the instructions have been set up for the user to follow precisely, step-by-step. The first instruction told us not to press < ENTER > in a situation where we normally would have, and the first half of the second instruction had us press keys that caused the computer to do something without having to press <ENTER >. So the immediate assumption, at least on my part, was that I was not to press <ENTER> again until explicitly instructed to do so in the fourth step of the procedure. Therefore, without pressing <ENTER> after typing in the name of the receiving file, I tried to open the receive area of

Bored Waiting? Here's The Board You've Been Waiting For.



A hard disk and cartridge tape controller together on one board? Magic? Not really. It's Teletek's HD/CTC. The hard disk and cartridge tape drive controller provide the support necessary to interface both rigid-disk drives and a cartridge tape deck to the S-100 bus.

- A Z-80A CPU (optionally Z-80B) providing intelligent control of the rigid-disk and cartridge tape drives.
- Support of 5¼" rigid-disk drives with transfer rates of

5 megabits per second. Minor changes of the on-board components allow the support of other drive types/sizes and transfer rates up to 15 megabits per second. (Interface to disk drive is defined by software/ firmware on-board.)

- Controller communications with the host processor via 2K FIFO at any speed desirable (limited only by RAM access time) for a data block transfer. Thus the controller does not
- constrain the host processor in any manner.
- Two 28-pin sockets allowing the use of up to 16K bytes of on-board EPROM and up to 8K bytes of on-board RAM.
- Individual software reset capability.
- Conforms to the proposed IEEE-696 S-100 standard.
- Controller can accommodate two rigid-disk drives and one cartridge tape drive. Expansion is made possible with an external card.

Teletek's HD/CTC Offers A Hard Disk Controller, Plus Cartridge Tape Controller, All On One Board.

TELETEK



SENTINEL SKETTES

Guaranteed
when properly
used to
Read, Write
Error-Free as long
as you
own them.

Sentinel Computer Products, Division of Packaging Industries G.

QUALITY YOU MAY NEVER NEED. But it costs no more!

The expert technicians who produce and monitor the quality of our diskettes have developed new state-of-the-art technology using equipment we design and build ourselves, unlike any other diskette maker. That's why our burnishing method uses a unique, dual-sided technique which provides an advanced degree of surface smoothness, the key to consistent high quality



SENTINEL

performance. In addition, a superior, high quality lubricant assuring extra long life and a quality control program which includes certifying every Sentinel Diskette are reasons we can offer you the industry's most exacting guarantee. For unsurpassed information security, choose Sentinel brand, and ask your dealer about the new 2-PACK in a resealable storage case.

The Professional's Diskette — Ideal for Personal Use.

Sentinel Computer Products, Division of Packaging Industries Group, Inc., Hyannis, MA 02601 Tel: 617-775-5220 Letters

memory with the <CLEAR > <6> <CLEAR > <:> command and got a couple of graphics characters printed following the receiving filename for my trouble.

Needless to say, I was extremely nonplussed, so I began to experiment with the command sequences listed in the remainder of the instructions, only to be rewarded with open files, empty files, a half-hour of toll and connect charges, and one massive headache. By the time I finally deduced the nature of the problem, I was fit to be tied.

Now don't get me wrong; I love my new Model 4 and wouldn't trade it for a whole room full of other types of computers (they each have their own set of drawbacks anyway), but I do wish that companies would pay a little less attention to rushing things to the market to beat the competition and a little more attention to providing comfort and convenience to the people who are plunking down a couple of thousand dollars for the companies products.

Tom Greenwell 2017 East Walnut Ave. Visalia, CA 93277

Hearing Loss and CRTs


Like reader Page (Letters, October, page 30), I am bothered by the high-frequency audio output of monitors and televisions. This has kept me from watching TV (not such a bad thing) but also has caused me trouble when using my computer.

My solution was to build a plywood box with a glass front for the monitor. The glass is clamped down on foam-tape weather stripping and all the joints of the box (and the cord hole) are sealed with silicone RTV. As the glass is tightened down on the foam tape and the final leaks are closed, the squeal goes away. Of course, the monitor runs hotter than before, and I turn it off during breaks. The monitor has worked fine for two years in the box.

I suggest that the box be sized generously to allow internal air flow and that its exterior not be covered with papers, etc. To control high-frequency sound it is necessary to get it as airtight as possible.

I note that all the current research into health problems from VDTs (video-display terminals) has ignored this problem and suggest it as a good topic for re-

CLEO makes the mainframe connection.



PC

PC

PC

communicating with a 3271-12, 3275-12, or 3276-XX cluster. And the CLEO program will support multiple devices.

If your IBM mainframe doesn't support remote 3270 clusters, you need remote batch communications, CLEO-3780 Software is your answer.

For full details contact Phone 1, Inc., 461 North Mulford Road, Rockford, IL 61107; phone (815) 397-8110. Telex 703639

CLEO

Software

- and Xenix™
- · 3276-12 protocol, coming soon

Standard Features-CLEO 3780


- Point-to-point and multipoint communications
- Available for CP/M™, MP/M™, MsDOS™, TurboDOS™, Unix™, and Xenix™.
- Supports transparent mode
- Coded in C language

CP/M is a Trademark of Digital Research, Inc. MsDOS is a Trademark of Microsoft. Inc

TurboDOS is a Trademark of Software 2000, Inc. Unix is a Trademark of Bell Labs Xenix is a Trademark of Microsoft. Inc

Circle 287 on inquiry card.





search. Perhaps the reason it has been ignored is that our society of TV watchers has acquired a notch in its hearing at the critical frequency. An interesting question is where in the hearing system the notch

Another question that seems to get little attention in the current VDT studies is the effect of screen flicker with shortpersistence phosphor screens and/or poor drive circuitry that doesn't keep the characters still on the screen.

Doug Milliken 245 Brompton Rd. Williamsville, NY 14221


Regarding the letter from Reverend John Page-this high-frequency noise is a ubiquitous phenomenon caused, I believe, by the fact that the monitors are designed by deaf engineers. Most men have lost their hearing at 15.7 kHz by their early twenties and thus build and design the monitors with cheap flyback transformers that vibrate at the flyback frequency. The medical problem is thus with the engineers and not with those who can hear those frequencies. Measurements near the cooling holes of many monitors give readings as high as 90 dB (decibels).


I have also been trying to find a monitor without this defect. I am going to try wrapping the flyback transformer completely, which will require rewiring it to the board so the wrapping can go under it as well. However, a better course would be to put pressure on the manufacturers to build better equipment.

William G. Unruh Department of Physics University of British Columbia Vancouver, B.C. Canada V6T 2A6

I believe that John Page has identified a problem with CRTs (cathode-ray tubes) that may be of much more immediate concern than the recent controversy about CRT radiation hazards. I, too, have experienced ringing in the ears and headaches after extended sessions at the keyboard, two feet away from a monitor that, as most do, puts out a 15-kHz squeal from its horizontal oscillator. An informal poll of several friends reveals that about half of them have experienced the same symptoms or worse, but these were attributed to fatigue. It would appear that the difficulties mentioned by Mr. Page are

Three ways to Speed up your Apple II & Apple IIe for \$295





The SpeeDemon from McT.

- SpeeDemon
- Makes any Apple II, II+, or IIe run 3½ times faster.
- SpeeDemon
- Makes your Applesoft, Apple Fortran, Word Processing, D.B. Master, Pascal, or Visicalc programs run up to 3½ times factor
- SpeeDemon SpeeDemon
- Costs less than any other speed up card.
- Available immediately by mail. (We guarantee shipment within 7 days from receipt of order.)
- SpeeDemon
- Costs only \$295.



Circle 238 on inquiry card.

Dealer Inquiries Invited

Satisfying More Than With Innovation



Grappler +

The Original Apple® graphics printer interface. Since its introduction three years ago, the Grappler has been imitated by many, but never matched. Now with exclusive features for the Apple Ile and full support of new

Epson® graphics, the Grappler + remains the most intelligent interface available. Over twenty-seven com-



mands give Apple users full control over any graphics or text on the Apple screen, including a new 80 column text dump. Performance, reliability and support have made the Grappler + the #1 selling intelligent Apple interface.

Buffarboard

For Apples and Printers


The innovator in "dock-on" printer buffering. The Bufferboard easily adds memory to your current Apple interface system, freeing your computer for additional input. Easily upgradable from 16K, the Bufferboard can store up to 20 pages of text. It fits neatly inside your Apple, "docking" onto your existing printer interface.* No clumsy boxes or cables, no external power supplies...just conve-

nience and economy. With the Bufferboard, you might never wait for your printer again.



^{*}Versions for standard Grappler + , Epson APL and Apple Parallel Interfaces.

135,000 Apple Owners And Excellence.



Grapper +

The most sophisticated buffered Apple printer interface available. The New Buffered Grappler + combines the industry leading features of the Grappler + with the time saving economies of the Bufferboard.**



With this much interface power, you'll never need anything else. And the price will surprise you, too.

**Not available for IDS printers.

Apple is a registered trademark of Apple Computers, Inc.

Epson is a registered trademark of Epson America Inc.

Over 135,000 Apple® computers are using Orange Micro products. Innovation and excellence have made us the #1 manufacturer of intelligent printer interfaces. The top selling Grappler + has become an industry standard, recommended by more software houses and Apple dealers. To meet your growing needs, Orange Micro will continue to introduce new products. Recent innovations include the Grappler + for IDS color printers and the new Orange Interface, with text screen dumps and formatting at a low price. There is an Orange Micro product designed for your application.

For a complete demonstration, see your Apple dealer today.



1400 N. Lakeview Ave., Anaheim, CA 92807 U.S.A. (714) 779-2772 TELEX: 183511 CSMA

©Orange Micro, Inc., 1983

International Distributor Inquiries Invited.

not limited to individuals with special inner-ear problems but are instead suffered by many of us to a greater or lesser degree.

This same phenomenon is discussed in greater detail in a letter to *Softalk* (October Open Discussion, page 43) from J. Barry Smith of Massachusetts, a professional audiologist who was able to measure 15-kHz sound-pressure levels as high as 44 dB at the operator's ear. I think this problem may be widespread, especially among the female population of computer operators, who typically have more acute hearing than men.

I have no direct answer for John Page in his search for a silent terminal. I think he has identified a problem that we all may share, and I hope if an answer exists that it will be given widespread publication.

Gary Keene 5 Tangerine Irvine, CA 92714

Model 100 Flaws

In Mahlon Kelly's informative (and justly enthusiastic) article about the Radio

Shack Model 100 ("The Radio Shack TRS-80 Model 100," September, page 139), a problem is presented and left unsolved: because the editor will not let you back into BASIC with an ill-formed text, Mr. Kelly points out on page 156, "It's possible to make the edited program so screwed up that you can't find the error and you can't even get out by hitting the Reset button." Because turning the power off and on will simply bring you back to the same point, the problem can be annoying indeed.

The solution is this: use function keys F7 and F6 to cut the whole program, putting it into the paste buffer. Then press F8 to get into BASIC with what is now a null program. Then you can simply paste the whole thing in, and BASIC will not only accept it but obligingly flag all your syntax errors.

There is another problem that Kelly doesn't mention. If you want to upload a file through TELCOM but press the download function key by mistake, as soon as you name the file that you expect to be transferred, that file will be wiped out to make room for what the Model 100 expects to receive. There is no fix, but my solution (because I can never remember

which is up and which is down) is to write "Hither" and "Thither" in ink under the relevant function keys.

Ronald de Sousa Department of Philosophy University of Toronto Toronto, Ontario Canada M5S 1A1

Support for Modula-2

I was very interested to read in your August issue about new releases of Modula-2 ("The Debate Goes On. . ." by Jerry Pournelle, August, page 312). I have been using Modula-2, with increasing enthusiasm, for several years now, using Professor Wirth's E.T.H. compiler, and feel that Modula-2 will most likely become the successor to Pascal, because of its elegant and straightforward solution of so many of Pascal's problems. However, this will really depend on a number of commercial implementations of Modula-2 becoming available, with the backup and support that this implies, rather than with the responsibility resting on the user to sort out any problems that arise. In many respects the situation is like Unix three

Shift into Ultradrive with Targa by CMC


- Targa is your answer for a quality, hassle-free hard disk subsystem.
- Targa interfaces with most popular microcomputers and carries the finest limited warranty in the industry.
- At under \$2000 (sug. ret. for 5MB), Targa is an exceptional buy in terms of price/performance.
- Available in 5, 10, 15, 20, and 30 MB models.
- Seriously interested? Call us toll-free at 1-800-CMC-INTL. In Washington dial 1-206-885-1600.

CMC International

Bellevue, Washington 98005 Circle 63 on inquiry card.

HIGH PERFORMANC

NOW AVAILABLE IN A THREE-SPEED



INTRODUCING THE NEW DS 220 MULTI-MODE MAT

First there was the Datasouth DS180. The original high-performance printer. The printer that raised the standards of on-the-job performance to new heights. A tough act to follow.

And now, following in the same tradition, is the new Datasouth DS220. State-of-the-art performance, taken to higher levels. In a new 3-speed multimode form. Ready to run data, near letter quality and graphics output—in a single printer.

At data speed, the Datasouth DS220 leaves competitors in the dust. By using high speed tabbing to zip over blank spaces and true logic seeking to print the next available

character, the Datasouth DS220 charges through printed copy at speeds rivaling more expensive line printers.

At 40 CPS NLQ speed, the Datasouth DS220 creates near letter quality output with the kind of class that might make you wonder if it was produced by a daisy wheel printer. With its fine tuned 18 x 48 dot matrix, multiple fonts are produced with the precise clarity required for word processing applications.

And for graphics, the Datasouth DS220 adds high performance style to popular microcomputer applications programs through high resolution dot

addressable output. Sharp new details emerge from business charts and graphs, and engineering drawings.

And those are just its printing capabilities. Its fully instrumented dashboard allows push button programming of up to fifty features for forms control, communications and print style selection.

Best of all, the Datasouth DS220 costs much less than you might expect for a high performance three speed. Go to your nearest showroom and run a Datasouth DS220 through the gears. See how little it costs to own three high performance printers in one high performance package.

G OR M ANC

AVAILABLE NATIONWIDE THROUGH OUR NETWORK OF SALES AND SERVICE DISTRIBUTORS

Datasouth Computer Corporation Box 240947 · Charlotte, NC 28224 704/523-8500 · Telex 6843018 DASOU UW years ago, and sufficient commercial support could so easily make Modula-2 the standard language for many real-time microcomputer applications, in the same way that it has established Unix.

H. W. Thomas **Electrical Engineering Laboratories** The University Manchester England M13 9PL

The Future of Programming Languages

As a professional programmer and longtime user of the C programming language, I am very happy to see the increased interest in this area. Also, as the teacher of a beginning C programming course organized through AnaHUG, a local computer club, I was grateful for James Joyce's excellent introduction to the language ("A C Language Primer," August, page 64, and September, page 289). However, I would like to correct one statement in Part 1 of the series that could confuse the novice C programmer. While | string is split across a line (the second line |

discussing the printf() function, Mr. Joyce states, "All arguments of a function must be on the same line in C." He then adds, ". . .the entire string in printf must be on the same line." This is a contradiction to The C Programming Language by Kernighan and Ritchie, which states (on page 179) that in C source code, "Blanks, tabs, newlines, and comments (collectively, white space). . .are ignored except as they serve to separate tokens." In addition, that text states (on page 181) that, "[In a string] a \ and an immediately following newline are ignored." It has been my experience that Unix C compilers follow The C Programming Language in this respect. For example, using Unix C compilers I have used printf function calls of the form

("This is an example of a format string \ split across a line. Numbers follow: %d %d %d",

5*75. 99-83);

SYSTEM #1

910+

914

924

925

Note that in this example the format

SANYO SUPER SYSTEMS

must be left-justified or the extra spaces will appear in the printed output), and the additional arguments are on separate lines (which might allow comments following each).

John F. Belsher **Custom Programming** 1283 San Paulo Placentia, CA 92670 ■

Insert GOTO

William N. Carter of San Francisco raised the point that the program by Ed Juge in Mahlon Kelly's "The Radio Shack TRS-80 Model 100" (September, page 139) needs a correction. Line 140 calls for GOSUB 360: that subroutine lacks a RETURN. The program will work just fine if you change it to a GOTO 360, move the PR\$=L\$ to the second statement in line 60, and delete line 160.■



PRINTERS OKIDATA 82A \$559 **\$980** TALLY MT 160L w/tractors \$AVE MT 180L w/tractors Spirit 80. **TOSHIBA** 1350 Serial or Parallel \$1450 TRANSTAR 130P 120P \$450 T315 . **TERMINALS TELEVIDEO**

\$905

SYSTEM #2 **SANYO MBC-555** SANYO GREEN MONITOR GEMINI 10X • SOFTWARE •

Sanya MBC-555 Dual Drive Camputer • Sanya CRT-36 Monitor • Star Micronics Gemini 10X • Cabling • WordStar • CalcStar • SpellStar • InfoStar · Mail Merge · Easywriter · MS-DOS · Sanya Basic ·

COMPUTERS HYPERION Single Drive System \$2325 Dual Drive System \$2665 PIED PIPER \$975 Communication I TELEVIDEO 803 \$1799 MBC-555 System \$1525 SIL 2024 WEST SOL 969 0909 MODEMS HAYES 1200 1200B \$435 \$205 300 Prices reflect 3% to 5% cosh discount. Product shipped in factory cartons with manufacturer's warranty. Free shipping is on UPS ground only. Prices & availability

subject to change with-

out notice. Send coshier's checkormoney

order...oll other

checks will

delay ship-

ping two

weeks.

\$540

\$670

... \$705

MeW. Three Winchester Internal Three Disc Drive Systems! Hard Disc Drive Systems!

How you can choose from three low-power 10 Mega-byte systerns that convert your IBM* PC to perform just like the PC XT!

Maynard Electronics introduces three Winchester Hard Disc maynard Electronics Introduces three winchester hard Uisc Drive Systems — the only drive systems to offer you 10 Mega-bytes of formatted capacity with complete internal inetallation Drive Systems __ the only drive systems to offer you 10 Mega-bytes of formatted capacity with complete internal installation! bytes of formatted capacity with complete internal installation!

These systems offer the user countless benefits and features:

These systems off the hard diec. additional functions

Capability of booting off the hard diec. additional functions capability of booting off the hard disc; additional functions capability or booting off the fide disc; additional functions while requiring only one card slot in your PC; and, use of available requiring only one card slot in your pc; and, use of available nature, thereby are continuous when hereby are continuous and province thereby are continuous and province the continuous and province thereby are continuous and province the continuous and province thereby are continuous and provin while requiring only one card slot in your re; and, use or avairable requiring only one card slot in your re; and, use or avairable power, thereby preventing overheating problems which have sefected other drives. Handling heaving heaving affected other drives. able power, mereby preventing overneating problems which have affected other drives. Handling heavyweight data was over easier. All three systems are quality engineered and work with DOS

never easier.

2.0 without any special software drivers and also run with other 2.0 without any special software drivers and also run with other operating systems designed to make use of the XT hard drive operating systems designed to make use of the XT hard drive operating systems designed to make use of the XT hard drive operating systems designed to make use of the XT hard drive operating systems designed to make use of the XT hard drive operating systems all your peak is the IRM. DOS 2.0 Manual and the XT hard drive operating systems designed to make use of the XT hard drive operating systems. operating systems designed to make use of the XT hard drive system. All you need is the IBM* DOS 2.0 Manual and you're Bach System is equipped with a low-power hard disc drive, complete Software, cable, a SandStar " Card and Hard Disc Controller Module SandStar" is the first family of module Controller Module SandStar is the first family of module SandStar in its the first family of module Controller Module SandStar in its the first family of module SandStar in its the family of module SandStar in complete software, caple, a Jandotar... Card and hard UISC
Controller Module. SandStar... is the first family of modular
Controller Module. SandStar... pr. simple inetrication for
Deriphorals croated for the IRM* pr. simple inetrication for Controller Module. SandStar¹⁸ is the first family of modular controller Module. SandStar¹⁸ is the first family of modular easy peripherals created for the IBM* PC. Simple instructions for easy peripherals created for the IBM* pc. Simple instructions are included and all components are harked by an installation are included and all components are harked by an installation are included and all components are harked by an installation are included and all components are harked by an installation are included. periprierals created for the IDM: YC. Dimple instructions for easinstallation are included and all components are backed by an installation are included and all components are backed by an installational One Year Parte and Labor Gillarantee ready to run! Installation are included and all components are back Unconditional One Year Parts and Labor Guarantee.

W53

W51

This System is equipped with the SandStar Multi-function card. In addition to the Hard Disc Controller function card. In addition to three other SandStar Module, you can add up to three other SandStar Modules while using only one card slot. The following Modules while using only one part Parallel Port, Clock Modules are available: Seral Host Adaptor and Calendar, Game Adaptor, SASI Host Adaptor and Prototyping Module. To expand your PC to perform like the PC XT, one of our Winchester Hard And if you have already made the wind Disc Drive Systems is right for you To expand your PC to perform like the PC XT, one of our Winchester Hard

To expand your PC to perform like the PC XT, one of our Winchester Hard

To expand your PC to perform like the PC XT, one of our Winchester Hard

To expand your PC to perform like the PC XT, one of our Winchester Hard

To expand your PC to perform like the PC XT, one of our Winchester Hard

To expand your PC to perform like the PC XT, one of our Winchester Hard

To expand your PC to perform like the PC XT, one of our Winchester Hard

To expand your PC to perform like the PC XT, one of our Winchester Hard

To expand your PC to perform like the PC XT, one of our Winchester Hard

To expand your PC to perform like the PC XT, one of our Winchester Hard

To expand your PC to perform like the PC XT, one of our Winchester Hard

To expand your PC to perform like the PC XT, one of our Winchester Hard

To expand your PC to perform like the PC XT, one of our Winchester Hard

To expand your PC to perform like the PC XT, one of our Winchester Hard

To expand your PC to perform like the PC XT, one of our Winchester Hard

To expand your PC to perform like the PC XT, one of our Winchester Hard

To expand your PC to perform like the PC XT, one of our Winchester Hard

To expand your PC to perform like the PC XT, one of our Winchester Hard

To expand your PC to perform like the PC XT, one of our Winchester Hard

To expand your PC to perform like the PC XT, one of our Winchester Hard

To expand your PC to perform like the PC XT, one of our Winchester Hard

To expand your PC to perform like the PC XT, one of our Winchester Hard

To expand your PC to perform like the PC XT, one of our Winchester Hard

To expand your PC to perform like the PC XT, one of our Winchester Hard

To expand your PC to perform like the PC XT, one of our Winchester Hard

To expand your PC to perform like the PC XT, one of our Winchester Hard

To expand your PC to perform like the PC XT, one of our Winchester Hard

To expand your PC to perform like the PC XT, one of our Winchester Hard

To UISC UTIVE Systems Is right for you. And if you have already made the Wise decision to install any of Maynard's SandStar" Cards, the SandStar" Hard decision to install any of Maynard's Participated SandStar and Star Module may be purchased separately Disc Controller Module may be purchased.

Disc Controller Module may be purchased separately. UISC CONTIONER PROGUIE MAY DE PURCHASEU SEPARALEIY. TO ORDER, CONTACT YOUR LOCAL DEALER OR DISTRIBUTOR.

This System is equipped with the SandStar FlopPy to to a sequipped with the SandStar FlopPy to the Controller Card. The Card can communited inside the Controller Card. The Card can communited investigation of the Hard Disc Drive, two flopPy drives of 8" drives for the Hard Disc Drive, two additional 54" of 8" drives for the Hard Disc Drive, two additional 54" of the Hard Disc Drive in the System Slots for your PC and optionally this leaves three system Slots for mounted externally. This leaves three system Slots for other expansion boards.

MAYNARD ELECTRONICS

400 East Semoran Blvd. · Suite 207

Casselberry, Florida 32707 Casselberry, Florida 32707 305/331-6402

We make modern times better.

This System is equipped with the SandStar Memory
This System is equipped with the Hard Disc Drive, the
Card. In addition to controlling the Hard Disc to 576K
Memory Card allows you to add 64K bytes to 576K
Memory Card allows you to add 64K bytes to 576K
Memory Card allows you to add 64K bytes to 576K
Memory Card allows you to add 64K bytes to 576K HOW! Compatible with COMPAQ!**

Circle 237 on inquiry card.

1BM is a trademark of the International Business Machines Corporation. "COMPAQ is a trademark of the COMPAQ Computer Corporation





Only one disk guarantees safe passage through the torrid zone of drive heat.

Maxell.

A lifetime warranty. And manufacturing standards that make it almost unnecessary. Today and in the long run, you'll be glad you chose Maxell.

Consider this: Every time you take your disk for a little spin, you expose it to hazardous drive conditions. Temperature build-up can sidetrack data. Worse, take it to the point of no return. Maxell's unique jacket construction defies heat of 140°F. And keeps your information on track.

And Maxell runs clean. A unique process impregnates lubricants throughout the oxide layer. Extending media and head life. How good is Gold? Maxell's the disk that many drive manufacturers trust to put new equipment through its paces. It's that bug-free.


So you can drive a bargain. But in accelerated tests, Maxell floppys lead the industry in error-free performance and durability. Proving that if you can't stand the heat you don't stand a chance.



Maxell Corporation of America 60 Oxford Drive, Moonachie, N.J. 07074 201-440-8020

IT'S WORTH IT.

Circle 236 on inquiry card.



Ciarcia's Circuit Cellar

Build the Circuit Cellar Term-Mite ST Smart Terminal

Part 1: Hardware

National Semiconductor's NS455A Terminal-Management Processor permits an easy, economical terminal design

by Steve Ciarcia

build a vector-graphics display for an 8008-based system—see reference 2.)

Advancing Display Technology

Wiring up the TV Typewriter was a monumental job, but the basic circuit was really not unlike a commercial video-display terminal of the same period. If you ever opened the case of a video terminal from the early 1970s, you were probably amazed at the complexity. There were usually several large printedcircuit boards (each containing 70 to 100 integrated circuits), a large power supply, the keyboard, wires and diodes, and of course the cathode-ray tube (CRT) replete with high-voltage wires and "Danger-Do Not Touch" signs.

These early terminals were basically "glass Teletypes," performing only simple functions and displaying only uppercase characters. The lack of sophistication matched the level of integrated-circuit (IC) technology available at the time.

Many discrete logic circuits were needed to detect even the simplest functions such as linefeed and cursor-home. Each command was treated independently by the hardware: it was necessary to have separate circuitry to detect each control character and cause the appropriate function to occur. For instance, for the terminal to respond correctly to the ASCII (American National Standard Code for Information Interchange) Return character, the terminal-control logic had to be able to detect when

a hexadecimal 0D value was received from the host computer or typed on the keyboard, to change the current cursor position to the beginning of the line, and possibly to scroll the screen up one line (if automatic linefeed is on) and blank the new line. Connecting sets of NAND and NOR gates to accomplish this is a considerable task.

For a long time, advances in IC technology were met by demands for increased performance in terminals. The first real simplifying breakthrough came with the microprocessor. Using the power of this new development, designers could implement features that had been prohibitively expensive and could freely add new functions to terminals. Off-line editing with character insertion and deletion, function keys with multiple-character transmission, and multiple-page display memories were just a few of the features that found their way into the terminal marketplace. And as microprocessors became more advanced, terminals incorporating the latest silicon intelligence could no longer be called "dumb." The watchword in the terminal trade became smart.

Somewhat surprisingly, the first microprocessor-based intelligent terminals were no less complicated inside than the dumb variety. Computer circuitry had replaced much of the discrete logic, but the expanded functions had also necessitated increased complexity in the low-level display-driver circuitry. An integrated

Did the the personal computer revolution begin in 1975 with the MITS Altair 8800 microcomputer? Most people think so, but I believe that the first personal computer product appeared two years earlier under the unassuming name of TV Typewriter. This construction project, described by Don Lancaster in Radio Electronics magazine (see reference 6) was a simple video-display terminal, a basic building block for those of us who were dreaming about building a computer. The circuit logic was a wiring nightmare of controlled race conditions, but it worked. Of course, its uppercase-only 16-line by 64-column display and total ignorance of control codes (it didn't even scroll) seem primitive today.

A few months after Don's article was published, the Mark 8 computer project appeared in Radio Electronics (see reference 10). The Mark 8, based on the Intel 8008 microprocessor, was the first real microcomputer (though the word had not yet been coined) and was the trigger that launched me and many others into the microcomputer hobby. Many of us who had built Don's terminal might not have been otherwise able to comprehend and use the Mark 8 as quickly as we did. (I built something different from the Mark 8, but the first article I ever wrote was for the Mark 8 constructor's newsletter. Coincidentally, my first BYTE article described how to

Copyright © 1984 Steven A. Ciarcia. All rights reserved.




Photo 1: The prototype board of the Term-Mite ST intelligent video-display terminal.

solution to discrete video circuitry was needed.

The second technological achievement resulting in lower circuit complexity was the development of integrated CRT-controller (or videocontroller) chips, such as the National Semiconductor DP8350 and the Intel 8275. Usually used in combination with a microprocessor, programmable CRT controllers incorporate many of the discrete counters, registers, and character-attribute circuits needed in a modern terminal. (See references 5 and 9.)

The new controller chips made it easy to do tricks with character attributes: blinking, blanked, or underlined characters; half-intensity or reverse video; and expansion to double height, double width, or both. Also, a terminal manufacturer could now easily make a whole family of terminals just by changing the control firmware. Either a simple "glass Teletype" model or a sophisticated editing terminal with write-protected fields and multiple display pages could be built with only minor hardware differences simply by changing the programs controlling the microprocessors. Figure 1 on pages 40 and 41 should give you an idea of how the combination of the microprocessor and the video-controller chip served

to make hardware design much simpler while again increasing the terminals' sophistication.

For a long time now I've wanted to present a smart-terminal project from the Circuit Cellar, but even with the reduced circuit complexity afforded by a CRT controller I've never been



Photo 2: Unretouched photo of the Term-Mite's screen.




Photo 3: Video terminals designed only a few years ago had to use over 100 discrete-logic circuits to obtain even rudimentary control functions.

able to devise a reasonable design containing fewer than about 30 IC packages. (Yes, the MPX-16 computer I began in November 1982 does contain 121 chips, but my battle scars from that project still pain me at times.) While I was still deliberating, developments in technology caught up with me.

Semiconductor makers had provided both crucial elements: the microprocessor and the CRT controller. The next logical step was to incorporate their functions into a single IC package. National Semiconductor Corporation has done just that, and more, with the NS455A Terminal-Management Processor (TMP). Incorporating most of the processor, video, and communication functions in a single 48-pin dual-inline package, the NS455A allows the design engineer to reduce a terminal's chip count while maintaining a high level of performance. Just six chips can perform the basic operations.


In two articles, this month and next, we'll look at the NS455A's characteristics and see how to build an intelligent video terminal, called the Term-Mite ST, which is equal to many on the market costing \$1000 or more. Its 21-chip design provides the mostneeded features, as shown in table 1, such as 24 lines of 80 characters each, uppercase and lowercase; a full set of character attributes; and line (block) graphics. A block diagram of the Term-Mite ST terminal appears in figure 2.


Inside the NS455A TMP

Integrated into the NS455A TMP are all the system-control functions except the video RAM (the random-access read/write memory used to store the display data) and I/O (input/output) buffers. The TMP replaces the separate microprocessor, program ROM (read-only memory), CRT

controller, DMA (direct memory access) logic, character generator, UART (universal asynchronous receiver/ transmitter), and data-rate generator typically used in other terminal designs. In place of these, the TMP provides a control processor, displaytiming control circuitry, and direct interface logic for the keyboard, monitor, memory, and serial communication.

A complete listing of the NS455A's capabilities is shown in table 2, while figure 3 on page 43 shows a pinout diagram (3a) and a block diagram (3b). The architecture and instruction set for the TMP are derived, with some differences, from that of the Intel 8048-series of microprocessors. Extra instructions have been added and the architecture tailored to allow the NS455A to serve more efficiently as a terminal controller. Within the TMP are three distinct functional sections: processor, I/O, and display





driver. Let's look at each of these in turn.

Processor and Memory

Since the processor in the TMP is a modified implementation of the

Intel 8048 architecture, I'll review the 8048 to make comparison easier.

The basic 8048 was designed as a self-contained microprocessor; it includes ROM for its factory-set permanent program as well as temporary

storage in the form of scratch-pad RAM. It operates on 8-bit data but has an 11-bit program-counter (PC) register, so that it can address up to 2K bytes of program. The standard 8048 has an eight-entry fixed-size




Figure 1: Three generations of video-display terminals become increasingly less complex as semiconductor technology advances.




Figure 2: A block diagram of the Term-Mite ST terminal circuit board.

stack used to store return addresses during subroutine calls and interrupt handling; the stack pointer consists of 3 reserved bits in the processor status word (PSW). A set of general registers in the RAM, R0 through R7, can be used for fast-access storage. In addition, an alternate register bank, also located in the on-chip RAM area, can be selected and used just like the primary set. Finally, the standard 8048 has three parallel I/O ports,

which can be used to communicate with external peripherals or to address additional memory. (I used the 8748, a cousin of the 8048, in my recent H-Com project; see reference 3.)

When National Semiconductor en-

- 24 lines by 80 characters, uppercase and lowercase
- supports either scanned or parallel-encoded keyboards
- 3. selectable data-rate, parity, cursor, and display options
- 4. attributes: reverse video, half intensity, double height, double width, underlined, blinking, and/or blank character
- 5. 21 Escape functions
- 14 Control functions
- 7. line (block) graphics
- 8. twenty-fifth-line reverse-video status display
- 10. separate-sync or composite-video output

Table 1: Features of the Term-Mite ST terminal.

- enhanced 8048 instruction set and architecture
- 2. on-board ROM, 2K by 8-bit; up to 8K by 8-bit external
- 3. on-board RAM, 64 by 8-bit
- 4. programmable display format
- 16-bit display-memory bus (direct-video and attribute-RAM interface)
- 6. built-in timer
- 7. real-time clock (may be programmed for 1 Hz)
- 8. video-control signals
- eight independent character attributes 9.
- 10. pixel graphics
- 11. programmable cursor
- CRT refresh at 50 or 60 Hz 12.
- light-pen support
- 14. on-board UART, programmable data rate up to 19,200 bps
- 15. character generator (128 characters in 7- by 11-dot character area)
- 16. single +5-V (volt) supply
- 17. interface compatibility with popular 8- and 16-bit microprocessors
- 18. up to 18-MHz clock frequency
- 19. 48-pin package
- 20. 8-bit parallel port (multiplexed with external ROM)

Table 2: Features of the National Semiconductor NS455A Terminal-Management Processor. This integrated circuit normally comes with a terminal-control program mask-programmed into the 2K bytes of on-board ROM.

hanced the architecture for use in the Terminal-Management Processor, instructions that manipulate 16-bit data were added, so that the TMP could manage up to 64K bytes of display memory. To support these instructions, an 8-bit high-order extension, called the high accumulator, was added to the existing 8-bit accumulator. In addition, 8-bit highorder extensions were added to the R0 and R1 registers to allow them to point to the full 64K bytes of display RAM. The original roster of three I/O ports was trimmed to a single bidirectional port, and 2 more bits were added to the program counter to accommodate up to 8K bytes of program storage.

All the other changes from the 8048 processor were directly associated with the additional tasks of videodisplay driving and I/O required to do the job. Display-management registers were added to help with the screen-refresh chores. A cursor register serves to load characters into the display RAM as well as to mark the current cursor position. A whole set of video-timing-chain registers is used to set the display configuration for the screen: how many characters per line, how many lines per frame, horizontal and vertical synchronization timing, etc.

While the characters to be displayed are stored in RAM, the program that drives the NS455A's pro-

cessor resides in ROM. The NS455A may operate with either internal or external ROM; external ROM may function all by itself (disregarding the internal ROM), or it may supplement the internal program. Although address space is provided for up to 8K bytes of program, the standard onchip ROM size is only 2K bytes. The off-the-shelf NS455A TMP comes with a standard program, masked into the 2K-byte ROM, which is intended to illustrate the capabilities of the chip and serve as a tutorial example of terminal programming.

I/O-Port Section

The single I/O port is an 8-bit bidirectional parallel type, with data transferred on pins RE0 through RE7. It is written into and read from using the processor instructions OUT PORT and IN PORT. In the Term-Mite ST, the encoded keyboard is read and the RS-232C handshakingprotocol signals (Data Terminal Ready, Clear to Send, and Ready to Send) are transmitted through this port. The keyboard uses only 7 bits, so a signal to sound the terminal's "bell" beeper is sent out on the extra

The serial input and output functions are handled by the on-chip UART through the serial-in line and serial-out line. The UART also contains the data-rate generator, which can be set up by software for virtually any data rate. The standard program, however, contains only the set of 12 most-used rates from 110 to 19,200 bps (bits per second). The serial I/O lines need only to be buffered by level-shifting devices (the MC1488 and MC1489) to give you a complete RS-232C data path to a host computer or other data-communicating device.

Display-Driver Section

The third section is the video-display driver and control section. It is made up of the character generator, the CRT-refresh logic, the characterattribute logic, and many nowintegrated, formerly discrete functions. Because the NS455A provides all these capabilities by itself, the only additional ICs needed are display




Figure 3: A pinout diagram (3a) and a block diagram (3b) of the National Semiconductor NS455A TMP.

memory, an RS-232C buffer and a driver, and a bus-interface latch or two. In fact, an absolutely minimal video terminal could be constructed from 6 chips, and a relatively high-performance unit could be built from only 15.

You may not be as familiar with the complex workings of the CRT driver and control section as with the other two preceding sections. Indeed, because the screen image must be refreshed 60 times every second, the video circuitry stays very busy. The best way to see what happens is to follow a character from display memory until it appears on the screen.

First, the character is read by the display-access logic from the display RAM into the FIFO buffer (a small first-in, first-out storage area). The FIFO buffer contains only four entries, but it is needed so that the processor and display-refresh logic,

which both require continual access to the RAM, will not contend with each other for that access.

(The refresh logic has to push characters through the analog video section at a constant rate; if the refreshing is delayed, the display will flicker where characters or parts of the image are being missed. In older designs using CRT-controller chips, the usual technique was to allow the processor to run only during the horizontal and vertical retrace times of the electron beam—barely 40 percent of the time. Such approaches, once considered necessary, can severely limit throughput; you can recognize the terminals that employ this scheme as the ones whose displays flicker when they are updated.)

A FIFO buffer solves the problem. The refresh logic can fill the buffer faster than the video logic can empty it, so when the buffer is sufficiently full, the processor is allowed to grab and use a display-memory cycle. The processor has to be held off only intermittently, and then not for very long.

As the character code leaves the FIFO buffer, the proper pattern of display dots (picture elements, or pixels) in a bit-mapped dot matrix is selected by the character generator according to the character's shape. What dot value leaves the generator at a given instant depends not only on what the character is but also the current scan line (vertical position) of the video raster. In the case of the Term-Mite ST, the character information is retrieved from the character generator's ROM, where the dot patterns are stored, using the ASCII code value as a high-order address; the scan-line position is used to set up the low-order address bits. The dots for all the characters in a scan

Strobe Number	A15	A14	A13	A12	
0	0	0	0	×	page 0 memory
1	0	0	1	×	page 1 memory
2	0	1	0	×	page 2 memory
3	0	1	1	X	page 3 memory
4	1	0	0	X	terminal-characteristics switch
5	1	0	1	X	miscellaneous-status switch
6	1	1	0	X	UART-configuration switch
7	1	1	1	0	scanned keyboard-input port
8	1	1	1	1	auxiliary/printer-output port

Table 3: Memory-mapped I/O addressing as used in the Term-Mite ST. The final hardware of the project does not support the printer port.

Bit	Attribute	
0	reverse video	
1	half intensity	
2	blinking	
3	double height	
4	double width	
5	underlined	
6	blanked	
7	graphics	
	• .	

Table 4: Character attributes supported by the NS455A in the Term-Mite ST.

line are assembled into a parallel field containing dark and bright dots. These dots are then serialized and shifted out to the screen, one at a time.

Information on other character attributes may be sent along with the basic black- or white-dot data. Specialized logic was incorporated in the 455A to modify the dot output according to the display attributes selected, but, generally speaking, the logical process for accomplishing this has not changed from that previously implemented by many external logic gates.

Eight special character attributes are provided by the 455A: blinking, double height, double width, graphics, half intensity, reverse video, underlined, and blanked character. A terminal built around the 455A can specify the attributes in two ways: internally or externally.

Internal attributes make use of two attribute latches (ALO and AL1) inside the TMP chip. These latches can be read by external circuitry. Their states are determined by the most significant bit (MSB) in the character-code byte (the character set is therefore limited to the 128 standard ASCII 7-bit characters). If the MSB is a 0, ALO is activated; if the MSB is a 1, AL1 is activated. The latch status and the incoming character dot values completely specify the final appearance of the displayed character.

When the TMP is configured for external attributes, a 16-bit-wide display memory is used. The lower 8 bits specify the character, and the upper 8 bits are used to handle the attribute

data. Although this arrangement doubles the memory needed in the video RAM section, it gives you the freedom to use any possible combination of attributes for any char-

The remaining video logic involves the horizontal sync (synchronization) pulse and the vertical sync pulse. The horizontal sync pulse is generated by the video circuitry in the TMP, but its timing is under program control. It is the terminal designer's responsibility to decide the crystal frequency

A terminal built around the 455A can specify attributes in two ways: internally or externally.

used to drive the TMP, the number of characters per line, the size of the character cell, and the tolerances of the CRT's driver circuits. In most cases, all of these variables must yield something close to 15,750 Hz (hertz) for the frequency of the horizontal sync signal; the frequency must allow the display of 80 characters per line plus enough time to permit the electron beam to retrace to the beginning of the next scan line. The vertical sync pulse will occur at either 50 or 60 Hz depending on where in the world the terminal is to be used (in North America 60 Hz would be used). The necessary programming has already been done in the standard NS455A and in my Term-Mite ST project.

Memory-Mapped I/O

Because there is only one parallel port and one serial port, I/O by conventional methods is limited in the TMP. But, fortunately, by mapping I/O registers into memory addresses, you can greatly expand the TMP's I/O capabilities. (See reference 4.) For example, a printer port could be placed at address hexadecimal F000. The processor would just act like it is putting data into a memory location at that address, but the data would actually be sent to the printer.

Technically, there are 16 bits of memory-address space, which could in theory define 64K (65,536) I/O locations. However, it's only necessary to put in circuits to decode only the 4 high-order bits to designate nine specific memory-address allocations. These are listed in table 3. As with all construction projects, I had to observe practical limits when I froze the design. Even though the NS455A can support the printer port, the Term-Mite ST as presented in this article does not incorporate it, and only eight of the nine I/O addresses are available.

Term-Mite ST Design Details

The Term-Mite ST is an intelligent video-display terminal built from 21 integrated circuits (or 18 if you use a parallel-encoded keyboard). Shown in the schematic diagram of figure 4 on page 46, the circuit is intended to operate with the same ordinary 2Kbyte terminal-control program maskprogrammed into the generic NS455A but contained instead in a 2K-byte type-2716 EPROM (erasable

Number	Туре	+5 V	GND	+12 V	-12 V	Number	Type	+5 V	GND	+12 V	-12 V
IC1	6116	24	12			IC12	74LS373	20	10		
IC2	6116	24	12			IC13	74LS373	20	10		
IC3	74LS373	20	10			IC14	2716	24	12		
IC4	74LS373	20	10			IC15	74LS374	20	10		
IC5	74LS138	16	8			IC16	74LS154	24	12		
IC6	74LS240	20	10			IC17	74LS123	16	8		
IC7	74LS240	20	10			IC18	74LS244	20	10		
IC8	74LS240	20	10			IC19	MC1488		7	14	1
IC9	74LS240	20	10			IC20	MC1489	14	7		
IC10	74LS240	20	10			IC21	74LS86	14	7		
IC11	NS455	48	24								

Table 5: Power connections for integrated circuits in figure 4 (page 46). Another EPROM could be substituted for the 2716 in some applications.

programmable ROM). The Term-Mite ST could potentially handle up to 8K bytes of external program memory (a type-2764 EPROM), which would allow the control program to be enhanced—perhaps to include more features or to emulate the display protocols of popular commercially sold terminals.

The display format is 24 lines of 80 characters, with a 25th reverse-video status line. The particular TMP version I have chosen uses a 12-MHz crystal and displays characters in a 5-by 7-dot matrix in a 7- by 10-dot character area. The masked program automatically configures the correct horizontal and vertical frequencies.

In figure 4, IC1 through IC5 constitute the video-display memory section. Two type-6116 static RAM chips (IC1, IC2) form a 2K-word display memory of 16-bit words. The low-byte chip (IC2) contains the ASCII character codes, while the high-byte chip (IC1) holds the screen attributes. The attributes supported are listed in table 4, with their relation to bits in IC1 shown.

IC3 and IC4 are the type-74LS373 address latches for the display memory. When any access to external display memory occurs, the address of the location is set on lines SB0 through SB15 and loaded into these two latches on the occurrence of the address-latch-enable strobe (RAM ALE) signal. Address bits A12 through A15 are decoded through a 74LS138 (IC5) to provide eight enable lines for the memory-mapped I/O as described previously. Depending upon whether the instruction is a

memory-read or memory-write operation, either the active-low RAM RD or RAM WR line will be logic 0 (active).

Not all the decoded address-strobe signals are used in the Term-Mite ST, and only eight of the nine possible are implemented. To cut down on the number of chips, I decided to limit the display memory to a single 4K-byte page and not include a printer-output port. The software as supplied still supports four pages and the printer, so you may expand on

As with all construction projects I had to observe practical limits when I froze the design.

the basic design if you feel resourceful and feel like wiring a few more chips.

The remaining memory-mapped I/O devices are three configuration switches (buffered through IC6, 7, and 8—three 74LS240 chips) and 12 bits of scanned keyboard data (buffered through IC9 and 10). Each device is addressed and its data gated onto the bus during the RAM RD pulse. Next month I'll describe these switches and the scanning logic in greater detail.

On the right-hand side of the TMP (IC11) is the program-memory (EPROM) and user-I/O circuitry. In a process similar to that described for the display memory, an address is

loaded into the latches IC12 and IC13 during the active state of the ROM ALE; the EPROM data is read during the PSEN pulse. Type-2716, -2732, or -2764 EPROMs may be used (with proper jumper selection).

A parallel keyboard, instead of a scanned keyboard, may be connected to the Term-Mite ST through the type-74LS244 buffer IC18. Of the 8-bit input port, 7 bits are used to transfer ASCII data, while the eighth bit is borrowed for RS-232C handshaking. The keyboard strobe (active-low) connects directly to the RE10 TMP line and generates an interrupt when active.

Serial communication is handled directly by the TMP through an onboard UART. The data rate and protocol are set via configuration switches, and full handshaking is supported. The MC1488 buffer and MC1489 driver are connected directly to the TMP.

The TMP also has a direct output line for a bell signal trigger. The pulse is generated whenever a Control-G code is output or whenever the cursor reaches column 72 on the display screen. The trigger pulse is only a few microseconds long, so that a monostable multivibrator, or one-shot (IC17), is needed to stretch the pulse and drive a self-contained piezoelectric transducer.

Video output from the TMP is in the form of separate horizontal sync, vertical sync, and luminance signals. IC21, in combination with some discrete components, merges these to generate a composite-video signal. Because of the wide bandwidth re-





Figure 4: Schematic diagram of the Term-Mite ST. The NS455A's usual stock terminal-control program is here contained in a 2K-byte type-2716 EPROM (erasable programmable ROM).



quired for the 80-column display, you would probably have limited success using an RF (radio-frequency) modulator and TV set. I recommend that you use a high-quality CRT monitor for best results.

Although the current 2K-byte control-software release does not support it, the hardware provides a light-pen input in the form of an interrupt to the TMP. With proper programming, you could get the TMP to remember where the electron beam was scanning when the interrupt happened and subsequently return a value giving the location to the program. And with the proper software running in the host computer, all sorts of menu-driven tasks could be handled in this way.

Next Month:

In part 2 we'll examine the TMP software more closely and explain exactly what all the Escape and control sequences do.

Steve Ciarcia (pronounced "see-ARE-see-ah") is an electronics engineer and computer consultant with experience in process control, digital design, nuclear instrumentation, product development, and marketing. In addition to writing for BYTE, he has published several books. He can be contacted at POB 582, Glastonbury, CT 06033.

Special thanks to Bob Harbrecht of National Semiconductor Corporation for his help with this project.

Editor's Note: Steve often refers to previous Circuit Cellar articles as reference material for each month's current article. Most of these past articles are available in reprint books from BYTE Books, McGraw-Hill Book Company, POB 400, Hightstown, NI 08250.

Ciarcia's Circuit Cellar, Volume I covers articles that appeared in BYTE from September 1977 through November 1978. Ciarcia's Circuit Cellar, Volume II contains articles from December 1978 through June 1980. Ciarcia's Circuit Cellar, Volume III contains articles from July 1980 through December 1981. Ciarcia's Circuit Cellar, Volume IV, soon to appear, will contain articles from January 1982 through June 1983.

10. Titus, Jonathan. "Build the Mark 8 Minicomputer." Radio Electronics, July 1974, page 29.

11. Wierenga, Theron. "Construction of a Fourth-Generation Video Terminal." Part 1, BYTE, August 1980, page 210. Part 2, BYTE, September 1980, page 126.

To receive a complete list of Ciarcia's Circuit Cellar project kits available from the Micromint, circle 100 on the reader service inquiry card at the back of the magazine.

References

- 1. Cayton, Brian, and Mort Herman. "The CRT 9007 Video Processor and Controller." BYTE, April 1983, page 96.
- 2. Ciarcia, Steve. "Make Your Next Peripheral a Real Eye Opener." BYTE, November 1976, page 78.
- 3. Ciarcia, Steve. "Build the H-Com Handicapped Communicator." BYTE, November 1983, page 36.
- 4. Ciarcia, Steve. "Memory-Mapped I/O." BYTE, November 1977, page 10.
- 5. Haas, Bob. "Single Chip Video Controller." BYTE, May 1979, page 52.
- 6. Lancaster, Don. "TV Typewriter." Radio Electronics, September 1973, page 43.
- 7. Lancaster, Don. TV Typewriter Cookbook. Indianapolis: Howard W. Sams & Company,
- 8. Roberts, H. Edward, and William Yates, "Altair 8800 Minicomputer." Part 1, Popular Electronics, January 1975, page 33. Part 2, Popular Electronics, February 1975, page 56.
- 9. Tennant, Chris. "The Intel 8275 CRT Controller." BYTE, May 1979, page 130.

The following items are available from:

The Micromint 561 Willow Ave. Cedarhurst, NY 11516 (800) 645-3479 for orders (516) 374-6793 for information

- 1. Complete Term-Mite ST video-displayterminal kit including NS455A, printedcircuit board, IC sockets, DB-25S serial connector, and all other components but without keyboard or CRT monitor. Board size is approximately 41/2 by 61/2 inches with 0.156-inch 44-pin edge connector.
- 2. Complete assembled and tested Term-Mite ST terminal circuit board.

Please add \$5 for shipping in the continental United States and \$25 for all other countries. New York residents please add 7 percent sales tax. Allow four to six weeks for delivery.

NOT ONLY ANOTHER TECHNOLOGICAL BREAKTHROUGH BUT ALSO EASY TO USE AND TO INSTALL THE link two high speed devices together with having absolutely NO knowledge of computers or communications in general. Anybody can install and operate the STARCOM Family in a few minutes. Modems are the most important device used to link two products together through ordinary telephone lines at miles apart. The INCOMM STARCOM, a 300/1200 bps Auto Dial. Auto Answer. Auto Log On modem was introduced to STARCOM STARCOM is a 300/1200 bps Auto Dial/Auto Log On/Auto Answer Modem. OSCOM is a 300/1200 bps Auto Dial/Auto Log On/Auto Answer with Osborne (TM) Computer Software (included) modem. COMSOFT is a communication software package. OEM MODEM BOARD is also available for custom installation. DEALER INQUIRIES FREE \$150.00 value subscrip-INCOMM tion to Official Airlines Guide INVITED with purchase of each Starcom (312) 459-8881 or Oscom. Get immediate electronic access to airline fare and schedule info. OAG Electronic Edition can save you at least 30% on most business trips and could save you thousands of dollars annually! COMPA 115 N. WOLF RD. WHEELING, IL 60090

"I just eliminated eye fatigue by replacing the CRT Display Tube on my computer"

Now you can eliminate the strobe, flicker and fatigue from your computer terminal with a new Soft-View™ replacement CRT from Langley-St. Clair.

Now you can upgrade your monitor with a new European amber phosphor tube.

Available for the TRS-80,*
TeleVideo, Kaypro, Heath,
DEC, Zenith and a wide
variety of other monitors,
these new replacement display tubes use amber or green
phosphors which exceed the
European standards for persistence
and color.

And the "decay" or fade-out rate of the phosphor is the same as the "refresh" or scanning rate of the computer screen, so the display glows gently, rather than flickering like a strobe light - an annoying problem with black & white or inexpensive green phosphor tubes.

Now, you can upgrade your terminal or computer to world-class performance with the installation of a Langley-St. Clair Soft-View™ CRT!

Call our toll-free number to determine which tube will fit your computer or monitor.

LSIS Soft View™ CRTS

- #DK34G Amber Phosphor w/Anti-Glare
 \$99.95

 #HZ34G Amber Phosphor w/Anti-Glare
 \$99.95

 #KP34G Amber Phosphor w/Anti-Glare
 \$99.95

 #KP34G Amber Phosphor w/Anti-Glare
 \$89.95

 #GN42 Green Phosphor w/Anti-Glare
 \$79.95

 #CR344 Amber Phosphor
 \$89.95

 #CR344 Amber Phosphor
 \$89.95
- #OR34G Amber Phosphor w/Anti-Glare \$99.95
 Also available:
 #R22GRed Phosphorw/Anti-Glare \$139.95

□ #822G Blue Phosphorw/Anti-Glare \$139.95
Plus: \$7.00 for packing and UPS shipping

Plus: \$7.00 for packing and UPS shipping \$17.00 for Overseas, Parcel Post at UPS Blue Label Add Sales Tax where applicable.

Inquire about the CRTs we have available for many other computer models.

- Available in slow decay green or medium decay "European Amber" (the standard in Europe).
- Made with Lead/Strontium impregnated glass that stops X-ray emission.
- High-contrast face glass that also cuts U.V. radiation.
- Frosted glass with extra Anti-Glare benefits.
- Easily Installed . . . comes with pre-mounted hardware.
- Warranted for one full year against manufacturing defects or tube failure.
- Ideal for word processing and programming, yet fast enough for games and graphics.



Phil DeLaney,





800 221-7070

In New York call 212 989-6876



132 W. 24th St. New York, NY 10011

"Soft-View" is a Trademark of Langley-St. Clair Instrumentation Systems, Inc.

TRS-80, TeleVideo, Kaypro, Heath, DEC and Zenith are Registered Trademarks of Tandy Corp., TeleVideo Carp., Non Linear Systems, Inc., Heath Ca. Digital Equipment Co. Corp. and Zenith.

PGS did it.

With the no-compromise monitor, the Princeton HX-12, PGS set the industry standard for price/performance in a high resolution RGB color monitor.

Now, we've done it again with the SR-12: our new superresolution RGB monitor that meets the most demanding expectations at a price that will surprise you.


And PGS has set new standards in monochrome monitors, too, with the new MAX-12 amber monitor that's as easy on the eyes as it is on your budget.

The monitor to meet your needs

All three PGS monitors are engineered for no-compromise performance: to provide you with a cleaner, sharper image than any other monitor in the same price class. The HX-12 and the SR-12 both feature uncompromising color convergence for crisp whites without color bleed. The MAX-12 offers impressive clarity in a monochrome monitor with easy-onthe-eyes amber phosphor.

And all three monitors come with a shielded cable that plugs directly into the IBM PC or XT.

And does it a



And a

Check the specifications

The HX-12 has the highest resolution (690x240) and the finest dot pitch (.31 mm) in its class. And yet it's suggested retail price is comparable to many medium resolution monitors. The HX-12 brings nocompromise color to the PC and now, with the PGS RGB-80 board, to the Apple IIe as well.



gain.

The new SR-12 also features a .31mm dot pitch supporting 690 horizontal resolution. However, by increasing the horizontal scan rate to 31.5 KHZ, the SR-12 can support 480 vertical resolution in non-interlaced mode. This results in a very high quality, flickerless image with the ability to generate text that is truly of monochrome quality, making it equally suitable for word processing and for color graphics. Suggested retail price, a remarkable \$799.



A non-glare screen is standard on all PGS monitors, color or monochrome—a feature your eyes will really appreciate in a long work session.

Whatever your needs, from word processing to super resolution graphics, there's now a no-compromise PGS monitor that sets the standard. Ask your dealer for a demonstration and let your eyes decide. Or call for more information and the name of your nearest dealer.

gain.

The new MAX-12 offers you an amber monitor with 720x350 resolution at a suggested retail price (\$249) that is actually lower than the leading green-on-black competitor. And the MAX-12, unlike many other amber monitors, runs off the IBM PC monochrome card—no special card is required. Clarity of the MAX-12 is enhanced by dynamic focusing circultry which ensures sharpness not only in the center but also in the edges and corners.



You can look to PGS for the Image your eyes deserve.



800-221-1490

Circle 290 on Inquiry card.



1101-I State Road Princeton New Jersey 08540 609 683-1660 TLX 6857009 PGS Prin

industry breakthrough.







NEW 2 (yes <u>TWO!</u>) YEAR UNCONDITIONAL WARRANTY ON ALL AMDEK MONITORS

It's new . . . It's exciting . . .

... another first for the industry with Amdek's bold 2-year warranty on monitor electronics . . . and an unprecedented 3-year warranty on monitor CRT's. Yes, it includes all parts & labor! And, all warranties in existence are automatically extended to the new 2-year warranty.

Amdek has always been thoroughly committed to the highest quality standards... quality that's inherent in every monitor component and every connection... quality that's triple checked before every shipment. That's why we dare to offer this extended warranty.

You expect top quality equipment to operate trouble-free for years. We agree. This industry-first warranty is our answer to your expectations. Enjoy Amdek performance... and keep coming back for more!

See our complete line of color and monochrome monitors, plus the new 3" disk drive, plotters and expansion boards at your local authorized Amdek dealer.



2201 Lively Blvd. • Elk Grove Village, IL 60007 (312) 364-1180 TLX: 25-4786

REGIONAL OFFICES: Calif (714) 662-3949 • Texas (817) 498-2334

Amdek your guide to innovative computing!

AMDEK OFFERS LOCAL SERVICE ON MONITORS AND DISK DRIVES

Xerox Service Centers across the USA will be equipped to service and repair Amdek monitors and disk drives, including the new 3" micro-floppydisk drives. Contact your local Amdek dealer for more details.

BYTE West Coast

Beyond the Word Processor

The time has come for text-editing software to surpass the paper operations it mimics

by Phil Lemmons

To date, most personal computer software has enabled us to do familiar tasks more efficiently. With a word processor, for example, we can prepare documents, alter them, and generate clean copies more easily than is possible using a typewriter, paper, liquid correction fluid, and an eraser. While the Block Move commands in word processors make rearranging text simpler and encourage writers to revise, nothing about word processors makes it easier to create a document when the ideas are still in a formative stage or to analyze a document that is already complete.

Spreadsheets are the great exception. They let us analyze related numerical parameters in a way never before available to individuals. Some may dispute this view, saying that spreadsheets just let us look at more alternatives than we could using paper and calculator. The contribution of the spreadsheet program, in this view, is merely an improvement in efficiency over customary methods.

But spreadsheet software contributes much more than increased efficiency. As you watch the effects of changing one figure ripple through a whole model, you are able to think in larger terms than a calculator and paper allow. Furthermore, the visual rippling itself sometimes is tantamount to a graphical simulation of the problem under study. You gain a better understanding of relationships

in the model and a feeling for the probable consequences of different kinds of changes. When a change causes startling results, you realize that either the model doesn't reflect reality or the reality is different in some important way from what you thought. The spreadsheet software provides a ready means for analyzing the startling result.

The time has come for text-editing software to surpass the power of the paper operations it mimics. To date, word processors have taken conceptually complete documents and printed them out neatly. The most interesting and difficult part of preparing many text documents, however, comes much earlier-when concepts are inchoate and their interrelationships are dimly understood. Text editors for programmers have provided "macros" that permit automatic execution of a series of operations, but the operations chained are usually a series of search-and-replace operations designed to achieve a result that conforms to the rigid syntax of a programming language.

Can software help us grope through the earlier stages of text composition? Can it help us analyze finished documents?

Let's take a case in point. In the early stages of composition, the writer is thinking things through. Although the writer is putting words on paper, he or she is grappling with concepts that encompass more than single

words or phrases or even paragraphs. Take a work of fiction, for example. As the author writes, he or she thinks about large ideas such as characters, atmosphere, and plot. The author may be reflecting on the character George and whether he develops convincingly, or about how to give a scene a spooky atmosphere before George enters, or about how to build suspense before the climax. The writer thinks in terms of George's character as it extends and evolves throughout the novel. He or she thinks of the scene that is meant to be spooky as one that builds on preceding scenes and prepares for subsequent scenes and wonders how to build suspense in terms of creating and resolving tensions between char-

Regardless of what the writer is thinking, however, the word processor can directly manipulate words and phrases only. What the word processor can directly manipulate is much smaller than what the writer's mind can directly manipulate.

How could text-editing software help the writer grapple more directly with concepts larger than words and phrases? I offer a few suggestions, again with reference to fiction. A utility called Character could extract some specifiable number of sentences before and after each occurrence of a character's name (let's call these "character blocks") and assemble all the extractions (in a

"character summary") for convenient viewing by the writer. The CHARAC-TER command might have switches that select specifiable kinds of information from the character blocks rather than the entire blocks. For example, verbs, adverbs, and adjectives that express feeling might all be pulled out of the manuscript to give the writer a check on the character's emotional evolution. Terms likely to be used in physical descriptions of the character might similarly be extracted. A pop-up menu headed "Character" might have these subheadings:

> Feelings Physical description Actions Associations People Places Spoken words

Another command, PLACES, could extract all the passages in which the character is mentioned in connection with any country, city, town, building, room, and so on. A command called ATMOSPHERE could extract all passages containing terms of color, feeling, sound, etc., in connection with a specifiable place.

The next step in making software more useful to a writer would be to allow use of Boolean operators with these commands. It would be useful, for example, if a writer could ask for all passages containing references to both the character Tom and the room cellar.

This special text editor would gain tremendous power if it enabled the writer to insert markers that correspond to milestones, such as chapter breaks, scene breaks, climax, denouement, and so on. The other commands could then present their data in relation to the milestones. It would be handy, for example, to see how a character's feelings or actions after the climax compared with those before. Using Boolean operators along with milestones, the writer could quickly select information that shows how a character feels about a certain place both before and after the climax of the story. Since characters'

emotions are often expressed in relation to the objects around them, the combination of milestones and Boolean operators would be a powerful characterization tool.

An equally useful extension would let the writer specify a new command, a list of menu items to appear when the command is invoked, and a list of words and phrases to search whenever the writer used the command and specified a menu item.

It is worth noting that none of these suggestions for developing an editing program for writers of fiction would do anything to replace or diminish the writers' creativity. The commands would merely give the writer quick access to information that related to developing concepts in the story. The writer could check how the text on disk compared to the writer's current ideas about a character, place, and so on. As the writer's ideas changed, the editing commands would help extract the relevant passages to speed the reshaping of the text to reflect the writer's changed ideas.

Special Functions for Special

Just as fiction writers have special needs, so do writers of other kinds of documents. In writing a proposal for funding, for example, it would be useful to have the document summarized instantly in terms of its references to objectives set in the RFP (Request for Proposal). Tracing each objective against a time line would be another helpful feature. Inveterate proposal writers could suggest other features.

In narrative writing, it would be useful to be able to extract the sequence of tenses in a piece; in history especially, to extract the sequence of dates and times.

Business writers could suggest special editing features for business plans and annual reports. Commands that extracted all numerical information and plotted it against a time line would be useful during writing. Another helpful command would extract paragraphs containing references to specified divisions, departments, positions, or persons.

Boolean operators would be as helpful here as in fiction.

Other missing facilities would help writers in all fields. One problem in any extended piece of writing is to make strong transitions from one section or chapter to the next. A command that extracted the last two paragraphs of each section and the first two paragraphs of the following section would let the writer have a quick look at all the transitions in the document.

Good Signs

Two programs that go beyond word processing are now on the market: Thinktank, from Living Videotext in Palo Alto, California, and Zyindex, from Zylab Corporation in Chicago, Illinois. Both these programs recognize that a collection of words can be much more than a finished document. They give the user new ways of getting hold of information contained in text files.

In the case of Thinktank, available for the Apple IIe for \$150 and the IBM PC for \$195, you obtain information through a tree structure. A document is a large outline. There are headings and subheadings ad infinitum, but you see only as much of the outline as you wish. The EXPAND and COL-LAPSE commands control what you see. Thinktank displays a "+" in front of every heading that has further information under it. You know you have reached the end of a branch when a ''-'' sign precedes a heading. If you use the EXPAND command on an item that is preceded by a "+", the next level of branches will be displayed. You can expand your way through level after level. When you want to concentrate on the more general levels of the outline, you use the COLLAPSE command to hide the levels that give details. By expanding and collapsing, you can delve into the tree of data or concentrate on only the broad headings. You can also move items about in the structure, promoting them to higher levels or moving them to other parts of the outline. You can insert new items and merge old ones as well.

Thinktank, then, is most useful when a document is in the formative



Microsoft, the people who set the standard for software, have done it again with the Microsoft Mouse.

Our expertise in both hardware and software has gone into the development of the Microsoft Mouse. Now you can plug in the most exciting computer product of the year and put it to work.

The Mouse lets you move the cursor freely and naturally, then execute commands at the push of a button.

The Microsoft Mouse is a complete system. It comes with an on-screen tutorial, a practice application, and the Multi-Tool. Notepad, a mouse-based text editor, so you can begin using the Mouse right away. And for

application developers, the Mouse includes a programmable interface driver to give your application program complete control over the Mouse's operation.

That's the kind of support you'd expect from Microsoft. After all, we were the world's first microcomputer software company. Today, more than a million microcomputers are running Microsoft-languages, operations and the soft-languages.

ing systems, application programs, and hardware-software combinations.

You can get the Microsoft Mouse in either a bus or serial version for the IBM. PC or PC XT.

Ask your Microsoft dealer for a demonstration of the Microsoft Mouse —a whole new standard.

BETTER TOOLS FOR MICROCOMPUTERS

MICROSOFT.

Microsoft is a registered trademark, and MS and the Microsoft logo are trademarks of Microsoft Corporation.



Photo 1: Thinktank in use, with the main command menu shown. The EXTRA command at right leads to a second list of commands. Each item preceded by a "+" can be expanded to show subheadings or paragraphs, while each item preceded by a "-" represents the end of a branch.

Specify a marked ling, manufacturing, distribution, sales and promotion plan for the SillyClone portable computer. The machine is 188k software compatible with the IBN Personal Computer, but adds features (some useful, some deliberately frivolous) which make it easy Timeliness of Harket Entry
Unique features
+ LCDs label the function keys
- Real bells, real whistles (gimicks)
+ Built-in Sony Walkman (tw)
Unique Promotion
- contest - come up with the most unique place to use a SillyClone
- ad shows King Kong using a SillyClone atop the Empire State Building Fun to use - ad says: "Why do you think we called it SillyClone?" "edit" command menu issurt delete backspace typeover find ackange select delete chars, toward the bottom

Photo 2: The edit menu of Thinktank. Although not a word processor in the usual sense, Thinktank does include a good text editor.

stages. As your ideas change and various aspects of them become more and less important, you can alter the document to reflect the changes. However much rearranging you do, Thinktank leaves you with a neat outline that looks as if you understood the subject when you started out.

In a way, Thinktank is analogous to a spreadsheet. A spreadsheet lets you rearrange numbers and relationships until you find a coherent arrangement that shows how to attain your goals. Thinktank manipulates text in a way that lets you rearrange its internal logical relationships until the structure supports a main idea. A spreadsheet is a number manipulator. Thinktank is a text manipulator.

Living Videotext calls Thinktank an "idea processor" to distinguish it from a word processor. While the term is a bit optimistic, it will have to do until a better one comes along. Thinktank's specific contribution is to apply tree structures to text. Its more general contribution is to treat a body of text as a database whose parts happen to be text.

Photo 1 shows a sample screen from Thinktank. As the main command menu reveals, Thinktank lets you search for items based on keywords. This search differs from one in a word processor in that it finds paragraphs or branches that contain a keyword—not just the keyword. In other words, you can confine your search for a keyword to a particular area. Selecting the EXTRA command at the right of the main menu brings a menu of extra commands, including PROMOTE, which promotes a subheading to a higher level. Photo 2 shows the edit menu, displayed after you select the EDIT command from the main menu.

Zyindex, too, treats text as a database. This program lets you search a body of text for occurrences of any word, or of any two or more words within a specifiable number of words of each other. What makes Zyindex so much more valuable than the Search function of a word processor is the availability of Boolean operators. You can look for any occurrence of either "Johnson" or "Holmes" within 100 words of "embezzlement." Or any occurrence of both "Johnson" and "Holmes" within 100 words of "embezzlement."

Zyindex works by making an index of all the informational words in what it calls a textbase. That is to say, the index excludes "noise" words, such as prepositions and conjunctions. You make a search request with Zyindex by combining content terms with connector words. The connector words are OR, AND, NOT, WITH-IN, and () [parentheses]. NOT represents the exclusive OR, and the parentheses are used to mark the scope of the other connectors. Zyindex will print out all the files that conform to a request or let you peek at the relevant passages within those

files. Zyindex runs on the IBM PC, requires 192K bytes of RAM and two double-sided drives, and costs \$295.

Zyindex enables you to test for relationships among items in an index. You can extract relevant information quickly to test a theory, to support an argument, to confirm an association, or to speed analysis of a body of text that resides on disk.

Programs like Thinktank and Zyindex show that word processing is the least interesting part of processing text; the interesting parts are during the generation of ideas, which Thinktank aids, and during the analysis of a body of information accumulated in text files, which Zyindex aids. These programs hold great promise because they show that programmers are thinking of ways to let personal computer users do more with text than print clean copies and individually addressed form letters.

If anything is holding back development of software for text manipulation, it is the failure of those of us who create, edit, and analyze text to specify features that would be useful to us. In the age of the typewriter, there was no point in dreaming of such features. In the age of the personal computer, expressing our dreams may result in products that make such features a reality.■

Phil Lemmons is managing editor of BYTE. He can be reached at POB 372, Hancock, NH 03449.





Displays and hard copy output courtesy of ISSCO, SAS/GRAPH™SAS initial line , Swanson Analysis Systems, inc. and GDS-Applied Research of Cambridge CPM-86 is a registered trademark of Digital Research, inc. Copyright " 1983. Tektronix, Inc. All rights reserved. #UNO-220 VT 100 is a registered trademark of Digital Equipment Corporation."

Powerful text editing. High-speed graphics. Color copies. The new desktop family from Tek!



VT100 text editing and PLOT 10 color graphics are now packaged as basic desktop units and priced from \$3995* complete.

Tek's new 4100 Series desktop terminals answer a range of resolution, screen size, color palette and local intelligence needs. All three feature outstanding 60 Hz non-interlaced displays and rapid 16-bit graphic processing speeds.



As simulated, Tek's 60 Hz refresh rate and bright phosphors result in a flicker-free image with perceivably better definition than that provided by 30 Hz terminals quoting greater pixel densities.

Standard capabilities include 38.4K baud communications; easy color selection from the keyboard; 4096 x 4096 addressable display space; a separate display surface for alphanumerics or communications dialog; and compatibility with ANSI X3.64 screen editors, including DEC VT100 extensions.

Each offers an unconditional, oneyear on-site warranty. Tek Warranty-Plus extends this coverage two additional years at minimal cost.

For less than \$1,600, you can add Tek's compact, plug-compatible 4695 Color Graphics Copier. With a palette of up to 125 shades, the 4695 lets you reproduce graphic and alphanumeric displays on report-size paper or transparency film at the push of a button.



All 4100 Series terminals feature programmable keyboards with innovative Joydisk for convenient graphics input.

At any time, you can plug into Tek's new 4170 Local Graphics Processing unit. The CP/M-86-based 4170

	4105	4107	4109		
Display Size	330mm (13")	330mm (13")	483mm (19")		
Displayable Cold	ors				
Graphics	В	16	16		
Alphanumeric	В	8	8		
Pale te	64	64	4.096		
Resolution	480x360	640x480	640×480		
Segment Memor	у	128K Bytes	256K Bytes		
Price	\$3,995	\$6,950	\$9.950		
Warranty-Plus	\$195	 9 2 3 3 3 3 3 3 3 3 3 3	\$395		

provides up to 886K RAM for standalone programming and pre- or post-processing—to help you conserve host power while you build upon a central data base.

Factor in compatibility with Tek PLOT 10 software and 4110 Series terminals, and you'll discover the first desktop graphics that you can't outgrow. Call your Tek Sales Engineer for a demonstration. For the number, or for literature, contact:

U.S.A., Asia, Australia, Central & South America, Japan

Tektronix, Inc. P.O. Box 4828 Portland, OR 97208 Phone: 800/547-1512 Oregon only: 800/452-1877


Europe, Africa, Middle East Tektronix Europe B.V. Postbox 827 1180 AV Amstelveen

The Netherlands Telex: 18312—18328

Canada

Tektronix Canada Inc. P.O. Box 6500 Barrie, Ontario L4M 4V3 Phone: 705/737-2700 'All prices quoled are U.S. Domestic only.





Good things come in 2s. The DMP-40-2 is a good example.

TWO PENS, poised and able, help you create vivid multicolor business graphics quickly and simply, or let you plot and draw different line widths for critical drafting applications.

TWO FORMAT SIZES give you the freedom to generate vibrant graphics for reports and presentations. The standard $8\frac{1}{2} \times 11^n$ format is ideal for use in the report body, while the larger size is suitable for foldouts and photo reductions. Both the standard and larger 11×17^n formats are available in bond, vellum and acetate film (for colorful overlays or overhead transparencies). The two formats are interchangeable with drafting sizes A and B. No extra-cost accessories are needed when plotting on different surfaces.

TWO INTELLIGENCE LEVELS provide the flexibility to plot in either a 'smart'or incremental mode. With internal firmware that occupies 16-thousand bytes, the DMP-40-2 borders on brilliance. It's capable of automatically generating such complex figures as circles, arcs, ellipses and general curves with a single simple command.

More software is tailored to the Houston Instrument DMP-40 Series than for any other plotter. Well over a hundred programs are available, offered by scores of capable vendors. Each program has been configured in concert with Houston Instrument, so there are no rude surprises when you hit 'return.' Versatile programs for business graphics, investment analysis and computer-aided drafting are all available, with more added virtually on a daily basis.

Choose 2 for the show, and treat yourself to superior multi-color graphics at a very 'budget friendly*' price.

For the name, address and phone number of your nearest distributor or dealer, write Houston Instrument, 8500 Cameron Rd., Austin, Texas 78753. Phone 512-835-0900 or 800-531-5205 if outside Texas. In Europe contact Bausch & Lomb Belgium NV., Rochesterlaan 6, 8240 Gistel, Belgium. Tel. 059-27-74-45, tlx 846-81399.

houston instrument

*Suggested US Retail \$995.

Meets FCC class B requirements. UL Listed.

4P011

User's Column

Too Many Leads, or What in *;?!#"*? Goes First?

In a heavy news month, our user covers several important items

by Jerry Pournelle

This has been the month of the changing lead. It began with upgrading the Eagle 1600. Then Tyler Sperry brought over the Kaypro 10, a portable machine with a hard disk. We'd no sooner got that running than the Osborne Computer Corporation filed for Chapter 11, and that needed commenting on. Then I got upset by the mess Congress is making out of attempts to promote computer literacy, but before I could write anything about it, Epson sent us yet another version of Valdocs for the OX-10.

Just after that, I got a copy of the legal reasoning in the Apple v. Franklin suit, which holds that "a computer program, whether in object code or in source code, is a 'literary work' and is protected from unauthorized copying." There are some powerful implications in that. For one thing, if program publishers rely on copyright, how can they expect to enforce those silly licensing agreements they foist off on us?

If all that weren't enough, I went to CP/M East in Boston, where Digital Research's Gary Kildall displayed DR Logo and Bill Godbout held a big clambake to celebrate Compupro's tenth anniversary. Godbout also unveiled the Compupro 10, formerly yclept Shirley, and there's a story to go with that. Rod Coleman was there, too, with the new Sage IV, which is a good candidate for the best available computer based on the 68000 chip. Finally, after CP/M East I paid my very first visit to BYTE headquarters in Peterborough, New Hampshire.

Any one of these events would be important enough for the lead item in the column, but none of them is, because on the way to Peterborough I stopped at Steve Ciarcia's Circuit Cellar.

Ouicksilver

Steve has designed an absolutely dynamite upgrade to the IBM PC. He asked me not to do the full story this issue, because he's still playing around with the way he wants to package it. That's fine, but if you're at all short of money, don't buy anything for your PC until you've seen Ciarcia's Quicksilver. I can darned near guarantee it will be the first thing you'll want.

Quicksilver is a one-card computer that uses the IBM PC as a power supply, disk drive, and smart terminal. It has its own CPU (central processing unit, or brain) aboard. Using Quicksilver is simple: you preload a PC BASIC compiler that appears as if it's in ROM and write a program in BASIC, doing all your debugging and logic testing in the usual way. Then you run it under Quicksilver, which compiles the program in seconds as you "load" it. Then it executes the compiled program. The results are astounding. I might not have believed it if I hadn't seen it myself: programs run 100 times

If that weren't enough, Quicksilver also lets you run CP/M-80 programs and has a C compiler. There's also a structured assembler and a text editor integrated with the BASIC compiler. I didn't myself see those features work, but I've no reason to doubt that they do. Ciarcia has a habit of getting things right.

Incidentally, for the congenital doubters among our readership: there really is a Circuit Cellar, and it really is in Steve's basement.

THE 2720 S. Harbor Blvd., Suite E, Santa Ana, CA 92704

SERVICE, COMPUTER AND SOFTWARE COMPATIBILITY, and LOW PRICE,

are among the many factors to consider when purchasing a printer. At the PRINTER STORE we specialize in printers, so our professional staff can help you choose the right printer for your personal and business needs. Every Printer Purchase includes:

- 1) Low Prices
- 2) Same Day Shipping
- 3) Free Technical Support
- 4) Full Service Option



IDS 480

- 110 CPS, Bi-Directional, Logic Seeking
- 24 x 9 Dot Matrix, 10, 12, 16.7 CPI, Plus Proportional Spacing
- · Parallel and Serial Port Standard



BROTHER HR-15

- 13 CPS Bi-directional Super & Subscript
- 10, 12, 15 and Proportional Spacing Pitch
- Optional Tractor, Sheetfeed and Keyboard

Parallel \$CALL Serial \$CALL

DOT MATRIX PRINTERS

\$CALL

EPSON SERIES

FX 80\$ CALL FX 100\$ CALL

OKIDATA SERIES

82A \$ CALL 83A \$ CALL 92A \$ CALL 93A \$ CALL 84 (parallel) \$ CALL

C. ITOH SERIES

8510 Prowriter \$ 395 Prowriter II\$ CALL

IDS SERIES

Microprism 480 \$ 395 Prism 80\$ CALL Prism 132 \$ CALL

GEMINI SERIES

Gemini 10X \$ CALL Gemini 15X.....\$ CALL Delta 10 \$ CALL

Toshiba P 1350\$ CALL

LETTER QUALITY PRINTERS

BROTHER SERIES

HR-1....\$ CALL HR-15\$ CALL HR-25\$ CALL

COMREX SERIES

CR-1....\$650 CR-2..... \$ CALL CR-25\$ CALL

C. ITOH SERIES

F-10 40 CPS \$ CALL F-10 55 CPS \$ CALL

NEC SERIES

2010\$ CALL 2030\$ CALL 2050\$ CALL 3510\$ CALL 3530\$ CALL 3550\$ CALL 7710**\$ CALL** 7730\$ CALL NEC Accessories \$ CALL

We carry a full line of Cables and Accessories PHONE REBATE: Call (714) 241-0701 and ask us about...

We are so confident of our LOW PRICES and SUPPORT that we are going to ask you to make the inital investment by calling us. In return, when you buy your printer from us, we will rebate the cost of your call and deduct it from your invoice.

HOW TO ORDER: Our phone lines are open from 8 a.m. to 6 p.m. PST, Monday-Friday. Weaccept VISA, MASTERCHARGE (at no extra charge), personal checks take two weeks to clear. COD's accepted. Same-day shipment on orders placed before 1 p.m. Manufacturer's warranty applicable on all equipment. Prices subject to change.

image. Ciarcia's Circuit Cellar is none of that. Most of it is carpeted, with paneled walls and designer furniture, more rec room than cellar. In the middle of all that is a work area with wide Formica-topped counters and lots of test equipment. It's also neat. In fact, although they're tearing Steve's house apart to put in a new kitchen, the whole place is neat, which suggests that Steve and his wife, Joyce, have some fun-

However, if you picture a basement as a damp, messy place, get rid of that

damental secret that escapes the rest of us. Every time I see a place like his, I get fantastic plans. If I just add storage cabinets here and bookcases there, I too could have some bare counter tops, and chairs not piled with paper and boxes, and somewhere to put things as they come in.

Then I come home to Chaos Manor. Ah, well.

Survival

I'm writing this in early October. Just at the moment, in obvious reaction to the Osborne disaster, both computer and mainstream magazines are full of articles and editorials about "the great shakeout" in the micro industry. A number of companies are said to be in trouble, and "experts" are predicting that we've reached a new age in micros, one in which only the giants like IBM can survive.

I don't believe that.

I suppose the micro industry will be dominated by the giants-but there's plenty of room for the others. In U.S. business as a whole, about 10 percent of all sales are made by companies with a gross income of less than half a million dollars. There are some 5 million of them. Another 35 percent of all sales are made by the 520,625 companies with gross incomes of \$500,000 to \$25 million. At the other end of the spectrum, a bit less than half of all sales are made by the 2355 companies with gross incomes of \$100 million or more.

That's all U.S. business, from steel rails to books to coffee spoons. The computer industry is skewed a bit more toward smaller companies. I

It Meets Your Needs... Whatever They Are 1/15 L502 Φ4 U23 514 0-2-

Large Multi-user Capability

A truly professional, reliable solution—the NET work 8816 has been specifically designed for installation in demanding multi-user applications. The low starting price allows you to start with two users and growlater to many thousands without the expense of replacing existing equipment or software as you grow. We offer three types of Local Area Networking, including Ethernet, with full shared multi-system resources. AND IT WORKS. Gone are the bottlenecks that make shared-processor multi-user systems too sluggish for real time applications. What's more, we offer an unbeatable combination in a video terminal with our NET/worker. You get styling, operating comfort, value and reliability.

All MuSYS systems utilize TurboDOS, the Industry Standard Multi-user Operating System. Mainframe capability at microcomputer prices, and compatible with virtually all CP/M Software. NET/work systems give you advanced features such as 8MHZ processors, high speed hard disk drives with storage capacities up to 280MB, and 16 bit future upgrade path.

This system meets your needs...WHATEVER THEY ARE. Call or write, MuSYS Corporation, 1752-B Langley, Irvine, California 92714. (714) 662-7387 toll free outside California 1-800-852-5362. TWX 910-595-1967. Cable MUSYSIRIN.

Dealer and OEM inquiries welcome.



NET/work is a trademark of MuSYS Corporation. TurboDOS is a trademark of Software 2000, Inc. CP/M is a trademark of Digital Research, Inc. Ethernet is a trademark of Xerox Corporation.

think it will stay that way, because the micro world changes like dreams, and smaller, leaner companies, with fewer links in the decision chain, can respond faster to changes in technology.

The giants look to big sales, hundreds of thousands of copies of nearly identical units. While they're setting up to do that, the small, adaptable, fast-moving outfits get their innings.

Example: there's a persistent rumor that IBM has developed a small, portable computer based on the iAPX186 CPU chip. The problem is that Intel isn't producing the chips fast enough. It has had to put its customers on allocation.

IBM can't work that way. However, if you really want an iAPX186 computer, Slicer will be glad to sell you one. It comes without frills. There's no case and no power supply, but it works. Jim Hudson and I are doing an article on the Slicer, which is a good buy for technically sophisticated users. My point, though, is that

Slicer can make profits on its machine, even though the company will never have any large share of the microcomputer market.

Another example: I first met Rod Coleman at a West Coast Computer Faire. Forty days before the Faire, his Sage Computer Technology company was destroyed by a disastrous fire. Rod was standing there with his three working machines. None had a hard disk; he'd show you melted fragments and refer to them as "our well-burned-in disk drive." In less than a year, Sage was doing a million dollars' worth of business annually; I recently got an announcement that the company had had a milliondollar month, and it hasn't stopped growing. The Sage IV may well be the best 68000-chip computer on the market.


Yet another example: even as Osborne was getting into trouble, Kaypro was growing by leaps and bounds. The reasons for that are complex, and indeed Kaypro couldn't possibly be doing as well as it is if

Osborne hadn't led the way; but it does show that small, well-made, and well-thought-out systems can thrive. The Kaypro 10 is the first portable machine to use a hard disk. Other innovations are coming.

A final example. Bill Godbout just threw a big party to celebrate the tenth anniversary of Compupro. Here's a company with a reputation for armor-plated high-technology hardware. It very nearly dominates the development systems market. Now it's trying to expand its market share by selling easy-to-use business systems.

Last time I looked, Compupro had maybe 2 percent of the micro market. That doesn't sound like much—but if you look at Compupro's actual dollar income, it has been doing business at a steadily rising rate. Most accountants would sell their livers for that kind of profitability.

At the height of the Osborne boom, the company was shipping around 8000 computers a month, which generated sales on the order





of \$100 million a year. That may not be big by IBM standards, but it's not peanuts, and it made Osborne one of the Big Ones in the micro field.

There are 5.5 million U.S. companies, and just about every one of them will spend \$2000 a year on microcomputers. There are at least a million people who spend a thousand dollars a year on personal computer products, and I'd be greatly surprised if that number didn't hit 10 million in the next few years. Onehalf of one percent of that is \$105 million—Osborne's peak income.

Look at it another way. Assume sales are distributed by company size roughly the way they are in U.S. business as a whole.

Of \$20 billion total sales, 10 giants will get half. The other half will support a thousand companies with average sales of 10 million dollars, which in practice is more likely to be 900 smaller outfits and 50 large ones. Even so, there's plenty of room.

This isn't to say that things won't get tricky. They always do when you're up against large resources. The big boys can survive mistakes that bankrupt small companies. They can afford to lose money setting up store outlets and service centers. They can also afford to advertise.

The smaller outfits also have some advantages. They don't have to tool up for big production runs, and their decision structures are leaner, so they can track new technology better. They may not have in-house service organizations, but as the industry matures there'll be more and more trained technicians. Some will stay independent, others will work for service companies like Xerox, which is rapidly becoming something like a cross between AAMCO and Tuneup Masters, only for micros. Parts outfits will spring up. Somebody's going to get rich out of stocking spare parts, repair kits, and instruction sheets.

It may happen that someday all the really exciting developments in the computer field will come from the research labs set up by the giants; but that hasn't happened yet, and I don't really think it will. In fact, I see small computers as the great equalizers. I think they're going to change the structure of business in this country, not just for the micro business, but for everyone, making it much easier for small outfits to compete with the giants; but that's a topic for another column.

Upgrading the Eagle 1600

One of the things we're hard at work on is Inferno, an Adventurestyle game based on the novel that Larry Niven and I published some years ago. The original plan was that Larry and I would write the script for the game, and my son Alex would do the code. Alas, Alex finds himself spread almost as thin as I am. Fortunately, though, Marty Massoglia, who's both an experienced programmer and as mad on games as we are, became available just as we despaired of getting the project accomplished.

There remained the problem of what language to write it in. Since the original contract calls for the game to run on the IBM PC, we needed something available in PC-DOS; but we have delusions of sell-



Turn any Touch-Tone® phoneintoa remote data entry terminal

Bycombiningthe capabilities of an intelligent modem with a DTMF to ASCII converter, Teltone has unlocked countless opportunities for you. With a Teleport 300 on your computer, you can use any Touch-Tone® phone in the country as a remote data entry terminal, or, if you wish, a control panel.

Imagine the possibilities: Branch office order entry, Inventory control, Remote control of environmental systems, Data logging, Emergency access to process control systems, Credit card authorizations, etc. The list goes on and on.

It's a full-featured smart modem

The Teleport 300 is a fully equipped intelligent modem: Bell 103J compatible, auto answer and originate, with tone and pulse repertory dialing and call progress indications. It's menudriven and user programmable. An internal buffer lets the

Teleport handle DTE speeds from 75 to 9600 baud.

Teleport delivers front end hardware security

You can program the Teleport 300 to respond only to a pre-determined series of DTMF signals. Unless the correct DTMF tones are detected, callers are not connected to your computer. It's an effective hardwarebarrierinfrontofanysoftware security scheme you may be using to protect valuable programs and

List price is \$399.95.

To get all the Teleport details, call: 1-800-227-3800 ext 1130

Dealer inquiries are invited. Call the Teltone Telcom Components Division: (206) 827-9626 ext 220. **Teltone Corporation** 10801 120th Avenue NE P.O. Box 657 Kirkland, WA 98033 TWX 910 449-2862 Touch-Tone® is a registered trademark of AT&T.



PRINTERS

C. ITOH

Prowriter



120 cps, 4 fonts (includes pro-portional), 8 sizes, 160 x 144 dpi, friction & tractor feed. A worthy rival of Epson,

Starwriter

Letter-quality, 40 cps, 136 columns 10 & 12 pitch, uses Diablo wheels & ribbons (Qume code). The Printmaster is the 55 cps version. The A10 Starwriter (18 cps) is the new, low-spe :d version with the same specs. version with the same specs.

A10 Starwriter \$809.88
Starwriter 1219.88
Printmaster 1589.88
Tractor Feed 289.88

620	,		,	,		,			,		,	Ī			,				\$	9	9	9	.8	3	8
630					6								н				a		1	8	7	9	₿,	3	E
Ser	е	S	;	3	2	2.		+		16	*			٠				,	1	C	14	9	3.	3	E

Sheet Feed 609.88

EPSON RX/FX Epsons CALL

IUS		
Micro 480		\$529.88
P-Series 80		
w/4-color		1439.88
P-Series 132.	**********	1239.88
w/4-color		1669.88

INFORUNNER

Riteman



A compact printer with 120 cps. 10/17 cpi, 160 x 144 dpi graphics, optional tractor (pin/friction std.). Parallel. \$349.88

MANNESMANN TALLY

MT-160 L



8 fonts (including a correspon-dence font), parallel & RS-232C interfaces, friction/tractor feed. The MT-180 L is a 136 column

NEC	
2010/2030	\$879.88
2050	999,88
3510	1549.88
3530	
3550	
7710/7730	2159.88

Silver Reed EXP-550 & EXP-500

Silver Reed's printers are exceptional. Both the EXP-550 (17 cps) and the EXP-500 (12 cps) feature sub and super script, underlining, backspace, proportional printing capabilities, multiple pitch (10 12 or 15 cpi) and Diablo 1610/1620 code emulation, which makes them compatible with nearly every word processing program available. The EXP-550 features a page-inject system.



EXP-550 (Parallel)	\$669.88
EXP-550 (RS-232C)	\$689.88
	4000.00
EXP-550 Tractor Feed	\$139.88
EXP-500 (Parallel)	8430 88
EXT 500 (Faraner)	4433.00
EXP-500 (RS-232C)	\$469.88
EVD FOO Transferred	0400 00
EXP-500 Tractor Feed.	\$129.88

OKIDATA

Microline Series



The 92/93 printers (160 cps) & the 84 (200 cps) are exceptional. Tough, reliable, they produce superior draft quality, correspondence quality & graphics. Features include 10, 12 & 17 cpi, a correspondence font, sub/super scripts, underlining, dot graphics (120 x 144 dpi) & friction/pin feed (adjustable tractor is optional on the 92, standard on the 93).

The PC Plug-n-Play ROMs turn the 92/93/84 into 100% IBM-PC compatible printers. Our very best

selling printer line.
The 84 Step 2 (200 cps) is a high-speed matrix printer with 10, 12, 17 cpi, plus correspondence modes in all sizes. Dot graphics are standard (120 x 144 dpi). Microline Series...

PANASONIC

KX-P1090

The KX-P1 090 printer (80 cps) is a sharp new entry by Panasonic. 10, 12 & 17 cpi, sub/super scripts, underline, friction/tractor feed & dot graphics. It uses most Epson code, so it's easily installed on software. Service nationally by KX-P1090\$349.88

SMITH CORONA

Messenger



The Memory Correct III
Messenger (12 cps) features 10,
12 & 15 cpi, variable line spacing,
backspace, auto-correction and a
dual parallet/RS-232C interface. True daisy wheel printing makes it an exceptional typewriter & printer. Ideal for the home or small office.

Memory Correct III

STAR MICRONICS

Gemini 10X/15



Gemini 10X		\$299.88
w/RS-232C		399.88
Gemini 15.		459.88
w/RS-232C		589.88
Delta 10		529.88
w/RS-232C	,,,	819.88

TOSHIBA

330	J	٠.		•	•		٠	•	• •	Э	ł	•	J	U	٠	9	0

61750 00

CABLES

IBM-PC	139.88
Osborne-1	39.88
TRS-80	
Model I/III/IV.	39.88
Model II/16	39.88
Centronics	
Male/Male	39.88
Male/Female	39.88
VIC-20/Commodore 64	
Parallel Card/Cable	59.88
Apple II/II+/IIe	
Parallel Card/Cable	89.88

QUADRAM

Microfazer

A print buffer with pause, copy & reset controls. It comes with a 9V power supply and cable to printer. There are so many buffer sizes (from 8K to 512K), & so many configurations (Parallel/Parallel, Parallel/RS-232C, RS-232C/Parallel & RS-232C/RS-232C) that you should call (800) 343-0726 for prices.

MONITORS

NEC



JB 1205M (amber)...... \$179.88 JB 1201M (green)...... 159.88

AMDEK

300A (12" amber) \$184.88
300G (12" green) 149.88
310A (amber)

QUADRAM

QuadChrome



690 x 240 resolution, 80 columns x 24 lines, 16 colors & exceptional performance. Cable included. QuadChrome(RGB).....\$509.88

PRINCETON GRAPHICS

HX-12

Same spec's & performance a	S
the QuadChrome. PGS HX-12 (RGB)\$49!	9.88

MODEMS

US ROBOTICS

Password

0-300/1200 baud direct-connect modem with auto-dial/answer, full/ half duplex, voice/data. Uses LSI technology. Cables & power supply included (specify type of computer). Password\$379.88

DC HAYES

Smartmodem

0-300 or 0-300/1200 baud direct-connect modems with auto dial/ answer, full/half duplex, power supply & modular cable (RS-232C cable optional). 12008 is an inboard modem for the IBM-PC & 300\$219.88 includes Smartcom II.

1200B w/Smartcom II (IBM PC) (IBM PC).......459.88

For the Apple II... For the Apple II...
We also carry numerous Apple II/
III+/IIIe peripherals, including:
Pkaso Printer Cards; Microsoft's
280 Carda, RamCards &
Premlum Packs; Videx's VideoTerm, UltraTerm & Enhancer II;
Rana Elite Disk Drives; AMTs
MicroDrive; Saturn Systems
Accelerator II & Memory Boards;
Quadram's eRAM 80 Column Quadram's eRAM 80 Column Card; & Kensington's System Saver & the Novation Apple Cat II. We also carry the Franklin Ace 1000 & Ace 1200 personal

PERIPHERALS

We carry a var ety of peripherals for the IBM-PC, including: Quad-ramQuadboards, Quad 512+,

ramduadboards, Quad 512+, Quadlink, QuadDisk & single-function boards; AST products; Tandon's TM-100-2 double-sided irives; QCS's Big Blue & Hard Disk; a Hard Disk/Tape subsystem; Tecmar's Graphics Master; the Paradise Multi-

Display Card; & the Eagle PC and Columbia 1800-1 personal

computers. Call (800) 343-0728 for prices & orders

For the IBM-PC...

Call (800) 343-0726 for prices &

Accessories

We also carry cables, diskettes, diskette boxes, switch boxes, surge protectors & printer paper. Call (800) 343-0726 for prices &

Information/Orders: (603) 881-9855 Orders Only: (800) 343-0726

No Hidden Charges:

- You get FREE shipping on all orders within the 48 states. Most orders delivered within 10 days or less. UPS 2nd Day and Overnight available for most areas.
- Easy payment terms: We accept all major credit cards, certifled checks, money orders, company checks or personal checks (allow 21 days for personal checks).

 We never charge extra for
- credit cards.
 Credit cards are not charged
- until order is shipped.
 We accept CODs up to \$1000 (add \$10 handling fee per order) payable with certified
- check or money order. We have a \$50 minimum order.

Company Purchase Orders are accepted on a limited basis & upon approval only. Sorry, no APO or foreign orders accepted.

All our equipment is shipped with full manufacturer's warranty. We are an authorized dealer for all products we sell to insure full warranty support, & we're authorized for warranty work on a number of printers. We also offer extended warranty plans for many printers

We prepared this ad in November, & prices do change, so call to verify them.

Our Computer Showroom is now open in Amherst, New Hampshire, five miles west of Nashua (one hour from Boston).



HIGH TECHNOLOGY AT AFFORDABLE PRICES



MILFORD, NH 03055-0423 □ TELEPHONE (603) 881-9855

ing this to the 8-bit CP/M world as well, so it needed to be portable. Of course, we'd originally intended to write it in Pascal, that being what Alex is most familiar with; and although Marty isn't, he didn't think it would give him any real trouble, since if you know a couple of computer languages it's not so hard to learn another.

There remained the question of what machine to use. The obvious answer, an IBM PC, was out: we ordered our PC direct from IBM last June. In late June IBM returned the check with a letter saying it had to be certified. By the time we sent a certified check it was early July. Since then IBM keeps telling us Real Soon Now, but as of October 9 there's no PC in sight [it arrived on November

We do have the Eagle 1600, which runs PC-DOS and is a lot faster than the IBM PC. The only incompatibility would be screen-format commands and graphics, and we hadn't planned special graphics for Inferno anyway, so the Eagle looked like a

good choice. Marty took the Eagle, along with Pascal/MT+86, which is the brand of Pascal that Alex favors for microcomputers. A few days passed while Marty familiarized himself with the machine, and with Pascal, and decided on the structure of the game.

Then came the problems. Pascal/MT+86 wouldn't compile. Instead, Marty got "Out of Memory" messages. He also had some suspicions about the text editor. Eaglewriter, which is Lexisoft's Spellbinder adapted for the Eagle, puts some strange formatting characters into the text. It also refuses to put in linefeed characters; like Write (which we do not yet have running on the Eagle), Eaglewriter uses a bare carriage return, no linefeed, as the "newline" marker.

"I don't think MT+ will compile it even if we have enough memory," Marty said.

"Well, that's easy to fix," said I. "Just write a little assembly-language filter that copies the files and puts in linefeeds. I have one here for the 8080. Surely it's not so hard to do for the 8088."

"Well, it is," said Marty, "because the assembler won't accept input without linefeeds."

At that point I had to leave town, and I turned the matter over to Alex. When I got back, he'd talked to the people at Eagle Computer and found out a lot of things.

First, that's not an 8088 in the Eagle. It's an 8086, which is exactly like an 8088, except it fetches data 16 bits at a time. Second, although ours came with only 128K bytes' worth of memory chips, the Eagle has sockets for 512K bytes of memory. You don't need to use up a bus slot to get it, either; those sockets are on the main board.

Alex called California Digital and ordered a slew of 64K-byte memory chips. Since they're 64K-byte by 1-bit memory, you need eight such chips for each 64K bytes of memory you're adding. However, both the Z-100 and the IBM PC require nine chips for each 64K bytes of added memory. This is because they do parity checking, a form of memory test, and thus need the extra memory to store the parity bits in. The Eagle doesn't do parity checking. Anyway, Alex ordered 20 memory chips, enough to put in 128K bytes of additional memory and bring the Eagle up to 256K bytes (plus a few spares).

[Last-minute notes: Eagle tells me it did a lot of work on parity checking and found that it decreases the overall reliability by 15 percent. The company decided it was better not to do it.]

Then the Eagle software people called. They'd tried Pascal/MT+86 in a system with 512K bytes of memory and still got "Out of Memory" errors. It seems those odd formatting characters in Eaglewriter, plus the lack of linefeeds, fool MT+86 into believing you're trying to compile one enormous statement.

However, there's a remedy. If, when you save your file under Eaglewriter, you add "/1" after the filename, the format characters are stripped out, and linefeeds are added after each carriage return. That's known as an undocumented feature.

NRZ DIGITAL DATA RECORDER



FEATURES:

.4800 BAUD data rate (3" second) 1 ERROR in 108 BITS . RS-232 or TTL interface - NO **EXTERNAL INTERFACE REQUIRED** ASYNCHRONOUS COMMUNICA-TIONS STANDARD "HANDSHAK-ING" . SPEED STABILITY - LONG TERM ±.1% • COMPATIBLE with DC-3 • Works with CERTIFIED DATA or high quality FeO AUDIO TAPES . OPTIONS: 115v ac, 220v ac, 12v ac; Stand alone; Rack-mountable, 9600 BAUD; Buffered Version

The PD-1 SERIES DIGITAL DATA RECORDER continues to set new NRZ INDUSTRY STANDARDS. Its tachometer feedback LC stabilized motor circuit and heavy duty drive mechanism provide STABILI-TY, ACCURACY and RELIABILITY. You get LESS BIT DROP-OUT when capturing crucial information at HIGHER DATA TRANSFER RATES . . . at a MUCH LOWER COST. \$335.00

USED IN:

- PROCESS CONTROL POINT-OF-SALE TELEPHONE SWITCH LOGGING (Call Activity and Station Message Detail) • DIAGNOSTIC SUPPORT (local/remote) . HARD DISC BACKUP (for personal or small computer systems) . Many Other Applications
- An intelligent, buffered version of this device is also available.

TO ORDER, DIAL: (201) 356-9200



Great Prices! Great Service!

If you're looking for rock-bottom prices and fast, personal service, take a close look at 800-SOFTWARE.

Because we buy in volume, we're able to sell and service the products you want at prices that finally make some sense. But don't take our word for it. Compare and see for yourself.

OUR SERVICE CAN'T BE BEAT.

We take care of you like our business depends on it. Because it does.

When you call 800-SOFTWARE, you get the fastest delivery available anywhere. Which means that nearly every order is filled the day we get it. And that our unique Order Tracking System™ is on the job, keeping tabs on your order, every step

Our giant inventory—one of the largest in the United States—also assures you of the fastest possible service. Everything's in stock so you don't have to wait.

Technical support? Business software expertise? Customer service? We've got it—and it's the best you'll find anywhere.

But, put us to the test. Let us prove what we've proven to satisfied customers around the world.

That our prices *are* lower. That our service is better. That there really and truly is a difference. We look forward to your call.

TO ORDER CALL TOLL-FREE 800-227-4587 or 415-644-3611

Order Desk and Technical Support open: 6:30 a.m.-9:00 p.m. Monday through Friday 10:00 a.m. to 4:00 p.m. Saturday and Sunday

CHECK OUT ALL OUR INCREDIBLE BUSINESS SOFTWARE PRICES:

WordStar® \$269 Perfect Writer \$259 ADVANCED LOGIC SYSTEMS**		dBase II™ \$439 4-Point Graphics™ \$129		SuperCalc 2™ \$169 Lotus 1-2-3™ \$369		MultiPlan™ \$189 MicroPro® ProPak \$389		PC DEMO \$18 for 3 issues of the new PC software demo "disk magazine"	
		2-Card	\$129	PASCAL/MT +86	\$299	LOTUS'"		MICRDSTUF'"	
CP/M Card	\$359	PERSONAL BASIC	\$119	1/2/3	\$369	Crosstalk	\$119	SORCIM"	
Smarterm II	\$149	SPP	CALL	METASOFT'"		MOUSE SYSTEMS"		SuperCalc 3	\$27
11 PHA'*		Other Products	CALL	Benchmark	\$299	PC Mouse	\$249	SuperCalc 2	\$16
apple-iBM Connection	\$199	FOX AND GELLER'"		MICROLAB"		OASIS'*		SpellGuard	\$12
Database Manager II	\$225	Quickcode	\$229	Tax Manager	\$179	The Word Plus	\$129	SuperWriter	\$17
Type Faces	\$ 95	dUtfl	\$ 75	MICROPRO.		Punctuation and Style	\$109	TYLOG"	
Other Products	CALL	dGraph	\$229	WordStar	\$269	ORGANIC'"		dBASE Window	\$13
APPLIED SOFTWARE TECHNI	OLOGY"	FREDERICK ELECTRONICS"		WordStar/MailMerge	\$369	Milestone	\$269	VERTEX SYSTEMS"	
Versalorm	\$289	Plantronics Color		Professional Pack		PBL CORPORATION"		Хело Сору	\$ 7
ASHTON-TATE'"		Graphics Card	\$439	(WS/MM/SS/SI)	\$389	Personal Investor	\$105	VIDEX"	
dBASE II	\$439	HAYES'"		WordStar Optional Prolession	nat	PC DEMO'"		Enhancer II	\$11
dBASE II User's Guide	\$ 20	SmartModem 1200	\$549	Pack (SS/Star Index/		Demo Disk	\$ 18	Videolerm	\$26
Friday	\$219	SmartModern 1200B	*	Free WS 3.3 Update)	\$169	PEACHTREE'"		Ultraterm	CAI
ASPEN'		(w/Srnartcom)	\$489	WordStar /InfoStar	\$539	PeachText 5000	\$239	VISICORP.	
Grammatik	\$ 60	HERCULES'*		MailMerge	\$139	PERFECT SOFTWARE'*		VisiCalc™	\$18
Random House Proofreader	\$ 39	Hercules Card	\$409	InloStar	\$289	Perfect Writer	\$259	VisiCalc [®] IV	\$18
Random House Thesaurus	\$119	HOWARDSOFT"	V 103	CalcStar	\$129	Perfect Speller	\$129	Advanced VisiCalc®	CA
ATI TRAINING'"	9113	Tax Preparer	CALL	DataStar	\$179	Perfect Writer/Speller	\$359	VisiTerni	\$ 8
Training Modules	\$ 65	HUMAN SOFT"	OALL	SuperSort	\$149	Perfect Filer	\$279	VisiDex	\$18
CENTRAL POINT SOFTWARE		DBPlus	\$ 95	SpellStar	\$139	Perfect Caic	\$169	VisiFile	\$23
PC Copy II	\$ 35	IMSI'"	9 33	ReportStar	\$229	All Four Perfect Products	\$699	VisiSchedule	\$23
Copy II Plus	\$ 35	4-Point Graphics (IBM PC)	\$129	StarIndex	\$129	PETER NORTON'		VisiTrend/Plot	\$23
CDEX"	9 33	Bisybase	\$179	StarBursi	\$139	Norton Utilities	\$ 59	VisiWord	\$2
Training Modules	\$ 65	investment Manager	\$179	Apple Packages and Other	4133	PICKLES AND TROUT" (CP		VisiSpell	\$16
C.M.B. III ENTERPRISES'*	2 03	Accounting Series	CALL	Products	CALL	for TRS)	,	Other Products	CA
VS-Patch & WS-Keys	\$ 45	Dalasale	\$ 89	MICROSOFT®	CALL	TRS-80 Model II, 16 & 12	\$169	FLOPPY DISKETTES	CA
COMPUTING!"	\$ 43	IUS'*	2 03	Basic Compiler	\$295	Hard Disk	\$225	(Boxes of Ten)	
	\$119	EasyWriter 11	\$229	MBasic 80 Interpreter	\$275	PROFESSIONAL SOFTWARE		MEMOREX'	
Power!	2113					Word Plus PC	\$279	8" SS/SD	\$:
CONDOR"		EasySpeller II	\$129	C Compiler	\$379	Word Plus PC w/Boss	\$349	8" SS/DD	\$:
Database Management 3	\$369	Easy Mailer	CALL	COBOL Compiler	\$549	OUADRAM'"	9343	8" SS/DD 8" DS/DS	\$
CONTINENTAL"		EasyWriter/Speller/Mailer	CALL	Flight Simulator	\$ 45	Quadboard (64K)	\$325	54" (SS)	2
Home Accountant	CALL	EasyWriter/Speller/Filer	CALL	Fortran	\$259	Quadboard (256K)	\$489	5'4" (SS) 5'4" (DS)	
DIGITAL RESEARCH"		EasyFiler	\$249	Fortran 80	\$349	Quadhok Quadhok	\$559		\$
Access Manager	\$225	Financial Management		Mouse	\$169	ROSESOFT'	4333	Maxell	
CBASIC	\$109		9/MOD	Mulliplan'*	\$189	Pro Key	\$ 59	8" SS/DD	\$.
CBASIC 86	CALL	Other Products & Specials	CALL	Multi-Tool Expert Systems	CALL	SOFTWARE PUBLISHERS"	2 33	8" DS/DD	\$
CB-80 Compiler	\$379	LEXISOFT"		Pascal Compiler	\$259		\$ 95	5'3" SS/DD	\$.
CB-86 Compiler	CALL	SpeilBinder	\$269	Premium Pack	\$509	PFS Fife PFS File (IBM)	\$105	554" DS/DD	\$
Concurrent CP/M 86	\$259	LIFETREE SYSTEMS"		Premium Softcard	\$379		\$ 95	Larger Quantilies	CA
CP/M 86 (IBM) \$ 49 VolksWriter \$129		Ramcard	\$ 89	PFS Report					
Display Manager	\$299	VolksWriter International	\$155	Sollcard™	\$259	PFS Graph	CALL	PRODUCTS	CA

- ☐ Purchase orders acceuted. Please call
- in advance.

 Prompt U.P.S. or Federal Express
- shipping.

 Overnight delivery available.

 Call for shipping charges, other low software prices or for a free catalog.

 □ Prices may change.



940 Dwight Way Berkeley, CA 94710

- ☐ International and national dealer
- requests welcome.

 Quantity discounts available.

 Call to inquire about our Corporate
- CA residents add sales tax.

Copyright 800/SOFTWARE 1983



Alas, the Eagle is just loaded with undocumented features. It's a wonderful machine, and the documents are just great if all you want to do is run Eaglewriter and Eaglecalc, but ye gods they're incomplete if what you want is to understand the system.

Anyway, if you use the /1 option, the result is a normal ASCII file that compiles nicely. It would even have compiled with the original memory available. On the other hand, Pascal/MT+86 will use as much memory as the machine has available, and the more you have, the faster things go. Best to have a lot, thought Alex, and when our memory chips came from California Digital, he put 16 of them in.

He swears he did it right. I wasn't here, but I believe him. However, when he turned on the machine, it wouldn't talk to the keyboard. The IBM PC runs a memory check every time you turn it on, so if you have a lot of memory you can go get coffee while the system comes up; but alas, there's not even a voluntary memorytest program for the Eagle. However, when Alex replaced one of the memory chips-the first one, fortunately, since it's very hard to get at the memory while the machine is sufficiently assembled to be in an operative condition—things ran fine.

Since then we've had a couple of glitches, none fatal, and we very much wish we had some good diagnostic programs.

On the other hand, the time that the Eagle takes away with one hand, it gives back with the other: it's fast. You don't have to wait forever for programs to compile. It has a much nicer keyboard than the PC. It has eight IBM PC expansion slots in addition to the empty memory sockets. It's a great deal cheaper than a PC XT. It's designed for multiple users (under MP/M-86). I don't know whether it runs Concurrent CP/M-86 right out of the box, but it can't be hard to get it running. (As I've said before, I think Concurrent CP/M is the way to go for PC machines.)

[Late update: the Eagle does have memory tests. You hold down the "T" key on power-up or reset. This is yet another undocumented feature.]


As I write this, they're working hard at Eagle to update the documents and revise some of the software. I wish them well at it-but I sure wish they'd hurry. The Eagle is too good a machine to let the lack documents and software developments spoil it.

Meanwhile, Marty and Dr. Cheryl Chapman are collecting their notes on what's wrong with the Eagle's documents. By the time you read this, we'll have written them up and sent them in to the Eagle people, who I'm pretty sure will make good use of them.

Write Now . . .

While Tony Pietsch takes in the Munich Oktoberfest, Noor Singh has been doing the work at Proteus Engineering and has now installed and optimized Write for some 40 different 8080, 8085, and Z80 systems. There's no 16-bit version yet, but it's unlikely you have an 8-bit machine, terminal, or printer that won't run

GET REAL 16 BIT POWER



THE SLICER

A SINGLE BOARD COMPUTER FEATURING THE **INTEL 80186**

(see Byte magazine April '83)

- Full 8MHz 16-bit microprocessor having complete software compatibility with the 8086 and 8088
- 256K Bytes of RAM plus 32K Bytes of EPROM memory capacity on board
- 90 line expansion interface for more memory and peripherals consist of 16 bit data bus, 20 bit latched address bus and all important 80186 control signals
- Floppy disk controller can run the combination of 8", 5-1/4", 3-1/2" drives simultaneously
- SASI port for hard disk controller
- Two full function RS232C serial ports with individually controlled baud rates from 50 to 38.4K baud
- Baud rate for console port acquired automatically

- 8K of EPROM contains drivers for peripherals, commands for hardware checkout and software testing
- Source for monitor and bios included on disk
- Blos for CP/M 86* supports 8", 5-1/4", 3-1/2" drives and the Xebec 1410 controller for hard disks
- Board size 6" x 12" power requirements +5 @ 3A, +12V @ 60mA, -12V @ 50mA
- Complete documentation included.

Sold in various forms: Assembled and tested \$1,075.00 Full Kit 895.00 NEW Easy Kit (hard to get parts) 450.00 Bare Kit (board, Rom, doc, and disk) 150.00 CP/M 86* available 85.00 Regular U.P.S. shipping within continental U.S. is included.

Available Now!



Choose 8 MHz CPU for speed 6 MHz CPU for speedy delivery SLICER COMPUTERS INC. 2543 Marshall St. N.E. Minneapolis, MN 55418 (612) 788-9481

Mastercard, Visa, check, money order or C.O.D. orders accepted. Please allog 4-weeks for delivery. *CP/M a trademark of Digital Research, Inc.

BASF QUALIMETRIC FLEXYDISKS A GUARANTEED LIFETIME OF OUTSTANDING PERFORMANCE.

BASF Qualimetric FlexyDisks feature a unique lifetime warranty,* firm assurance that the vital information you enter on BASF FlexyDisks today will be secure and unchanged tomorrow. Key to this extraordinary warranted performance is the BASF Qualimetric standard... a totally new set of criteria against which all other magnetic media will be judged.

You can count on BASF FlexyDisks because the Qualimetric standard reflects a continuing BASF commitment to perfection in magnetic media. One example is the unique two-piece liner in our FlexyDisk jacket. This BASF feature traps damaging debris away from the disk's surface and creates extra space in the head access area for optimum media-head alignment. The result is a guaranteed lifetime of outstanding performance. For information security that

bridges the gap between today and tomorrow, look for the distinctive BASF package with the Qualimetric seal. Call 800-343-4600 for the name of your nearest supplier.

Circle 39 on inquiry card.

*Contact BASF for warranty details.







How we designed the Hy for pe

Our first step was to remember how a person is designed.


A person isn't designed to carry a nearly 30 lb. object that bangs against the hip and cramps the fingers. So the Hyperion is a manageable 18 lbs. and travels in an easy-to-carry tote bag.

A person isn't designed to work in the shadow of a computer. So the Hyperion

keeps a low profile.

A person isn't designed to worry about an expensive computer being dropped by baggage handlers. So the Hyperion fits under an airplane seat. Easily.

A person isn't designed with a phone attached to his ear. So the Hyperion has a telecommunications hook-up that finds numbers, dials, and makes a connection



perion personal computer 'sons.

without a person ever picking up the receiver. And no person, no matter what design, wants to work harder than needed.

So the Hyperion has all the power needed, and uses IBM* compatible software — the best and easiest to use software written.

But no matter what we say about the Hyperion, the only way to see the difference is to come in and pick one up. In person.

For the dealer nearest you call 1-800-323-1717, Ext. 246, In Illinois 1-800-942-8881, Ext. 246. In Canada call 1-800-267-1002 or 1-613-226-7255.

You'll never look at computers the same way again.

Circle 50 on inquiry card.



Portable or desktop. you're way ahead when you pickup a corong PC.™ Because we give you everything you've ever wanted in an IBM1-compatible PC and more. For a great deal less.

COMPATIBLE AND MORE.

Our systems run all software that conforms


to IBM PC programming standards. And the most popular software does.

We deliver twice the memory, with room for eight times as much.

We deliver a fast-access 320K floppy drive, a communication port and an improved IBM PC keyboard with indicator lights.

Our systems include high-resolution monitors (12" desktop, 9" portable) for crisper, cleaner displays, and both have built-in high-resolution graphics (640 x 325).

You get a complete system, ready







With all the necessary features built into the main unit, the four expansion slots can be used for your special needs. For example, color or our optional 10MB hard disk.



MORE SPEED.

Our RAM-disk software gives you temporary disk-type storage that works many times faster than disks.

PLUS SOFTWARE.

Our systems come with the operating system: MS-DOS.2 A programming language:

GW BASIC.² A training course: PC Tutor.³ A professional word processor: MultiMate.4 Plus DOS utilities and demonstration programs. Or you can get the p-System⁵ from N.C.I. and write or run portable Pascal packages.

ALL FOR A GREAT DEAL LESS.

Even with all the extra features and performance, our systems still cost significantly less than the equivalent IBM PC.

Drop by your nearest corona PC

dealer for a very convincing demonstration. Or contact us at 31324 Via Colinas. Westlake Village, CA 91361.

(213) 991-1144 or (800) 621-6746 toll-free. Telex 658212 WSLK, in Europe 76066 CDS NL.

© Corona Data Systems 1983. 1. TM International Business Machines. 2. TM Microsoft. 3. TM Comprehensive Software Support. 4, TM Softword Systems. 5. TM University of California.



data sustems, inc.

with Write. For instance, he's figured out a way to reverse scrolling on the VT-100, which everyone told us wasn't possible, or at least not simple, since the VT-100 doesn't have an insert/delete line.

While I was at CP/M East, Charles Stevenson, chief programmer for Micropro, told me he's been having some problems with modern dotmatrix printers, because many of them don't do superscripts and subscripts by scrolling the paper up and down, but actually write little bitty letters and numbers in the appropriate places. Wordstar doesn't like that.

Neither did Write, but Noor Singh has found a way to make Write work fine with the new Epson FX-80 printer. We've now got Write on all the Kaypro machines, the Otrona, and the Z-100 (under CP/M-80). It runs with the Telewidget (Televideo) terminals, the Z-29, and the Lobo Max-80. Barry Workman and Noor Singh are installing it on the Osborne 1 and the Epson QX-10 (two versions, one for the Valdocs keyboard, the

other for their nonstandard CP/M Teletype-layout keyboard). It runs on nearly all printers, serial and parallel.

Write will be supplied as part of the software package (along with Superwriter, Supercalc, and some other stuff) with new Compupro computers. Other versions, including those for older Compupro machines, will be marketed by Workman and Associates.

The Printer Install program will come with any version of Write that you buy. Workman's present market plan is to restrict the Terminal Install programs supplied, so if you order Write, be sure and tell the company what kind of machine and what kind of terminal you want Write for. I presume the company will have a reasonable policy regarding updates if a purchaser wants to change terminals.

Sweet-P

We got our Sweet-P plotter some time ago, along with a care package to make it work with the IBM PC. There was also a support pack for the Kaypro machines. Our Kaypro machines have been under intense use, and there wasn't any real reason to hang a plotter on one anyway. We did budget space for the Sweet-P at the desk where we intend to set up our IBM PC.

Alas, the PC hasn't arrived, and the Sweet-P sits in lonely splendor waiting for a computer.

That's a real pity, because the Sweet-P is one heck of a machine. There is close competition, but none so vigorously supported and advertised.

We were curious how hard the machine was to use; Alex got to play with one on a Kaypro at a graphics show. You can use LPRINT statements from within MBASIC to run the Sweet-P. For legends and titles, you don't have to specify each letter stroke; the plotter has a builtin character set. Character size and print direction can be changed, too.

Sweet-P has changeable pens; you have to change them yourself, but that keeps the price (of this model) down. Sweet-P currently connects as

IBM PC-8087 SUPPORT FROM MICROWARE

87FORTRAN/RTOS™ is a MicroWare adaptation of the Intel Fortran-86 compiler, a full ANSI-77 subset with 8087 extensions and overlays. It generates in line 8087 code allowing use of all 8087 data types, including allowing use of all 8087 data types, including 80 bit reals and 64 bit integers. The complete subset I/O is supported including Internal and External Files and List Directed I/O. 87FORTRAN/RTOS uses the Intel large memory model, allowing data/code structures which utilize the full megabyte. The compiler provides direct access to 8088 ports and supports logical operations on 8 and 16 bit operands normally treated in assembly operands normally treated in assembly language. It is ideal for large applications which are number intensive or control hardware.

87 PASCAL/RTOS is Intel's ISO-Standard Pascal with 8087-8088 exceptions. These make it possible to use all the 8087 data types directly, while generating modules in one of the three Intel Memory Models.

87FORTRAN/RTOS and

87 PASCAL/RTOS include RTOS and support for one year.....each \$1350

PC TECH JOURNAL REVIEW:

"The MicroWare package is preferable ... it executes the basic operations more rapidly and MicroWare provides a free update service."

87BASIC™ includes patches to the IBM Basic Compiler and both runtime libraries for USER TRANSPARENT and COMPLETE 8087 support Provides superfast performance for all numeric operations including trigonometrics, transcendentals, addition, subtraction, multiplication, and division........\$150

87MACRO™ - our complete 8087 software development package. It contains a "Preprocessor" which converts 8087 instructions into 8088 escape codes, source code for a set of 8087 macros, and an object library of 8087 functions which include transcendentals, trigonometrics, hyperbolics, encoding, decoding and conversions......\$150

PLM-86 with RTOS.....\$1100

RTOS™ — Real Time Multi-Tasking Operating System

RTOS is a MicroWare configured version of iRMX-86, Intel's legendary operating system. It includes the Intel Assembler, ASM-86, which supports the 8086, 8087, 8088 and 80186. All modules produced by the compilers or ASM-86 are combined, loaded and managed with the Utilities LINK-86, LOC-86 and LIB-86. These products make it possible to load modules anywhere in RAM, and see the control of the products make it possible to load modules anywhere in RAM, and see the control of the products make the control of the product of

iRMX-86, LINK-86, ASM-86, LOC-86 and LIB-86 are trademarks of Intel Corp. IBM PC is a trademark of IBM Corp.

P.O. Box 79 Kingston, MA 02364 (617) 746-7341

MICROWARE BEST SELLERS!

8087-3 CHIP in stock with 180 day warranty and 8088 exchange ... \$199 FASTPAK"+8087 includes one runtime library (87BASIC or 87MACRO), the 8087 chip, the 87/88GUIDE, and installation instructions ...

MATRIXPAK™ manages a MEGABYTE! Written in assembly language, our runtime package accurately manipulates large matrices at very fast speeds. Includes matrix inversion and the solution of simultaneous linear equations. Callable from MS Fortran 3.13, MS Pascal 3.13, SSS Fortran, and MicroWare 87MACRO, 87BASIC, and RTOS compilers each \$150

87/88GUIDE - an excellent tutorial on writing 8087 code and interfacing it with compilers. Full of code that runs!

MICROSOFT FORTRAN 3.13 MICROSOFT PASCAL 3.13 These new IEEE compatible compilers support both double precision and the 8087.... each \$289

MICROSOFT C COMPILER includes Lattice C and the MS Librarian..\$399

64K RAM Upgrade	\$59
SuperSoft Fortran	340
SSS 8087 Support	
SuperSoft Voice Drive	895
87BASIC+	
TRACE86 Utility	
Microsoft Business Basic Compiler	
Computer Innovations C86	345
STSC APL*PLUS/PC	545
64K QUADRAM	. 319
Sandstar WS2 Hard Disk System	1355
Novation 212 SmartCat	. 495
HALO Graphics	. call
Energraphics	



a Centronics printer; the serial option will be available soon. If you want to use both the plotter and your printer from the same Centronics port, Enter Computer will soon sell you a "Split-P" printer switch. (I get the feeling that we have not heard the last bad pun product name from these people. . . .)

More PC Stuff

Ada, for the tiny few who don't know, is the Department of Defense all-purpose computer language, and whatever its merits or lack thereof, knowing Ada is a sure guarantee of a job for years to come. Despite some claims to the contrary by companies that ought to know better, there is no complete Ada compiler for a micro system. However, there are healthy subsets up and running.

The best of these, for my money, is Janus Ada from RR Software. The company now has floating point for its PC-compatible version (both PC-DOS and CP/M-86 operating systems), provided that you have an 8087 chip in your system. RR has also cleaned up its documents a bit; they always were well organized.

I can't check out the latest version, since IBM has kept my money all .these months without shipping mea machine; but I have run RR's earlier versions, which certainly work. Janus will compile itself, sure proof that you can write complex programs in this subset of Ada. I have high confidence in RR, and I have yet to hear of a more complete Ada compiler that will run on a microcomputer.

RR, otherwise known as Randy and Isaac, is another good example of what hard work and ingenuity can accomplish. The two started quite literally in a garage, and the West Coast Computer Faire was their first show; now they've about reached the takeoff point.

Simplifying My Life

I like small computers. I don't suppose there are too many readers who doubt that. However, they can sure use up a lot of time, and time is the one commodity we don't have mouldering piles of here at Chaos Manor, so I'm always looking for



step into the future ... Content of the future ...

COHERENT™ is the most powerful UNIX™-compatible operating system available for the IBM PC™, IBM XT™ and compatibles.

Now you can have the multi-user, multitasking programming capability of a mainframe on a microcomputer. The UNIX-like environment of COHERENT lets you take C code developed using UNIX V7 system utilities and compile and run it on the IBM PC. Through COHERENT'S highly-optimized kernel you can access over 145 different commands including a C-compiler, a text-formatter and LEX and YACC.

Hard disk support presently includes the IBM XT, Genie (removable cartridge), Corona, Davong,

Corvus and Tecmar. Memory cards supported include the AST Megaplus (with or without clock), the Tecmar multifunction board and Tall Tree Systems (512K byte) JRAM cards. Support for more devices and more IBM PC compatibles will be available by the time this ad appears.

The cost of all this — far less than the cost of similar UNIX-based operating systems.

Remember, when you buy COHERENT from NCI you receive all the documentation and technical support you need to operate it.

For more information call or write:



Network Consulting Inc. Discovery Park, 3700 Gilmore Way, Suite 110, Burnaby, B.C. Canada V5G 4M1 (604) 430-3466

COHERENT is a trade mark of Mark Williams Co. UNIX is a trade mark of Bell Laboratories. IBM PC and IBM XT are trade marks of International Business Machines Corporation.

Circle 267 on inquiry card.

?hone			161
	Rhodes, Eli	manual annuh	161 33
	Rick Foss	Travel agent	33 70
	Roth, Jennifer	Barton a Contract	25
	Rotow	Fortune Systems	91
	Salzer, Shirin	Bellingham	48
	Seelig	CTI	95
	Seitz		170
	Slicer		5
	Smelev, Sev		-
	Smith, Harlan		166
	Space Initiative	50	50
	Sperry, Tyler		139
	Sperry, Tyler	113	113
	Spinrad		16
	Still, Joe		91
	Tancien		174
	Topol	Russian emigre	118
	Van Brink, Herb	ARCO	93
	z-100	Pascal - Ludwig	103
	Zenith	Ingish	48
Program			
	BIOS		149
	BIOS	diddle	156
	Characters	generator	31
	Diddle		12
	Diddle	concatenate string fields	17
	Diddle	Fns of other cpdata	10
	MDB	parameters - strings	106
	MDB	REVISE - discussion	13
	MDB	sort/merge	105
	Names	Spear carriers	30
	Parse	notes	115
	Parser		116
Relativi	.sm		
	Stine on aliens		40-4
Suits			
	Notes	Kosmo etc	34-3

ways to use these machines to buy me more time.

One thing that eats time is the telephone. It isn't just the time on the telephone; it's finding the messages and phone numbers and all the detritus from phone calls. I long ago learned that anything written on loose paper vanishes into the swim, so I keep a bound log book with page numbers.

One of the most valuable commodities a writer can have is a good idea. Those, too, get lost if not written down. I get some of my best ones while running, when I can't make notes, so I carry a tiny tape recorder and dictate; then when I get home I can transcribe those notes. I used to keep special books just for that, but it became impossible to find

anything, so all that goes into the log with the phone calls.

So far, so good, but I use up two or three of those logs each year; and how the devil can I find a phone number, or an idea, from several years back? After about the hundredth time I found myself thumbing through old log books, I had an idea. What I needed was an index to the logs. It seemed a simple enough program to write.

The log books aren't machinereadable. I've had to go through them one at a time and enter the data (and I have to do it since no one else can interpret my cryptic notes); but it takes only about half an hour to do a whole book, and once done it's done forever. I have my index organized under three headings: "Major," "Minor," and "Subminor," which, if not original, is at least clear.

The output prints on paper (see table 1) and can be pasted into the front of the log book. It organizes the stuff in a hierarchy, with the Major headings (things like "Do," "Phone Numbers," "People," "Ideas") on the left. The Minor categories include "Programs" (under "Do," of course), people's names for the phones and addresses (with cross-entries for who they are or what they do or where I met them). Subminor is mostly notes. Then on the far right side of the index is the page.

Once the entries are made (as I said, about half an hour per log book), the program automatically sorts them, starting with the Subminor, then Minor, and finally Major headings, so that all the names are in alphabetical order within the "Phone" category, and that sort of thing. This gets printed and put in the book, and I can even do it periodically for the current log so I'm not always thumbing through it. Saves no end of time.

Another thing the index program does is remember just what log book this is: that is, 1983-1, 1979-3, etc. Another part of the program will combine index entries from different books. The result is that I have an enormous index that lets me find stuff running all the way back to 1978 when I began the log-book system (or will when I get through entering 1978 and 1979).

There's nothing all that wonderful about my scheme, and doubtless there are better ways to organize log books, but this works for me. The nice part is that the whole program didn't take more than a couple of hours to write. A story goes with that.

A long time ago I wrote a "Minimum Data Base" (MDB), which is a quick and dirty program for organizing telephone numbers, addresses, recipes, thoughts, characters in books, and the like. It has a good SORT routine built into it. When I decided to do this program, I realized that MDB had nearly all the mechanisms I needed for my index routine.

Hire performance.

When you go with Gifford, you get more than you ever thought possible from a multiuser computer

Gifford gives you more.

system. Or a computer company.

More productivity. More flexibility.

More expandability. More speed. And
more support.

It means *total performance* for every Gifford customer.

Ğifford systems can run *both* 8 and 16-bit programs, giving you an incredible choice of over 5,000 CP/M® or MP/M™ applications. And we developed this feature, so when we say it really works, it really does.

In addition, our systems can run popular single user programs, while giving you multiuser benefits such as the ability to share resources like printers and hard disks, plus advanced security features to protect sensitive information. And you can run true multiuser programs with features like file lockout, record lockout and shared data bases.

All Gifford systems use Compu-Pro's proven S-100 based products, making it easy to accommodate any performance enhancements.

For example, expansion's a snap ... literally. Just snap in an expansion board, add a terminal, and you're ready to handle more. And since every system has twenty bus slots, there's plenty of power for everyone.

Gifford keeps on giving.

To make absolutely sure you get all the performance you hire, we support everything we sell. Should you ever need to call us, use our hotline to reach a knowledgeable representative.

And, if the problem can't be solved with words, it can be diagnosed via modem. If the problem is hardware related, we'll replace any defective CompuPro part within 24 hours *free* for two full years. Support continues with our two, three and five day hands-on seminars.

Meet our specs.

Just look at what our popular \$9990 three user system includes: 320K static RAM memory, two 8" DS/DD floppies, the Gifford F5-21 Winchester 21Mb drive, a CompuPro enclosure with IEEE 696/S-100 bus with 20 slots and nine I/O ports. Plus dBASEII,™ SuperCalc-86™ and MP/M-86.™

Other exclusive features include time accounting for users and projects, electronic mail, system scheduler, non-destructive memory test, MP/M II queue calls, and more. As well as expansion capabilities for up to six users.

Make the cut.

If you need our kind of performance, cut the coupon or give us a call. We'll send you a free brochure detailing our exclusive high performance features, our two year warranty, and the benefits of selecting an IEEE 696/S-100 bus-based system.

But if you don't need to hire us, there's only one possible reason. You already have.

Gifford Computer Systems is a Full Service CompuPro Systems Center.



MDB was originally written in CBASIC. I later converted it to CB-80, which was the first Compiled CBASIC; but since CB-80 won't run with CP/M 1.4, we kept the CBASIC version around. Alas, CBASIC doesn't have some of the nifty features that Compiled CBASIC does (such as checking for undeclared variables, and really good functions). Even so, we'd done a lot of the conversion, and when I did the index program I did some more. More important, though, when I began writing programs, MacLean insisted that I think about program structure as I wrote them; and although MDB isn't any model of structured programming, it's a heck of a lot more so than most old BASIC programs were, which is why I was able in one evening to write my index system.

Alas, it was while writing it that I discovered a real bug in the newest version of Compiled CBASIC.

That's Not a Bug, It's a Feature When my late mad friend MacLean first talked me into trying my own programming in BASIC, one of the things that drove me nuts was the "redimensioned array error." That is: in early BASIC (and many late-model versions for that matter) you must tell the machine the size of any array, and you must do that one and only one time; any subsequent attempt to change the array size gets the error message.

When CBASIC, and later Compiled CBASIC (otherwise known as CB-80 and CB-86), first came out, a major feature was dynamic array dimensioning, i.e., you could dimension any array as often as you wanted to. There are lots of advantages to this. It saves memory and frustrations.

Of course, any data in the array will be lost if you redimension it. That's only to be expected. Alas, it isn't automatically lost; that is, if you have string variables stored in an array and redimension it, the strings are still out there in memory, only now there's no way to get at them, not even to erase them. Some versions of BASIC have a "garbage collection" feature, which is a little subprogram that every now and then goes through memory to see if there are lost strings it can erase to reclaim memory. Some don't.

With Compiled CBASIC, according to the instructions, you have to do something nonintuitive to get rid of those strings:

- 1. Declare a string variable. Say NULI\$, for example.
- 2. Never define that variable. (I presume the default is "", but the documents never say.)
- 3. Set each element of the string array equal to NULL\$.
- 4. Dimension the array to 0.
- 5. Redimension the array to the new value.

That's complicated, but you can see that it saves the compiler a lot of work. Alas, there's no way for you to get out of doing your part of that work. Compiled CBASIC has really excellent functions, comparable in some ways to Pascal functions and procedures, but you cannot pass an array to one of them as a parameter.



GANGPRO-8™

QUV-T8th series UV EPROM ERASERS
QUV-T8th series UV EPROM ERASERS
QUV-T8/2T (597.50) is an industrial quality eraset
designed in a steel enclosure with a 5th wide tray UV indicator lens, antistatic pad, 60 minute rugged timer and
safety interlock switch are standard. Capacity is 24
EPROMS, 15-20 minutes erase time to CIN/T8/T7 (valid 40%)

QUV-T8 / Z (\$124.95) Similar to QUV-T8/2T (with 40% taster Erase Time)

QUV-T8/2N (\$68.95) Same as the QUV-T8/2T version without the timer and safety interlock switch

QUV-78/1 (\$49.95) Economy model in a molded two part plastic case Erases 15 EPROMS in 15 minutes *MCS-48 is a registered trademark of Intel Co

PROMPRO-7TM
SERIAL RS-232 STAND-ALONE\$489.00
MCS-48* FAMILY PROGRAMMING WITH PROMPRO-7!
PROMPRO-7* is an intelligent self-contained until, ideally suited for enginneering development, or for field service & production. It can program and verify a wide variety of &K to 128K EPROMS. This unit has a 32K (4K BYTES), internal RAM Butter that could be accessed by the user through a computer or terminal. This unit can also program the micro chips such as the 8478. 8749. 8751. 8741. 8742 8755. The price includes all modules up to 32K EPROMS & The 8748 & 8749H Micros. Upload/download is done by either Motorola or Intel Hex format

PROMPRO-8TM
SERIAL RS-232 STAND-ALONE\$689.00
This extremely versatile programmer has as much as 128K (16Kx8) of internal RAM dedicated to the EE/EPROMS This RAM buffer can be accessed either Ihrough a computer terminal, or by user larget system (EPROM emulation). PROMPRO-8 8 digit alphanumeric display prompts user with the system messages. A keypad option is available to standalone editing. An impressive range of devices are programmed (as standard feature).

The Right Equipment for Your Eprons at the Right Price!



OGICAL DEVICES, IN 1321-E N.W. 651h PLACE - FORT LAUDERDALE, FLORIDA 3330

TEL (305) 974-0967 · TWX: 510-955-9596
DISTRIBUTORS WELCOME FOR QUALIFICATIONS



THE BUFFER DID IT.

Who Stole The 1500 Letters From The Computer?

Let's just say you've got to send a letter to 1500 different people. Would you like to spend 22.5 hours* or 60 seconds of Mr. Harold Bure P.D. Box 1111 18020 computer time?

With a gardenvariety buffer, the computer has to mix, merge and send 1500

addresses and 1500 letters to the buffer. Trouble is, most buffers only store about 32 letters. So after 32 letters, the computer's down until the printer's done. Altogether, you're talking 22.5 hours.

In the case of our new (not to

ShuffleBuffer one form letter and your address list, and it takes care of the mixing, the merging, and the printing. But that's not all ShuffleBuffer's stolen from the computer. Oh, no.

Who Changed and **Rearranged The Facts?**

the culprit. Yo to move paragraph #1 down

to add a chart or picture? No problem. No mystery, either. Any buffer can give you FIFO, basic first-in, first-out printing. And some

buffers offer By-Pass; the ability to interrupt long jobs for short ones. But only ShuffleBuffer has what we call Random Access Printing — the brains to move stored information around on its way to the printer. Something only a computer could do before. Comes in especially handy if you do lots of printing.

Or lengthy manuscripts. Or voluminous green ne 14% and white spread sheets. And by the ShuffleBuffer

128K of information and gives you a By-Pass mode, too.

And Who Spilled The **Beans 239 Times?**

Most buffers can't tell the printer to duplicate. If they can, they only offer a start/stop switch, which means you're the one who has to count to 239. Turn your back on your buffer, and your printer might shoot out a room full of copies. ShuffleBuffer, however, does control quantity. Tell it the amount, and it counts the copies. By itself.

So, What's The Catch?

There isn't any. Sleuth around. You won't find another buffer that's as slick a character as this one.

computer/printer combination. This is the world's only universal buffer.

With a brain.

Who Wants You To Catch A ShuffleBuffer In Action?

You guessed it. We do. Just go to your local computer dealer and ask him to show you a ShuffleBuffer at work. Or, you can call us Glazed 13.


at (215) 667-1713, and we'll clue you in on all the facts directly.

Now, Keep B.

LOVE,

my daughboy

Gladys



* Based on an average 4000 character letter & 128K buffer.

that My would ME MATER 610 POLICE TOP





Interactive Structures Inc. 146 Montgomery Avenue Bala Cynwyd, PA 19004

If you could, it would be easy to write a "Kill String Array" function to do all that. Oh, well.

ALTOS

.

WORDSTAR

•

VISICORP

SKS

• MICROSOFT

TANDON

.

TELEVIDEO

The problem comes when you forget and never dimension the array in the first place. Unlike Microsoft BASIC, CBASIC has no default array size. It doesn't even default to 0! The result is a terrible bug in your program.

If you leave an undimensioned array in a Compiled CBASIC program, the compiler won't find it. Your program will compile fine. It will run, too, until you try to do something with that array, at which point the whole system goes off into the land of lost bits. There's no error message. However, nothing whatever is happening, and nothing you can do (other than to reset the machine) has any effect. This can be frustrating, and indeed it took me half an hour to figure out what had gone wrong with a simple modification to my Minimum Data Base.

I suppose it's not too high a price to pay for dynamic redimensioning, but it's sure frustrating if you don't think of it.

Actually, it's worse than that. There's no range checking in Compiled CBASIC, meaning that if you exceed the boundaries of an array, you don't get the "Subscript out of Bounds" error you'd expect. It just hangs up the machine so that you have to reset. That is too high a price to pay.

Example:

REM A program to test arrays Integer i,j Real a(2) Dim A(2,2)FOR i = 1 TO 3FOR j = 1 TO 2 A(i,j) = i + jPrint "Watch it crash"; A(i,j) **NEXT NEXT**

This will hang up as soon as the boundary of the array is exceeded. However, it hasn't told you why; it just stops the machine. This is enough to drive you crazy and is a real fault in Compiled CBASIC. Better you should use Modula-2, and I

Circle 104 on inquiry card. -

IBM • APPLE • FRANKLIN • OSBORNE • KAYPRO KE THE CATALO or Savings For Selection For Service Other companies waste time and overhead producing expensive catalogs. Computers and More doesn't, Putting the latest products and best prices in

our customers' hands, not catalogs, is our goal. We challenge any catalog company to match our pricing, selection and service. Take the catalog challenge and savel

COMPUTERS

Desk To	Desk Top Portable		S
IBM P/C 2-320K	2195	Cosumbia VP	2349
IBM XT	. On Sale!	Corona 1-320K	1989
Columbia 1680-1	2289	Corona 2-320K	2295
Columbia 1800-4 .	3494	Kaypro II	CALL
Corpna 2 320K	2389	Kayoro 4	1669
Eagle 1620	3995	Telefote	1289
Eagle 1630	4995	Epson HX-20	CALL
Televiden TS-803.	1949	SKS Nano	
	ON SALE	SKS Pico	
DEC Rainbow 100 .		NEC - All Models	Salet
Zervith - All Models		Compag 1 Drive	CALL
DEC Rambow 100 Pt	PAT	Apple Compatible	CALL
Eagle lie 1	1298	STM Pred Piper	989
Franklin DMS	CALL	Zorbe 9 in.	1776

IBM	
	Apple
Supervision by CCS 679	2 maby ALS" 139
Z/Plus by CCS	
Graphics Card by Hercules 367	80 Col/64K for He
STB Video Board 349	PKASO card 127
Baby Blue by Microlog	Par, Interface
Vista PC Master 339	Koala Touch Tables, 89
Vista Multicard 64K 269	VIP Graphics Card 116
Smartmdm 12008 (w/soft) 539	Premium SFT cd file 345
PC Modern Plus 309	SUPRIMOD49
Tandon TM 100-2	Appli-Card w/6 HZ & 64K 295
CDC Disk Drive DS/DD. 247	DiskOrive
Disk Controller by Maynard 157	Drive Controller
Davong 5 Meg	
Davong 15 Meg . 1889	Ultraterm
Keytronic New 5150 189	MicroModem II
Armdek MAJ CALL	Smart Modern 1200 519
USi Color/Graphics 1/2 Para 289	O-CAT 145
Corona Corvus Min CALL	Kraft Joystick 44
Ousdram Quadlink	Davono 5 Meg. 1359
Quadram Quadboard II 64K 299	
	Microbuffer 209
Tecrnar 1st Mate 239	80 Col. cd,99
Tecmar Expansion Chassis 769	
MBI Monte Carlo GT 64K 289	
Printer A	cessories

Termina	ls	Plotters		
Wyse 300 1019		Mann-Tally Pixy 3	- 6	
Wyse 200		Sweet-P	5	
Adds - All Models	CALL	Amplot-4	.7	
T.V. 910+	569	Amdek X-Y	5	
T.V. 925C	T.V. 925C		. 9	
T.V. 950C	969	Amdek Digital	10	
Qume 102A	549	C. Itoh CX (Par)	. 5	
Qume 102G	549	C. Itoh CS (Ser)	- 5	
Quime 108A	679	Strobe 8 Pan	11	
Zenith	Zenith		17	
and the second second second	THE RESERVE	Carlo	gran	

CORONA

.

EPSON .

EAGLE .

DEC RAINBOW • SYSCOM • COMPAG • GEMINI • JUKI •

Letter Que	Letter Quality		ring
NEC 3550 (IBM)	1695	C. Itoh 8510 C. Itoh 1550;	339
Canon Ink Jet	634	C. Itoh 1550;	
JUKI 6100		Epson FX-80	CALL
Silver-Reed 550	669	Epson RX-80	CALL
Transtar 120	459	OKU BZA	349
Transtar 130	699	OKI BBA	589
Transtar 140	1089	OKI 80	
NEC 2010		OKI 92A	
NEC 2015	859	OKI 93	
NEC 2050/IBMD	CALL	Riteman	
5-10 Sitemater.	1099	Gemini Delta 10	
F. H. Ser stemssler	1349	Toshiba P1350	
Survive.			
THE PARTY NAMED IN		NEC 8025	
HR-15		IDS Prism 80	
Diablo 630		IDS Prism 132	
Dalsywriter 48K		Mann-Tally 160L	
DTC 380-Z		Mann-Tally 1-4/L	
	NEW	Transtar 315	

MONITORS

Color	100	Monochrome
Princeton HX-12	469	Taxan Amber
Amdek II +	5427	Taxan Green 129
Amdek I	269	Zenith 122A 125
NEC JC1203 (IBM)	.519	Zenith 123G
Taxan RGB-3	489	Amdek 310A 189
Quadram Quadchrome	609	Amdek 300
Zenith - NEW	CALL	NEC 1201
50	E-T-1	WADE

50	PL	WARE	
IBM		Apple	1
Zork I Millionaire	27	Tax Preparer	:147
Millionaire	.39	Home Accountant	1.49
Wizardry	. 39	Great Plains	CALL
Wordstar	. 269		
Easywriter II	259		
Volkswriter.	119	PF5. File	84
Wisicalc (256K)	179	PFS: Report	84
Multiplan	189	PRS; Graph	84
1-2-3	.329	dBase II	
PFS: Graph		Visitile	
PFS: File	- 93	Versaform .	
PFS: Report	63	T.I.M	CALL
PFS; Solutions.	ZALL.	List Handler	59
iditise ii	Alle	List Handler Word Handler	. 139
Visitie	209	Wordstar	
Tak Bigparer .	169	Bank Street Writer	47
Viita Form .	265	Screenwriteril	GALL
Infostar		Magic Window	97
Personal Pearl	199	Magic Calc	N. 99
Home Acct Plus		Zork1	27
Peachtree 2		Zaxxon	27
Property Management.	329	Chopletter	26
Digital Research Visi-On	CALL	Frogger	5.24
Visi-On	NEWI	Wizardry	39
Megawriter	69	Jumpman	29
AND	_	and the	77.0

ited on approval, IBM & App

Telex 697120, Datamax Alto: Dept. 322

The Catalog Challengers! 3620 - 30th Street SAN DIEGO, CA 92104

TO ORDER (619) 291-1442

TRANSTAR • QUADRAM • DAVONG • CORVUS •

AMERICA'S HIGH TECH

~ 1					
17/		~ ~			
0	6	SC	FTWAR		
	1	Apple/			
	IBM PC's	Franklin	Intelligence Construence		
Ashton-Tate D-Base il	\$419.00	\$419.00	Intelligent Systems Professional Blacktack .	\$ 49.00	\$ 49.00
Financial Planner	\$459.00	\$459.00		\$ 49.00	\$ 49.00
Friday	\$209.00	\$ -	Lotus Lotus 1-2-3	\$ call	
Art SCI				2 Call	3 -
Magic Calc	s -	\$105.95	MicroPro International	\$175.95	\$125.95
Magic Mailer	s -	\$ 49.95	Mail Merge . Spell Star	\$175.95	\$125.95
Magic Memory ,	S -	\$117.95	Wordstar Mari Merge .	\$453.95	\$351.95
Madic Window	S	\$ 70.95	Wordstar Spellstar	\$489.95	\$383.95
Magic Window II (40 70 80)	s -	\$105.95	Wordstar	\$348.95	\$254.95
Magic Words Magic Pack Combo	s - s -	\$ 49.95 \$158.95	Microsoft		
(Window Mailer Words)		\$158.95	Multiplan	s -	\$193.95
BPI (Trailed Trailed Trailed)			Applesoft Compiler .	s •	\$123.00
Accounts Payable	\$419.00	\$278.00	Flight Simulator	\$ 35.15	s -
Accounts Receivable	\$419.00	\$278.00	Muse		
General Accounting	\$419.00	\$278.00	Castle Wolfenstein	\$ -	\$ 21.95
inventory Control	S -	\$278.00	Peachtree Software		
Job Costing	S -	\$419.00	Peachtext 5000	\$255.00	\$ =
Payroli Payrol	\$419.00	\$278.00	Peachtext (80 Col Card) .	\$.	\$161.00
Bible Research Systems-			Peachpack (GL AR AP)	\$255.95	\$255.95
"The Word"	\$140.95	\$140.95	Accounts Payable, Accounts Receivable,		
Broderbund			General Ledger, Inventory		
Bank Street Writer .	5 -	\$ 49.95	Control		
Lode Runner	8 -	\$ 24.95	(each module)	\$484.00	\$ -
ChopMter . Sea Fox		\$ 24.95 \$ 21.95	Perfect Software		
Sea Fox Sky Blazer	\$.	\$ 22.95	Perfect Calc	\$115.00	\$115.00*
		4 22 .55	Perfect Filer	\$233.00	\$233.00*
Continental The Home Accountant	\$105.95	\$ 52.95	Perfect Speller .	\$115.00	\$115.00
Property Management	\$349.00	\$349.00	Perfect Writer Speller	\$194.00	\$194.00
Dow Jones	9543.00	\$545.00	Perfect Writer Speller Perfect Filer Calc	\$272.00 \$293.00	\$272.00° \$293.00°
Invest Evaluation	\$105.95	\$105.95			\$293.00
EPYX	\$105.55	\$103.35	'Requires 80 Col Card, 2-80 Card	& CP M	
	\$ 14.00	\$ 14.00	Sierra On-Line Systems		
Curse of Ra Star Warnor	\$ 21.00	\$ 21.00	Frogger .	\$ 24.95	\$ 24.95 \$ 42.95
Temple of Apshai	\$ 28.00	\$ 28.00	Unima II	\$ -	\$ 42.95
Hayden Software		-	Sir-Tech Software		
How to Program in Applesoft B			Wizardry	\$ 42.95	\$ 35.95 \$ 20.95
in the state of th	S .	\$ 35.95	Galactic Attack Knight of Diamonds	S -	\$ 24.95
MicroMath for Kids .	S -	\$ 21.00	Legacy of Llylgamyn .	5 -	\$ 27.95
Pie Writer	\$140.00	\$105.95	Police Artist	S -	\$ 24.95
Speller	\$ 70.95	s -	Star Maze	S -	\$ 24.95
Infocom			Software Publishing		
Deadline	\$ 35.00	\$ 35.00	pfs File .	\$ 98.95	\$ 87.95
Enchanter Planet Fall	\$ 35.00	\$ 35.00	pfs Graph pfs Report	\$ 98.95	\$ 87.95
Starcross*.	\$ 35.00 \$ 29.00	\$ 35.00 \$ 29.00	pfs Report	\$ 87.95	\$ 87.95
Suspended .	\$ 35.00	\$ 35.00	pis write	\$ 98.95	\$ -
Witness	\$ 35.00	\$ 35.00	Spinnaker		
Zork II	\$ 29.00	\$ 29.00	Snooper Troops-Case 1 & 2	\$ 31.95	\$ 31.95
Zork II	\$ 29.00	\$ 29.00	Alphabet 200 .	\$ 21.00	\$ 21.00
Zork III	\$ 29.00	\$ 29.00	Visicorp		W1101 1101
NOTE: This	ie only a	colocted	Visicalc . Visidex Visifiles	\$189.00	\$189.00
			Visidex	\$189.00 \$229.00	\$189.00 \$189.00
	le of our s		Visitink	\$189.00	\$189.00
inventory. If	we nave n	orlisted	Visilink Visiplot Visischedule	\$.	\$152.00
your partice			Visischedule	\$229.00	\$229.00
we will go	et it for yo		Visiterm	S -	\$ 76.00
	fantastic	prices.	Visitrend Plot	\$229.00	\$229-00
We can	ry all soft	ware for	Visicalc w c-Dex	\$189.00	\$ *
	Commodo				
HOURT MIN.		TI-Dro	San Landau and Williams		

M	0	T	TAI	A	CI	2
TV.				V	•	

U.S. Robotics-Phone Link .	\$159.00
U.S. Robotics-Micro Link 300	\$199.00
U.S. Robotics-Auto Link 300	\$229.00
U.S. Robotics-Micro Link 1200	\$379.00
U.S. Robotics-Auto Link 1200	\$419.00
U.S. Robotics-Auto Link 212A	\$459.00
U.S. Robotics-Auto Dial 212A	\$499.00
U.S. Robotics-Password .	\$379.00
U.S. Robotics-Courier	\$435.00
U.S. Robotics-Tulpac	\$ 69.00
Signalman-Mark RS232	\$ 79.00
Signalman-Mark II Atari 850	\$ 79.00
Signalman-Mark III T1994/A	\$105.00
Signalman-Mark IV Comm. PET/CBM	\$126.00
Signalman-Mark V Osbome .	\$ 97.00
Signalman-Mark VI IBM PC	\$209.00
Signalman-Mark VI RS 232 (Auto-Dial)	\$119.00
Signalman-Mark XII 1200 Baud	\$279.00
Novation-Apple Cat II	\$289.00
Novation-Cat .	\$135.00
Novation-D-Cat	\$155.00
Novation-i-Cat .	\$109.00
Novation-212 Auto Cat	5499.00
Novation-Smartcat 103	
Novation-Smartcat 103/212	\$429.00
Novation-Applecat 212	
Hayes-Smartmodem 300	
Hayes-Smartmodem 1200	
Hayes-Smartmodem 1200B	
Hayes-Micromodern IIE w/Smartcom II	\$239.00
·	
*Refunds on modems only if D.O.A. Be sure you kn	WO
what modem you need before you buy.	

***** Mile High Saver Star-Micronics **GEMINI 10X** \$289.00

PRINTERS
Dot Matrix
Star Micronics
Gemini-10X (120CPS)
Gemini-15X (120CPS-
Wide Carriage)
Delta-10 (160CPS) \$ 479
Okidata
Okidata-82A
Okidata-83A \$ 609
Okidata-92PAR
Okidata-93PAR
Okidata-84PAR \$1049
Tractor Feed (82 + 92) \$ 50
Play-N-Plug (82 + 83)
Play-N-Plug (92 + 93)
Play-N-Plug (84) \$81.18
Mannesmann Tally-160L
Mannesmann Tally-180L Call
Mannesmann Tally-Spirit Call
C. ITHO
Prowriter I-PAR \$ 379
Prowriter II-PAR \$ 659
Gorilla Banana

TTX-1014	\$ 529.00
Transtar-120PAR	
Transtar-130PAR	
Transtar-315 Color	\$ 519.00
Transtar-Printwheels	
NEC-Spinwriter	
Juki 6100 PAR (18CPS)	
Starwriter F10PAR	
Starwriter-Tractor Feed	
Printmaster	\$1449.00

Piotters	
Houston	
	630
1 100 DARGETT LIGHT	450

SATISFACTION IS OUR BEST ADVERTISING

CENTENNIAL Computer Products, Inc.

TERMS AND CONDITIONS • NO CREDIT CARD FEE • Personal checks (allow 10 days b clear). Visa. Master Card, wire transfers, include telephone number • COD orders accepted — \$300 maximum — \$10 nonrefundable surcharge • All products factory sealed with manufacturers warranty • POs accepted from qualified customers • Approval needed on all returns • 10% restocking charge unless defective, plus shipping • Shipping, Handfing & Insurance \$5.00 minimum, 4% UPS ground; UPS Blue Label rate quoted at time or order • All prices subject to change without notice • Telephone Order Desk Hours: 8 AM to 6PM, Monday through Friday, 10 AM to 4 PM Saturday Appropriate taxes will be completed at time of sale

EPO Lamon EPO Lame EPO Orange

MISCELLANEOUS PRODUCTS FOR ALL COMPUTERS

\$ 49.00 \$ 74.00 \$115.00

MICRO IS

NOW CENTENNIAL COMPUTER PRODUCTS WEST

WAREHOUSE

SHOP AND SAVE..



The enhanced IBM Alternative

TRULY IBM COMPATIBLE

IBM Hardware & Software compatibility in a Multi-User 16 8K computer. 128K two serial ports, one parallel port and 8 expansion slots.

Plus free software. Macro-Assembler. Diagnostics. Basic w colorgraphics PLUS Perfect Writer, Speller, Calc and Files, Fast Graphs, Space Commanders and Home Accountant.

CALL FOR FANTASTIC PRICE

PRODUCTS FOR YOUR IBM PC/XT AND COLUMBIA

QUADRAM CORP.		APPARAT
Quadboard Mullifunction Board		Ram Card 64K-512K
Full Expandability From 64K to 256K		Prom Blaster Call
Par. Printer Port, Ser. Port, c/c		AMDEK
Ram Disk Drive\$	Call	
Quadlink-Apple On A Card \$		Multiple Adaptor Interface
Microfazer Printer Spooler	-	USI
Print Buffering From 8K to 512K		Multidisplay Card
Why Wait For Your Printer	0.11	IBM Mono And Colorgraphics And
	Call	Par. Port \$Call
AST		
6-Pack Plus 64K-364K		PLANTRONICS
One Ser., One Par., c/c	Call	Color Plus \$ Call
NO Plus		KEYTRONICS
Clock Cal. 1 Ser. Port	Call	Enhanced Word Processing Keyboard
	Cun	Model KB5150
STB		
"Super-Rio" Card 64K-256K,		KRAFT
Two Serial, One Par Port, Clock Cal,		Joystick \$ 46.00
Ram Disk, Cables Included	Call	Paddles \$ 35.00
TECMAR		T&G
1st Mate	Call	Joystick \$ 43.00
Graphics Master		Paddles \$ 29.00
2nd Mate		
		KOALA
		Tablet \$109.00

CALL FOR FANTASTIC PRICES ON ALL PRODUCTS FOR YOUR IBM.

PRODUCTS FOR YOUR APPLE/FRANKLIN COMPUTER

ORANGE MICRO Grappler +	KRAFT Joystick \$ 48.00 Game Paddles \$ 35.00
MICROTEK \$ 63.00 RV-611C Par. Interface \$ Call SV-622C Ser. Interface \$ Call Apple Dumpling 16K \$ Call BAM 16K Ram Expandable \$ 73.00	T & G Joystick \$ 43.00 Game Paddles \$ 28.50 Select-A-Port \$ 43.00 Trak-Ball \$ 47.00
MICROSOFT. \$ 75.00 16K Ram Expandable \$ 75.00 Softcard \$ 228.00 Softcard Premium Pak \$ 459.00	PRACTIC#L PERIPHERALS Micro-Buffer II 16K
ALS Smarterm II 80 Col Card \$129.00	KOALA Tablet \$ 89.00
VIDEX \$ 251.00 Ultratern \$ 185.00 Videolerm 80 Col Card \$ 185.00 PSI O Card \$ 152.00 KENSINGTON	STORAGE
System Saver \$ 72.00	Library case, 5¼"

Minuteman Madness

Wabash Diskettes

51/4" SS/DD \$18.95 51/4" DS/DD \$25.95

6 Year Guarantee - 100% error free

MONITORS

Princeton Graphics HX-12 RGB	\$ 499.00
NEC	
JB-1201 12" Green-Hi Res	\$ 165.00
JB-1260 12" Green	\$ 119.00
JC-1203 RGB .	\$ 519.00
JB-1205 12" Amber	
JC-1215 12" Composite Color	\$ 329.00
AMDEK	
300G 12" Green	\$ 139.00
300A 12" Amber ,	\$ 149.00
310A IBM Compatible .	\$ 175.00
Color I Composite	\$ 299.00
Color I Plus	\$ 339.00
Color II RGB (IBM Compatible)	\$ 449.00
BMC	
12" Green	
f3" Color Composite	\$ 249.00

FLOPPY DISK DRIVES

Amdek-Amdisk III	-
Amdek-Amdisk III , , , , , , , , , , , 475.00 Amdek-Amdisk V 5½" Half Height \$ 249.00	-
Vista-V1200 6MB Disk Pack System (Apple)	\$1298.00
CDC-5¼ " DS/DD 320K	\$ 249.00
Tandon-TM 100-2 5% " DS/DD 320K Tandon-TM 55-2 5% " DS/DD Half Height .	\$ 235.00 \$ 235.00
Qume-142/6MS 5% "Half Height.	\$ 199.00
Rana-Elite I Rana-Elite II Rana-Elite II Rana-Elite II Rana-Elite Controller , , , , , , , , , , , , , , , , , , ,	\$ 289.00 \$ 449.00 \$ 589.00 \$ 99.00 \$ 349.00
Micro SC1-A2 Micro SC1-Controller	\$ 219.00
Fourth Dimension-Controller	\$ 219.00 \$ 50.00

HARD DISK DRIVES

Davong-Complete Line Corvus-Complete Line

	DISKETTES
Memorex	10 per box 51/4" SS/DD \$25.95
	10 per box 51/4 " DS/DD
Elephant	10 per box 5¼ " SS/DD \$19.95
	10 per box 51/4" DS/DD \$26.95
Verbatim	10 per box 51/4" SS.DD \$25.95
	10 per box 5/4" DS DD \$36.95
Wabash	10 per box SS/DD \$19.95
	10 per box DS DD \$26.95

NO CREDIT CARD FEE



Apple is a registered trademark of Apple Computer (ex.
CPM is a registered trademark of Digital Research
IBM is a registered trademark of Insertanced Business Machines Corp.

TECHNICAL ASSISTANCE & CUSTOMER SERVICE NATIONAL ORDER DESKS

 ${f WEST}$ 1-800-862-7819 ORDERS ONLY

EAST 1-800-672-7277 ORDERS ONLY

IN COLORADO CALL (303) 371-2430 10890 E. 47th Ave. (Near 1-70 & HAVANA) DENVER, COLORADO 80239 VISIT OUR WAREHOUSE SHOWROOMS OPEN 9 am – 6 pm M-F 10 am – 4 pm SAT. IN NEW HAMPSHIRE CALL (603) 623-1010 699 E. INDUSTRIAL DRIVE (Near MALL OF NEW HAMP.) MANCHESTER, NEW HAMPSHIRE 03103

Olscount on Disk Case Lots (Buy with a

group)

intend to convert all my programs from CB-80 to Modula-2 as soon as possible.

IRT Pascal Yet Again

[Editor's Note: Alas. At press time, BYTE was notified that IRT Systems (45 Camino Alto, Mill Valley, CA 94941) had filed for chapter 11 bankruptcy on November 18, 1983. This is not a complete liquidation, but a "reorganization." We thought the JRT deliveryproblem saga had come to a conclusion in the April 1983 BYTE (see "Open Correspondence on JRT Pascal," Letters, page 18). Shortly thereafter, the number of complaints began to slow down—but scattered grousing continued. In any event, the slow delivery of the \$29.95 software deal of the century most likely will be slowed down even more.]

I'm getting weary of the accusation that I've said bad things about JRT Pascal because the BYTE advertising staff pressures me on behalf of publishers who charge a great deal more than JRT's \$29.95.

For the record: I have never heard one word from the BYTE advertising staff suggesting that I make any modifications in my column whatever, and the only time the editorial staff asked me to change something was because they feared a lawsuit. On that one occasion, I modified one sentence, and even then I retained the substance of my remarks, changing only the tone. Blame me for my columns, or blast me for my opinions, but do not accuse me of petty cowardice.

I reviewed one of the 2.x versions of JRT Pascal, and I was not impressed. Since then I have received many letters from users concerning version 3.0, and the consensus is that if you can get version 3.0 you will like

Flat statement: JRT Pascal version 3.0 is a bargain at \$29.95. Qualifications: it's a bargain in comparison to a lot of stuff on the market, and its value depends in good part on what you intend to do with it. If what you want is a fast-compiling nonstandard p-code language that works quite well and has no more anomalies than languages selling for 10 times the price, by all means send in your \$29.95. You must then be prepared to wait, but the odds are reasonable that

you'll eventually get more than your money's worth.

Indeed, as a language for writing real programs intended for the CP/M 2.x operating system, JRT Pascal is considerably better than "real" Pascal. If I had to write a number of reasonably sized programs, and I intended to stay with the CP/M 2.xoperating system and not transfer the programs to anything else, I might well choose IRT Pascal as the language to write them in.

If I wanted to get some idea of the flavor of Pascal, and I didn't want to spend much money, I'd certainly get IRT Pascal 3.0.

JRT Pascal 3.0 has fixed most—not all, but most-of the bugs that plagued the earlier versions. As a programming language, it's comparable to Sorcim's Pascal/M in both ease of use and speed of compilation. The execution speed is comparable to any other p-code (intermediate code) Pascal, including UCSD Pascal. Like Pascal/M (but unlike UCSD Pascal), there's no integration of editor and compiler, but of the three, I'd about as soon use JRT Pascal as either of the others for production work.

The bugs that are left are, according to my correspondents, fairly harmless or very subtle. Since the professor who (in a letter praising JRT Pascal) spoke of the "subtle" bugs didn't tell me what they were, I can only guess at what he meant. One bug I found was a failure to compile a program because it had the following line:

{a comment} (*another comment*)

which was intended to illustrate the principle that you could use either kind of comment marker in a Pascal program. Standard Pascal (including both Pascal/M and Pascal/MT+) will compile that, since standard Pascal doesn't recognize physical lines.

There are other nonstandard features to IRT Pascal. For example, in the case above, the compiler didn't even attempt to work on the program; it simply told me there was an "unclosed comment." That is not a standard Pascal error message.

Another JRT problem can be

caused by multilayed procedure nesting and indirect recursion. Most users won't find this a problem.

IRT Pascal does not format numbers in the same way as either Pascal/M or Pascal/MT+ (which don't format them the same way either). Thus, the same program will have a different output depending on which compiler you use.


I deliberately took out some semicolons in a JRT 3.0 program. The compiler dutifully reported "";' expected". Alas, the standard Pascal error messages are "Error #6 Illegal symbol (possibly missing ";" on line above)" and "Error #14 ';' expected (possibly on line above)." Perhaps the JRT error reporting system is better than Niklaus Wirth's, but it isn't the

JRT is worth playing with. It's cheap for the compiler alone, and you get a bunch of useful utilities with it. As I've said many times, I like the price, and I wish other publishers would drop their prices to something reasonable. JRT has a lot of satisfied users. Indeed, it may in many ways be more useful than "real" Pascal. However, that doesn't make IRT into standard Pascal.

In addition, JRT Systems got far more orders than it was geared up to fill. I have lots of letters from readers who ordered IRT Pascal and received nothing, neither software nor acknowledgment of order, for months. Sarah Smith, of Lisp Machine Inc., sent in an order in December, had the check cashed in January, got an acknowledgment of order in March, had them refuse to check the order in May, complained in June, and in August received a form letter stating that it couldn't find the order and wanted a copy of canceled check or bank-card bill. (The form letter offered to refund the money once proof of payment was furnished.)

Ms. Smith, like me, is a professional; the time it would take to get a copy of canceled check or bank-card bill would chop pretty deeply into the bargain value of IRT Pascal.

Thus, fair warning: JRT Pascal 3.0 works and has enthusiasts I respect. The manual is well written, and there



IN THE BEGINNING THERE WERE SPREADSHEETS... NOW PROFIN GOES BEYOND.

If you're a very busy person wondering why it should take hours to set up the mathematical calculations for financial analysis on a microcomputer, the answer is it shouldn't.

If you think there should be some way to see income statements, interest schedules, capital expenditure reports, tax schedules, return on equity, discounted cashflow, and balance sheets without spending days laying out a spreadsheet, you're right—there should.

In fact, there is! It's Profin.™

MATCHING THE TOOL TO THE JOB.

From now on, using a universal spreadsheet to do the highly specific work of financial analysis will be considered just fun for hobbyists.

But, if you're a business person with little computer experience and even less spare time, you can quickly and easily use Profin to figure forecasts and budgets, return on equity, discounted cashflows, net present values, capital expenditure, interest calculations, depreciation comparisons and taxation scheduling—with the reports laid out for you automatically.

FINANCIAL REPORTS IN MINUTES.

Because Profin is menu-driven, you simply answer a series of questions. You can complete your analysis

Circle 48 for Dealer Inquiries. Circle 49 for End-User Inquiries.

in 30 minutes, or change prices, costs, inflation rates, interest rates, capital costs, and foreign exchange rates, then immediately see revised reports.

In the beginning, spreadsheets were great. At least, they were all we had. Now there's more, with the specialized tool for a specialized job: Profin.

Available under \$300 for CP/M-80, MS-DOS, and IBM PC-DOS from your local retailer or from most distributors.

Also available: Planfin.™ For sales, marketing and other executives who just want simple forecasts and budgets without detailed capital and loan analysis, Planfin gives you operating income statements plus net income and discounted cashflow reports in less than 15 minutes. Under \$200.

BUSINESS^{IM} SOFTWARE

	Please send me more information about how Profin and lanfin beat the spreadsheets for budgets and forecasts.
N	ame
	ddress
Ci	ity/State/Zip
Co	omputer Brand Owned or Planned to Buy
	Mail to: Business Software, Inc.
. 12	2021 Wilshire Blvd #194 Los Angeles CA 90025

are a lot of goodies that come with the program. However, if you order the program and don't get delivery, do *not* complain to BYTE or to me. Just be patient, and keep trying. Eventually you'll get satisfaction. At least you can continue to hope so.

I've heard that Mr. Tyson of JRT Systems is working on a Modula-2 compiler. I wish him well at it, but I do hope he'll pay more attention to the language standards than he did with his Pascal.

[Late addition: Borland's Turbo Pascal, for \$49.95, is standard, produces native code (rather than pcode), and has a built-in editor. More next month, but it looks pretty good.]

BDS C

BDS C is a healthy subset of the C programming language. It uses some nonstandard library implementations; in that sense, it has some similarities to IRT Pascal.

The remarkable thing about BDS C was that it could be done at all; before Leor Zolman wrote his compiler,

there was no C language for the 8085 or Z80 machines; at least, nothing that compiled in reasonable time and had most of the features of real C. Once Zolman showed that it could be done, a number of other outfits got into the act.

Zolman has a new version, 1.5a, of his C compiler. This one works only

BDS C's major advantage is that it compiles faster than any other 8-bit C compiler and finds most trivial errors in seconds.

with CP/M 2.x; anyone still running CP/M 1.4 can't use it.


There is an improved floating-point package. Source code for most library routines is provided. The documents have been somewhat improved, but fair warning: the BDS C documents are not an introduction to the C

language. You'll need both Kernighan and Ritchie (*The C Programming Language*) and some other good introductory book if you don't know how to use C.

There's a good index and a fair but improvable table of contents. The instructions for using BDS C, assuming you know something about programming in the C language, are clear.

BDS C's major advantage is that it compiles fast; faster than any other 8-bit C compiler. Furthermore, it finds most trivial errors in seconds. It's not the lowest-priced C compiler on the market, since Q/C is \$99. At \$130 postpaid (from Workman and Associates), though, it's still a bargain.

In addition, there's a debugger, a library manager, and other goodies. There's a good overlay or "swapping" system so that you can write and run really big programs in BDS C. BDS C purchasers are encouraged to join the BDS C User's Group; the User's Group distributes a lot of interesting



Score another first for ACE.



A lot of people who've never heard of ACE's impressive record of firsts in multiprocessing are about to sit up and take notice. Why?

It's our latest wonder: Multiprocessor CP/M Plus*.

ACE has developed a linkup between its powerful multiuser microcomputer, the Discovery, and the fastest and most powerful version of CP/M* ever marketed.

The result is a multiprocessor that does more than just emulate CP/M or rely on a lesser operating system that's "CP/M compatible." It actually delivers pure CP/M (either CP/M-86* or CP/M Plus) to any of Discovery's up to 16 on-line users.

With easy command line editing, quick file accessing through user-defined automatic search paths and comprehensive "help menus," CP/M Plus is as friendly as they come — and with big performance extras.

Like large files, directory hashing, data buffering, time and date stamping, and an extensive utility set that can accept English words.

All of which means that ACE's linkup with CP/M Plus will continue to give Discovery owners access to the largest selection of applications software in the world for years to come.

That's something to think about. Because who wants a multiuser system that's friendly and powerful today but unfriendly tomorrow when new software using CP/M

Plus features hits the scene?
Our latest triumph is just one of a line of firsts.

ACE pioneered multiprocessing for microcomputers back in 1979 when we introduced a Discovery featuring what was then the revolutionary concept of dedicating a CPU to each on-line user.

Two years later, we moved further ahead of the pack with our next singular feat: the first user-processor on a single board, the dpc-180*. Everything was there: memory, CPU, serial I/O.

Nice.

Which made our 1982 breakthrough — the amazing 16-bit dpc-186*, mated with CP/M-86 seem like business-as-usual to us even though it caught the competition flat-footed.

With room to grow from 128K to 1MB of expansion memory, and designed for systems also using our 8-bit board, this breakthrough let individual users tap into either 8- or 16-bit computing power with one

central Discovery unit.

And because each Discovery system is controlled by our own dpc/os*, tried and proven in more than 10,000 Discovery and OEM installations around the world, any user on line can take advantage of interprocessor communication, file and record locking, fully managed multiple printers, private directories, plus many other features.

So what little wonder does ACE have up its sleeve now? Stay tuned. Because soon you'll hear the news about our Concurrent CP/M-86*, which will give the owners of our Discovery all the benefits of 16-bit computing power, CP/M's comprehensive software selection, and efficient multi-tasking capabilities. So each user can get several projects underway with a few quick taps on the keyboard.

Meanwhile, it'll be business as usual for ACE, keeping ahead of the crowd while turning out the best multiuser multiprocessor micro on the market, backed by one of the best nationwide service networks you could hope for.

So if you're a computer dealer, distributor, or systems house who wants to join the group that scores high with a multitude of users, just give us a call at (800) 821-6596. (In California, it's (213) 351-5451.)

And do us a small favor. Tell us you've heard of us.

ACTION COMPUTER ENTERPRISE


The Multiprocessing Company.

Action Computer Enterprise, Inc. (Corporate Headquarters): 430 No. Halstead St., Pasadena, CA 91107. TWX 910-588-1201 ACTION PSD ACE/Europe: Boschdijk 189, Box 1275, 5602 BG, Eindhoven, Netherlands, Tel. 040-452658, Telex 51767 ACE E NL ACE/Asia, G/Floor Lee Wah Mansion, 171-177 Hollywood Rd, Hong Kong, Tel. 5-441692 or 5-442310, Telex 75332 PACIC HX Canada: Future Electronics, Inc., 237 Hymus Blvd., Pt. Claire, Quebec H9R5C7, Canada, Tel. (514) 694-7710, Telex 05-823554.

*CP/M Plus, CP/M-86, and Concurrent CP/M-86 are either trademarks or registered trademarks of Digital Research, Inc. / *dpc-180 and dpc / os are registered trademarks of Action Computer Enterprise, Inc.

Serviced nationwide by Bell & Howell Company

Circle 11 on inquiry card.



Computing is dull in black and white. But it doesn't have to be.

PC PEACOCK brings the excitement of color to your IBM computer. Pictures, charts and graphs "come alive" in multicolor brilliance. PC PEACOCK works with all color and composite monochrome displays to produce crisp, detailed images.

You'll see your favorite programs in the splendor of color. PC PEACOCK is fully compatible with all software for your IBM PC — including the wide variety of graphics programs. The medium multicolor mode and high resolution monochrome mode enhance your display capabilities for business, home and education.

And PC PEACOCK is convenient. Its parallel port allows you to connect a printer to your computer without wasting an additional expansion slot. Connections for all displays (RGB, composite, monochrome and televisions) are included.

PC PEACOCK is designed to provide years of worry free performance and is backed with an outstanding TWO YEAR warranty.

So bring living color to your IBM PC, with the PC PEACOCK Color Graphics Adapter. PC PEACOCK is available now at your local IBM dealer.

For more information on all of MA System's IBM and Apple products, please call or write



Circle 231 on inquiry card.

IBM PC is a trademark of international Business Machines Corp

2015 O'Toole Ave., San Jose, CA 95131 (408) 943-0596 PC PEACOCK is a trademark of MA Systems Inc.

programs and utilities.

All in all, BDS C is a reasonably priced way to get involved with the C programming language, or even to find out whether you really want to learn it. In my view, C is more useful on 16-bit machines, and I'm on record as saying I think Modula-2 is a more interesting language. On the other hand, a lot of people don't agree with me. You can certainly write some useful programs in BDS C; one of the most useful programs I own is a text comparator that one of Leor's friends wrote for me.

Once More, the Epson

When the Epson QX-10 computer first came out, the company was still evolving both hardware and software. I had a very early model, shipped long before Epson began selling the machines, and there was always some question of whether my system was truly integrated, especially when I had some real problems with the Valdocs software that comes with it.

The people at Epson couldn't have been nicer about it. The other day they sent out a systems-programming manager, who brought a new machine straight out of stock. We swapped.

I also have the new Valdocs software, version 1.18, which has a number of new features and is also considerably faster than the old Valdocs.

Alas, it doesn't have all the promised features of Valdocs, and apparently it retains some undocumented features as well. Moreover, although the new Valdocs is fast, it's not fast enough for me, my wife, or my assistant. In particular, it is not designed to be used as a substitute for an office machine. It simply takes too darned long to get a business letter out using Valdocs. Just getting the envelope addressed can take a full minute or longer.

Moreover, the FX-80 printer that came with the Epson QX-10 is not designed for use with letterhead or other single-sheet-feed paper. If you use a Micro Peripherals Printmate 99 printer with the Epson, that will solve one of the problems, but the

Valdocs software doesn't know how to make use of the 99's best features, so that's not so useful either.

Valdocs might not be so bad if you use only tractor-feed paper, no letterhead, and you're mostly writing documents, not letters. It does have some good features, although you'd better get used to being patient.

We're at the moment installing Write on the Epson QX-10; we'll have versions for both the Valdocs and the regular Teletype-layout keyboards. Write will, of course, run under CP/M, not TPM and the Valdocs software, and it won't have all the crossindex features and other nifty conceptions Valdocs attempts. Our present version of Write probably won't be able to take advantage of the bitmapped screen and other goodies that the QX-10 hardware features. We'll see.

Meanwhile, my opinion of the QX-10 remains: the hardware is fine, and if Epson ever gets software worthy of it, it will have a nice little machine. On the other hand, does the industry need yet another Z80 computer for more than \$2500, especially if there's no software to take advantage of the unique hardware features of the QX-10? If Epson had released the QX-10 with appropriate software a year ago, it would have been competitive; I don't think it is now.

I've also seen no reason to change my opinion about Valdocs: noble idea, but too ambitious for the machine. To get all the features Valdocs offers, you need both a bit-mapped screen (which the QX-10 has) and a fast 16-bit or larger CPU (which the QX-10 doesn't have). I've a great deal of admiration for what was accomplished with Valdocs, but I cannot in good conscience recommend it to anyone who has actual production work to perform. It's just too darned slow.


There's one more difficulty.

Valdocs is slow in large part because Epson wanted it to be userfriendly; but alas, this wasn't even managed completely. If you get disk errors, Valdocs can report things like

Error 01 Disk B Retry Y/N?

Less for Your Money

If you do word processing on your personal computer, you probably know that there are many programs for sale to help you with your spelling. But the biggest spelling error you'll ever make is paying too much for your spelling correction software. The Random House ProofReader gives you less for your money – less trouble, that is, and fewer spelling errors. The Random House Proof Reader is based on the world famous Random House Dictionary. It contains up to 80,000 words, depending on your disk capacity. You can add new words with the touch of a key. It shows you the error and the sentence it's in. It instantly suggests corrections. It even rechecks your corrections. And it costs half as much as other programs with far less power. The Random House Proof Reader is compatible with all CP/M 2.2®, MS-DOS[®] and IBM Personal Computer[®] systems.



For orders or information, see your local dealer or call 505-281-3371.

Master card and VISA accepted. Or write Random House ProofReader, Box 339-B, Tijeras, NM 87059. Please enclose \$50 and specify your computer model, disk size and memory.

Random House and the House design are registered trademarks of Random House, Inc. CP/M is a registered trademark of Digital Research, Inc. IBM and IBM Personal Computer are registered trademarks of International Business Machines, Inc. MS-DOS is a registered trademark of Microsoft, Inc.



"They're obviously not using the ETI Project Control System"

The ETI Project Control System Helps you keep All the pieces and people In Place, On Time and Within Budget

The ETI Project Control System is a visual project management tool. It allows the user to divide large, complex projects into individual tasks and operations.

Based on the proven CPM and PERT methodologies, the ETI Project Control System is available now and easy to use.

Compatible with IBM Personal Computers*, it offers uncluttered displays, extensive user flexibility and a suggested \$ retail price of only

With a few keystrokes, the ETI Project Control System user can draw a task chart to fit nearly any project. Each task may include name, duration, capital cost, labor cost, overhead cost, person(s) responsible, manpower requirements or manpower mix, amount completed, starting and ending dates (including early and late dates) and a narrative description.

In addition to the task chart, which graphically shows task relationships and sequence, the ETI Project Control System features several management aiding displays. There are schedule charts that show the critical path, scope and complexity of the project. There are also personal schedules for individuals or equipment, assignment lists and charts that show either budgeted or actual costs.

A change made in one chart is simultaneously made in all the charts. This feature can quickly and graphically show the schedule implications of any change in the project plan.

The ETI Project Control System puts the user in control. The information entered is not subject to any pre-set program of analysis. The user decides what variables are important and chooses the level of detail.

Better understanding and control of complex projects is only one result of using the ETI Project Control System. It can also help find schedule threats and test alternatives, or seek the best cost/time tradeoffs. As a communications tool, the Project Control System can be of great benefit. All displays are "what you see is what you get." Data developed and collected with the program can be printed and circulated in the same form as displayed on the screen.

The ETI Project Control System can help make you a better manager. Circle our reply number for more information.

PROJECT CONTROL

 5848 EXECUTIVE DRIVE LANSING, MI 48910 • (517) 887-2480

and if you hold down the "Y" key very long, it will give the same message a number of times, since Valdocs features a large type-ahead

You can also get "Error FF" and other such cryptic messages. Now agreed: that's no more mysterious than the infamous "BDOS Error on B: Bad Sector" or such like; but it's certainly no less frightening to the naive user, and if you learn CP/M's error messages you've learned something about CP/M and other small machines. Learning what "Error FF" is teaches you nothing but Valdocs.

Conclusion: if you want yet another Z80 CP/M machine, the QX-10 will do, but there are probably better deals pricewise. The unique features of the QX-10 are implemented only in Valdocs, but alas, that's so slow that despite my encouraging him to use a computer (he has an Osborne at home), my editorial assistant prefers a Selectric typewriter for just getting the work done here.

I like the bit-mapped screen, which lets boldface words appear on the screen in boldface (as well as on the output copy), and I like a lot of the other features of the QX-10; if Epson ever gets software worthy of the machine, it'll have something really

As of October 1983, it doesn't.

Rana

If this were a news column, this item would have to be the lead. Alas, by the time you read this in January others will have printed it first.

Not long ago I went out to Rana, an outfit that makes really advanced disk drives for popular machines like the Apple and the Atari. I brought home some of the drives, which we installed on our Apple and Atari machines, and waited for the boys to report, since those are their machines and they're out in back where I don't see them often.

Their report is wild enthusiasm. Don't get standard Apple drives. Get Rana's package, which includes a new disk-controller card and a whole

^{&#}x27;Requires IBM Personal Computer 128K of RAM, monochrome display, one disk drive, PC-DOS. IBM and PC-DOS are trademarks of International Business Machines.

^{**}Includes program diskette and User Manual, Price subject to change without notice.

Micro Age *

"THEIR ENTHUSIASM ABOUT OUR GROWTH IN ALASKA WAS CONTAGIOUS...IN LESS THAN TWO YEARS WE'VE EXPANDED INTO FOUR COMPUTER STORES!"

"MicroAge's enthusiasm was catching! The same <u>can do</u> energy that started MicroAge during the pioneering days of microcomputing is now a matter of company policy."

"Plus, MicroAge helped us get key product lines for Alaska!"

"We're believers in MicroAge. Their industry knowledge and insight into recent product developments has given us the flexibility to think and react before our competition does. We started with 4 people in a single store in 1981...now we have 4 stores and 26 people."

"At MicroAge, they speak our language...success!"



Items Reviewed CB-80	¢500	Rana Diak Drives Elite 1 (Apple) \$270
CB-80 CB-86 Digital Research POB 579 Pacific Grove, CA 93950 (408) 649-3896	\$500 \$600	Rana Disk Drives Elite 1 (Apple) \$379 Rana Systems 1000 (Atari) \$449 21300 Superior St. Chatsworth, CA 91311 (213) 709-5484
Eagle 1600 Eagle Computer Company 983 University Ave. Los Gatos, CA 95030 (408) 395-5005	1620 \$4495 1630 \$6995 1640 \$8995	Repton \$39.95 Spider City \$39.95 Sirius Software Inc. 10364 Rockingham Dr. Sacramento, CA 95827 (916) 366-1195
Epson QX-10 Epson America 23155 Kashiwa Court Torrance, CA 90505 (213) 534-0360	\$2995	Slicer Computer \$1075 Slicer Controls/Computer 2543 Marshall St. NE Minneapolis, MN 55418 (612) 788-9481
Janus/Ada D-Pak RR Software POB 1512 Madison, WI 53701 (608) 244-6436	8080 \$500 8086 \$700	Sweet-P Plotter \$795 Enter Computer 6867 Nancy Ridge Dr. San Diego, CA 92121 (619) 450-0601
JRT Pascal JRT Systems 45 Camino Alto Mill Valley, CA 94941 (415) 388-0530	\$29.95	Write \$239 Minimum Data Base \$49,50 BDS C \$130 Workman and Associates 112 Marion Ave. Pasadena, CA 91106
Turbo Pascal Borland International 4807 Scotts Valley Dr. Scotts Valley, CA 95066 (408) 438-8400	\$49.95	(213) 796-4401

bunch of stuff. It all works faster than standard Apple, with fewer loading errors. It works with the Applicard CP/M converter card, too.

We never had any other disk drive for the Atari, but I can testify that the Rana Atari drive works flawlessly on our Atari 800, loading Repton and Tank Attack and other games (on which more another time) and reporting all kinds of information that the Atari standard drives don't.

However. I'd have waited for a less

exciting month to write all that, disk drives for my popular computers not being my major area of interest, if the Rana people hadn't showed me what they're up to out there, which is no less than the demise of the hard disk.

Rana will very shortly sell you a 54-inch floppy disk that holds 2.5 megabytes formatted.

That's a lot. Syquest will for \$90 or so sell you a "hard-disk cartridge" system that holds 5 megabytes. Rana's system requires preformatted

disks, but the disks will sell for \$15 at first, less later, so that expense is hardly a problem.

The Rana system puts "burst tones" on either side of the data tracks on the disk. These tell the disk head precisely where the track is, meaning the track can be narrower, and the tracks can be closer together, so that distortions of the media won't give you bad sector errors. If you want to know more about the technology, read something

ONLY SYSTAT HAS THE POWER, SPEED, AND ACCURACY OF MAINFRAME STATISTICS PACKAGES.

MS-DOS, PC-DOS, CP/M, UNIX INTRODUCTORY PRICE \$399 SYSTAT, INC. 1127 ASBURY AVENUE **EVANSTON, IL 60202** (312) 869-7282





STANDARD FEATURES: • Full Graphics capabilities (640 dots x 200 lines) • 128K Ram (expandable to 256K) • Two RS232 Serial Ports • One parallel printer port • Color Display Card • Fully detachable, IBM-compatible Keyboard • 8 Expansion Slots One 51/4-inch Floppy Drive (327Kb-formatted) • MS-DOS Operating System (MS-DOS 2.0 and CP/M compatible) • 8088 Processor • Spooler (part of system

memory, can be used as a printer buffer) • Real Time Clock and Calendar



4962 El Camino Real Los Altos, CA 94022 415 962-9265

*CP/M is a registered trademark of Digital Research, Inc. *MS-DOS is a registered trademark of MicroSoft, Inc.

Dealer and OEM inquiries invited For further information call 800-821-3628

technical: I'm more interested in the implications.

RAM disk, i.e., a way to fool your system into thinking a lot of memory is a disk drive, is becoming standard on most advanced systems like Sage and Compupro and will be standard on all systems in a few years. Pion's Interstellar Drive and Semidisk already offer ways to put battery backup on your RAM disk, making it pretty secure; once again, that will be standard one of these days.

With a megabyte of RAM disk and

floppy disks holding 2.5 megabytes, many of the advantages of Winchester hard disks simply go away. After all, hard disks are not as reliable as floppies. They are subject to problems when there are extreme humidity variations. They don't like shock and vibration. They have to be "backed up," which is to say you want copies of what's on them, and that takes time and has to be done. Their major advantages are speed and lots of storage.

I don't make it as a flat prediction,

but I do put it as a subject for thought. Given lots of RAM disk, and 2.5-megabyte floppies, is there really a need for hard disks at all? However that develops, Rana is a company worth watching.

Time Eaters . . .

I'm not very good at arcade games. My timing just isn't that good. Consequently, I prefer games of strategy to joystick shoot-the-enemy games.

My boys, however, have different preferences. The other day an enormous package of Atari games arrived from Sirius, and since then we've had trouble getting them to come in for dinner. There's no room to report on all of them; I'll get to them next

Meanwhile, my own favorite is the Atari version of Repton. I didn't much care for that one on the Apple, but I find myself wasting more time than I should on the Atari version. There's also Spider City, which is mostly shoot- 'em-up but does have some strategic decisions involved.

My all-time favorite, though, is still Epyx's Crush, Crumble, and Chomp. There's something exceedingly attractive about burning down and stomping the Pentagon flat, and in general making an even bigger mess of Washington than the politicians have. . . .

Sigh

My notebook contains six or eight other items I ought to have got to, but I'm out of space. I'm also out of time, since I've got another speech to give tomorrow and my plane leaves in an

I love this world of little machines, but it can wear you thin.■

Jerry Pournelle welcomes readers' comments and opinions. Send a self-addressed, stamped envelope to Jerry Pournelle, clo BYTE Publications, POB 372, Hancock, NH 03449. Please put your address on the letter as well as on the envelope. Due to the high volume of letters, Jerry cannot guarantee a personal reply.

Jerry Pournelle is a former aerospace engineer and current science-fiction writer who loves to play with computers.



A CASE THAT'S AS ADVANCED AS YOUR COMPUTER!



ame, designed for moisture and dust resistance. s the only one of its kind.

B. Secure three-point latching is provided by lock and key ombined with an easy to use combination lock. Our Sureguide comction swivel closures hold even when the case is dropped.

Customized foam interior is die cut to fit and protect your computer. On arger cases the lid is padded with convoluted urethane foam for complete rotection. On 20" cases the lid contains a folio designed to hold floppy tises, full 15" printout paper and manuals.

D. A sturdy wall of high impact resistant ABS (used in football helmets and outo bumpers) provides durable outer protection as well as good looks. The inconspicuous exterior of the case camouflages your computer for added

E. Comfortable padded handle makes carrying easy. Larger models also have easy glide reinforced wheels and the convenient T-bar pull handle that tips up when you need it, folds down for travel.

American Tourister computer cases offer you a way to arry, protect and camouflage your personal computer or printer in style. They're built with the same high quality and features that have made American Tourister luggage famous for more than 50 years.

Quality control atmospheric, stress and "abuse" tests

maintain the strict American Tourister quality standard And in the event of loss, damage or theft, the unique American Tourister lifetime case registration program will verify the date of purchase for insurance claims. Available in metallic graphite gray and classic black.


FULL ONE YEAR LIMITED WARRANTY 30 DAY MONEY-BACK GUARANTEE! USE YOUR VISA, MASTERCARD OR AMERICAN EXPRESS




TO ORDER, CALL
TOLL FREE

IN RHODE ISLAND, CALL 401 273-2020. © 1983 American Tourister^a, Inc. 91 Main Street, Warren, RI 02885







1 Create a 3-D object.




2 Modify it to get the best design.




3 Rotate it to examine it from any angle.



4 Study it in 3 simultaneous orthogonal views.



5 Zoom in on part of it and add details.



6 Add dimensions and design notes before plotter output.

SCREEN YOUR DESIGNS BEFORE THEY GET ON PAPER.

Turn your microcomputer* into a 3-D CAD system.

Find your best idea, faster. Now, there's a faster, easier way to find the best answer to your design problems. In minutes, you can create, evaluate and perfect your design

ideas using your micro and the MCS 3-D CAD system.

Anyone with even minimal computer experience can master our easy-to-use CAD system. It's a simple, menu-driven structure requiring no complicated commands or lengthy keyboarding. You're free to think design, not computers.

Let your micro do the busy work. First, rough sketch your idea using our 3-D Space Tablet™ cursor, our high-res 2-D digitizer, your micro's keyboard, or any combination of the three.

Then, use Advanced Space Graphics™ software to make design changes that normally take hours to do on paper . . . Scale, rotate or move your 3-D wireframe model about any axis. Duplicate it. Create its mirror image. Section it along several planes. Join it with other components

stored on file. Study it from 3 simultaneous orthogonal views, or from an isometric perspective. Add arcs and

do the thinking, your computer does the work.

Dimensions are computed

circles. Generate surfaces of revolution. You

Dimensions are computed and changed automatically, as your model changes.

When you're ready for hard copy, Advanced Space Graphics lets you add text and output your finished design to a plotter

or printer.

The advantages of "true" 3-D. Only our system offers "true" 3-D hardware/software capabilities on a micro. You can use our Space Tablet cursor to actually draw in three dimensions and create, or trace, all kinds of 3-D shapes, even irregular surfaces. True 3-D lets you "reach" into your drawing to grab a point, or figure, and pull it to a new location. It's remarkably easy to translate complex 3-D shapes and ideas into a usable format. Our 3-D CAD system is being used in engineering, architectural, medical, chemical, field mapping, educational, art and many other applications.

A complete 3-D CAD system. The MCS 3-D CAD system includes Advanced Space Graphics software, the 3-D Space Tablet cursor (patent pending), a high performance interface card and a complete user's manual. Our versatile, yet surprisingly affordable system gives you everything you need to do 3-D on your micro. Except, of course, ideas.

For more information, call: (203) 872-0602. Micro Control Systems, Inc., 27 Hartford Turnpike, Vernon, CT 06066.

MICRO CONTROL SYSTEMS, INC.



*IBM PC and a variety of work-alikes are supported. A more basic version is available for the Apple II+ and Apple IIe. Support for a variety of plotters and 2-D graphics tablets available now. The most widely used high-resolution screen displays will be supported by the beginning of 1984.

IBM PC @ International Business Machines Corp. Apple II+ and Apple IIe @ Apple Computer, Inc.

Circle 482 on inquiry card.

1984 and Beyond

"Under the spreading chestnut tree I sold you and you sold me; There lie they, and here lie we Under the spreading chestnut tree."

-George Orwell, 1984

1984. Just another year? Or the dawn of a sinister new era, an era of individual paranoia and cultural stagnation born of fear and suspicion? A time when people's movements, habits, and thoughts are monitored by a centralized power that possesses the technology to gather, record, and collate mountains of data?

Or could 1984 bring the beginning of a Pax Orbis Terrarum of prosperity made possible by a technology that places power in the hands of virtually all citizens, an information autocracy that closes communications gaps and binds knowledge workers into a diverse but cohesive community?

These are complex questions that may have no answers. Despite our thematic cover, this issue of BYTE makes no attempt to examine the social, psychological, and political impact of microcomputer technology—after all, this is a technical journal.

Instead, as is our editorial wont at the turn of each new year, this issue offers some speculation on the specific technical innovations that will affect the personal computer industry in 1984—32-bit microprocessors, natural-language systems, credit-card-sized memory devices, and others.


Before delving into these matters, however, we may all do well to reflect on the implications of our headlong assault on the bounds of technological possibility. Eric Blair, writing under the pen name George Orwell, created in 1947-48 his "negative Utopian" vision of a world dominated by fascists who possessed awesome technology. The real world was trying to cope with the aftermath of an unprecedentedly destructive war, with the ugliness of Hitlerian genocide, with the throat-clogging fear of the power of nuclear war technology. In this atmosphere, Blair, a fanatical anticommunist, chose to warn the world of the peril represented by the emerging Russian state by conjuring up the vision that is 1984.

The reality of the current world is not nearly so bleak. Nevertheless, there are legitimate concerns about the use of computer technology in modern society. While there may be no Big Brother inside your personal computer, the fabric of life in the West is strongly tied to this technology.

In fact, as this month's cover by visionary Robert Tinney depicts, Western society is heavily dependent on computer technology—it makes possible the telecommunications system that drives our complicated commercial and industrial economy and permeates all its sectors. As a society, we are addicted to computers in much the same way that we are addicted to petrochemicals.

Any dependency can be exploited. Our culture's computer (and information) dependency can be used against individuals and groups as easily as it can be used for them. The negative uses of information have been documented by writers such as David Burnham in his comprehensive book *The Rise of the Computer State*.

The government is a major user of information. The most extensively shared information pool in the world



Painting by Robert Tinney

- 104 Reason and the Software Bus by Michael F. Korns
- 122 A General-Purpose Robot-Control Language by Dan Prendergast, Bill Slade, and Nelson Winkless
- 134 1984, the Year of the 32-bit Microprocessor by Richard Mateosian
- 154 Memory Cards: A New Concept in Personal Computing by Mark Mills
- 172 Computer-aided Design by Rik **Jadrnicek**
- 213 Speech Recognition: An Idea Whose Time Is Coming by George M. White
- 226 Using Natural-Language Systems on Personal Computers by Jane Eisenberg and Jeffrey Hill
- 243 Portables-1984 and Beyond: Idea-Processing Software and Portable Computers by David Winer and Peter Winer
- 251 Beyond the Application Program: A Different Approach to Integrated Software by John Banning

is the FBI-coordinated National Crime Information Center, a computerized network linking more than 57,000 local, state, and federal law-enforcement agencies. The IRS is another agency keen to collect and sift information. Its latest efforts include buying the mailing lists of swank department stores and luxury-car dealerships to track the buying habits of well-heeled taxpayers (Fortune, September 8, 1983).

As Kent Greenwalt of Columbia University Law School suggests, intensive information gathering could produce a nation of sheep, all trying to keep their records clean. Such a response could sap the vitality and diversity of our culture.

With the advent of home banking and shopping services, virtually every financial transaction we make will become part of a computer-controlled record. As the text box on page 102 suggests, unauthorized use of these databases may be impossible to prevent. The information society may soon be victimized by a new class of criminal, the information thief.

Currently, no laws prevent the use of information intercepted during data transmission over telephone lines.

While tapping phone lines is illegal, using the information garnered from a tap is not. The sender virtually relinguishes his ownership of computerized information by the mere act of telephone transmission. This presents the specter of thieves intercepting information transmitted from a bank computer to your personal computer and using the information to empty your account.

In the face of these gloomy possibilities, though, is the bright prospect that personal computers also have many beneficial aspects. They can have a democratizing influence on society by making access to information available to large numbers of people. They can aid communication among groups and individuals, further shrinking the distances separating the people of the alobal community.

However computers ultimately affect our personal and public lives, you, the BYTE reader, will be one of the first to know. Theme issues planned for 1984 will cover topics such as data security, mass storage systems, new chip technology, and communications.

-G. Michael Vose

Does Your Computer Need "Debugging"?

by Bruce Bierman

You are in your private office sitting behind your microcomputer, transmitting highly classified data to another computer system. There is no reason for you to suspect that the information you are sending is being intercepted. Nevertheless, today's electronic eavesdropping devices make stealing your precious data a simple operation. The interception may occur during data transmission, when floppy disks are being mailed, as a result of illegal access of a mainframe using a micro, or because an ex-employee knows the password to your system. But no matter how it occurs, unless you are aware of the vulnerability of your computer system, you leave your data open to a new class of criminal-information thieves.

Computers connected to telephone lines are especially vulnerable. Data transmitted from computer to computer can be intercepted. Most computers used to send data to another computer can be called by an unauthorized "hacker," Once an intruder gains access to the computer, he or she breaks past the password level by writing a computer program that generates possible combinations of characters until the password is found. Another method finds the "back door" access left behind by the original programmer-à la WarGames-but this is not usually the case. Once the password has been found, the intruder has total access to the computer system.

Dialing into a remote computer using a modem and a terminal or another computer enables a user to gain complete access to that system.

Computer data transmitted on telephone lines can also be recorded using wiretapping devices. The recordings can be input into another computer for decoding, allowing the thief to read your information. This vulnerability also applies to Facsimile Transmission Machines (FAX), which send pictures of documents over telephone lines. A tap on a FAX line is the equivalent of an outside individual having access to your documents and a copy machine.

I have personally been involved in tracking down information leaks from a major computer company whose coming years' marketing plans and price lists turned up in a competitor's office. The recording of a PanaFax telephone data-transmission line between the U.S. and Japan proved to be the source of the

Transmitted computer data is made up of erratic sound patterns. Therein lies a legal loopholecurrently, no laws protect the interception and recording of these sound patterns. The law does protect an individual's privacy in a telephone conversation, but not the individual's transmitted data.

Using sophisticated electronic eavesdropping devices, recorded ASCII (American National Standard Code for Information Interchange) transmissions can easily be decoded to text on a printer. There are programs available on the market that absorb strings of data recorded on tape and analyze the nature of the data format. The program can determine if the data is ASCII or an encoded or encrypted file. After establishing the type of file, it creates a program to read and print the information.

Although there are devices that protect large computers from unauthorized access by using a call-back verification method, these devices can be defeated. Establishing where the authorized locations of dialback are and diverting the call-back to another location using an array of available telecommunications equipment on the market is one method. Even if an individual cannot break into the system using his own micro, there are still ways to intercept the transmitted information by placing devices on the data line or within the computer system itself to monitor its operation. This is called "bugging" a computer, which is quite different from a computer with bugs. In bugging or tapping a computer, you can set up the appropriate access necessary to monitor the system's operation using a microcomputer with a program that logs all the functions taking place.

The detection method for finding these back doors, or "debugging," is quite different from correcting errors in a system. This type of debugging demands that all logical paths are defined to establish their finite termination points within the system. Software taps can take a long time to find, while hardware taps are more visible and take much less time to identify.

It may be possible to prevent access to your computer system by hackers or pirates, but a great deal of high-tech espionage is still possible. The professional thief will not spend hours and days figuring out passwords and back doors when he can simply place a tap on your telephone line. All he has to do then is sit back and wait for you to begin transmit-

Bruce Bierman is president of Communical Inc. (1400 Grant Ave., Novato, CA 94947), a computer-security consultant firm.

KEY TRONIC PERFECTS THE IBM* PC KEYBOARD



Enhance your IBM* Personal Computer System with a Key Tronic keyboard peripheral. This low-profile keyboard is plug-compatible and has familiar key placement. It also features reliable microprocessor electronics, solid-state capacitance switches, and positive tactile feedback.

Special keyboard available for the handicapped — factory direct. Also available in Foreign and Dvorak layouts.

*1BM is a registered trademark of IBM Corporation

key tronic

Suggested Retail Price: \$269.00 To order Model KB-5150 call Toll Free 1-800-262-6006 for the retailer closest to you. (7am-3pm Pacific Time) Warranty information may be obtained, free of charge, by writing to the address below.

THE RESPONSIVE KEYBOARD COMPANY

DEPT. E • P. O. BOX 14687 • SPOKANE, WASHINGTON 99214 USA

RETAILERS: For the Distributor in your area, call Toll Free 1-800-262-6006 Dept. D (7am-3pm Pacific Time)

Reason and the Software Bus

A narrative about future software

by Michael F. Korns

With the dawn of 1984, a look into the state of software production provides a view of contrasting extremes. At one extreme are advanced software projects, including the Japanese ten-year project in supercomputers and intelligent software. In this world, heavily funded software research facilities produce expert systems, natural-language interfaces, advanced CAD/CAM (computer-aided design/computer-aided manufacturing) software, and more.

At the other extreme lies the world of day-to-day business and industrial programming, a world where 60 percent of all software is still written in assembly language. In this world, armies of software technicians labor intensively to produce small advantages, and a request to a corporate data-processing department for a simple report may be bottlenecked for two years.

What is the future of the software industry? Will more intelligent software put the less competitive software factories out of business? Will the COBOL programmer become an extinct species? Indeed, will all applications programmers be replaced by automated programming software? As artificial-intelligence techniques permeate computer science, the answer to each of these questions may be yes.

The Reason Research Project

In the summer of 1981 I began a research project in artificial intelligence. Its long-term goal was to develop a highly intelligent software system. I wanted the system to be as independent of its supporting hardware as possible and also to be easily portable to succeeding generations of com-

puters, to take advantage of increases in processing power, speed, and memory-addressing range. I called the project the Reason research project.

As the project gained momentum, I took on an assistant. Our first two vears of effort resulted in a new software technology-the Reason software bus-and an advanced software environment that provides multiple windows and tasks. We call this environment—as an in-house joke and with all due respect to Visicorp's Visi On and Apple's Lisa—Lision. This article describes the work of the Reason research project and its possible effect on future systems software.

Before I describe the Reason software bus and Lision, I'd like to review the research background of the proj-

A Large-Scale Technology

Because of the project's ambitious goals, I knew it would involve many lines of code and intricate algorithms. To have a hope of success, I had to begin by thinking at industrial levels: not a few programs and hundreds of lines of code, but hundreds of programs and thousands of lines of code.

In software engineering, techniques that are effective at low levels of production may not remain so at high levels. Selecting the correct technology base for development and production was an important challenge.

Possible System Models

In choosing a technology for our software, I considered various currently available choices including

tools like Unix, C, Pascal, and Modula-1 as well as structuredprogramming techniques, functionoriented languages, and objectoriented operating systems. I even reviewed current experiments that vary from von Neumann's storedprogram, register-based model of computing hardware design toward increasingly parallel processing techniques.

Ultimately, we reduced the field to three contenders: object-oriented operating systems, function-oriented languages, and a new model-a "software bus."

Object-oriented operating systems and function-oriented languages are based on systems theory and algebra, respectively, and both derive from sound theoretic origins. Each of these orientations can be applied at some level of engineering effort.

However, important questions remain. What are the costs of implementing these systems, and what resources will they consume in order to operate efficiently?

Ultimately, I chose to use the third system model, the software bus, as the basic tool for the Reason research project. As we will see in a moment, this model springs from an extremely successful engineering metaphor, rather than from algebra or systems theory. I thus began with a system model that I guessed would be practical, without first worrying if the model could be shown to be complete in the mathematical or theoretical sense.

The Hardware Bus

It was the impact of the hardware bus on the recent history of computers that made me think a software

Artificial Intelligence: Reason's Generational Approach

The standard approach to a project with the scope of Reason requires many programmers and much money. We did not have such resources and did not wish to seek venture-capital funding. For these reasons, we took a risky approach to reaching our ultimate goals. We had to bootstrap not just our efforts, but the technology itself.

We chose to build the Reason technology in generations of tools. The idea was that each new generation would be more powerful and efficient than the previous one, taking us a step closer to our goals, and that

with each generation we would build the

This strategy was very risky because if even one generation of tools should fail, the project's overall success would be cast into doubt.

The systems and tools described in the main text represent the first generation of the project—the Reason software bus. This generation of tools is not intended to take up directly the question of artificial intelligence. Instead, these tools greatly accelerate the creation of more powerful program components.

Using these tools, the Reason research project has been able to generate a complex software system quickly. The tools seem to be more efficient than anything any of us involved in the project has used before.

We also feel that the Reason software bus fulfills the other criterion of each generation of our technology: to represent a small but significant step toward the project's long-term goal of artificial intelligence in software. How do I mean this?

No system, human or machine, can achieve advanced intelligence unless the system can manipulate its own components. To do this, the system must have a model to use as a guide. If the system is a machine, the model must be simple and clear enough for a program to understand.

These criteria were crucial in deciding that the software bus was the most appropriate model to use for the first generation of our project. The Reason software bus is a simple, packet-switching data-transmission protocol. In addition to fulfilling this generation's goal of greatly increased programming productivity, it is also a model simple and clear enough for a program to understand. The next generation of integrated components running on the bus may well address directly the issue of the ability of the Reason software bus to understand its own model.

bus would be practical. Bused hardware designs, using integrated circuits, have been extremely effective in advancing electronic engineering in recent years. Most microcomputers, for example, include a hardware bus as an integral part of their

The bus setup enables engineers to design such computer systems in an open-ended fashion. Simply by making them conform to the hardware bus protocol, engineers can create exciting new hardware and peripherals compatible with existing systems. Other engineers can configure new and different systems out of existing chips and integrated circuits. Field technicians can repair all these products by replacing modular boards.

Telecommunications systems display another successful application of busing protocols. Communications networks, which bus data from one location to another in small packets, are indispensable to today's information-processing industry.

The Reason Software Bus

The power of the bus as a system model is all the more remarkable in that the bus is little more than a datatransmission protocol. What interested the members of the Reason research project was whether this busing concept could form the basis for a similarly successful generation of software tools. Could we apply the same design metaphor, so successful in hardware and telecommunications, to the creation of an equally successful new software technology?

The Reason software bus uses the bus metaphor to create a new software technology. In its basic form, the software bus is a simple protocol for transmitting data packets from one bus-integrated software component to another. The bus protocol looks like a standard telecommunications protocol, with six transmitted parameters and two returned parameters.

Bus-integrated components are independent software modules, the metaphorical counterparts of the integrated circuits in a hardware bus design. They are passive software packages, activated by transmissions along the software bus.

Once activated, a bus-integrated component may initiate transmissions that activate other bus-integrated components. In such an orientation, the software implementing the bus is in control. Individual software components are not even aware of a world outside themselves. Instead, they simply receive and transmit data packets from origins to destinations.

Power and Flexibility

Like their counterparts working in hardware-bus environments, Reason design engineers using the software bus can develop powerful bus-integrated components, confident that Reason system engineers can quickly configure the bus with various combinations of these components to create complex applications systems. Reason maintenance personnel can repair or update such systems merely by replacing one or more bus-integrated components with newer and more powerful components.

Reason and Unix

A comparison with Unix illustrates the power and flexibility of a software-bus design. The Unix operating system allows standard output from one program to be rerouted as the standard input to another program. This capability, called piping, is a hallmark of Unix flexibility.

Now consider an environment in which all input and output of any

System Models in Software

Why can't you request a list of all the programs that operate under CP/M? Of the programs that interact with each other? Of the means they use to interact?

Because no such list exists, nor is it likely to exist soon. This is because the system model for CP/M programs is unclear. People can and do write CP/M programs in any fashion they choose. The question of system modeling comes up only after the programs are written, when it is too late. CP/M is just one of many programming environments in which the system model does not receive high priority.

However, new programming environments are being designed in a different way. Designers choose a system model first, and then create programs.

We considered three such models for Reason. Object-oriented environments, function-oriented environments, and software-busing environments.

A number of current experiments are aimed at developing object-oriented computer operating environments. An "object" can be anything from a byte memory switch to a whole suite of programs, depending on the flexibility of the system's "object dictionary." Object-oriented environments depend heavily on descriptive tables and dictionaries.




Figure 1: An object-oriented operating system model.

The preliminary manual of one such project contains terms like hierarchy, node, keys, locks, badges, and zone-in-itemspace. More simply, however, figure 1 illustrates the kind of model an object-oriented operating system proposes.

In this environment, operations performed on objects create new or altered objects. Each of these objects and operations is stored in one or more dictionaries. As operations alter objects in the environment, the environment's dictionaries are updated to reflect these changes. Thus, a list of available programs, which was difficult to obtain for CP/M, is easily obtained in an object-oriented environment. You simply examine the system's dictionaries.

Function-oriented programming environments extend to the design and construction of new programming languages

and to the future of computing hardware. Function-oriented environments are especially exciting when designed in tandem with hardware design.

In such an environment, the functionoriented software is designed to break large functions down into sequences of smaller functions. The software then ships these smaller functions to parallel processors so that the various portions of a problem are solved piecemeal but simultaneously.

The Reason design team did not choose either of these models, despite their respective attractions. Instead, we chose to develop a software bus. Although it was a newer, less well-tested system model, we felt the Reason software bus gave us the even greater power and flexibility we required to reach our long-term goals.

program component is "standard," i.e., is known to the software bus and occurs across an active bus transmission line. Such transmission lines can be run in series, in parallel, or in any other logical combination. Transmissions from any component can be rerouted to any other component on the bus by a simple command reconfiguring the bus. Such is the flexibility and power of the software bus.

Software-Bus Technical Details

The Reason software bus is a datatransmission protocol between discrete bus-integrated components. Its function is analogous to the functions performed by a hardware bus. In fact, the Reason protocol looks much like a standard packet-switching network protocol, with six transmitted parameters:

- user identification (person or component ID)
- •logical transmission-line number (unique data path)
- •transmission-origin routing name
- •transmission-destination routing name
- transmission verb or command expression (e.g., LOGON, LOGOFF, WRITE, NEXT, etc.)
- transmission data packet

and two returning parameters:


- •returned data packet
- •transmission status message

The Reason software bus supports each discrete integrated component by providing a code page, a data page, an operations stack, and a data stack. Figure 1 on page 108 demonstrates how these supporting resources interact.

Each time a transmission session on the bus activates a bus-integrated program, a Reason context is created. A newly created timesharing operation is called a task. It is common to have multiple contexts within a single task. It is also possible to have multiple tasks within a single context.

The code page contains the optimized machine-language code that is the bus-integrated program. The Reason protocol allows code pages to vary in size, up to 64K bytes.

Importantly, all Reason bus-integrated components are recursively reentrant. Neither multiple simultaneous contexts nor multitasking applications require multiple copies of the same program code page. Components can invoke themselves or



The Apparat EPROM Blaster, Now for the IBM/PC, Apple II and TRS-80.

Apparat's EPROM Burner: It's new. It's more powerful and now available for all three of today's most popular personal computers. And the price has dropped by over 20%.

Increased Capabilities

The Apparat EPROM Burner (A.P.B.) programs most 24 pin 4, 8, 16 and 32k EPROMS, but now it can also program 64k devices. And with all personality modules and software included, Apparat's EPROM programmer is the most sophisticated system on the market.

The A.P.B. system can verify, read, program and copy the EPROM; copy between different ROM types; read or save EPROM data on storage devices; program directly from computer memory and more.

And a Lower Price

Even with increased capabilities we've been able to lower the price 20% to \$119.00 (\$129.00 for the IBM/PC). This price includes all the personality modules, operating software and the instruction manual.

If you're looking for a powerful, versatile and cost efficient EPROM burner, contact us today, Apparat, Inc., 4401 S. Tamarac Parkway, Denver, CO 80237, (303) 741-1778. Or to order call

800/525-7674

IBM/PC is a trademark of IBM TRS-80 is a trademark of Tandy Corp. Apple II is a trademark of Apple Computer

Circle 29 on inquiry card.








Figure 1: The interacting resources of the Reason software bus. Each software component on the bus has a code for the program's source code, a data page for variable storage, and operations and data stacks, the "scratch-pads" for program operation.




Figure 2: Each microcomputer runs a version of a Datanet. Datanet masks the differences between each node microprocessor and the network environment. Microcomputers in the network share data as well as execute programs interactively.

can be invoked many times concurrently and still require only one copy of the object code.

New data pages are supplied for each concurrent invocation, and, as long as the data pages are kept separate, everything operates smoothly. Reason provides a data page for each context. Reason also provides an operations stack and a data stack for each task.

Selecting a Language

Selecting a computing language to implement the Reason software bus

was difficult. We needed a high degree of machine independence but could not afford the run-time overhead of previously existing pseudocode languages like Pascal.

Pascal also was too high-level for our purposes, as we needed to work more directly with the machine. We looked at FORTH but decided it was too slow in execution and cumbersome in its linking process. We felt C was fast enough, but it still didn't let us get close enough to the machine.

The N Language

Finally, we chose to develop our own language to support the project. We decided to create a language with two different syntaxes: it would be simultaneously an assembly language and a high-level language. We dubbed this language a "meta-assembler" because of its dual syntax. We called it N, for Network language. (See the accompanying box for details on N, its speed, and its unusual dual syntax.)

The Network Control Program

The Reason software bus is an internally networked data-transmission protocol. In effect, it is a network of independent software components. This network is integrated using a control program somewhat analogous to an operating system. In Reason, this program is appropriately termed a network control program, or simply NCP. By loading a network control program into a machine and creating origin and destination dictionaries, you configure the system.

It is the responsibility of the network control program to support the software bus. How a program is loaded into a code page, how contexts and tasks are started, and how data pages and stacks are allocated are all problems that the NCP must resolve.

Unlike an operating system, however, a network control program is merely another discrete integrated program on the Reason software bus. Network control programs are every bit as interchangeable as any other component in the system. You can construct many different NCPs, simple or complex, to satisfy specific engineering needs. This has interesting implications, especially for networks involving a variety of computers.

In figure 2, all computers might be running copies of the same network control program and sharing the network equally. Or some computers could be running different NCPs, with different functions and orientations. One or more might be running NCPs in a slave mode, and one machine or more might have a master NCP installed, determining the specific tasks of the other computers.

The problems of networking personal computers—from the same manufacturer, let alone of different brands—have been hard to solve at the software level using other technologies. Once the Reason software bus has been installed on a number of machines, however, these problems shrink to the less difficult activity of configuring network control programs for different tasks and relationships among the networked computers.

Building the First NCP

Datanet, the first network control program written for the Reason project, is designed as a multicontext, single-tasking, microcomputer network control program. It is a discrete, integrated component on the Reason software bus. This first NCP manages up to 1 megabyte of RAM (random-access read/write memory) and up to 12 concurrent program contexts and uses as little as 300K bytes of floppy-disk storage or as much as 15 megabytes of hard-disk storage.

Copies of Datanet operating concurrently on different microcomputers can be used to create a network machine. Each computer in the network shares program contexts and exchanges data. Network machines can duplicate tasks for redundancy, or a large problem can be broken up into smaller activities to take advantage of the parallelism of the network.

The design of Datanet allows maximum flexibility. As figure 3 illustrates, the Datanet kernel is nothing more than a network transmission

Text continued on page 112

Draw your own conclusions with a Six-Shooter.

The Sweet-P"Six-Shooter. The six-pen graphics plotter that made a big noise at COMDEX. It goes for \$1095. And goes. And goes.

The Good Guys from Enter Computer, Inc., really showed 'em at COMDEX.

They pulled out the Sweet-P Six-Shooter. And it blew everyone away. Especially the competition.

The Six-Shooter graphics plotter uses six pens, not just two. They change and cap automatically in a fraction of a second. And they can draw at 14 inches a second on a plotting area of 81/2 x 11-inches or 11 x 17-inches.

caused all the excitement.

But it's what they draw that Six-Shooter Standard interfaces: parallel, and serial with evesdropping Plotte Senal Interface Trademarks: Sweet-P, Six-Shooter, Personal Plotter, Enter Computer, Inc.; Apple Computers; H-P, Hewlett-Packard; IBM, International Business Machines; CP/M, Digital Research.

Presentation-quality graphics in six colors. Graphs of all kinds...bar. pie. line, scatter and surface. Information taken from spread sheets or D.I.F. files, and reproduced in minutes on paper or acetate (for overhead transparencies).

The Six-Shooter showed its friendly side, too. It's compatible with IBM, Apple and major CP/Mbased micros. Which means, of course, that it can use most of the graphics software created for them. Including many packages that support Hewlett-Packard's plotters.

If you're networking, get this: the Six-Shooter has two ports that let you switch from parallel interface to RS-232 serial interface and back again. It'll even eavesdrop on the line between your computer and any terminal, listening for the signal to start plotting.

Servicing is available at any of more than 80 Xerox Service Centers throughout the country. And software assistance and advice is as close as your telephone. Just call the Good Guys direct. And toll-free. In California, call (800) 227-4371. Anywhere else in the U.S., call (800) 227-4375.

Get hold of a Six-Shooter now at your nearest computer store. Then draw your own conclusions. In six colors on paper or acetate. In minutes. For \$1095.

The good guys from out of the West.

Enter Computer, Inc., 6867 Nancy Ridge Drive, San Diego, California 92121. Telephone (619) 450-0601. Milan, Italy: (392) 323597.

Enter Computer. The Sweet-P Personal Plotter Company.

Circle 19 on inquiry card.

The Reason Network Language

The N language is an assembler for a very well defined, imaginary, stackoriented, pseudocode-like machine. Programs can be written, one p-code per line, exactly as with assemblers for real machines. But high-level syntax can also be used, which is why we call it a "metaassembler."

Unlike many other p-code machines, the N p-codes never appear in the target machine. The N compiler outputs what in Reason is called a Compiler Normal Form file. This file is then passed through O, the Reason binary code generating optimizer. And, the final form of an N language program is optimized binary machine language for the target machine.

The result is that N language programs are highly portable yet very fast. Currently the N language operates on the Motorola 68000 and the Intel 8086 family of processors. Reason also plans to create optimizer tables for the National Semiconductor 16032 and other microprocessors.

N language programs can be written in normal assembly-language format or in high-level syntax. Listings 1 and 2 demonstrate N's unusual feature of a dual syntactical structure.

Significantly, both forms of the program are equivalent. O will output the identical optimized binary machine code regardless of the form used.

O, another product of the first generation of Reason, is a 900 template optimizer with expression reduction and register allocation. Since the optimizer is table driven, only one copy of the optimizer is required for all target machines. Changing the optimizer's tables generates machine code for a new target machine.

A study published in the Gilbreath article cited in the main text displayed times for execution of a prime-number generating program written in several different compilers on the Motorola 68000. A comparison of results (table 1) for the same prime-number generator written in N yields some indication of the efficiency of N and O on the 68000 relative to the nine top performers in the Gilbreaths' study.

Listing 1: The assembler-like syntax variation of the proprietary language, N.

START:	#LCD{K}	/* LOAD ADDRESS OF INTEGER VARIABLE */
	#LOD{I}	/* LOAD INTEGER ONTO STACK */
	#LCI{0}	/* LOAD INTEGER CONSTANT ONTO
		STACK */
	#CPI{GE}	/* IS K GREATER THAN OR EQUAL TO 0 ? */
	#JCF{ELSE}	/* JUMP IF K LESS THAN 0 */
THEN:	#LCI{1}	/* LOAD INTEGER CONSTANT ONTO
		STACK */
	#LCD{N}	/* LOAD ADDRESS OF INTEGER VARIABLE */
	#SVD{I}	/* SAVE INTO INTEGER VARIABLE */
	#JMP(CONTINUE)	/* JUMP AROUND ELSE */
ELSE:	$\#LCI\{-1\}$	/* LOAD INTEGER CONSTANT ONTO
		STACK */
	#LCD{N}	/* LOAD ADDRESS OF INTEGER VARIABLE */
	#SVD{I}	/* SAVE INTO INTEGER VARIABLE */
CONTINUE:		

Listing 2: The high-level syntax of N.

IF [K > = 0] THEN [N: = 1] ELSE [N: = -1]START: CONTINUE:

Computer	Language	Time (seconds)
68000 8 MHz	Assembly	0.49
68000 8 MHz	SMPL (Ebnek)	2.6
68000 8 MHz	N	2.85
68000 8 MHz (Sun PM68K)	Pascal (Telesoft)	4.28
68000 8 MHz (Sun PM68K)	Ada (Telesoft)	4.4
68000 Wicat 150WS	C (Johnson)	4.71
68000 8 MHz (HP-9830)	Ada (Telesoft)	4.0
68000 8 MHz (HP-9830)	Pascal (Telesoft)	5.0
68000 8 MHz	Pascal (Softech Nat.)	5.0
68000 8 MHz	Pascal (IMS Inc.)	5.8
68000 8 MHz (HP-9830)	Pascal (Hewlett-Packard)	5.9

Table 1: Results of a prime-number generating program in a variety of languages running on 68000 processors.

Reason optimization tools will also include a table-driven, assembly-language source generating optimizer to be called S. This optimizer will generate native assembly language files in one-to-one correspondence with the binary output of the code generating optimizer. S would be used in the event that an O-optimized N program were not fast enough for some special implementation. In such a case, compiler normal form would be passed through S to produce native assembly-language source. An engineering technician would then further optimize this source by hand, until it was as close to assembly-language speeds as the implementation required.

For people who want power.





If you are seeking power in software we believe we have created the program you seek.

And our opinion is shared by a great many computer analysts who consider 1-2-3TM from Lotus® the most productive program in the marketplace.

Like many great ideas the essence of its success is its simplicity. With 1-2-3, you have spreadsheet, information management and graphic functions—all in one program.

You can switch from one function to another with the touch of a key, instantaneously. Although it seems faster.

In effect, it's a perfect combination of raw power and spectacular speed.

But for those who want more, 1-2-3 is specially designed so you can develop customized applications for your business needs. And the world's largest electronic spreadsheet has enough operators, functions and commands to perform virtually any task you ask of it.

In fact, the only limit is your imagination. 1-2-3 from Lotus is power and something more.

Call 1-800-343-5414 (In Massachusetts call 617-492-7870) and find out more about 1-2-3 from Lotus.






Figure 3: The Datanet system is constructed from a layered collection of discrete components with a single message router at the center. There are no operating systems or applications programs, just a collection of components, each sending messages to all the other components.

Text continued from page 108:

manager. All of the actual work is performed by the Datanet system service handlers (SSHs), independent modules through which Datanet routes all transmissions.

Datanet comes with several resident system service handlers, and additional disk-resident SSHs are available as well. Datanet's use of disk-resident SSHs allows an engineer wide flexibility in dynamically extending or constricting Datanet for specific environments.

The Laplace Interpreter

With an NCP and other bus-integrated programs available, it remained to complete the actual software bus by linking these components.

To picture this problem, consider how a printed-circuit board joins unrelated components in a hardware bus design to create products. How are two popular 16-bit computersthe DEC Rainbow and the IBM PC—related? From our human point of view, the difference between these two computers is clear. They look different, they have different keyboards, and they come from different manufacturers.

Yet, from an engineering standpoint, they and other computers share many of the same integrated circuits and components. Under their covers may lie the same microprocessor, memory chips, and logic circuitry. Seen from the point of view of an integrated-circuit manufacturer, each of these computers might be thought of as merely a different *user* view of mostly identical components.

How could we on the Reason research project construct software user views? Obviously, in software we could not use a physical surface such as a printed-circuit board. Instead, we would need an algorithmic language to logically connect our various software-bus components. To speed up development of the Reason project's user views (the applications software), we decided that this language would be interpreted.

Existing Choices

Once again, we undertook a review of the existing technology in the area of interpreters. We looked first, of course, at BASIC. The syntax style of BASIC is easy to learn and use, which means that programming neophytes might be able to develop user views on the Reason software bus.

Because BASIC programs are readable after any number of revisions, maintenance is fairly easy. But BASIC lacks the modularity necessary for large engineering projects. We had to reject it as the language of choice.

APL has simple and efficient modularity, but its syntax is too esoteric and difficult to maintain. FORTH, the only other interpreter we considered at length, is extensible: user-defined commands can extend the language's vocabulary with new words—a very desirable feature. Another FORTH advantage is its ability to get at the machine.

But FORTH did not fulfill our syntactical requirements for readability. So, as you might expect, once again, we decided to create our own interpreter, combining all these desirable features. We call it Laplace.

Laplace is an interpretive language in the same syntax family as BASIC. It has the modularity and recursion of APL. It also has the extensibility and machine facilities of FORTH. The Laplace interpreter is one more busintegrated component, a discrete software module running on the Reason software bus.

A Laplace Listing

Listing 1 is a prime-number program coded as a user-defined command in Laplace. Versions of this program in many different languages appeared in an article by Jim Gilbreath and Gary Gilbreath (see "Eratosthenes Revisited: Once More through the Sieve," January 1983 BYTE, page 283). Listing 1 allows comparison of Laplace syntax with that of other languages.



The Multifunction Cards that let you get the most out of your IBM PC.

AST Research Number One Add-Ons let you realize the full potential of your IBM PC or PC-XT without wasting valuable slot space. By combining your memory and input/output requirements on a single card, you can take advantage of more of the capabilities IBM designed into the PC, while leaving space for future enhancements as they are introduced. AST Research multifunction boards can add user memory from 64K to 512K to your PC bringing your PC memory to its maximum of 640K. You also receive the added features of serial ports, parallel ports, a clock calendar, game adapter port, and SuperPak" - the utility diskette with the most powerful disk emulator and print spooler software available.

SixPakPlus™ — Up to 384K memory, serial port, printer port, optional game port, and clock calendar on a single card.

I/O Plus II™ — Up to 2 serial ports, optional printer port, optional game port, clock calendar on a single card. No memory.

MegaPlus II[™] — Up to 512K memory, up to 2 serial ports, optional printer port, optional game port, and clock calendar on a single card.

ComboPlus[™] — Up to 256K memory, serial port, printer port, and clock calendar on a single card.

Communication Products — Other AST Research Number One products include system enhancements and mainframe communications products such as 3270 SNA and 5251 terminal emulation, 3780 RJE support and AST-PCnet™ — the Local Area Network specifically designed for the IBM PC.

AST Quality


All AST Research multifunction boards come with the **AST "Plus"** — our unsurpassed reputation for quality, reliability, after-the-sales support, and overall design excellence — which give our products the best price/performance ratio in the industry.

AST Research Number One Add-On Products are available at Computerland, Entré, Businessiand and other computer stores worldwide. Contact AST Research, Inc. for the dealer nearest you. (714) 540-1333/863-1333 TELEX: 295370ASTR UR

PCnet is a registered trademark of Orchid Technology, Inc.

Circle 456 on inquiry card.





Listing 1: A prime-number generator written for the Laplace interpreter.

- O DEF. PRIME
- 110 DIM,flags[8191]{i},m{i},count{i},prime{i},k{i},i{i}
- 120 ?"10 iterations"
- 130 $FOR\{M=1,10\}:count=0$
- 140 FOR{i = 0,8190}:flags[i] = 1:NEXT!
- 150 FOR{i = 0,8190}
- 160 IF {flags[i] = 0}THEN: GOTO, 210
- 170 prime = i + i + 3:?prime:k = i + prime
- 180 IF {k > 8190}THEN:GOTO,200
- 190 flags[k] = 0: k = k + prime: GOTO, 180
- 200 count = count + 1
- 210 NEXT!
- 220 NEXT!
- 230 ?count," primes"
- 240 END!

Our First User View

With Laplace in our software toolbox, it was now time for the acid test. Could the Reason research project accomplish anything with these shiny new software tools? It was time to construct the first user view.

To preserve the bus metaphor and perform this task efficiently, this user view would have to be a selection of discrete bus-integrated components fitted together via interpretive Laplace programs and merged into a system configuration. Of course, with this as with all user views, the computer user would not need to see inside the creation.

From the user's point of view, this new creation seems just like any other large, complex application program, in the same way that a DEC Rainbow and an IBM PC appear to a user as distinct computers, rather than two different user views of mostly the same components.

We chose to develop an advanced user view—a complete software environment comparable to Visicorp's Visi On and the software running on Apple's Lisa.

Could we develop, without highresolution hardware or a mouse, a user view of such sophistication? We decided to try and to refer to this environment as Lision.

Lision

In order to fully test the productivity of the new software tools, we assigned one senior software engineer full-time to the project. Singlehandedly, this engineer would have to connect existing bus components together with Laplace algorithms to form

- a multiple-screen context (window) applications interface
- •a disk operating system, similar in its functions to MS-DOS, which would operate out of any of the screen contexts
- an advanced spreadsheet program
- •a full-service text editor
- •a document printer/formatter for combining text files into large printed documents
- •a database-management system

The result, Lision, operates efficiently in 320K bytes of RAM, using as little as 300K bytes of disk space. (See photos 1 through 11.)

The document printer/formatter can produce documents of up to 500 pages and automatically generates a table of contents, headers, etc. The disk operating system can perform directories, memory dumps, interactive debugging, generic file copies, deletes, merges, and even generic N compiles or native assemblies.

The Lision text editor does line or column move or copy, group search or replace, wrap-around paragraph managing, and even sorting. The spreadsheet is fully programmable. It includes all the transcendental functions, IF. . THEN statements, user definable commands, and a wide range of full programming features.



Wait-less Computing is brought to you by MicroSpooler.

In the business world, time means money. So you want your computer to make the most of every minute. But while your printer is busy printing, your computer is busy... walting.

MicroSpooler[™] from Consolink keeps your computer free for use even when your printer is operating. It stores data, then sends it at the fastest rate your printer will accept. There's no down time, so there are no needless coffee breaks. And your computer is back on the job in seconds. working instead

Because MicroSpooler " is a stand-alone buffer, it can be easily

installed in-line between almost any printer and computer, as well as communications and peripheral devices. And its attractive case and compact size allow it to fit comfortably in any office environment.

Standard features include

- 16K memory expandable to 64K
 Status readout displays amount of data stored or number of copies left
- to run (up to 99) Internal power supply—eliminates extra cost and bulky adaptors

MicroSpooler™ from Consolink. When you want your computer to wait less ... and work more.



CONSOLINK CORPORATION




Photo 1: Lisicalc, the Transoft spreadsheet, shown with one of its pop-up menus.



Photo 2: The spreadsheet shown with the program it automatically generates. Programs in the Laplace interpreter can generate spreadsheets, and use of the spreadsheet generates programs.



Photo 5: The spreadsheet and word processor in different windows. The user is preparing to copy the title "SMALL BUSINESS PACK-AGE" from the text file at right directly into the spreadsheet at left. Large blocks of text can also be moved.




Photo 6: The heading now appears in the spreadsheet.



Photo 9: Preparing to do a descending alphabetic sort on a column of words.



Photo 10: A Lisiword window overlapping a Lisicalc window.



Photo 3: Lisiword, the word processor, preparing to sort a list of numbers in a text file.



Photo 4: The page numbers in the text file are now in ascending order.



Photo 7: Preparing to copy a column of numbers from the spreadsheet into the text file.




Photo 8: The numbers now appear in the Lisiword text file.




Photo 11: Three Lision windows showing a dump for a machine language file in hexadecimal, a program written in the Laplace interpreter, and a program written in the N compiler.

Lision's database-management system is not quite finished at this writing. When complete, it will include masked screen display, data entry, and creation; automatic report generation and creation of report formats; and impromptu inquiry in an English-like query language.

Lision features a single-line menu at the top of the display for highlighting current user options. Function keys take the place of the mouse for selecting menu options and do not disturb the normal cursor position in the current window. Furthermore, the system features user-programmable function keys (softkeys) to automate menu selections or any other operations.

Lision allows multiple programs to operate simultaneously, each with its own different screen. Windows can be placed anywhere on the display and may be of any size. They may overlap, be side to side, on top of one another, and so on (the desktop metaphor). Data can be transferred from any window into any other.



JOIN NOW AND SAVE!

dBase II™

(For SYSTEM members only)

WORDSTAR™

(For SYSTEM members only)

"THE SYSTEM" HAS THE NEW IBM PC JR. SOFTWARE NOW! CALL FOR OUR LOW PRICE

DO YOU QUALIFY to be a member of "the SYSTEM"?



In every battle, we came up the victors. Not only in price, but in service and support as well.

Call to order:

(in NJ 609-424-4700)

We carry:

Intertec Data Systems Corvus Concept Corvus Hard Disk C. Itoh Printers

THE NETWORKING EXPERTS

TriStar Data Systems 2 Keystone Avenue Cherry Hill, NJ 08003 609-424-4700 215-629-1289

WE SERVICE WHAT WE SELL

Using the new software bus tools, the Reason research project created Lision in less than 10 person-weeks. Lision was begun on July 15, 1983, and the first draft of this article was written on September 27, 1983, using Lision.

Summary

Design work on the Reason software bus began on July 1, 1981. Final cleanup on this generation of tools should be completed before you read this article. The bus and Lision are currently operational, although they require beta testing and bug fixes.

The entire Reason software bus was developed in less than 36 engineering person-months. Equipment used in the project comprised two 68000-based desktop computers and an IBM.PC system modified by inclusion of a 68000 board manufactured by Analytical Engines Inc. of Austin, Texas.

One favorable compiler timing comparison and one favorable applications development project do not a technology make. Of course, we at the Reason research project are excited about our progress. We have high hopes for the future. However, if software-busing concepts, and the Reason software bus in particular, are to become a factor in future technology, they must remain productive across a number of tests and within a number of different environments.

If they continue to be productive, it's possible that software-busing concepts may form a new software technology with dramatic effects on the software choices of the future.

Because of this possibility, members of the Reason research project, together with other associates, have formed a company called Transoft Corporation to market the products of Reason research. Lision, no doubt under another name, will be one of the company's first products.

Michael F. Korns has been a software engineer for 18 years. He has worked in systems design for IBM, as a DP Manager for Tymshare, and until 1981 was a principal in Computhink (now called Momentum Inc.). A student of mathematics, his primary interest is in artificial-intelligence software. He can be reached at Transoft Corporation, 233 Page St., San Francisco, CA 94117.



Time for your computer to make the telephone connection — with an intelligent, full 212A 300/1200 baud modem — with a real time clock/calendar — and with the capability to expand into a complete telecommunications system. It's time for PRO-MODEM 1200. Much more than just a phone modem.

When you're on-line, time is money. PRO-MODEM telecommunication systems help you save. By monitoring the duration and cost of your phone calls. And by sending and receiving messages, unattended, at preset times when the rates are lower. . . with or without your computer.

Compare the \$495 PRO-MODEM 1200 with any other modem on the market. For example, you'd have to buy both the Hayes Smartmodem 1200 plus their Chronograph for about \$950 to get a modem with time base.

PRO-MODEM 1200 is easy to use. A convenient "Help" command displays the Menu of operating command choices for quick reference whenever there's a question about what to do next. Extensive internal and remote self-diagnostics assure that the system is operating properly. Some of the other standard features include Auto Answer, Touch Tone and Pulse Dialing, and Programmable Intelligent Dialing.


PRO-MODEM does more. It lets you build a full telecommunications system with features like Auto Dialer, Incoming and Outgoing Message Buffering, Business/Personal Phone Directory, Programmable Operating Instructions, a 12-Character Alpha-Numeric Time and Message Display, and versatile PRO-COM Software. PRO-MODEM commands are Hayes compatible so you can use most existing telecommunications software without modification.

There's much more to the PRO-MODEM story. See your local dealer for complete details. He'll show you how to save time. And money.

Prometheus Products, Inc., 45277 Fremont Blvd., Fremont CA 94538, (415) 490-2370



The Texas Instruments Quite simply, the best on the market today.



Professional Computer: personal computer And tomorrow.

For your best performance and productivity, rely on the TI Professional Computer.

Critics have called it "the machine IBM should have designed." And "the optimum personal computer." And thousands of demanding business and professional people have had similar praise for the design, software availability and dependability of the Texas Instruments Professional Computer. Here's why.

Best internal design.

With the TI Professional Computer, you avoid the possibility of computer underbuy or overbuy. Unlike IBM, our standard PC can grow to XT capability — so you don't have to choose between a PC or an XT. If you need more computer after you buy the standard TI Professional Computer, add features like internal memory up to 768K RAM. And internal 10 megabyte Winchester disk. Or other expansion capabilities which you can add using our 5 built-in option slots. So you get more computer without buying a new one.

Best graphics.

Our high resolution monitors give you some of the sharpest displays available, 3-plane graphics and the capability for 8 simultaneous colors or monochrome shades (IBM and Apple give you only 4). Plus, unlike IBM, the same software runs on either the color or monochrome monitor.



Best software available today.

Literally hundreds of third-party software packages are available for the TI Professional Computer. Including the best-sellers like Lotus 1-2-3™. TI and leading third-party software suppliers are committed to developing new programs to help keep your business ahead.



Best keyboard.

Superior design makes this the easiest to use keyboard. You get 12 programmable function keys for faster, easier use. Separate numeric keypad and cursor controls. And isolated edit/delete keys to prevent accidental loss of data.

Best new features for the future.

Come in to a participating dealer today for a demonstration of the TI Professional Computer using our revolutionary speech recognition to capability. Soon you will be able to add the recently announced Speech Command ™ option to the TI Professional Computer. This will enable you to operate the computer with simple voice commands. Which lets you work a lot faster and easier.

Best support equipment.

We offer companion equipment like the OMNI 800° Model 850 and 855 printers for reliable hard copy output. And, in early 1984, the EtherLink™ Local Area Network to connect your office workstations. All backed by the TI worldwide network of service and support.


See the TI Professional Computer for yourself. It is, quite simply, the best. Today and tomorrow. Now at participating ComputerLand stores and independent dealers. For the location nearest you, and answers to questions about your computing needs, call 1-800-527-3500.

Texas Instruments

Creating useful products and services for you.

 OMNI 800 and Speech Command are trademarks of Texas Instruments Incorporated.
 EtherLink is a trademark of 3Com Corporation.
 1-2-3 is a trademark of Lorus Corporation.

*Now being demonstrated nationwide. Available early 1984. Copyright © 1983 Texas Instruments 2773-04OPC



R B5X is a little fellow, almost 2½ feet tall. He is cylindrical, available with or without an arm, and has a domed plastic top (see photo 1). With two powered-drive wheels and two casters for balance, he can pivot around his own center point, rotate 360 degrees within his own diameter, and move forward or backward at about 4 inches per second. He's equipped with a ring of bumper switches, a highly directional sonar system capable of sensing remote objects or barriers at distances ranging from 10 inches to 35 feet. Infrared sensors under his body can detect markers on the ground, including a line that guides him to a charger at which he feeds his two sealed leadacid batteries (see photo 2).

RB5X is a personal robot, the first in a series under development by RB Robot Corporation. RB5X is an example of state-of-the-art personal robots now reaching the market for the first time.

The robot can be fitted with a vacuum cleaner (see photo 3), a trailer, a voice, a compass for navigation, and even a fire detector and extinguisher. With speech-recognition equipment, RB5X can come when called and respond to useful spoken commands.

Notably, the robot is designed for growth. This initial design uses an INS-8073 8-bit processor from National Semiconductor with Tiny BASIC in ROM (read-only memory) and 8000 bytes of RAM (randomaccess read/write memory) to program control of the robot. Memory can be expanded with another 16,000 bytes of RAM, plus 4K-byte EPROM (erasable programmable ROM) cartridges for prewritten programs. The system motherboard provides several slots for expansion. Options as well as additional plug-ins developed by RB Robot and other companies are all designed to use this bus.

Robots, even more than mass-marketed computers, are expected to communicate with people in a convenient and friendly style. RB5X's programming language, Tiny BASIC, has some good features and packs a lot of power in a very small package, but convenience and friendliness with nontechnical strangers cannot be counted among its good features. For example, to sound the robot's horn, it's necessary for a programmer to type an instruction such as @#7801=#80. To make the horn stop, a different instruction is needed. This isn't what the average person has in mind for conversation with a robot. When we designed RB5X, we knew that a natural language for control of robots would be essential to their general ac-

Robots, even more than mass-marketed computers, are expected to communicate with people in a convenient and friendly style.

ceptance in society. The open question was, "How soon could it be done?"

The first steps were taken with remarkable speed. In June of 1983, the RB Robot staff examined a software system called Savvy developed by Excalibur Technologies Corporation. This system showed that the state of the art in plain-language programming and communication with computers had moved faster than anticipated. Even in its first release, Savvy offered a way to leap almost immediately from communication exclusively in computer code to communication in plain language.

We do not intend to do a full exposition of Savvy in this article. (The Savvy programming language will be reviewed in the February BYTE.) Briefly, the Savvy system integrates a computer operating system, an indefinitely extensible computer language, utilities, and applications.

Savvy is integrated with an adaptive pattern-recognition process (APRP) that lets it determine and act upon the meaning of imprecise inputs, program names, or instructions. For example, if Savvy has been programmed to recognize the instruction BLOW THE HORN, it will without further training recognize such mistyped or rephrased instructions as BLWO YOUR HRON, BLWO THEH ORN, etc.

Any specified input can be connected in Savvy with any specified output. Thus, the Savvy system can be trained so that if it sees a pattern that seems more like BLOW YOUR HORN than anything else, it should output the instruction @#7801 = #80. Furthermore, Savvy can learn that HONK and SOUND WARNING and OBLAY DER SIGNALS ORNHAY all mean BLOW YOUR HORN. If you then type SOUND THE HORN, the correct Tiny BASIC code will be emitted.

RB Robot contracted with Excalibur for development of a new robotcontrol language (RCL) that uses the Savvy system on the Apple II computer. Programs are written in plain language, then automatically crosscompiled into Tiny BASIC code that is downloaded into the robot's computer.

Working in RCL with Savvy, a programmer of RB5X doesn't need to remember whether the command to move forward is @#7802=#9 or @#7801 = #20; he simply types MOVE FORWARD.RCL is more than a simple substitution of English words for computer code. The programmer can at any time add to the RCL vocabulary. In fact, the programmer creates a new language in using the system; he not only adds synonyms to the existing commands but creates new commands and extends the language as far as desired.

If the operator writes a routine in RCL that causes the robot to run in a circle, the name of that routine (probably RUN IN CIRCLES or MAKE A CIRCLE) becomes part of the RCL vocabulary. RUN IN CIRCLES becomes a command with

Photo 1: RB5X, a personal robot, standing next to the "charger/nest." When the robot finds the nest, the two metal contacts on the front make contact with the metal strips of the curved surface of the charger and recharge the robot's batteries. (Photos courtesy of RB Robot Corporation.)



Photo 2: An internal view of RB5X that shows the main circuit board and rechargeable batteries.

as much authority as any Savvy primary-language command like ADD, EDIT, or SAVE. Perhaps the operator wants the robot to do a dance while humming its own tune. The robot may be instructed to MOVE FORWARD, then RUN IN CIRCLES, then MOVE BACKWARD. It is unnecessary to tell the computer to go and find the subroutine called RUN IN CIRCLES, fetch it, and then run it. The name of the routine itself, RUN IN CIRCLES, implies all that, and Savvy does it automatically without requiring detailed instructions.

You can think of Savvy as an automatic programmer that knows all of the details about the computer system. It tells the computer how to accomplish the steps of the task, specifies memory allocation, data types, linking, and blocking. Savvy tells the computer when to open and close files and how to move through the structural hierarchy from one point in the system to another. Savvy

knows more about the internal operations of an Apple or IBM Personal Computer system than most human programmers. It follows the step-bystep instructions of a human programmer to code the program.

Savvy and a programmer must be able to communicate. RCL is the vocabulary created to enable that communication. If any wording choice seems unbearably bad to any RCL user, that person can associate some preferred name with the bad one and use that. To each his own.

Skilled programmers, proud of their ability to operate in obscure codes, may choose to give RCL an efficient vocabulary of very short names. You might teach the system that MF means the same as MOVE FORWARD, MB, MOVE BACK-WARD, and RIC, RUN IN CIRCLES. Using this kind of technique does not necessarily hide the meaning from newcomers to the code. Savvy interprets each command in terms of its

original, underlying vocabulary. Unless the programmer takes steps to obscure the meaning of the program (which can be done), the program task is ultimately documented by the system in plain text.

The vocabulary is constantly expanding because new fundamental instructions are continuously being added to the system for operation of the arm and hand, sensory systems, and other peripherals. The RCL programmer can add instructions, updating the system at any time, simply by defining the new terms to the system. RCL users will often develop new fundamental instructions that seem useful to them and add them to their own systems. No users group has yet been formed to publish and maintain a dictionary of terms common to all RCL users, though such action would facilitate standardization from system to system.

Developing RCL was essentially a job of writing a compiler as an application program in Savvy. The mechanics of the system were determined by the nature of the existing Tiny BASIC software and hardware. The National Semiconductor microprocessor, memory, and supporting circuitry are packaged specifically as a Tiny BASIC engine.

The goal in developing RCL was straightforward: create a plain-language programming environment that will let a user readily create and edit "scripts" to govern a robot's behavior. We did not want to limit the effective utilization of all of the hardware features of RB5X, and we wanted to make good use of Tiny BASIC. We aimed to create a flexible, easily extensible set of programming constructs.

The INS-8073 directly supports an RS-232C port through which a terminal can communicate with the Tiny BASIC interpreter/monitor in the RB5X. It was clear that with a correctly functioning robot, we didn't need two-way communication with Tiny BASIC. We could work just one way, downloading a program from the Apple to the robot.

Communications resolved, the next concern was storage of the Tiny BASIC program text. The typical syntax of a BASIC statement is statement numbers and then statement text. Therefore, a program file folder was named SOURCE, which had as its indexing item STATEMENT NUMBER and the two items BASIC TEXT and MEANING. BASIC TEXT is the program statement, and MEANING is a diagnostic and educational remark for the user.

By way of clarification, Savvy terminology, as well as structure, is somewhat different from convention. Savvy uses the word *folder* for what is commonly called a "file," *page* for "record," *item* for "field," and *task* for "program." (Yes, there is debate about this, but we'll not enter it here.)

The folder structure for stored Tiny BASIC text in RCL is:

SOURCE (a folder)

1 Id STATEMENT NUMBER

2 Item BASIC TEXT

3 Item MEANING

Each robot script is, in fact, a Savvy task and is edited by the Savvy task editor. The "primitive" programming elements of RCL are the kinds of commands we suggested above. For example,

GO FORWARD SPIN RIGHT 90 DEGREES WAIT this many seconds <1> TURN ON HORN SAY this phoneme <1>

From these discrete instructions, the Savvy task editor compiles the Tiny BASIC text necessary to accomplish the function specified.

Here is the process for compiling a single line of Tiny BASIC: Increment the current line number to form the STATEMENT NUMBER for this statement, copy the appropriate piece of text to the BASIC TEXT, copy any meaningful text description to the MEANING, and then save this page of data in the SOURCE folder. Two tasks have been written to accomplish this compilation:

INCREMENT STATEMENT NUMBER (a task)

- 1 Does ADD the STATEMENT NUMBER and STATEMENT NUMBER INCREMENT VALUE
- 2 and COPY from SUM to STATEMENT NUMBER
- 3 and END

COMPILE the BASIC statement <1> which means <2> (a function)

- 1 Does INCREMENT STATE-MENT NUMBER
- 2 and COPY from (1) to BASIC TEXT
- 3 and COPY from (2) to MEANING
- 4 and SAVE new page in SOURCE
- 5 and END

With these two tasks, it's easy to write one-liners to compile a statement. Some RCL primitives are very simple. For example, STOP ALL MOTION (a task) does a COMPILE of the BASIC statement @#7802=#0 (which means STOP ALL MOTION). In another example, the primitive WAIT goes through logic to determine if a specified waiting period is shorter than one second. (In many

Text continued on page 130



Photo 3: RB5X with an optional vacuum-cleaner attachment.

"I've got a big problem keeping sales leads organized."

"Not me.
I've got marketing
management
software from JEB."

With MMS microcomputer software, you can keep track of prospects and effectively organize follow-up of every one.

You can rapidly send sales leads to the field. Then generate reports to analyze their value. Produce direct mail lists, labels ... and more. JEB gives you an efficient way to increase your company's sales and profitability. And you can do all this for only \$595.

The Marketing Management System (MMS) software package is ready to run on CP/M, PC-DOS and MS-DOS microcomputers and can be adapted for minicomputers. And with JEB, you can rely on our assistance to help modify the program to meet your specific needs. Our MMS program gives you the efficient marketing management you demand.

☐ Please se	now how JEB can help me. and more information. ave a salesperson call.
Name	
Title	
Company	
Address	
City	State
Zip	Phone ()
JEB J	fustems.Inc

Listing 1: The Charger Finder routine written in RCL with Savvy. The program instructs the robot to search for a metal tape on the floor and follow that tape to the "charger/nest."

1 RESET THE ROBOT 2 INITIALIZE MEMORY 3 BEGIN A REPEATING PROCEDURE INITIALIZE MESSAGES 5 CLEAR ALL VARIABLES 6 BEGIN A REPEATING PROCEDURE GO FORWARD 8 LEAVE IF ANY BUMPER TOUCHED 9 DOES THE variable R compare = to ZERO 10 LEAVE THIS REPEATING PROCEDURE 11 END TEST REPEAT THIS REPEATING PROCEDURE 12 LEAVE IF TAPE IS SENSED MOVE WITH BETA INTELLIGENCE REPEAT THIS REPEATING PROCEDURE 16 FOLLOW TAPE 17 MAINTAIN CHARGE

Listing 2: The Charger Finder routine compiled into Tiny BASIC code. This program is transferred from the Apple II computer into the RB5X's on-board computer.

Tiny BASIC Text

160 @#7802=#09 170 Y = @#7800 180 IF Y < 255 GOTO 230 190 IF R < 0 GOTO 210 200 GOTO 230 210 REM END HERE 220 GOTO 150 230 REM EXIT TO HERE 240 X = #02 250 GOSUB 1100 260 R = @#7802 AND #40 270 IF R = 0 GOTO 310 280 GOSUB 2000 290 REM RETURN GOES HERI 300 GOTO 120 310 REM EXIT TO HERE 320 REM START A LOOP 330 @#7803 = #98 340 CLEAR 350 REM START A LOOP 360 @#7802 = #08 370 X = #02 380 GOSUB 1100 390 R = @#7802 AND #40 400 IF R = 0 GOTO 440 410 Q = @#7802 AND #20 420 IF Q = 0 GOTO 440	170 Y = @#7800 180 IF Y < 255 GOTO 230 190 IF R < 0 GOTO 210 200 GOTO 230 210 REM END HERE 220 GOTO 150 230 REM EXIT TO HERE 240 X = #02 250 GOSUB 1100 260 R = @#7802 AND #40 270 IF R = 0 GOTO 310 280 GOSUB 2000
--	--

Meaning of Text

Number of whole seconds Go wait Number of whole seconds Go wait Initialize I/O Initialize experience block Initialize inhibition block

Begin A Loop Initialize I/O Clear variables Begin A Loop Go forward Test for bumper contact Exit if any contact Make a comparison Exit this Loop Fall through to here Repeat this Loop

Turn on LED 1
Go turn on a bit
Test for tape sense
Exit if tape sensed
Go to Beta Subroutine
Return to here
Repeat this Loop

Begin A Loop
Intialize I/O
Clear variables
Begin A Loop
Right forward
Turn on LED 1
Go turn on a bit
Test for tape sense
Exit if tape sensed
Test for charger contact
Exit if charger sensed

JEB 3

57 Main Street, P.O. Box 70 Franconia, N.H. 03580 (603) 823-5587/7021

NOW 256K

SORRY CHARLIE!

If you just bought a 16-bit 8088 computer with a 160K drive, 256K RAM, Ramdisk and spooler software, MS-DOS, Wardstar, ColcStar, EZ Writer, Color graphics BASIC and a printer part, you're gaing to be sorry when you read this ad. Why? Because Scottsdale Systems will give you all this for \$1099.

The color graphics board built-in to the PC-PlusTM generates a resolution of 640x400 dats in manachrome, and generates 8 colors. The circuit board is presocketed for 256K. and an 8087 chip, and is warrantied for a full year by 50 Sanya Service Centers.

The PC-Plus will run many programs written for the IBM-PC®, yet costs less than one-third as much. Due to the huge demand far the PC-Plus you may have to wait, but give us a call far mare information. Better safe than sarry!

PC PLUS_{TM} PC DELUXE_{TM}



TELEVIDEO

Single user systems now backed notion-wide by Xerox. Single user systems now include Word processing, spreadsheet and graphics software (along with CP/M or CP/M-86). Local Installation of multi-

TPC	Call
	\$1849
1603	\$2289
802H	\$4319
OO211 . 48418 E8 4541 5012 51905 8005 51905	
806/20 mb	\$4859
0.1110	\$9275
810/40 mb	97210

ALTOS



From the lowest-priced dual floppy multi-user systems to true 16-bit 10 Mhz. multiuser systems. Local service available via TRW. We will configure, test and install your systems for an additional charge (call for prices).

5-80-2	\$1998
5-80-10	\$3629
5-86-10	\$5795
5-86-40	\$7995
8000-10	\$4679
8000-14	\$8118

SANYO



Our best selling Z-80 system just went down in price. Each system includes, dual drives. CP/MB, Sarryo Basic. Wordstor M. MoliMerge. Spellstor. Calcaro, InfoStor. o games disk. and 2 Boxes of disks.

Nationwide service.	
Sanya 1150 (640K)	Coll
Sanyo 1160 (1.2mb)	
Sonyo 1250	Coll

\$2699

COLUMBIA



Each Columbia now comes with MS-DOS. CP/M-86. Basico (with IBM-PC® composible color graphics), Perfect Viller TM. Perfect Speller TM. Perfect ColoTM. Perfect Flier TM. Fast Graphs, Home Accr Plus. Space Commanders. Diagnosits, and The Columbia Turor. The VP is 36 lbs. partable with a built-in 9" monitor. The 1601 is the deskrop unit. Baincomputers come with dual 320K drives, and are backed by Bell and Howell.

VP	\$2349
1601	\$2479
1600-4 (10mb)	\$3545

TERMINALS



Adds Viewpoint 3A+ Emulores the ADM-3A detached keyboard, keypod. 12" green display, nationwide Adds service.

	373 /
Viewpoint 60	\$589
Wyse 50	\$508
Wyse 100	\$694
Televideo 914	Call
Televidea 924	\$689
Televideo 970	\$1044
Altos II	\$724
Zenith Z-29	\$656
Zenith ZT-1	\$469
Qume 102	\$544
HOUSTON	

INSTRUMENTS

DMP-29 DMP.40 DMP-41 \$2340

ZENITH Z110



Scottsdale Systems Ltd.

617 N. Scottsdale Road, Suite B. Scottsdale, Arizona 85257

(602) 941-5856

Call 8-5 Mon.-Fri.

We participate in arbitration for business and customers through the Better Business Bureau of Maricapa County.

SERVICE/ORDERING

INTEGRATION: Prices listed are for new equipment in factory sealed baxes with manufacturer's warranty. We will prefest your equipment, Integrate your system, configure your software, pravide special cables, etc., for an additional charge. Call for prices.

ORDERING: MAIL ORDER ONLY, Pices listed are for cash, No C,O.D.'s, We sell on a Net 30 basis to Fortune 1000 componies and fulniversities with good credit, P.O.'s add 2%, charge cords add 3%. Az, residents add 6%. Prices subject to change, product subject to ovaliability, Personal checks take 3 weeks to clear, 0-20% restocking fee for returned merchandles. Shipping extra-products one F.O.B. paint of shipment, CP/M and MP/M are registered trademarks of Digital Research. Wardstart is a registered trademark of MicroPro International Business Machines Carparation. Televideo® is a registered medemark of TeleVideo Systems, Inc..." SOFTWARE: Sold only w/systems, nor worrantied for suirability.

PRINTERS



Gemini 10X \$11	
Gemini 15, 15X	Call
Delro 10's	Coll
Epson	
	\$584
Tolly 180L/trac	\$799
Tally Spirit	\$298
Anodex	Coll
IDS Prisms	Coll



LETTER QUALITY

Silver Reed 500	\$409
Silver Reed 550	\$654
Sanyo PR5500 .	Less
Silver Reed 770	
NEC 7710	
NEC 2000's	Call

OKIDATA



The new Microline 92's and 93's feature 160 C.P.S. draft mode, 40 C.P.S. correspondence mode. Standard parallel, serial cord odd \$91.

Microline 92	\$175 off
Microline 93	\$290 off
Microline 82	\$134 off
Pocemork 23	SOP Coll

Replaces the Daisywriter 2000, Uses the same printwheel ribbons, and tractor feed. Will run serial, parallel, or IEEE 488, 48K buffer standard, uses Diablo codes.

\$1044



Tiny BASIC Text

430 GOTO 350 440 REM EXIT TO HERE 450 Q = @#7802 AND #20 460 IF Q = 0 GOTO 800 470 X = #40480 GOSUB 1100 490 T=0 500 DO 510 T=T+1 520 @#7802 = #09 530 R = @#7802 AND #40 540 UNTIL (R<>0) OR (T>=100) 550 DELAY 100 560 @#7803 = #98 570 CLEAR 580 REM START A LOOP 590 @#7802 = #01 600 X = #02 610 GOSUB 1100 620 R = @ #7802 AND #40 630 IF R = 0 GOTO 670 640 Q = @ #7802 AND #20 650 IF Q = 0 GOTO 670 660 GOTO 580

670 REM EXIT TO HERE

690 IF Q = 0 GOTO 800

700 X = #40

720 T=0

730 DO

710 GOSUB 1100

680 Q = @#7802 AND #20

Meaning of Text

Repeat this Loop

Test for charger contact Exit if charger sensed Turn on flashing lights Go turn on a bit Initialize Do the following Math function Go forward Test for tape sense Check exit conditions Short wait Initialize I/O Clear variables Begin A Loop Left forward Turn on LED 1 Go turn on a bit Test for tape sense Exit if tape sensed Test for charger contact Exit if charger sensed Repeat this Loop

Test for charger contact Exit if charger sensed Turn on flashing lights Go turn on a bit Initialize Do the following

Tiny BASIC Text

740 T = T + 1Math function 750 @#7802 = #09 760 R = @#7802 AND #40

770 UNTIL (R <> 0) OR (T > = 100) 780 DELAY 100 790 GOTO 320 800 REM EXIT TO HERE

810 GOSUB 2310 1000 FOR S = 1 TO T

1005 DELAY 1000 1010 NEXT S

1015 RETURN 1100 U = @ #7801 1105 U = U OR X

1110 @#7801 = U 1115 RETURN 1120 U = @#7801 1125 U = U AND X

1130 @#7801 = U 1135 RETURN 2000 P = @ #7800

2010 IF P = 255 THEN P = 251

2020 V = @(N + P)

2030 IF V<>#FF GOTO 2100 2040 V = RND(1,14)

2050 IF (V = 3) OR (V = 12) OR

(V = (0 + P)2100 @#7802 = V

2110 T=2 2120 GOSUB 1000

2130 D = 200

2140 IF (@#7800<>#FF) OR (D<95) GOT

2150 @(N+P)=V 2160 CLEAR 2170 GOTO 290 2200 @(0 + P) = V -

2210 GOTO 2040 2310 REM START A LOOP 2320 REM START A LOOP 2330 Q = @ #7802 AND #20

2340 IF Q = 0 GOTO 2560 2350 P=0

2360 REM START A LOOP 2370 P=P+1

2380 @#7802 = #09 2390 DELAY 100

2400 @#7802 = 0 2410 Q = @#7802 AND #20 2420 IF Q = 0 GOTO 2540

2430 IF P<>5 GOTO 2520 2440 @#7802 = #06

2450 DELAY 1000 2460 @#7802 = #09 2470 T = 1

2480 GOSUB 1000

2490 DELAY 100 2500 @#7802 = 0

2510 P=0

2520 REM END HERE 2530 GOTO 2360

2540 REM EXIT TO HERE 2550 GOTO 2320

2560 REM EXIT TO HERE

2570 X = #04 2580 GOSUB 1100 2590 DELAY 1000

2600 @#7803 = #98 2610 GOTO 2310

2620 REM EXIT TO HERE

END OF PROGRAM

Meaning of Text

Go forward Test for tape sense Check exit conditions Short wait Repeat this Loop

Charge maintain routine Wait T seconds subroutine

Turn on a bit @#7801

Turn off a bit @#7801

Bumper pressed Sonar treated as bumper #1 Check experience block Try action Pick random action

Pick another Try action

Number of whole seconds Go wait Cancel sonar test

Not successful

Successful Clear variables Back to main program Not successful

Begin A Loop Begin A Loop Test for charger contact Exit if charger sensed Initialize Begin A Loop Increment Loop count Go forward Short wait Stop all motion Test for charger contact Exit if charger sensed Make a comparison Reverse Short wait Go forward Number of whole seconds

Go wait Milliseconds to wait Stop all motion Initialize Fall through to here

Repeat this Loop

Repeat this Loop

Turn on LED 2 Go turn on a bit Short wait Initialize I/O Repeat this Loop

WATCHMAKER CNC



Compatible with your own APPLE II, IBM PC, DEC.

- Tum steel, aluminum, brass, plastic
- Create prototypes and replacement parts to perfect fit
- Make one or a thousand perfect turnings
- Update and automate your small machining operations
- Fully train new CNC operators

Precision is ± .0001". Swing over bed is 1.5", with 8" between centers. Ball bearing spindle and precision gib slides give reproducibility to .00025".

Program the lathe in conventional CNC code, with linear and circular interpolation and store up to 200 different patterns on one diskette. With any popular personal computer, you can get:

LATHE AUTOMATION FOR \$2500.

LIGHT MACHINES CORPORATION

649 East Industrial Drive, Manchester, NH 03103 (603) 625-8600



VS. THE BANK.



Savings you can take to the bank: 200 MB only \$2,195. CORVUS is proud to introduce the BANK.

It's the most dramatic breakthrough in lowcost, high capacity mass memory systems since CORVUS introduced the Winchester disk for microcomputers in 1979.

The BANK's removable tape cartridges hold up to 200 megabytes of information. That's equal to 1000 double density floppies or 10 times the capacity of the largest hard

disks commonly available for microcomputers. You can use the BANK to complement a Winchester disk. It has 19 times the capacity.

And the BANK's cartridges are removable for unlimited capacity and storage.

On-line archival back-up you can bank on. You can use the BANK as a random access archival device. If your Winchester disk fails, you can restore selected volumes without having to restore the entire

contents of the hard disk.

The BANK is the perfect solution to your back-up storage problems as a shared storage device on OMNINET"—the leading Local Area Network for microcomputers.

Call CORVUS for the name of the dealer nearest you. We're sure you'll smile...all the way to the bank.

For more information contact: CORVUS SYSTEMS, 2100 Corvus Drive, San Jose, CA 95124, 1-800-4-CORVUS.

CÔRVUS

THE NETWORKING COMPANY.

The BANK connects to various brands of computers using OMNINET Local Area Network TRANSPORTER "interface cards. The BANK is currently available for the CORVUS CONCEPT" and the IBM PC." CORVUS, THE NETWORKING COMPANY, the BANK, OMNINET, CORVUS CONCEPT and TRANSPORTER are trademarks of CORVUS SYSTEMS. INC. IBM and IBM PC are trademarks of International Business Machines.

'Rover, Fetch a Dozen #9 Ratchets'

by Nelson Winkless

Personal robots have come a long way technically in the last few years. Advances in digital electronics have made it practical to build compact sensory, information-processing, and control systems that can ride in self-powered carts that aren't too large or heavy. The laboratory curiosities that have been rolling around research institutions and a few home workshops have become today's affordable "personal robots," loaded with potential. But potential for

A case has been made for using robots as household pets. They can be companions, health monitors, entertainers, communicators, and protectors, given a lot of hardware and software development that robot enthusiasts now are beginning to provide in increasing quantity. Pets are highly valued in our society, and the reasons for keeping dogs and cats around the house apply as well to keeping robots around the house. The discussion of pets is worthwhile, but let us not dwell on it here.

Our society prizes things that are specifically useful. Robots will fare well if they do useful work for people. Personal computers now do work for people, and businesses have no trouble finding excuses to buy them. Individuals have more difficulty finding excuses; games are a weak excuse, keeping personal accounts is fairly feeble, but word processing is pretty good. Robots offer even fewer practical excuses for their purchase, but their potential in the long run exceeds that of personal com-

Just as the definition of the "personal" computer remains cloudy, the definition of "personal" robot is shrouded in uncertainty. Indeed, while we have pretty well agreed on what a computer is, we have by no means agreed on what a robot is, so the definition of a personal robot is doubly obscure. Without pretending to settle matters, I've come up with some guidelines for distinguishing personal from nonpersonal robots. But first we must talk about computers.

Before personal computers came among us, we had only institutional computers. They were owned by government agencies, large businesses, and other organizations. The work produced by the institutional computer is looked upon as the work of the organization. The personal computer, however, is looked upon as the implement of an individual. That person uses the computer as if it were a pencil, a pocket calculator, or a telephone. The individual, not the organization, is responsible for the work produced by that personal instrument, even when the individual is operating in an institutional setting. There's no ceremony involved in using the personal computer, no labored allocation of resources, no meetings, no sign-offs (that is, after the initial effort to get the computer). The individual uses the machine as casually as a pad of paper and is fully responsible for what is produced.

The institutional robot is typically part

of a production system. The machine's work can be changed by changing its program, but it is used as part of a larger scheme, worked out and administered by an organization. The personal robot will be identified with an individual who is responsible for its actions, misbehavior, and good deeds. The individual will get credit and blame for its performance, as does the user of an Apple. (Am I my robot's keeper? Yes.)

Personal robots represent the convergence of two lines of technical developmentautomobiles (in the sense of "self-moving" systems) and computers. You might think of personal robots as mobile machines to which we are now finally adding flexible automatic guidance and control systems. You might think of robots primarily as computers that can move around. You might also think of them as artificial animals, neither vehicles nor information handlers but self-serving systems that interact with their environment in a way that enables their own survival; in essence, a new class of machine.

What practical excuse can we find for getting acquainted with personal robots? Well, let's go back to "automation."

Technologists have been working on factory automation for a long time and making good headway. The automated office began with word processors, communications equipment, personal computers, etc. Office automation has been most effective in small enterprises, where one personal

Text continued from page 125:

robot scripts, RB5X is instructed to wait for a specified period of time before going on to the next action.) If the period is shorter than one second, RCL computes a "DELAY nnn," where nnn is in milliseconds. Otherwise, it calls an integer second delay subroutine and, if necessary, compiles a DELAY for any fractional period.

This is the general model for implementing primitives of RCL. Of course, many primitives are provided to the RCL user, so the casual robot user needn't get down to that level. The next higher level of RCL primitive is exemplified by:

HONK the horn for this many seconds <1>

- 1 Does TURN ON HORN
- 2 and WAIT this many seconds
- 3 and TURN OFF HORN
- 4 and END

Again, we are not attempting here to provide a complete explanation of Savvy. We're merely showing the approach to using Savvy in RCL to compile Tiny BASIC. Let us reiterate that the casual RCL user never sees the compiled Tiny BASIC code unless by choice. Indeed, he never has to see the comparatively plain-language Savvy tasks. The whole point of RCL is to give the robot operator a simple means for telling RB5X what to do. The mechanism outlined above does that.

By way of demonstration, the 17line RCL routine in listing 1 compiles the 262-line Tiny BASIC routine in listing 2. RCL with Savvy is new and will clearly never be "complete," but it serves its immediate purposes well, and RB Robot is developing applications programs in RCL to put RB5X through a lot of paces.

computer, such as an Apple, serves many functions: production scheduling, word processing, bookkeeping, inventory control, mailing-list management, and so forth.

In the shop or office, the personal robot can become a strange combination of uncomplaining menial and brilliant informant. Imagine a scenario along these lines: You're running a small assembly plant. Ten or 15 workers take components, assemble them into your products, package them, and ship them to customers. The business is not very complicated, but it depends upon alertness, responsiveness, quality control, and a smooth flow of production. You add a robot to the staff. Give it a name, something neutral to avoid social conflict. Call this machine "Rover:"

Rover learns the layout of the shop, the schedules, the identities of other employees, the social hierarchy, the protocols (who gets out of whose way), and the rhythm of the place.

People tend to drop small components. In many cases, it's cheaper to toss out the dropped stuff rather than collect and resort it. Rover, however, can wander around, pick the pieces up, and put them away without any stir. This saves material, breaks in the routine, dignity, and possibly the job of an otherwise good employee who is having a spell of dropping things.

"Hey, Rover, bring me a dozen #9 ratchets." Rover can. "Rover, take this up to Norma in the front office and come right back." Rover will. "Rover, let's take inventory." And at this point, the robot can do some things that people can't do. Not only should Rover be able to trail around after you, counting things, holding things, and recording information; Rover should have the complete inventory system in mind and be able to comment on discrepancies, looming shortages, and changes in rates of use. Indeed, Rover should have free access to the inventory and order information handled by the computer in the front office. Rover should know which orders are in the works, which items are back-ordered, and which are in oversupply. Rover should have, and he should be able to communicate, all of the complex detail that the shop manager cannot practically keep in mind. Also, Rover should be perfectly willing to sit up all night with the inventory chores, sorting, counting, tidying, and making burglars nervous.

"Rover, get the phone." The robot should be able to handle calls at least as well as the average answering machine, and might even select among callers. ("If Mr. XYZ calls, let me know at once.") Furthermore, Rover can carry the phone to you.

"Rover, I want to send a letter." Rover should be able to plug in the keyboard and the display for word processing and have them ready when and where you want

"Rover, has ABC Products ever bought a Model Six from us?" The robot can be a good database manager, offering state-ofthe-art facilities in Natural Query Language for communicating with you. Indeed, the robot can be loaded with information and manipulate it on the spot if a keyboard and display are available.

Rover becomes a useful hand around the place, learning to do whatever is appropriate at the moment and remembering how to do that same job again later. With experience, Rover grows increasingly valuable.

With the personal robots currently available, how practical is this scenario? Not very. Some of Rover's activities can be done by commercial personal robots right now. But how practical was an MITS Altair computer with octal switch input, 4K bytes of memory, cassette storage, and no BASIC? Not very. A few years of serious effort were needed to shape personal computers into generally useful devices.

The same kind of effort will make personal robots handy. We've come a long way already. The availability of a plain-language control system brings Rover-like performance closer to reality. Memory is getting cheap, speech recognition and synthesis are operating at a useful level, sensory systems can be integrated nicely, and some clever mechanical systems exist.

You may want to tell your personal robot to fetch the paper and do those entertaining things around the house that we consider suitable activity for personal robots. You may also want to tell it to knock out a day's useful work in the shop.

The robots are willing; we have to learn how to tell them what we want.

Summary

RCL and Savvy mark an improvement over Tiny BASIC coding, of course, but an improvement on Tiny BASIC alone is a modest goal. The programmer (and the robot) are still programming dependent on generated on an external computer and downloaded to the robot. Obviously, RB5X needs more brains aboard, and a card is in development that will enable programming in RCL internally in RB5X. Also, sensory input patterns can be learned by a Savvy system and associated with appropriate responses. RCL will become more comprehensive with


time and experience, and the system can be extended in many directions.

This has important implications for robotics. One intriguing thing about RCL is that it could work from the same plain-language instructions to compile programs in any language— FORTRAN, assembly language, whatever the object machine wants to hear. An enriched RCL vocabulary could control milling machines and steel mills as well as RB5X and his brethren. RCL with Savvy in its first release is powerful. It seems capable of becoming a general-purpose robot language that can keep up with the state of the art.■

Dan Prendergast is vice-president of research and development at RB Robot Corporation, Bill Slade is operating-systems manager at Excalibur Technologies Corporation, and Nelson Winkless is president of ABQ Communications Corporation (Box 1432, Corrales, NM 87048) and coauthor of Robots on Your Doorstep.

The RB5X robot is manufactured by RB Robot Corporation, Suite 310, 18301 West 10th Ave., Golden, CO 80401, (303) 279-5525.

The Savvy Programming Language is published by Excalibur Technologies Corporation, POB 26448, Albuquerque, NM 87125, (505) 242-3333.



PRESENTING THE NO-RISK DISK.

Play it again. And again. And again.

No matter how many times you play it, the TDK No-Risk Disk[™] won't drop a letter. A word. Not even a bit.

We guarantee it.

And not for 1 year. Or 5 years. But with a lifetime replacement warranty for as long as you own the disk.

Our confidence is the result of almost 50 years' research and development of TDK magnetic components and recording products.

From that, we've been able to produce special surfaces and coatings that cut the effects of wear

on a disk.

Which means you can store all your valuable documents, time-honored information and one-of-

a-kind thoughts on a TDK disk.

And know it will not fail you.

So the next time you want to store important information, put it on TDK.

You've got nothing to lose.





TDK offers a complete line of the most popular disks in 54- and 8-inch formats

1984, the Year of the 32-bit Microprocessor

Technological evolution continues at breakneck speed with the coming of the supermicroprocessor

by Richard Mateosian

By the end of 1984, we'll have seen 32-bit microprocessors manufactured by Data General Corporation (DG), Digital Equipment Corporation (DEC), Hewlett-Packard (HP), Inmos, Intel, Motorola, National Semiconductor, NCR, Western Electric, and Zilog. In this article, I'll look at what 32-bit microprocessors are and what they're going to be used for. Then I'll look at certain details available about the chips.

First, let's define our terms. A 32-bit microprocessor has a full 32-bit architecture, a full 32-bit implementation, and a 32-bit data path (bus) to memory. Because this definition is terse, some explanation and examples are in order.

Architecture. What is a microprocessor's architecture? The term means different things to different people but, for this article, let's call it the interface between the programmer and the machine. Architecture defines the set of accessible registers, the memory model, the instruction set, and the addressing modes of the machines. In order to qualify as having a full 32-bit architecture, the machine must have the following features:

1. Data and address registers that are 32 bits wide.

- 2. An instruction set that fully supports 32-bit data types.
- 3. Indexes and other address modifiers used in the machine's addressing modes that have 32-bit representations.

Now, I don't mean to quibble about a few bits here and there. For example, the DEC VAX, generally acknowledged to have a 32-bit architecture, devotes the uppermost bits of addresses to special purposes; the actual address fields are smaller than 32 bits wide. Furthermore, many 32-bit architectures provide for compact forms of addressing or address modifiers using fewer than 32 bits, but these are in addition to, not instead of, the full 32-bit forms.

Full support of 32-bit data types is another deceptively simple idea. At the very least, it means that 32-bit quantities can be moved with a single instruction, and the usual arithmetic and logical operations (e.g., ADD, SHIFT, NOT) can be applied to 32-bit operands to produce 32-bit results. Problems arise with multiplication and division operations. When two 32-bit quantities are multiplied, the result may have as many as 64 significant bits. Similarly, because division is the inverse of multiplication, you

would expect, in a 32-bit architecture, to be able to divide a 64-bit quantity by a 32-bit quantity as long as the quotient and remainder could each be represented in 32 bits. One popular microprocessor, widely regarded as having a 32-bit architecture, limits multiplication to 16-bit quantities so that results can be represented in 32 bits. The same microprocessor enables division of a 32-bit quantity by a 16-bit quantity, but only if the quotient can be represented in 16 bits.

Implementation. It is easier to understand architectural anomalies such as those mentioned above in terms of implementation. The first 16-bit microprocessors (8086, Z8000, 68000) were implemented with 16-bit data paths and computational units, even though two of these microprocessors included many 32-bit architectural features. Similarly, Intel's iAPX432, which featured an innovative 32-bit architecture, was implemented with a 16-bit computational unit and 16-bit internal data paths.

Let's look at how implementation can account for the architectural restrictions I've just described. Suppose you are designing a microprocessor with a 16-bit computation unit (also known as an arithmetic and logic unit or ALU). That means that




Photo 1: The Motorola MC68010. (Photo courtesy of Motorola Inc.)

a basic operation of the ALU will be to accept two 16-bit inputs and to produce a 32-bit product. If you want 32-bit registers and an instruction that multiplies two 32-bit quantities to obtain a 64-bit result, you're going to have to devise some sort of internal hardware "subroutine" that breaks the multiplication down into

16-bit multiplications and additions. These subroutines are an endless source of problems when you implement interrupt handling or virtual memory. They are not appreciably faster than subroutines in software that implement the same operations using basic ALU operations. Thus, you will be tempted to match the ar-

chitecture to the implementation, putting in a multiplication restriction like the one mentioned earlier. This causes little inconvenience to customers, but it gives a marketing department nightmares when it tries to convince the world that a microprocessor has a true 32-bit architecture.

Data path (bus) to memory. This is

the easy part of the definition of 32bit microprocessor. There must be 32 (or more) I/O (input/output) lines used for the transfer of data between the central processing unit and memory. The effect of this requirement is to increase memory-bus bandwidth (the amount of data that can be transferred on the memory bus per unit of time). In simple systems (just a central processing unit and memory), this can increase performance only when the central processor can handle instructions and data faster. In more complex systems, an important benefit of increased bus bandwidth is the ability to use multiple central processing units, direct memory access (DMA) transfers, and highspeed graphics processing without degrading computational power. By using the bus substantially less than all of the time, a 32-bit microprocessor contributes to overall performance in computer-aided design (CAD) systems, engineering workstations, and even mainframe-level computers.

Data buses of the 32-bit type are a relatively new addition to the microprocessor scene. Chips like Intel's iAPX432 and National Semiconductor's NS16032 have full 32-bit architectures but 16-bit data buses. As this is being written, system designers cannot yet buy production quantities of any microprocessor with a 32-bit data path to memory.

What Are 32-bit Chips Good For?

The preceding section hints at the strengths of 32-bit microprocessors. The year 1984 will see many announcements of CAD systems and engineering workstations based on 32-bit microprocessors. General-purpose computers will appear with mainframe performance at substantially less than mainframe cost. Highend personal computers will follow. As competition and the "learning curve" of system design around 32-bit machines drive down prices, 32-bit microprocessors (and their architecturally compatible 16- and 8-bit relatives) will become the standard for business and serious personal computing.

Aside from the performance advantages that come from higher memory-bus bandwidth and 32-bit implementation, the main benefit 32-bit microprocessors bring to computer users is architectural. Most 32-bit microprocessor architectures are designed to support high-level language programming.

Each 32-bit microprocessor addresses the issue of high-level language programming in a different way, and we'll look at the details later in the discussion of individual products. The basic support features are: large, uniform address spaces; support for virtual memory; addressing modes that support high-level languages; and instruction-set symmetry with respect to operations, operand size, and operand addressing modes.


Another benefit of the features of the new microprocessors is that they can use standard operating systems. Advances in computer science have led to the inclusion of operating-system support features within the new architectures, and the existence of "standard" operating systems like Unix has made the design of specific support features easier.

The Lineup

I want to discuss every 32-bit microprocessor that will be available or announced this year, but this involves a little guesswork. Much of this information is based on official releases, technical articles, and reliable inside information. Other parts of the story are based on rumors, used only when that's the best information available, and then only when I believe the rumors.


Here (in alphabetical order by manufacturer's name) are the 32-bit microprocessors:

- DG's Microeagle
- DEC's Micro VAX 1
- HP's Focus (company's internal name)
- •Inmos' Transputer
- Intel's iAPX386
- Motorola's MC68020
- National Semiconductor's NS32032



Introducing the Most Powerful Business Software Ever!

TRS-80™ (Model I, II, III, or 16) • APPLE™ • IBM™ • OSBORNE™ • CP/M™ • XEROX™



The VersaBusiness™ Series

Each VERSABUSINESS module can be purchased and used independently, or can be linked in any combination to form a complete, coordinated business system.

VERSARECEIVABLES™ \$99.95

VERSARECEIVABLES™ is a complete menu-driven accounts receivable, invoicing, and monthly statement-generating system. It keeps track of all information related to who owes you or your company money, and can provide automatic billing for past due accounts. VERSARECEIVABLES™ prints all necessary statements, invoices, and summary reports and can be linked with VERSALEDGER II™ and VERSAINVENTORY™.

VERSAPAYABLES**

\$99.95

VERSAPAYABLES**

VERSAPAYABLES**

VERSAPAYABLES**

is designed to keep track of current and aged payables, keeping you in touch with all information regarding how much money your company owes, and to whom. VERSAPAYABLES** maintains a complete record on each vendor, prints checks, check registers, vouchers, transaction reports, aged payables reports, vendor reports, and more. With VERSAPAYABLES**, you can even let your computer automatically select which vouchers are to be paid.

VersaPayroll"

VERSAPAYROLL** \$99.95

VERSAPAYROLL** is a powerful and sophisticated, but easy to use payroll system that keeps track of all government-required payroll information. Complete employee records are maintained, and all necessary payroll calculations are performed automatically, with totals displayed on screen for operator approval. A payroll can be run totally, automatically, or the operator can intervene to prevent a check from being printed, or to alter information on it. If desired, totals may be posted to the VERSALEDGER IT** system.

VERSAINVENTORY** \$99.95

VERSAINVENTORY** is a complete inventory control system that gives you instant access to data on any item. VERSAINVENTORY* keeps track of all information related to what items are in stock, out of stock, on backorder, etc., stores sales and pricing data, alerts you when an item falls below a preset reorder point, and allows you to enter and print invoices directly or to link with the VERSAIRCEU/ARLES* system.VERSAINVENTORY* prints all needed inventory listings, reports of items below reorder point, inventory value reports, period and year-to-date sales reports, price lists, inventory checklists, etc.

50 N. PASCACK ROAD, SPRING VALLEY, N.Y. 10977

VersaLedger II"

\$149.95 VERSALEDGER II" is a complete accounting system that grows as your business grows. VERSALEDGER II" can be used as a simple personal checkbook register, expanded to a small business bookkeeping system or developed into a large corporate general ledger system without any additional software.

• VERSALEDGER II** gives you almost unlimited storage capacity (300 to 10,000 entries per month, depending on the system),

• stores all check and general ledger information forever,

- prints tractor-feed checks,
 handles multiple checkbooks and general ledgers,
- prints 17 customized accounting reports including check registers, balance sheets, income statements, transaction reports, account

VERSALEDGER II" comes with a professionally-written 160 page manual designed for first-time users. The VERSALEDGER II" manual will help you become quickly familiar with VERSALEDGER II", using complete sample data files supplied on diskette and more than 50 pages of sample printouts.

SATISFACTION GUARANTEED!

Every VERSABUSINESS" module is guaranteed to outperformal lother competitive systems, and at a fraction of their cost. If you are not satisfied with any VERSABUSINESS" module, you may return it within 30 days for a refund. Manuals for any VERSABUSINESS" module may be purchased for \$25 each, credited toward a later purchase of that module.

To Order:

Write or call Toll-free (800) 431-2818

(N.Y.S. residents call 914-425-1535)

- add \$5 to CANADA or MEXICO
- add proper postage elsewhere

* add \$4 for C.O.D. or non-UPS areas DEALER INQUIRIES WELCOME

add \$3 for shipping in UPS areas

All prices and specifications subject to change / Delivery subject to availability

* TRS-80 is a trademark of the Radio Shack Division of Tandy Corp. • *APPLE is a trademark of Apple Corp. • *MBM is a trademark of IBM Corp. • *OSBORNE is a trademark of Osborne Corp. • *CP/M is a trademark of Xerox Corp.

WHY DEC AND INTEL **CHOSE THE MARK WILLIAMS** C-COMPILER.

DEC and INTEL wanted the best C technology available, with excellent code density, supporting the full C language and their specific operating environments all at a competitive price.

They found it all at Mark Williams.

WHY YOU SHOULD **CHOOSE THE MARK WILLIAMS** C-COMPILER.

Our C-compiler supports the dominant 16-bit microcomputers - 68000, PDP-11, Z8000, 8086—with a proven reliable, high-technology product. We are shipping versions of C for a large number of environments including CP/M and PC DOS. Both cross and native compilers are available.

Call us for the distributor nearest you. OEM's should. contact us directly about their specific requirements.

Mark Williams Company, 1430 West Wrightwood, Chicago, Illinois 60614, 312/472-6659.



- •NCR's NCR/32
- •Western Electric's WE32000
- •Zilog's Z80000

DG announced its Microeagle in November 1983. DEC's Micro VAX 1 was announced last October. The HP Focus (no official name or part number) is the heart of the HP-9000 computer system, but it is not and will not be available as a separate product. The Intel iAPX386 has not been announced yet, but the company is expected to do so in late 1984. Motorola has announced its MC68020; although no detailed specifications are available, samples have been promised for the middle of this year. The NCR/32 chip set, like the National Semiconductor NS32032 and its associated chips, is commercially available. Western Electric has incorporated its WE32000, formerly known as the Bellmac-32 and operational since 1981, into at least one terminal. The chip, used internally by the company and in several VAX-class minicomputers, is not available as a separate product, but Western Electric has not publicly ruled out that possibility. Zilog's Z80000 has been announced, detailed specifications are available, and samples have been slated for release this year.

In addition to these products, there is an important experimental family of microprocessors called RISC machines. (RISC is an acronym for reduced-instruction-set computer.) These 32-bit microprocessors have been developed at universities like Stanford and the University of California at Berkeley. They are not commercial products, but the ideas propelling them will profoundly influence future commercial microprocessors. The Inmos Transputer, announced in November 1983, reflects this influence.

Now let's look at these microprocessors in greater detail. Then I'll make a few comparisons.

The DG Microeagle. This is a VLSI (very large-scale integration) version of the machine whose soul Tracy Kidder described. The Microeagle chip set's central processing unit executes register-to-register operations in a 400-nanosecond cycle time and uses

two cycles for memory-to-register moves. The central processor uses a floating-point coprocessor to handle 64-bit addition in four cycles. (See the November 3, 1983 issue of *Electronics* for more information.)

The DEC Micro VAX 1. The VAX is a well-known 32-bit architecture that has been realized in two "supermini" implementations, VAX-11/780 and VAX-11/750, and in a more modest VAX-11/730 version. The Micro VAX 1 is an implementation of the same architecture in a set of VLSI circuits, supplied on a printed circuit board like the LSI-11 implementation of the PDP-11 architecture.

A key feature of the VAX line of computers is its total upward and downward compatibility. In this Micro VAX 1, some of the "commercial" instructions have been eliminated, but traps have been provided to enable their emulation in software. The VAX architecture is well known.

The Hewlett-Packard Focus. A number of articles have been published about the process technology and design methodology of the HP

Focus, but HP deliberately avoids revealing details of the architecture. Enough is available from technical articles, however, to get the general idea

Basically, HP set out to design a set of VLSI components that would work together to form fully integrated 32-bit multiprocessing systems. It took seven years; when HP finished, it had designed six VLSI circuits and a special mounting board that doubles as a heat sink. The six circuits are: central processor, I/O processor, memory controller, RAM (random-access read/write memory), ROM (read-only memory), and clock. Each circuit is fabricated in a 1-micron double-metal NMOS (negative-channel metal-oxide semiconductor) technology, designed to run at 18 MHz. A typical system block diagram is shown in figure 1.

The most complex of the circuits is the central processing unit, which contains about 450,000 transistors. Its 230 instructions are microcoded in 9216 38-bit words of control ROM, fetched and executed at an 18-MHz






Figure 1: A block diagram of the Hewlett-Packard Focus microprocessor.

clock rate, A 38-bit microinstruction is executed every 55 nanoseconds. The central processing unit's instruction set is stack based, in the style of some Burroughs machines. Many instructions operate on the top elements of the stack, leaving the result on the stack. To optimize these instructions, the top elements of the stack are automatically kept in registers, with transfers between these registers and the stack segment of memory carried out without explicit machine instructions.

The central processor contains an extremely powerful ALU capable of executing a 32-bit register-to-register integer addition or a right or left shift of up to 31 bits in one microcycle (55 nanoseconds). Division of 64-bit operands in IEEE (Institute of Electrical and Electronics Engineers) format, the longest ALU operation, requires 16 microseconds.

The memory model for a process executing on the Focus central processing unit consists of code, stack, global data, and external data segments. Processes can have multiple data segments, which can be demand paged. Code is also demand loaded, an entire segment at a time.

HP estimates the execution speed of the Focus central processing unit to be approximately 1 MIPS (million instructions per second) on typical instruction mixes. That is, a typical instruction requires approximately 18 microcycles for its execution. Although execution and operand fetching from memory are pipelined, the central processor has no cache or TLB (translation lookaside buffer, a cache of address translations used for memory addressing). Nonetheless, the Focus central processing unit uses only about 30 percent of the 18-megabyte/second memory-bus bandwidth, so that substantial performance improvement can be obtained with a configuration that has multiple central processing units. This is exactly what HP intended, and the instruction set of the central processor is designed to support parallel processors.

The Focus instruction set features high-level language support, including a Try/Recover facility based on stack markers. The Focus is intended to be programmed in HP's "Modular Pascal" implementation language, Modcal. Even the lowest level of the company's HPUX (HP's version of Unix) kernel is programmed in

I'm not going into detail about the other circuits of the Focus chip set, but one example shows how these circuits work together. The central processing unit can issue up to three addresses on its multiplexed address/ data bus before receiving the corresponding data from memory. The data words appear on the address/data lines at precise, predictable times, requiring perfect synchronization of the activities of the central processor, memory controller, and memory circuits. In fact, 25 of the central processing unit's 83 "pins" are dedicated to control lines for communication with other Focus chip set circuits. (The remaining pins are the 32 address/data lines and the 26 lines for power, ground, and clock signals.)

The Inmos Transputer. This is a RISC-like machine scheduled for release in late 1984. The name of the chip indicates Inmos intends to make it as ubiquitous as the transistor. The Transputer will be a single-chip, 250,000-transistor device built in 2.0-micron CMOS (complementary metal-oxide semiconductor) technology. It will include processor, memory, and communications circuitry. The Transputer is designed to be used in multiprocessor systems and data-flow machines programmed in Inmos' Occam language.

The Intel iAPX386. Some of this information is based on rumors, but it's what I believe to be true about this chip:

- oit's an extension of 8086 and 286 architectures
- it has 32-bit offsets in data segments it's implemented in CMOS technology to run at 16 MHz ·
- •it has speeded up instructions from iAPX286
- •it has an on-chip instruction cache
- •it contains 270,000 transistors
- •it features on-chip paging plus 286style segmented virtual memory
- •it has new instructions for vectors and bit fields
- •its accompanying numeric coprocessor is much faster than the 80287
- •its improved bus supports fault tolerance

The Motorola MC68020. This is the 32-bit member of the MC68000 family. Very little has appeared in print about the features of this central processing unit, which is scheduled to be sampled in 1984. Motorola personnel have talked freely at recent conferences and trade shows, and many details have been presented to current 68000 users. I'll summarize the industry scuttlebutt about the



S-100

SALES 800 - 528-3138 TECHNICAL 602-991-7870

OmpuPro

A GODBOUT COMPANY

SYSTEM 816/A	\$4125
SYSTEM 816/B	\$5249
SYSTEM 816/CH*	
w/40 Mb HARD DISK	\$9369
SYSTEM 816/68K*	\$6749
SYSTEM 816/10*	CALL
THE ABOVE FULLY ASM.,	
TESTED, & BURNED-IN	
*INCLUDES ON-SITE XEROX SERVIC	E
CPU 8086 A&T	\$565
CPU 8086/87 A&T	\$789
CPU 68K W/CP/M 68K & map	
FORTH	\$790
CPU 286 A&T	\$1199
CPU 16032 A&T	\$525
RAM 16 64K STATIC, 8 OR 16, A&T	\$409
RAM 22 256K STATIC, 8 or 16, A&T	\$1313
DISK I A&T	\$375
INTERFACER 3-8 SERIAL A&T	\$525
SIX SLOT MOTHERBOARD W/TER	M \$99

MCPI

GOOBOUT Attituate

ICB-10 an 8 Channel OPTO-Isolated I/O w/Relays Out

MORROW **I**

MD2 W/LIBERTY TERMINAL \$1599 & TALLY PRINTER

MD3 SYSTEM AS EQUIP. ABOVE \$1899

MD11SYSTEM AS EQUIP. ABOVE \$2745 W/CP/M 3.0, 128K RAM, DSDD FLPY & 11Mb H.D.

Cromemco

SDI HI-RES COLOR GRAPHICS	\$675
PRI PRINTER INTERFACE	\$208
D+7A DIGITAL/ANALOG INTERFACE	\$251
ZPU CPU	\$335
C-10 SP PERSONAL COMPUTER	\$1495



COMPLETE PORTABLE W/MODEMS, MX80 PRT. 12" MON. INCLD. CALL 2 DSDD DRV, 320K RAM, Z80, 8088 CP/M 2.2&86 MSDOS, PCDOS INSTALL & COPY PROGRAMS + S.W.

\$ SEATTILECOMPUTER

CPU SUPPORT \$327

MONITORS



USI Computer Products

Pi 2 12 IN. GRN HI-RES \$142 Pi 3 12 IN. AMBER HI-RES \$149 S-100's DUAL EXTENDER BD. 16K EPROM BD.

DIGITAL RESEARCH

\$39

\$99

\$297

MP/MII	\$315
MP/M-86	\$455
CONCURRENT CP/M	\$245
CP/M PLUS	\$245
"C" COMPILER	\$420
PASCAL MT+86	420
SPEED PROG PKG	\$175
ACCESS MNGR-86	\$280
DISPLAY MNGR-86	\$350
PL/1-86	\$525
COMPUTER INNOVATIONS	

'C' COMPILER/PC-DOS

IBM-PC 1200B MODEM BOARD \$479

PERIPHERALS

MICROBUFFER/EPSON™ CARD

MBS-16/32K SERIAL	\$129
MBS-32K SERIAL	\$159
MBP-64K PARALLEL	\$199
MICROBUFFER IN-LINET STAF	ND ALONE
MBIS SERIAL 64K	\$259

MBIS SERIAL 64K \$259
MBIP PARALLEL 64K \$259
MICROBUFFER II + 1M 16K,

APPLE II, II+ IIe \$195

PC MATE by TECNAR IBM-PC

1st MATE 256K, CL/CAL \$419 W/BATTERY, SERIAL, PARA, RAM DISK, SPOOLER

5Mb CART WINCH IN PC \$1479
GRAPHICS MASTER HI-RES RGB
COLOR GRAPHICS \$575
256K DYNAMIC MEMORY \$349
TIME MASTER W/BATTERY BACKUP \$109



U.S. ROBOTICS

\$-100 300/1200 BAUD. BD. MODEM \$315 PASSWORD 300/1200 W/S.W. \$369 AUTO DIAL 212A W/S.W. \$475

ADVANCED DIGITAL COMPORATION

SUPERSIX 128K RAM	\$800
SUPERSLAVE 6MHz, 128K	\$595
HDC-1001-5" H.D. CONTROLLER	\$450
CP/M 3.0	\$350
TURBODOS MULTI-USER	\$600



FLUKE 77 \$119 DVO METER 0.3% DC Accuracy

S-100 BULLETIN BOARD

SAVE 1% ON MODEM ORDERS 300-1200 BAUD 24 HR. ACCESS FOR SUPER DEALS, FAST ORDERS OR TECH, ASSIST, CALL (602) 948-1387

S-100 MAINFRAMES

PARA DYNAMICS

3820S PRONTO W/SEQUENCER	\$1235
3020D 20 SLOT DESK TOP	\$679
3510D 10 SLOT, DUAL 51/4"	\$685
2200R DUAL 8" DRV RACK MOUNT	\$525
2300 H.D. 8" FLPY, 8" HRD DSK	\$375

INTEGRAND

B00 DB2F w/ \$497 SPEC PAINT FILTERS S-100 CONNECTORS AC CBLS. TERM. M.B. 1100 D w/OAK SIDES 7 SLOTS \$449

FLOPPY DISK DRIVES

TOTAL PROPERTY	
ADD-ON DRIVE SYSTEM	
W/2 QUME 142	
5¼" DSDD DRV	\$475
2 QUME 242 8" DSDD DRV.	
CABINET, PWR, SUP., CABLES,	
& FAN W/FILTER INCLD.	\$1095



842 8" DSDD \$460 242 8" DSDD \$445 142 5" DSDD \$190

IBM has recently selected the QUME Drive for their PC.

landon 100-2 5% in. DSDD \$229

PRINTERS

DAISYWRITER 2000 W/48K	\$1095
TALLEY MT 160L W/TRACTOR	\$625
EPSON MX 100	\$569
OKIDATA 93	\$959



CPZ 48000 SBC	\$895
CPS-6A 64K SLAVE 6 MHz	\$495
256KMB RAM BD.	\$895

PROMBLASTER W/S.W. \$299
KLUGE KIT \$-100 PROTO CARD \$135



400 WATT W/BATTERY GOOD FOR 1 HR.

STAND-BY POWER SUPPLY

\$450

14425 North 79th Street Scottsdale, Arizona 85260 TELEX: 16 5025 FTCC SEC PHX

FULL DEALER SUPPORT VISIT OUR SHOWROOM Hrs. 9:00AM - 5:30PM M-F Circle 312 on inquiry card. Subject to Available Quantities
Prices Quoted Include
Cash Discounts
Shipping & Insurance Extra

68020.

The MC68020 is a 32-bit version of the widely used MC68000. It is basically upward compatible—most 68000 code can run on a 68020, but not vice versa. Because the 68000 architecture has already been presented in a series of articles by Tom Starnes (April, May, and June 1983 BYTE), I'll concentrate on the improvements.

Although most of the instructionset changes are in the area of addressing, specific new instructions have been added for packing and unpacking of BCD (binary-coded decimal) strings, manipulation of bit fields, and 32-bit multiplication and division. Several new addressing modes have been added, and 32-bit displacements are supported.

Because the 68020 maintains the 68000 requirement that instructions be multiples of 16 bits in length and aligned on 16-bit boundaries in memory, extensions to 68000 addressing involve the addition of one or more 16-bit words to the basic instruction.

This additional space makes possible the encoding of a large number of new addressing forms. These forms include 16-bit and 32-bit displacements, elimination of the base or index register operand in addressing modes that usually require one, and an additional level of indirection, either before or after indexing.


Besides instruction-set changes, the 68020 has a number of other new features. The most important are an on-chip instruction cache, dynamic bus sizing, a coprocessor interface (to support the MC68881 floating-point coprocessor), better exception handling, virtual memory and bus fault support, and a "barrel shifter" to speed the execution of shifts, multiplication and division, bit field, and other instructions.

The 68020 will be fabricated in a new process that is about 90 percent CMOS, with NMOS technology used for critical circuits. The chip. contains approximately 170,000 transistors and will be supplied at speeds of 16 and 20 MHz. Motorola estimates

that at equal clock speeds, the 68020 will be about twice as fast as a 68000 on typical programs.

The National Semiconductor NS32032. This is the 32-bit member of the NS16000 family, which consists of the NS08032, NS16032, and NS32032. The NS08032 and NS16032 are the 8-bit and 16-bit bus versions. As in the VAX line, all central processing units in the NS16000 family share the same 32-bit architecture. Except for the data bus, they also share the same internal implementation. BYTE readers had the opportunity to learn about the NS16000 family architecture in an article by Glen Leedy (April 1983, page 53), so I won't repeat that material.

The NS16000 family is distinguished by its mainframe-on-a-chip architecture, featuring virtual memory, floating-point support, and a highly regular, compactly encoded instruction set designed for high-level language support. The NS32032 is designed to work with a memorymanagement unit (MMU), the



COMPETITIVE EDGE

P.O. BOX 556 PLYMOUTH, MI 48170

Order Line 800-336-1410 Info & Local 313-451-0665

Authorized Sales Center For Compupro®, Lomas, Teletek, Seattle

Systems with constant voltage on drives & circuit boards choice of Compupro enclosure 2 & Para Dyn. drive cabinet or Pronto Roll-a-Round all in one 20 slot mainframe.

COMPUPRO®	85/88, Disk 1, I/O-4, RAM 16, (2) 8" DSDD, CP/M	\$3395.
COMPUPRO®	8086, Disk 1, 1/O-4, RAM 21 128K, 2-8" DSDD, CP/M	3995.
COMPUPRO®	68K, Disk 1, I/O-4, RAM 21 128K, 2-8" DSDD, CP/M	3995.
TELETEK SYS	TEMASTER® , Z80A, 64K, (2) 8" DSDD Floppys, CP/M	2995.
LOMAS LIGHT	TING 286TM CPU, 128K RAM 67, LDP72, HAZ, 2-8" CP/M	3695.
	85/88, 86, 286 & Z80 Available in Multiuser & Hard Disks	

NEW MINI-MICRO SERIES SINGLE BOARD Z80 OR 80186

TELETEK SYSTEMASTER, 2-5" 48TPI Floppys, Cabinet, CPM
TT SYSTEMASTER, HD/CTC, 1-5" Floppy, 10MB Hard Disk, Cab
LOMAS 80186, 128K, Concurrent CP/M 2-5" Floppys, Cab
LOMAS 80186, 128K, CCP/M, 1-5" Floppy, IOMB Hard Disk
Place Order for Mini-Micro Hard Disk System in January and get a FREE Qume Amber or Green Screen QT102 Terminal

LOWEST PRICES ON COMPONENTS FROM COMPUPRO, LOMAS, TELETEK, SEATTLE

COMPUPRO Disk 1	\$327	RAM 22 A&T	\$1155	INTERFACER 4 A&T	297
CPU 68K A&T	459	RAM 21 A&T	723	INTERFACER 3 A&T	461
CPU 85/88 A&T	327	RAM 16 A&T	363	CPU 8086A&T	495
Disk 3 A&T	525	RAM 17 A&T	329	CPU Z A&T	215
LOMAS 286	1116	RAM 67 128K	796	RAM 67 & BAT BU	875
LOMAS LDP72	220	LDP72/CPM86	399	HAZITALL	275
LOMAS 256K DRAM	636	128K DRAM	396	LIGHTNING 1 86	420
TELETEK HD/CTC	499	SYSTEMASTER	627	10 MB 1/2 HEIGHT	795
TELETEK SBC I	577	SBC 2	CALL	TELETEK MDRIVE	795

TERMINALS, PRINTERS

QUME QT102 Green	\$539	QT102 Amber	549	TELEVIDEO 925	699
TELEVIDEO 950	899	F1040 CPS	1075	F10 Sheet Feed	495
dBASE II	425	SUPERCALC 2	199	DRI C for 86	225
PASCAL MT + 86	375	CB80	325	DRI CB86	375

COMPUPRO is a Godbout Company, CP/M, is a Registered Trademark of Digital Research, Supercalc is a TM of Sorcim

Instant one-button color printing.



Press here.

It's just that easy! Any time you want to print what's on your Apple's screen just hit the copy button on your Transtar 315 color printer with our PICS card installed, and it's done! No special programming, no lengthy code sequences, no need to exit your program! Just press the button and it prints!


By adding the optional PICS card to your \$599 Transtar 315 color printer, you've opened up a whole new world of easy color printing. For the first time ever, our PICS parallel interface card enables you to screendump virtually any program -- graphics, charts, games -- even copy-protected software! Specially designed only for the Apple II, II+, IIe, and Franklin computers, the Transtar 315 PICS card does the work of a parallel card and a lot more and costs only \$119.95.

At the push of a button, Transtar's innovative new 4-color diagonal ribbon will print up to 7 colors and more than 30 shades in a single pass.

The 315 is precision-built to exacting standards by Seikosha, the most experienced company of the famous Seiko group-recognized worldwide for quality and dependability. In fact, one of the nicest things about Transtar's 6-month warranty on parts and labor is that you'll probably never use it!

Innovative, inexpensive, dependable, easy: the Transtar 315. Color printing has never looked so good!

Only \$599.



*PICS cards are currently available for Apples and Franklins.
PICS cards for other computers will be available in the future.

Transtar A Vivitar. Computer Product




Figure 2: A block diagram of the NS32032 central processing unit from National Semiconductor.

NS16082, and a floating-point unit, the NS16081. Floating-point and memory-management control instructions are integrated into the central processor and communicate with the support chips through a slave processor protocol. This arrangement enables transparent integration of the three chips into one.

Figure 2 is a block diagram of the NS32032 central processing unit. An important feature of this chip is the 8-byte instruction prefetch queue. This small FIFO (first-in/first-out) buffer lets the central processing unit

make 32-bit aligned transfers from the instruction stream, even though NS32032 instructions vary in size and have no alignment restrictions. This 8-byte buffer provides another benefit, achieved in other central processors with a much more costly onchip instruction cache. By letting instruction fetching proceed asynchronously from execution, instructions load as fast as necessary, up to the full bandwidth of the memory bus. Because the compactly encoded NS32032 instructions load faster than they execute even with external memory management, the central processing unit executes in-line code at full speed. In fact, in typical applications, the NS32032 central processing unit occupies less than 50 percent of the available bus bandwidth, making it suitable for complex systems containing multiple central processors, DMA transfers, and high-speed graphics.

The NS32032 is implemented in a 3.5-micron NMOS process and contains about 70,000 transistors. It runs at 10 MHz. A CMOS version and versions running at higher clock speeds are planned for 1984. The machine uses a three-stage pipeline for instruction execution: the first stage is the loader, which removes instructions from the queue; the second stage is the preprocessor, which decodes instructions; the final stage is the microcode-execution unit. Microcode executes at the rate of one microinstruction per clock cycle (100 nanoseconds).

The NCR NCR/32. This microprocessor chip set is quite different from all of the other microprocessors discussed in this article. It is designed to be externally microprogrammed to emulate other computers, principally medium-sized IBM mainframes like the System 370. The chip set consists of:

•the NCR 32-000 CPC, the central processing unit. It contains 40,000 transistors and is fabricated in a 3-micron silicide NMOS process. It runs with a 13.3-MHz clock, with internal machine cycles occupying two clock cycles (150 nanoseconds). The 16-bit microinstructions, read from a 128K-byte external storage unit, select 95-bit words from an internal ROM to control 179 operations, mostly register-to-register arithmetic and logical operations on 4-bit, 8-bit, 16-bit, 32-bit, and field data types. Microinstructions are executed in a three-stage pipeline (fetch, interpret, execute). Eight 16-bit jump registers support a rich set of conditional operations at the microcode level, and special set-up microinstructions facilitate IBM System 370 emulation. •the NCR 32-010 ATC, the memory management unit. In addition to ad-



UNIX, with change.

With Idris, developers get the functionality, compatibility and portability of UNIX.

And pocket the Idris difference.

- TWICE THE NUMBER OF USERS as UNIX on comparable hardware, because Idris is optimized for microprocessors.
- MORE DISK SPACE FOR FILES AND PROGRAMS. Idris occupies less than 1.5 megabytes of disk.
- MORE TASKS RUN SIMULTANEOUSLY because Idris requires less memory.

 Typically, 50 KB for the Kernel plus 50 KB for a compile. For example, you can overlap communication simultaneously with word-processing and spreadsheet analysis and Fortran compilation.
- provided by use of Whitesmiths' authorization seal.

- GREATER PORTABILITY FOR YOUR APPLICATIONS, Idris provides a common development and processing environment across processors. Supported machines include DEC PDP-11s (including Pro-350 and Micro-11), numerous Motorola 68Ks and, in first quarter 1984, the 8088 based IBM PC and DEC Rainbow.
- MORE COST EFFECTIVE PER USER.

The \$550 end-user price is for as many users as the hardware will allow.

That's UNIX with change. To get more out of your computer, call or write to Whitesmiths, Ltd.

Whitesmiths, Ltd.
97 Lowell Road, Concord, MA 01742

97 Lowell Road, Concord, MA 01742 (617) 369-8499 Telex 951708 SOFTWARE CNCM

Circle 378 on inquiry card.




Figure 3: A configuration of the NCR/32 System.

dress translation and access protection, this chip provides memory-refresh control, error-checking and correction (ECC) logic, a time-of-day register, an interval timeout interrupt, and an interrupt on writes to one specified virtual address. Sixteen translation registers support mapping of 32-bit or 24-bit virtual addresses into 24-bit physical addresses, using page sizes of 1K, 2K, or 4K bytes.

•the NCR 32-020 EAC, the "booster" chip for arithmetic operations. It supports IBM-compatible single- and double-precision binary and floatingpoint arithmetic, packed and unpacked decimal storage, and format conversions. A single-precision floating-point addition takes approximately 1.6 microseconds.

•the NCR 32-500 SIC, which interfaces the 24-megabyte/second processor memory bus to slower peripherals and to other systems.

The configuration of an NCR/32 system is shown in figure 3. No benchmark data has been published, but NCR estimates performance of the NCR/32 at approximately four times that of a 10-MHz 68000.

The Western Electric WE32000. This microprocessor was designed from the start to support Unix and C. Although a great deal has been published about the process technology, electrical design, emulation techniques, and testability of the WE32000, few details are available about its architecture. The basic chip set consists of a central processing unit and an MMU, each realized in 2.5-micron "domino" CMOS and running at 8 MHz. Versions meant to run at much higher speeds have been

designed but are not officially acknowledged by Western Electric. The central processing unit contains 146,000 transistors, and the MMU contains 92,000. Figure 4 shows a block diagram of the central processing unit.

The WE32000 instruction set features a high degree of orthogonality of operation, addressing mode, and operand size selection. All binary arithmetic operations are available in two-address and three-address forms, and unary operations all have two-address forms. In general, the op code specifies the operand size, with all operands extended to 32 bits before operations are performed. When operands of different sizes are operated upon, an explicit type specification in an "expanded type" addressing mode overrides the operand size implicit in the op code.




Figure 4: A block diagram of Western Electric's WE32000.



CALL TOLL FREE

QUADRAM	
Quadink. Quadboard 64K. Quadboard 64K. Quadboard 64K. Quadboard II 64K. Quadboard II 256K. Microfazer (ME16) 16K. Microfazer (ME36) 32K. Microfazer (MSS16) 16K.	\$449
Quadboard 256K	\$389
Quadboard II 64K	\$249
Microfazer (ME16) 16K	\$129
Microfazer (MSS16) 16K	S149
Microfazer (MSS32) 32K PRINTERS	\$179
C-Itoh	
	\$935
F-10-Parallel or Serial	\$1319 \$339
8510SP (ProwriterSP)	\$559
Computer International	6000
Daisywriter 2000 w/48K	2999
CR-2	\$449
Datasouth	C44EE
DS180	.\$1155
C00 FIO	\$850
630 RO	\$1699
630 ECS/IBM	\$ 559
DTC	.4 445
380Z	.\$1080
Inforunner Riteman	5320
IDS	
Microprism 480	\$480
Prism 80 Color	\$1345
Prism 132 Prism 132 Color	\$1310
Juki	
6100 Epson	,Call
All models.	Call
NEC	
PC-8023A	\$385 \$669
PC-8025 3510	\$1365
7710	\$1900
2010	S785
Okidata	\$910
	\$355
83A	S550 S975
845	\$1060
93	\$700
2350P 2410P	\$2020 \$2299
Olivetti	
PRAXIS 41 (w/interface)	\$539 \$319
Panasonic	
1090 Qume	.5 299
11/40 w/interface	\$1369
11/55w/interface Silver Reed	\$1569
EXP550P	\$579
EXP550S EXP500	\$389
Star Micronics	
Gemini-10X	Call
Delta 10	Call
MT 160L w/Tractors	Call
MT 180L w/Tractors	Call

Toshiba

P1350Serialor Parallel \$1445

SPECIAL OF THE M SANYO*EPSON SYSTEMS

DUAL DRIVE \$4495 SYSTEM

SANYO MBC-555 • SANYO CRT-36 HI-RES GREEN MONITOR EPSON RX-80 WordStar • CalcStar

- Mailmerge InfoStar Spell Star
- Easywriter MS-DOS Sanyo Basic **Above with Sanyo CRT-70** Color Monitor S1939

SANYO MBC-550 • SANYO **CRT-36 HI-RES GREEN MONITOR • EPSON RX-80**

WordStareCalcStareEasywriter MS-DOS • Sanyo Basic

Above with Sanyo CRT-70 Color Monitor

Color Monito	21939 Col	or Monitor \$1629
VIDEO TERMINALS	MONITORS	COMPUTERS
ADDS	Amdek	Altos
A-1 Green	Video 300A	Series 5-80-2
Altos Smart II Cal	Color I Plus	Atari 600XL \$149
Hazeltine Esprit 1 \$485	12" Green	800XL \$248 Columbia Call
Esprit II	NEC	Corona
Qume	JB 1260 ,	Eagle PC-E
QVT 102 Green	12" Amber	PC-1
OVT 103 Amber \$850 Televideo	12" Green Screen \$95	1620 \$3955 1630 \$5625 1640 \$7225
910+ \$539		Hyperion
924	DISKETTES	Single Drive System
970	Elite 1	PC-8201A CPU
Wyse 100	1000 (For Atari)\$269	PC-8281A Recorder \$ 89 PC-8201A-90 Battery Pack \$ 15
Visual	TRAK	Northstar
Visual 50 Green	PI-1\$199 ATD-2\$375	Advantage
Zenith z-29	DISK DRIVES	Pied Piper
MODEMS	Maxell	Communicator 1 \$ 965 Sanyo
Hayes	MD-1 (Qty. 100)\$230 Scotch	MBC-550 System
Smartmodem \$199 Smartmodem 1200 \$485	744-0(Qty. 100)	Televideo Systems
Smartmodem 1200B	S/S S/D (Oty. 100)	802 H. \$4210 803 \$1815 1803 \$2150 806/20 \$4775 800 A (user station) \$ 999
	-	TeleportCall



2222 E. Indian School Rd. Phoenix, Arizona 85016



Store Hours: Tue-Fri 10-5:30 Saturday 9-1 Order Line Hours: Mon-Fri 10-5:30 Saturday 9-1

Order Line: 1-800-528-1054








Figure 5: The Z80000 address translation scheme.

The WE32000 provides bit-field and string instructions. All strings terminate with a zero byte, as is standard for C programs. Floating-point instructions are also included in the instruction set, but these are intended to be executed by an external floating-point chip. Western Electric has not announced plans for such a chip.

Procedure linkage on the WE32000 is similar to that of the VAX. All sixteen 32-bit registers can be referred to in the machine's addressing modes. Seven of them, however, are given special functions; a program counter (PC), an interrupt stack pointer, a process control block pointer, a processor status word, a stack pointer (SP), a frame pointer (FP), and an argument pointer (AP). The PC, SP, FP, and AP play special roles in procedure linkage. In addition, the SAVE instruction, executed upon entry to a procedure, lets registers R3 through R8 be saved in a single instruction. Registers R0 through R2 are intended for passage of information between caller and callee, and they are accordingly not modified by the procedurecalling and return sequences.

The WE32000 supports multitasking operating systems like Unix. Without getting too detailed, here's the essence of multiple-task, or process, support. First, the machine supports four privilege levels and a "controlled transfer" mechanism (similar to the system call on machines with only User and Supervisor modes) for moving among them. A process, however, has only one execution stack, which makes the passing of arguments between levels quite painless. Furthermore, because the kernel is assumed to be in the address space of every process, sharing of buffers between the user and kernel routines makes copying unnecessary. Finally, the context of a process (central processor registers and address translation tables) is stored in process control blocks in memory, and special central processor instructions implement rapid switching between processes. This mechanism is also used for interrupts, which are treated like processes called unexpectedly.

The Zilog Z80000. This is the 32-bit member of the Z8000 family. An upward-compatible extension of the Z8000 architecture, it features dynamnic bus sizing, sixteen 32-bit general registers, on-chip data and instruction cache (256 bytes), and on-chip memory management using memory-based tables with an automatically managed 16-entry TLB. The address-mapping scheme enables either linear addressing or several upward-compatible extensions of Z8000 segmented addressing.

Demand-paged virtual memory is supported with 1K-byte page size. Figure 5 shows the address translation method.


The machine is implemented in a 2.0-micron NMOS technology designed to enable speeds up to 25 MHz. The initial version runs at 10 MHz. Internal machine cycles take two clock cycles. Zilog estimates that with a high-performance memory configuration, typical programs will execute at the rate of one instruction every 6.8 clock cycles, resulting in an execution rate of 1.47 MIPS. Both bus size and bus timing are dynamically controllable, with accesses adhering to the Z-BUS protocols used by Zilog's Z8000 peripheral family. Nibble-mode (burst) transfers support prefetching of instructions into the cache. Like the Z8000, the Z80000 is designed for use with an external floating-point chip, which Zilog plans to make available in 1985.

Which Is the Best One?

Of course, I won't touch that question with a 10-foot pole, but further discussion of the 32-bit chips may be useful. The first interesting point is that the microprocessors fall into groups. For example, the WE32000 and the NS32032 show many similarities, and both are close to the VAX. Similarly, the MC68020 and the

RYDEX


Remote Intelligence takes your computer from the screen out to the scene.



Who can blame you if you've only been using your computer as an efficient filing system. Up to now, getting it to physically do things for you, like regulate equipment or even just open the garage door, has been complex, troublesome and expensive.

Rydex has the intelligent solution! The Rydex IC (Intelligent Controller) series transforms your PC into a powerful monitor and control tool, with capabilities ranging from relay activation to temperature monitoring, motor control and security/alarm system regulation. Control can be through

digital or analog channels, connected directly or by modem, with hundreds of IC units to a single



For more information on how Rydex ICs can put YOUR computer to work, call or fill in and mail coupon below to:

Rydex Industries Corporation, 200/4040 No. 3 Road, Richmond, B.C. V6X 2C2 (604) 278-6772.

NAME COMPANY NAME ADDRESS

ZIP/POSTAL

RS 232 serial port. Modular design means you can expand easily to virtually limitless remote control capacity.

Rydex ICs require no special computer knowledge or special software to use. All commands are accessible through Basic. IC systems are not difficult to install. Complete instructions come with the unit. Or if you have an especially complex application, our technical staff will be glad to assist.

And here's the final word on Rydex ICs. Affordability. Most systems can be installed for less

than \$1,000.



PREVENT THE DISASTER OF HEAD CRASH AND DROPOUT.

The war against dust and dirt never ends. So before you bootup your equipment, and everytime you replace a cassette, disk or drive filter, be sure to use Dust-Off" II: it counteracts dust, gritandlint. Otherwise you're flirting with costly dropouts, head crashes and downtime.

Dust-OffII is most effective when used with Stat-Off II. Stat-Off II neutralizes dust-holding static electricity while Dust-Off II blasts loose dust away. There's also the Dual Extender and Mini-Vac for vacuuming dust out of hard-to-reach places.

Photographic professionals have used Dust-Off brand products consistently their delicate lenses ar expensive cameras for over ten years. They know it's the safe, dry; efficient way to contar nant-free cleaning.

Cleaning not provided by liquid cleaners.

Dust-Off II's remarkable oinpoint accuracy zeros in on the precise area being dusted. And vou have total control-everything from a gentle breeze for



static electricity from media and

delicate computer mechanisms to a heavy blast for grimy dirt.

Don't let contamination dispt your computer operation. ock up on Dust-OffII—the ad-

ed dry cleaning system, your local computer or office supply dealer.

or a 3 oz. trial size and erature today.

Or send \$1.00 (for postage and handling)



The safe dry cleaning system

Falcon Safety Products, Inc., 1065 Bristol Road, Mountainside, NJ 07092


Z80000 are closely parallel, both being upward-compatible extensions of 16-bit central processing units designed in the PDP-11 tradition. The HP Focus, with its architectural heritage from the Burroughs line, is unlike the other chips discussed here. It's too early to know where to place the iAPX386, but it's probably closest to the Z80000 and the MC68020. The NCR/32 family, with its theme of emulation through external microcode, is related to the RISC machines, as is the Inmos Transputer. These comparisons are meant only as food for thought—don't make too much of them.

Floating-point support is an important issue. The overwhelming trend is toward execution of IEEE-format operations using a coprocessor chip. Only the HP Focus does on-chip floating-point operations. NCR/32 follows the IBM style of floating-point math, different from the IEEE proposed standard. The VAX also uses its own formats, some similar to IEEE formats.

Demand-paged virtual memory seems to be a universally accepted choice, using a separate memorymanagement circuit. Only Zilog and Intel use on-chip memory management; Zilog's technique evolves from the separate-chip approach, and Intel upgrades the rudimentary on-chip memory management of the 8086 and 286.

Execution speed is a tricky area, and I've been involved in enough benchmark studies to know better than to shoot from the hip here. What's needed, once all of these 32-bit microprocessors are real, is a comprehensive comparison study like the one in EDN magazine's issue of September 16, 1981. There is probably less than a factor of 4 between the fastest and the slowest of these microprocessors. All of the 32-bit chips are a cut above the best 16-bit microprocessors.

Richard Mateosian (2919 Forest Ave., Berkeley, CA 94705) is the technical marketing manager for the NS16000 family at National Semiconductor. He is the author of Programming the Z8000, published by Sybex in 1980, and Inside BASIC Games, Sybex, 1981.



GIVE YOUR CHILD THE PLATO EDGE IN ALGEBRA.

For use with the Apple II Plus and Apple IIe:

New PLATO® lessons in Elementary Algebra*
Help your child feel confident about learning algebra skills. This new PLATO series helps simplify Exponents, Polynomials, Roots and Radicals, Factoring and other Algebra components. Practice problems change at random and examples of solutions help keep kids motivated.

New PLATO lessons in Computer Concepts†
This series helps kids understand the computer and lets them practice what they learn.

Lessons include: The Computer Keyboard, Storage and Memory, Files and Editing and Databases.

Widen your child's world Other PLATO lessons include Elementary Math, Foreign Languages, Physics-Elementary



Mechanics, Computer Literacy and ‡Keyboarding.
All PLATO micro courseware is available for the Apple II Plus and Apple IIe. Selected lessons are available for the TI99/4A and Atari 800.

For a free catalog

See the growing line of PLATO micro courseware at selected retail outlets. For a free catalog, call toll-free: 800-233-3784. (In Calif., call 800-233-3785.) Or write: Control Data Publishing Co., P.O. Box 261127, San Diego, CA 92126.

*Developed with Courses by Computers, Inc. †Developed with Continuous Learning Corporation. ‡Developed with Gregg/McGraw-Hill.

Warranty available free from Control Data Publishing Co., 4455 Eastgate Mall, San Diego, CA 92121





Mitel Announces The sand of th

A CALENDAR. With a built-in time and date clock. And an alarm that flashes to remind you of key appointments. A whole year's plans can be stored. Reminders automatically move to the next day. A bar chart shows you your entire week at a glance. And all calendars can be electronically mailed or printed and carried with you.

A TELEPHONE. Built right into your workstation. With your own alphabetic phone directory on the screen. Automatic dialing. And redialing. Using only the initials of the person you're calling. A record of how much time is spent on each call. Hands-free conversation through a speaker phone. Two lines that can be used simultaneously. Voice and data communications at the same time. And an interface with both Mitel and other PBX's.

AN ELECTRONIC MAILBOX. From your Kontact to anyone else's. Inside the company or out. Instant notification when mail arrives. Just one instruction sends a piece of mail to many people. Gather mail in your "out basket." Automatically send it later at lower long distance rates.

Introducing Mitel Kontact. The management workstation that fully integrates virtually every day-to-day task. Communications, time management, computing, and so much more. Plus the ability to do so many things simultaneously. Talk on the phone at the same time you're on-line with your main-

frame computer at the same time you're checking your calendar at the same time you're printing your sales forecast at the same time...Compare the Mitel Kontact with any workstation on the market. And make sure you compare prices, too. You'll discover Kontact gives you much, much more for your money.

Six New Machines.

are it.

A COMPUTER TERMINAL. Send and receive information with your company's IBM™ compatible or DEC™ compatible computer. Access Dow Iones,™ The Source™ and other data banks. I'he telephone line and modem are builtright in. Your Kontact memorizes the computer "lingo." Io make data communications as simple as any other task.

A PERSONAL COMPUTER. Prepare a budget, forecast sales, plan the next quarter. With your ExecuCalcTM electronic spreadsheet. The answers to all the mathematical "what ifs" of your business. Access in the future to CP/MTM programs. Plus the ability to edit them with word processing. Send them to any other Kontact user. And discuss them on the telephone.

AWORD PROCESSOR. Whether you type with two or ten fingers. Eight function keys tell you exactly what to do. In everyday English. ExecuWrite™ is a sophisticated, full-featured, word processing package. Review and edit two files at once. Transfer text from one report to another. Integrate information created with your electronic spreadsheet.



There simply isn't any other system that does as much. At any price.

For more information call 1-800-MITELSX. In Canada call collect 1-613-592-6353.



BUILDING BETTER COMMUNICATIONS

Memory Cards: A New Concept in Personal Computing

These miniature microcomputers could become the most popular portables

by Mark Mills

One fascinating new microcomputer has neither keyboard nor power supply, and chances are that you'll soon carry one in your wallet. This type of memory card (also called a "smart card" or "chip card") is the same size and shape as a credit card and contains an embedded microcomputer. Currently being test-mar-


keted in the United States and Europe, memory cards are designed to record and play back information in a secure fashion.

Another type of memory card doesn't have an embedded microcomputer but instead has a special coating on which information can be encoded. Yet another type is not card-shaped but resembles a fat plastic key with a nonvolatile semiconductor memory embedded in it (see photo 1). Throughout the rest of this article, "memory card" will be used to indicate all three types of implementations.

Presently, the primary application for memory cards is in the area of



Photo 1: Four memory cards incorporated into different carrier packages. The bottom three cards are active devices, containing embedded microcomputers. Note the metal contact points on their surfaces (or. the "key," the contacts are between the ridges). The top card is a passive device that uses an optical stripe for laser recording and playback.



·NEW PRODUCTS·

Before Johann Sebastian Bach developed a new method of tuning, you had to change instruments practically every time you wanted to change keys. Very difficult.

Before Avocet introduced its family of cross-assemblers, developing micro-processor software was much the same. You needed a separate development system for practically every type of processor. Very difficult and very expensive.

But with Avocet's cross-assemblers, a single computer can develop software for virtually any microprocessor! Does that put us in a league with Bach? You decide.

The Well-Tempered Cross-Assembler

Development Tools That Work

Avocet cross-assemblers are fast, reliable and user-proven in over 3 years of actual use. Ask NASA, IBM, XEROX or the hundreds of other organizations that use them. Every time you see a new microprocessorbased product, there's a good chance it was developed with Avocet cross-assemblers.

Avocet cross-assemblers are easy to use. They run on any computer with CP/M* and process assembly language for the most popular microprocessor families.

54" disk formats available at no extra cost include Osborne, Xerox, H-P, IBM PC, Kaypro, North Star, Zenith, Televideo, Otrona, DEC.

Turn Your Computer Into A Complete Development System

Of course, there's more. Avocet has the tools you need from start to finish to enter, assemble and test your software and finally cast it in EPROM:

Text Editor VEDIT -- full-screen text editor by CompuView. Makes source code entry a snap. Full-screen text editing, plus TECO-like macro facility for repetitive tasks. Pre-configured for over 40 terminals and personal computers as well as in userconfigurable form.

CP/M-80 version	\$150
CP/M-86 or MDOS version	\$195
(when ordered with any Avocet pro	duct)

EPROM Programmer -- Model 7128 EPROM Programmer by GTek programs most EPROMS without the need for personality modules. Self-contained power supply ... accepts ASCII commands and data from any computer through RS 232 serial interface. Cross-assembler hex object files can be down-loaded directly. Commands include verify and read, as well as partial programming.

PROM types supported: 2508, 2758, 2516, 2716, 2532, 2732, 2732A, 27C32, MCM8766, 2564, 2764, 27C64, 27128, 8748, 8741, 8749, 8742, 8751, 8755, plus Seeq and Xicor EEPROMS.

Avocet Cross-assembler	Target Microprocessor	CP/M-80 Version	• CP/M-86 IBM PC, MSDOS • • Versions •
• XASMZ80	Z-80		
• XASM85	8085		
XASM05	6805		
XASM09	6809		
XASM18	1802		\$250.00
XASM48	8048/8041		each
XASM51	8051	\$200.00	
XASM65	6502	each	
XASM68	6800/01		
XASMZ8	Z 8		
XASMF8	F8/3870		\$300,00
XASM400	COP400		each
XASM75	NEC 7500	\$	500.00
Coming soon: X	ASM68K68000		

(Upgrade kits will be available for new PROM types as they are introduced.)

- G7228 Programmer by GTek -- baud
- to 2400 ... superfast, adaptive program
 ming algorithms ... programs 2764 in one
- minute.
- Programmer \$499
- Ask us about Gang and PAL programmers.
- HEXTRAN Universal HEX File Con-
- verter Converts to and from Intel,
 Motorola, MOS Technology, Mostek,
 RCA, Fairchild, Tektronix, Texas
- Instruments and Binary formats.
- Converter, each version \$250

Call Us

If you're thinking about development systems, call us for some straight talk. If we don't have what you need, we'll help you find out who does. If you like, we'll even talk about Bach.

CALL TOLL FREE 1-800-448-8500 (In the U.S. except Alaska and Hawaii)

VISA and Mastercard accepted. All popular disc formats now available -- please specify. Prices do not include shipping and handling -- call for exact quotes. OEM INQUIRIES INVITED:

*Trademark of Digital Research **Trademark of Microsoft



DEPT. 184-B 804 SOUTH STATE STREET DOVER, DELAWARE 19901 302-734-0151 TELEX 467210

155

electronic funds transfer (EFT). France has several trial programs underway to demonstrate "electronic money" using memory cards. For example, videotex users may purchase goods and services in their homes using memory cards. In Italy, a semiconductor firm is manufacturing prototype memory cards for pay telephones. You buy a memory card with a "preloaded" amount of money, and, with each phone call, an amount is deducted from the memory card's balance. When the amount reaches zero, the card is discarded. (See the text box below.)

Other proposed uses for memory cards include personal identification (using physiological traits), driver's licenses, ski-lift tickets, passports, data recorders for pacemakers, hotel door keys, input devices for computer-controlled equipment, and extended memory for computers.

Memory-Card Technology

Memory cards are implemented using three types of technologies: monochip memory cards, multichip memory cards, and optical-stripe memory cards. A monochip memory card has only one integrated circuit (IC), which includes a single-chip computer that holds a maximum of about 4000 bits of information in programmable read-only memory (PROM). This PROM is used to

aracters (bytes) Reusa	ble memory
2M	no
16K	no
8K	yes
16K	no
212	yes
2	2M 16K 8K 16K

Table 1: A comparison of the storage capacities of all the types of memory cards.

record and play back the "transactions" of the memory card. A PROMbased card could be considered disposable because once its memory is full, the memory cannot record new transactions. To overcome this drawback, manufacturers are now investigating the use of electrically erasable read-only memory (EEROM). Although this technology eliminates the "use until full" problem, it may increase problems related to card security and integrity.

A memory card with more than one IC is called a multichip card. The multichip card is more versatile because it has a memory capacity of approximately 16,000 bits of information and does not require the high degree of IC customization the monochip card does. With the improvement of packaging techniques and IC technology, multichip cards with large memory capacity will become commonplace.

An optical-stripe memory card has a special surface similar to the coating on a videodisk rather than embedded integrated circuitry. A single optical stripe the size of the magnetic stripe on a credit card can hold 16 million bits of information: a similar size magnetic stripe on a typical credit card holds only about 1700 bits of information. Table 1 provides a comparison of storage densities for memory cards.

A memory card that incorporates a microcomputer is known as an active memory card. This type of card has some degree of internal intelligence that enables it to make decisions about its interactions with the outside world. These decisions can range from the security of its stored information to initiating the proper sequence of steps required to enable a transaction to be processed. Regardless of the nature of the interaction, the active memory card

It's in the Cards

Approximately five years ago, the French Telecomms Administration initiated a cohesive research and development program from which memory cards and other related products have evolved. Memory cards were originally designed to exploit integrated-circuit technology in a creditcard-shaped package for electronic funds transfer (EFT). This technology is being developed to replace check writing as a method of payment. With the astronomical number of checks written annually, it is not hard to see why a less labor-intensive method of payment is being developed. Presently, several test sites in the United States and France are studying this concept in conjunction with videotex systems.

Memory cards are also being evaluated

in lieu of money for pay telephones. Advantages to using telephone memory cards include no coins to collect from coin boxes, less vandalism (because no money is kept in the telephone itself), and instant collection of payment for services. Current problems these test markets must resolve are the matter of contact reliability between the memory card and the transaction terminal and the integrity of memory-card security systems. These issues, as well as that of public acceptance, must be resolved before a full-scale memory-card application for EFT can be implemented. It will probably be several years before memory cards are widely in use.


At present, there are no in-place systems for memory cards in the U.S. However, the U.S. Department of Agriculture plans to soon choose a contractor for a demonstration of a memory-card system that could replace the paper coupons in the foodstamp program. The cards would be issued with the equivalent amount of money in memory, thereby eliminating the paper, paperwork, printing, and handling of stamps for the approximately 8 million households in the food-stamp program.

Another area in which memory cards are being used is to augment or replace "dog tags" currently used in the military. The memory card could not only keep the traditional name, rank, and serial number data but also store a soldier's training history, medical records, and so on.

Our new Color/Scribe™ printer:

fully compatible with the IBM Personal Computer and color monitor when using the emulation disk supplied with each printer.

If you think it takes guts to announce a color printer in a Black & White ad, wait until you hear our Radio spots.



After years of building single-color printers, we would be the first to admit that color printers aren't for everyone.

But for those of you who insist on a full-color printer, here's the one you should insist on: Our Color/Scribe DP-9725B.

Because Color/Scribe's rich, saturated colors and razor-sharp resolution lets you take full advantage of your computer's color graphics. With it, you can punch up your presentations and breathe new life into your reports.

And since Color/Scribe is based on the "Bulletproof" design of our Silent/ScribeTM series, you get quiet, field-proven reliability that's becoming the industry standard.

Don't need color all the time? Fine. In the single-color mode, Color/Scribe runs circles around most other printers with its Draft, Enhanced and Dual-Pass Correspondence

Modes at speeds up to 240 Characters-per-Second.

So, with Color/Scribe you can have color when you need it, and high-performance black & white at no extra cost...sort of like getting three printers.

Color/Scribe. If you simply must have a full-color printer, have one of the best.

Have one of ours.

Call (800) 4 ANADEX In California 800-792-9992




The more you know printers, the more you'll like Anadex.

ANADEX, INC. • 1001 Flynn Road • Camarillo, California 93010 • Telephone: (805) 987-9660 • TWX 910-494-2761 U.S. Sales Offices: Irvine, California (714) 557-0457 • Schiller Park, Illinois (312) 671-1717 • Wakefield, Massachusetts (617) 245-9160 Hauppauge, New York, Phone: (516) 435-0222 • Atlanta, Georgia, Phone (404) 255-8006 • Austin, Texas, Phone: (512) 327-5250 ANADEX, LTD. • Weaver House, Station Road • Hook, Basingstoke, Hants RG27 9JY, England • Tel: Hook (025672) 3401 • Telex: 858762 ANADEX GANADEX GMBH • Behringstrasse 5 • 8752 Mainaschaff • W. Germany • Tel: 011-49-06021-7225 • Telex: 4188347

Circle 26 on inquiry card.

BYTE January 1984 157



Years of research, development, and field testing have resulted in the most extensive statistics and graphics database program specifically designed for the personal computing environment. STATPRO provides the data analysis capabilities and flexibility previously available only on a large computer. Researchers, business professionals, and other data analysts will welcome the breadth yet simplicity of this program! STATPRO requires no previous computer experience, no special command language. Single keystrokes access all of the data manipulation, statistics, and graphics power of STATPRO.

STATPRO allows easy access to its extensive numerical data capabilities.

The strength of STATPRO is found in the functions of its user friendly, menu-driven database. You can easily learn to enter and edit, manipulate, transform, and print out data. STATPRO's searching capabilities allow these functions to be performed on all your data or a user defined subset of your data.


Statistics Modules Menu

- A) DESCRIPTION
- B) REGRESSION
- C) ANOVA D) TIME SERIES
- E) MULTIVAR

(ESC)) Exit to Master Menu

Choice ->[

Transformations and over 400 conversions are available. You can place the results of these transformations into the same field or any other field in STATPRO's database.



STATPRO offers a comprehensive collection of statistical procedures. The statistics component of STATPRO contains a multitude of procedures, grouped into the following modules:

Descriptive: Contingency analysis, cross tabulation, normality tests; descriptive, comparative, range and non-parametric statistics.

Regression: Linear, non-linear, stepwise, and multiple regressions; residual analysis and statistical matrices.

Analysis of Variance: Single and nested classifications, two and three way equal and unequal sample size and non-parametric ANOVA.

Time Series: Moving averages, multi-stage least squares, fitted polynomials and trig functions, additive and multiply forecasting.

Multivariate: Principal components, factor, orthogonal factor, oblique factor, pair-weighted cluster, discriminant function, multiple contingency, and canonical correlation analysis.

STATPRO provides graphic representation of your data in minutes.

STATPRO graphics plot all the results of your STATPRO statistical analyses including scatter, triangle regression, and box plots; piecharts, histograms, and dendograms. Further, with STATPRO you can custom edit with any of four character sets from the keyboard. You can also edit using paddles, joystick or special graphics commands. Mix text with data fields. Place multiple plots on each screen. Define your axis limits.

You can save your graphics on a disk for a multiple color "slide show" presentation, or print them out through a variety of compatible printers.

STATPRO documentation wraps up the package.

Although STĂTPRO software is essentially self-documenting, complete print documentation is provided. This includes a walk-through Introductory Tutorial, a Menu Chart, and a comprehensive User's Guide for each STATPRO component.

STATPRO currently runs on all versions of the Apple® II, Apple / / /, and IBM® Personal Computers.

To find out more about Statpro: The Statistics and Graphics , contact your

local dealer, or

Call us toll-free at

800-322-2208

In Massachusetts call (617) 423-0420.

You can also call us toll-free for information on corporate purchase through our National Account Program.



STATPRO is a trademark of Wadsworth Electronic Publishing Company. Apple is a registered trademark of Apple Computer, Inc. 1BM is a registered trademark of International Business Machines, Corp.




Figure 1: A typical arrangement of the contact points of an active memory card. Relatively few (six to eight) contacts are needed because the data is transmitted serially. See the Flonic security card in photo 1.

plays a direct part in its own destiny.

On the other hand, a passive memory card (e.g., an optical-stripe card) has no active intelligence and depends entirely on the outside world for interaction. A passive card is not unprotected, however, because this type of device can dedicate a portion of its larger memory-storage capacity to identification data of its owner. For instance, its card reader might require a match with a digitized picture, fingerprint, or voiceprint to confirm identification; an ample amount of storage capacity would be left over for transactions. Data-encryption schemes further increase the security of passive cards.

The design of the card reader or transaction terminal depends on whether the memory card is active or passive. In the case of an active card, a transaction terminal would need only I/O (input/output) devices and a power supply because the memory card already contains a microcomputer (see photo 2).

By contrast, the optical-stripe card requires some type of sophisticated laser-based data-transfer system to decipher the small dots encoded onthe card's surface.

Memory-Card Architecture

The active monochip memory-card architecture typically contains a single microcomputer embedded in a package the size and shape of a credit card. The microcomputer is connected to the outside world via contact points on the memory card's surface. Very few contact points are necessary because only power and



Photo 2: A transaction terminal (or card reader) for an active memory card.




Figure 2: The system architecture of a monochip-based memory card.

data pass between the memory card and the transaction terminal. Figure 1 shows the basic physical layout of a monochip memory card. Figure 2 shows the general architecture of a monochip memory card.

The architecture of multichip mem-

ory cards is basically similar to that of monochip cards except that large memory capacities are possible and each subsystem can be a separate IC. Figure 3 shows a multichip memory and architecture.

Data is typically transferred by an




Figure 3: The system architecture of a multichip memory card. Each block represents a separate integrated circuit.

I/O door. This doorway is similar to a universal asynchronous receiver/ transmitter (UART) and is monitored by a watchdog—the "security officer" of the memory card. The function of the watchdog is to make certain that the I/O transactions are valid. For example, successive attempts to initiate a transaction using improper access codes would cause the watchdog to close the I/O door permanently, rendering the card useless for future transactions.

The memory section of monochip and multichip cards is a combination of four types of memory: factory-programmed ROM (read-only memory), RAM (random-access read/write memory) for temporary data storage, and EEROM or PROM, in which transactions are stored.

The architecture of the opticalstripe memory card is relatively straightforward. A special material, used in the manufacture of videodisks, is placed on the back of a standard credit-card-shaped carrier. At a glance, the average person may not even notice the difference between a regular magnetic-stripe credit card and an optical-stripe memory card. The special stripe is actually composed of four layers: a protective coating, a reflective layer, a nonreflective layer, and a substrate layer (see figure 4). Data is encoded on its surface by burning small holes approximately 5 microns in diameter into the reflective layer. A low-power laser is used to "burn" the data onto the stripe and to read it back. By scanning the optical stripe with the




Figure 4: The physical layout of an optical-stripe memory card. The material on its surface is similar to that used on laser videodisks. A laser is used to read and write the transaction information.

laser, a bit stream of data is produced. Figure 5 shows what happens when a laser scans the optical stripe.

MEMORY N

Memory-Card Terminals

Because transaction terminals are necessary for a complete memorycard system, a brief discussion will help to understand how the whole system works.

A transaction terminal is a communication station used to transfer information into and out of memory cards. Basically, transaction terminals consist of two parts: a display with an attached keypad and a memory-card interface. The display and keypad could be a standard serial terminal. The memory-card interface "customizes" the transaction terminal for a particular type of memory card. There are two types of interfaces: one for optical-stripe memory cards and one for monochip and multichip memory cards.

The terminal interface for an optical-stripe memory card contains a computer-controlled laser data-transfer scanner. This scanner knows how to interpret or write dots on the memory card into meaningful data. Because this type of adapter needs a computer and a laser to read the memory card, it would be more expensive to manufacture than the

APPLE®

Compatible

IBM-PC

Compatible

S-100

Compatible

• CROMEMCO •

Introducing the C-10MP Package. This new system couples the popular C-10 hardware and software developed by Cromemco with the most popular software offered by MicroPro.

Word Star - Info Star - Calc Star - Mail Merge
List Price \$2195 Our Low Price \$1975

- Other Cromemco Systems from

WITH WICE O WATE
C-10 Super Pack
CS-1 with Z-80A, 64KZ, 2DS/DD 51/4 Drives 3389
CS-1 with DPU, 256KZ, 2DS/DD 51/4 Drives 4239
CS-1HD with DPU, 256KZ, 21MB hard disc 6789

We also carry the entire Co	
board level products and s	Sultware
Cromix\$499	CDOS\$79

• EAGLE PC •

Simply, a better PC! 128k RAM (expandable to 512 on the main CPU board), DS/DD 320k disc drives, serial ports, 1 parallel port, MS-DOS, Eagle Calc and Eagle writer included.

The EAGLE SPIRIT portable w/10 MB hard disk is now eveilable.

COLUMBIA VP PORTABLE

Featuring IBM-PC compatability teamed with the most comprehensive software package in the industry. Includes 128k RAM, 2 51/4, 320k drives, and a 9 inch 80x25 display.

SANYO MBC550

Not only is the Sanyo MBC550 priced less than one-third that of a comparably equipped IBM-PC.. It is also less expensive than most 8 bit computer packages. Includes a 160k drive, 128k RAM, M5-DOS, Word Star and Calc Star.

MORROW DESIGNS

Micro Decision w/terminal & software	
MD2 — 2 drives	I
MD3 — 2 DD drives	II
MD11 — 1 floppy & 10 MB Hard disc Ca	II

• ZENITH Z-100 •

			-	-	_	-	-		-	-	-	-	_		-		_								
ZF-100-21							ı				į.		i				ı		ı.			\$2	39	99	9
ZF-110-22	ı.	ı,		ı,			ı,	i												i	ı	2	88	39	3
ZF-120-22									ı					į.								2	9	59	9

• PRINTERS •

	Epson					
RX80 399		FX80Call				
RX80F/TCall		FX100 739				
	Okidata					
82A 399		92 499				
83A 689		93				
		00 111111111111111111111111111111111111				
Str	ar Micron	ics				
Gemini 10X299		Stx-80179				
Gemini 15499		New Delta Call				
	Diablo					
620 998		630R-155 1849				
020111111111111111111111111111111111111		00011 100 1111040				
	NEC					
3510 1599		7710 1999				
3530 Call		7730 Call				
3550 Call		7750 Call				
		1100 11111110uii				
	Qume					
11/401410	a dillo	11/551599				
Silver Reed						

We also carry Alphacom, Anadex, C.ITOH, Daisywriter, IDS, Mannesman-Tally, Smith-Corona, Texas Instruments, and Transtar printers. We have cables, printwheels, ribbons, diskettes, surge protectors, and other accessories for your system, in stock at outstanding prices.

Exp 500 499

Exp 550 699

• TERMINALS •

Televideo	Esprit Systems
910 \$499	Esprit 499
914 619	Esprit II 549
924	Esprit III
925	Esprit III (color) Call
950 945	Exec 10/102Call
970 1099	Exec 10/25Call
Wyse	Lear Seagler
WY-50Call	ADM3A535
WY-100,845	ADM11589
WY-2001095	ADM22 595
WY-300Call	ADM36
Zenith Z-29 \$699 ZT	-10 \$429 ZT11 \$499

• IBM-PC BOARDS •

Amdek MAI Graphics Board \$499.00
AST Research I/O Plus
AST Research 3270 Bisync Emulator Call
Baby Blue CP/M Board499.00
CCS 132 Column Super Vision Board 680.00
Plantronics Color Plus Board
Quadram Quadboard 64K
Quadram Quadlink Board
64K RAM Chip kits
Microsoft 256K RAM board
Microsoft 64K System board 275.00
Tecmar 1st MATE board
Tecmar Graphics Master board Call

• S-100 BOARDS •

Advanced Digital Super 6/6mhz Board	.\$759.00
Advanced Digital CP/M 3.0	350.00
CompuPro CPU-Z 6mhz 2-80	249.00
CompuPro CPU-8085/88	359.00

We also carry S-100 boards from California Computers Systems, Dual Systems, Memory Merchants, North Star, Scion, Systems Group and many more.

• DISC DRIVES •

Rana Elite I w/controller (Apple II)	\$359.00
Rana Elite II w/controller (Apple II)	.529.00
Rana Elite III w/controller (Apple II)	.649.00
Rana 1000 (for Atari)	.359.00
Tandon TM100-2 Drives	
Tandon TM-55-2 1/2 Height Drives	Call
Shugart 8" SS Drives	.350.00
Shugart 8" DS Drives	.450.00
Corvus 6MB Hard Disc	1869.00
Corvus Mirror Back-up	.639.00

· MODEMS ·

D.C. Hayes	Novation
Smartmodem 300 .Call	D-Cat155.00
Smartmodem	J-Cat 110.00
1200 529.00	Apple Cat II 279.00
Smartmodem	103 Smartcat199.00
1200B 499.00	212Smartcat429.00
Signalman Mk II .79.00	212 AutocatCall
U.S. Roboti	cs
Password .	359.00

MONITORS

Amdek	Zenith	Panasonic	NEC
300G139	123 12 in. Gr 118	12" Green 169	JC-1203DH
300A 159	122 12 in. Amber145	12" Amber 189	High Res. ColorCal
Color I	131 Med. Res. RGB319	13" RGB 399	JB-1231M Green115
Color II 449	135 High Res. RGB 549		Texan
Color III		BMC	KG 12" Green 135
		12 AUW Green 85	RGB Vision I color 315



MasterCard and Visa Accepted

VISA

Mini Micro Mart, Inc.

943 W. Genesee St. Box 2991 Syracuse, N.Y. 13220

(315) 422-4467 TWX-710-541-0431

Separate specialized sales staff for



(315) 478-6800




Figure 5: The process of reading data encoded on an optical stripe. On the left, the laser beam encounters a hole written in the reflective layer so no light reaches the detector. On the right, the beam is reflected to the detector from an undisturbed section of the reflective layer.

interface for monochip and multichip memory cards.

A terminal interface for monochip and multichip memory cards is no more than a small housing with a mechanical device to connect the memory card to the terminal's contact points. These points provide power to the memory card and serial communications capability to the display and keypad. Information can be exchanged as long as the transaction terminal adapter is connected to the memory card.

Memory-Card Packaging

By definition, memory cards must

be small enough to be carried conveniently. The most common package for memory cards resembles a credit card. However, there are possible drawbacks to incorporating electronic circuitry within a 30/1000-inch thickness of plastic. Manufacturing the plastic card liberates corrosive gases that can affect integrated circuits. Furthermore, producing such a package is difficult using conventional semiconductor fabrication techniques.

Fortunately, a process known as tape-automated bonding (TAB) solves most of these problems. It's currently used to manufacture such items as

electronic watches and very thin pocket calculators. TAB originated in the U.S. in 1969 and uses a flexible printed-circuit carrier tape, which looks like 35mm movie film, to which an IC is bonded and tested (see photo

Memory-Card System Costs

Card costs will depend on two factors: the technology used and the volume of production. In high volume, optical-stripe cards should cost about 50¢ each, monochip cards about \$4.50 each, and multichip cards about \$8 each. In low-volume production, these prices would be significantly higher (see table 2).

The cost of the transaction terminal must be considered in addition to the cost of the distribution and manufacture of the memory card. A simple transaction terminal for active memory cards may be priced as low as \$250, whereas a transaction terminal for passive memory cards will cost at least \$1500. These costs are significant because anyone wishing to use a memory card will need a reading device.

Security

It stands to reason that the more you need to protect the information on your memory card, the more valuable (or private) the information is.




Photo 3: An integrated circuit bonded to a carrier tape or TAB (tape-automated bonding). This process is used to fabricate thin electronic devices such as calculators and memory cards.



LAST NIGHT, COMPUSERVE TURNED THIS COMPUTER INTO A TRAVEL AGENT FOR JENNIE, A STOCK ANALYST FOR RALPH, AND NOW, IT'S SENDING HERBIE TO ANOTHER GALAXY.

NO MATTER WHICH COMPUTER YOU OWN, WE'LL HELP YOU GET THE MOST OUT OF IT.

If you've got places to go, CompuServe can save you time and money getting there. Just access the Official Airline Guide Electronic Edition—for current flight schedules and fares. Make reservations through our on-line travel service. Even charter a yacht through "Worldwide Exchange."

If your money's in the market, CompuServe offers a wealth of prestigious financial data bases. Access Value Line, or Standard and Poor's. Get the latest information on 40,000 stocks, bonds or commodities. Then, consult experts like IDS or Heinold Commodities. All on line with CompuServe.

Or if, like Herbie, intergalactic gamesmanship is your thing, enjoy the best in fantasy, adventure, and space games. Like MegaWars, the ultimate computer conflict.

To get all this and more, you'll

need a computer, a modem and CompuServe. CompuServe connects with almost any personal computer, terminal, or communicating word processor. To receive an illustrated guide to CompuServe and learn how you can subscribe, contact or call:

CompuServe

Consumer Information Service, P. O. Box 20212 5000 Arlington Centre Blvd., Columbus, OH 43220

800-848-8199 in Ohio call 614-457-0802

An H&R Block Company

Type of memory card	Low volume	High volume	Memory capacity in characters (bytes)	Cost per character
Monochip	\$16.00	\$4.50	4K	3.9¢
Multichip	50.00	8.00	16K	3.05€
Optical stripe	4.00	.50	2M	.0002¢
Magnetic stripe	3.00	.60	212	13.6¢
Optical/magnetic dual stripe	8.00	1.10	2M	.0004¢

Table 2: A comparison of card costs at low- and high-volume production, and the cost per character stored for the various memory-card technologies.

For instance, a memory card that contains information regarding your bank accounts would warrant more protection than a memory card used as a ski-lift token. Security of information is a matter of personal judgment depending on how "private" that information is to the individual "owning" it. Most card systems in use today (e.g., paper and magneticstripe cards) offer little or no privacy, whereas memory cards would offer several avenues for privacy and for protection of sensitive information.

Memory-card security is achieved by limiting the number of people who have access to the information stored on the card. Furthermore, granting someone access to information on the memory card should not mean he has permission to update, modify, or add information to the memory card. To protect information on the card, data encryption is used. The "key" to the code is jointly held by the card and the owner. However, just knowing the key should not constitute ownership; positive identification of the rightful owner is undoubtedly a requirement for a secure memory-card system. Finally, the memory card must keep a list of people who attempt to query or change information on the card.

Personal identification is possible using any of four different methods. Identification based on possession of an object (a card, for example) is not a positive means of identification because an object might be lost or stolen. Identification based on what a person knows (number or password) is not much better because it, too, can be lost or stolen. This method is currently employed by automatic tellers using magneticstripe cards. An automatic-teller card can be used by anyone if he knows the personal identification number that goes with the card. Both of these methods are easy to implement and inexpensive to produce.

The next two methods provide a much better means of positive identification. The first is based on some unchangeable biological feature, such as a fingerprint, voiceprint, or elec-

Positive identification of the rightful owner is required for a secure memory-card system.

trocardiogram pattern, that would provide virtually perfect identification. Its largest drawback is the expense of implementing the devices. The second method involves a learned trait or habit; the sound of a person's footsteps or a signature are distinctive learned traits. Learned traits are unique enough to be almost forge-proof and have the additional advantage of being generally inexpensive to measure. With these positive-identification techniques you can audit all accesses and attempted accesses to a memory card and identify those who made the requests.

Memory cards suffer from the same type of external threats as do credit cards-illegal use of a valid card, modification of a valid card, and production of counterfeit cards. These three threats are compared for both memory cards and current magnetic-stripe credit cards in tables 3a and 3b. Although the probability of misuse and potential loss is comparable, the countermeasures available to protect memory cards make them preferable to magnetic-stripe cards.

Proponents of the technology are claiming that the memory card is unconditionally secure, but there is no solid evidence to support this claim. Experts in the field of security, cryptography, and microelectronics doubt these claims because of the rapid increase of computer crime in the past few years. Memory-card systems are more secure than the current magnetic-stripe technology, but their level of security in field-usable systems has yet to be determined. Currently there are field tests underway in the United States and in France that may prove to some degree the security of memory cards. However, the ultimate test of memory-card systems comes when they have been released on a very large scale. None of the existing field tests will be able to answer the question of security absolutely.

The Human Factor

The importance of human factors in computer applications is receiving increased attention, which is well deserved because most computer systems have not been designed with the user in mind. They have been designed instead from the standpoint of ease of implementation for the design engineers. Because memory cards are small portable computing devices, it is important that the proper human factors be considered in order to ensure the acceptance of memory cards in particular applications.

Nearly all the applications of memory cards involve financial institutions, which are moving over from standard credit cards. Their greatest

WAIT REDUCTION MADE EASY.

ou know how hard it is to wait for the printer to finish before using the computer again. It's wasteful! Counter productive!


The solution: simply install Microbuffer™ printer buffer into the system, in seconds. And you can print and process simultaneously.

With one swift command, all printing data is dumped to the Microbuffer-it handles the printer and frees the computer for other functions.

Presto! Instant wait reduction.

Microbuffer II and II+ for the Apple II, II+, and IIe computers.

Microbuffer II comes in either a serial or a parallel version with 16K or 32K of RAM. Microbuffer II+, available with 16K, 32K or 64K, has both serial and parallel capabilities, so you can control two different printers at once. The Microbuffer II+ has on board high resolution graphics routines for 37 popular printers, and all include expanded graphics capabilities and text formatting in addition to the inherent benefit of letting you use your computer while your printer is working.





Microbuffer In-line for virtually any computer/printer combination.

These are stand-alone units that install In-line between virtually any computer and printer.

Besides printer buffering, the In-line serial interface (MBIS) can be used to efficiently transmit data from the computer to almost any device using a serial RS-232C interface. The parallel Microbuffer In-line (MBIP) is built exclusively for parallel interfacing, and works exceptionally well in virtually any parallel computer and any parallel printer.

Each of the stand-alone models have controls for making multiple copies (up to 255). With the pause control, printing may be halted at any point and continued later-it will pick up right where it left off. Even while you are printing copies of a document, additional files can be sent to the buffer and they will be processed in turn. Both

come with either 32K or 64K of RAM, and are easily upgradable up to 256K for processing greater amounts of data.

Microbuffer/E for Epson printers.

Fully compatible with Epson MX, FX, RX, and IBM-PC series printers, these easy-toinstall boards simply plug inside the printer.

For parallel interfaces, the Microbuffer models MBP-16K and MBP-64K are available.

For serial interfacing, Microbuffer models MBS-8K and MBS-32/64K are available. The MBS-8K supports both hardware and software (X-ON/X-OFF) handshaking; the MBS-32/64K supports three handshaking configurations (hardware, software X-ON/X-OFF and ETX/ACK).

SO WHAT ARE YOU WAITING FOR?





31245 La Baya Drive Westlake Village, CA 91362 USA (213) 991-8200 • TWX 910-336-5431

©1983 PRACTICAL PERIPHERALS



(3a)				
	Probability	Potential loss	Countermeasures	Skill level required
Illegal use of a valid card Modification of a valid card Production of counterfeit cards	high moderate to high high	moderate serious enormous	moderate to poor poor poor to none	none medium medium to low
(3b)				
	Probability	Potential loss	Countermeasures	Skill level required
Illegal use of a valid card Modification of a valid card Production of counterfeit cards	high medium to low low	moderate serious enormous	good moderate to poor poor to none	low high high

Table 3: Probable abuses of a magnetic-stripe card (3a) compared with the same factors for a memory card (3b).

motivation for shifting to memory cards is to minimize fraud, theft, and misuse of credit cards.

Conventional credit cards have several advantages that have put them into widespread use today. They are easy to use, they don't require any special knowledge by the user, and they are cheap to manufacture (and therefore are generally provided for free). Their biggest fault is that they are very difficult to track if stolen. Another major disadvantage to credit cards is that they are easily counterfeited. Memory cards, on the other hand, can provide all of the advantageous features of a credit card while reducing, or eliminating, these disadvantages. The memory card could also provide a unified method of interaction with a financial institution, such as a bank; the memory card could serve as a credit card, a savings passbook, a checkbook, and an automatic-teller access card all in one. Other information could be carried as well: information on outstanding retirement accounts, auto loans, and savings bonds.

In order for this type of memory card to be readily accepted by new users, the card and the system must be as functional as the system they replace and should offer additional features (e.g., updated interest reporting for passbook savings accounts).

The memory card itself must have certain physical characteristics in order to be acceptable to a large group of users. It must be small, lightweight, and durable. Also, it should utilize a surface or shape that would let you identify the front, back, right, and left side of the card so it could be used in poor light or by a person who is visually impaired.

Memory cards can provide all of the advantages of a credit card, while reducing or eliminating the disadvantages.

Attention should be paid to the user's access to information within the memory card. This would require a small, portable terminal analogous to the calculators carried in some checkbook cases. A similar read-only device for active memory cards could be made by modifying such a calculator.

Nonfinancial Applications

Two examples of nonfinancial applications are memory-card software packages and memory cards used for on-board diagnostics of a personal computer.

Like any other machine, personal computers can need repair. Unlike other machines, computers cleverly disguise their problems, making them difficult to troubleshoot and repair. It would be beneficial to have an on-board "tattletale" memory card that could monitor the computer's operation so as to enable rapid detection and correction of problems. This device could keep track of such things as memory faults, bus errors, power-line surges, system glitches, and air temperature and relative humidity inside the computer chassis. The memory card might also perform a type of logic-analyzer function.

A diagnostic card could decrease maintenance costs because it could periodically be removed from the personal computer and its information displayed to determine the number of memory faults that had occurred, or the number of times the critical temperature was reached inside the chassis, thus signaling the necessity of maintenance. Therefore, memory cards for on-board diagnostics could decrease the life cycle costs because repairs would be easier to isolate and fix. Only the memory card would have to be taken to the appropriate service department for playback and inspection to diagnose the problem. This could save the owner of a personal computer a great deal of time, effort, and money.

Figure 6 shows a memory card used as a diagnostician. The "panic" button could be activated by the user if a potential problem is suspected. The button would alert the memory. card to a situation in which an error may occur. The memory card could

CHAMELEON \$1995 Complete by SEEQUA

The IBM® Compatible Computer

BOTH WORLDS OF PROCESSING

Using a unique dual processor technology, the Chameleon by SEEQUA is both IBM-PC compatible and CP/M-80™ compatible providing the largest software support available.

TWICE THE MEMORY

128K bytes RAM are standard, internally expandable to 256K. And 320K formatted disk storage is included.

SOFTWARE INCLUDED

Your computer is delivered with SEEQUA's MS-DOS. compatible with the IBM

standard 16 bit PC-DOS operating system. It includes Perfect Writer for word processing and Perfect Calc for financial analysis. And it has MBasic to let you write your own routines. Chameleon comes standard with 640 x 200 resolution black and white graphics and 320x 200 resolution color graphics.

EXPANDABLE

Chameleon has both serial and parallel ports standard. You can add an additional serial port or the IEEE-488 port. You can even use IBM PC compatible add-on boards in our optional expansion interface package.

FITS IN YOUR ENVIRONMENT

Chameleon is at home in your office. But its compact packaging makes it easy to carry elsewhere.

To learn more about Chameleon's power, call us at 800-638-6066. We'll put you in touch with our closest dealer.



8305 Telegraph Road Odenton, MD 21113 (301) 672-3600 or (800) 638-6066

The following are registered trademarks: CP/M-80 — Digital Research Inc. MS-DOS — Microsoft® PC-DOS-IBM Perfect Writer — Perfect Software Perfect Calc — Perfect Software






Figure 6: A block diagram of an active memory card used as an on-board diagnostics device within a microcomputer.

then record all the various logic and physical states of the system. This type of diagnostic capability will become more useful, and almost a necessity, as personal computers become more complex.

Eliminating Disks and Pirates

Distribution of personal-computer software has its problems, most of which fall into two main categories: media reliability and piracy. Almost all personal-computer software is distributed on floppy disks, a magnetic recording medium. The data-transfer head reads and writes information as the disk revolves. The data-transfer head must make physical contact with the floppy disk in order to work properly. This contact causes friction that eventually wears out the floppy disk. Dirt, dust, oily fingerprints, and other types of contamination can accelerate this deterioration. Because memory cards have no moving parts, they are very resistant to the contaminants that can ruin a floppy disk. Therefore, memory cards are a more reliable distribution medium than floppy disks.

Memory cards also offer protection against software piracy. Currently, a personal-computer user needs to keep several copies of a program on separate disks to ensure a working copy in case of an operator error or media failure. Because copies are easy and necessary for legitimate users to make, they are also easy for illegitimate users to copy. This is a major problem in the industry today and one that can be easily combated with memory cards, which cannot be erased by the user or be easily damaged.

Memory cards are more reliable than floppy disks and offer protection against software piracy.


Chip-based memory cards can store approximately 5 percent of the information of a single-sided, single-density 5¼-inch floppy disk (8K bytes versus 160K bytes). Technological advances may help to overcome this drawback.

Alternately, a multiple-card reader could be constructed for virtually the same cost as a floppy-disk drive (approximately \$400). A card reader would enable many programs to be on line simultaneously with improved access time and enhanced reliability.

Chip-based memory cards are not the only type of memory cards that can be used to store information. Optical-stripe memory cards can store about 4 million bytes per card. This lets a large program or a multitude of smaller programs be stored on the memory card, which greatly increases the applications for personal computers. By using an opticalstripe memory card, books, dictionaries, thesauruses, encyclopedias, and reference books could be bought in machine-readable form inexpensively. Imagine a spelling checker based on a 4-million-byte memory card. A reader for an optical-stripe memory card would be more expensive than one based on chip technology, but if manufactured in large quantities, its cost would probably range from \$400 to \$800. The reader would be about the same size as the current 54-inch floppy-disk drive.

Although the technology is yet in its infancy, memory cards may eventually be used by the majority of the population. Applications include security, financial tasks, data storage, and diagnostic capabilities for personal computers. As yet, it is not clear whether active or passive cards will prevail, but memory cards will be part of your life very soon.

Mark Mills is facility manager of the Microcomputer Application and Technology Center at Battelle Columbus Laboratories in Columbus, Ohio. He can be contacted at 3118 Essington Dr., Dublin, OH 43017.



IF COLOR IS A LUXURY YOU THINK YOU CAN'T AFFORD, THINK ABOUT OUR WY300—the smart color terminal as low as \$975.* Quantity 100

The WY300's high-resolution 8-color display adds vivid relief to any text editing or data entry task, without adding significantly to the price you'd pay for monochrome.

Ergonomically designed with a swivel and tilt CRT and a detachable keyboard, the compact WY300 fits into the workplace as comfortably as it does into your budget.

On top of that, the WY300 gives you a host of features like a soft downloadable



character generator; extensive alphanumeric and line drawing symbols; and compatibility with most standard, monochrome oriented, off-the-shelf software.

Best of all, the WY300 is plug compatible with our monochromatic WY100's and most ASCII terminals. So, using color is as easy as it is inexpensive.

Need more information? Call or write us today. We'd like to convince you our smart color terminal is your wisest buy.

WYSE

Circle 384 on inquiry card.

Make the Wyse Decision.

WYSE TECHNOLOGY 3040 N. First St., San Jose, CA 95134, 408/946-3075, TLX 910-338-2251, Outside CA call toll-free, 800/421-1058, in So. CA 213/340-2013.

Undo.Windows.

New Microsoft[®] Word. It makes your IBM Personal Computer think it's better than a \$10,000 word processor.


With Microsoft Word, what you see on the screen is what you get on the paper. So it's easy to spot mistakes. **Boldface**, <u>underline</u>, and *italics* look like this,

not this: ^Bboldface ^B, ^Sunderline ^S, ^Iitalics ^I.

And, when you make changes, paragraphs are automatically reformatted. Flush right, flush left, centered or justified. It even gives you several columns on a page, like a newspaper.

Word forgives and doesn't forget.

There's an "uh-oh" command called Undo. Make a mistake? Or just want to experiment? Hit Undo.



Mouse. Finally.

Word undoes your last change and remembers things

the way they were.

Word does windows. Up to eight, to be exact. So you can transfer or edit between eight different documents. Or between eight different pieces of the same document.

Word travels fast.

Word has a Mouse, a handy little critter that lets you move copy, select commands and edit faster than you can say "cheese."

Word also lets you create your own style sheets, so you can standardize your documents,

memos, files and letters.

It's not surprising that Microsoft has a way with Word. We designed the MS[™]-DOS operating system that tells the IBM[®] PC how to think. And we pioneered the first microcomputer BASIC, the language spoken by nine out of ten micros worldwide.

For a few final words, call 1-800-426-9400 (in Washington State call 206-828-8088) for a free Word brochure and the name of your nearest Microsoft dealer. The High Performance Software

Computer-aided Design

Significant CAD power is coming for desktop microcomputers

by Rik Jadrnicek

Computer-aided design (CAD), drawing and designing with the aid of a computer, promises to change our lives dramatically. Not so long ago, we stumbled into air-conditioned computer centers with boxes of keypunch cards and a desire to "see" what would happen. Now all that power sits on our desktops, and as a result pencils, erasers, and perhaps even paper face the prospect of obsolescence.

Today, word processors conquer mountains of text, electronic spreadsheets master number manipulation, and business graphics translate the results into charts, graphs, and slide shows worth a thousand words. And the increasing number of electronic pictures in turn creates the need for a graphics editor—a picture processor similar to a word processor. That way, we can create and edit graphics images, cutting and pasting our way through letters, numbers, and pictures.

The age of computer graphics is finally here. A hardware/software configuration exists for everything from painting illustrations with a color brush to designing and automating the production of a pipe valve. Software tools can manipulate both two-dimensional and three-dimensional images, tools that enable us to create geometric models worth a thousand pictures.

But increased capability and falling prices raise serious questions. What hardware and software do you need? What is available? How do you compare packages? What do the terms mean? Whom do you contact? Should you wait to buy? Unfortunately, the pattern is far too familiar.

This article charts a path through the jungle of hardware and software considerations you face when choosing a CAD package. In it I focus on some of the software and hardware available for your desktop computer.

What Is Computer-aided Design?

Computer-aided design has many potential applications, among them graphics design, illustration, flowcharts, block diagrams, forms design, mapping, printed-circuit board/electrical design, space planning, architectural design, mechanical drafting, and product design. A discussion of solids modeling with shading, animation, and image synthesis on microcomputers is a little premature, but several powerful wire-frame-type three-dimensional modeling packages are available along with some exciting painting software (see photos

Computer-aided engineering (CAE) ties together such diverse interests as pictures (schematics, assembly and maintenance drawings), cost analyses, structural analyses, production process plans, material specifications, tool design, and quality control. During this process, CAD graphics interface with a variety of analysis packages through compatible data files.

Computer-aided manufacturing (CAM) uses CAD and CAE criteria to produce a product such as a valve, a tool, or another item. Soon we'll be able to design, analyze, document, and organize the actual manufacture of a product from the original drawing. Both CAE and CAM operations are in their infancy on desktop micros.

With CAD, you draw or edit by entering data through a keyboard or a variety of input devices such as digitizers, mice, light pens, touch pens, trackballs, and image digitizers. The graphics software records the drawing within a world coordinate system and saves its database description. You edit the database and view the results on a monitor, which sends the image you create to a variety of hard-copy output devices including printers and plotters. You can network the database and send it out via modem or create an interface with such programs as Bill of Materials, Stress Analysis, or a variety of CAE/CAM applications.

What Is Available?

Historically, computer graphics started with the early Teletype and




Photo 1: A paintbrush drawn with the pixel-based Easel painting software.

line-printer hard-copy devices of the 1940s. Computer-driven CRTs (cathode-ray tubes) began to display output in the early 1950s. In 1962, Ivan E. Southerland, a young Ph.D. from MIT, formally described a computer system that enabled users to draw. Significant developments in outputdevice technology and software in the 1970s have made Southerland's dream economically feasible. Currently, more than a dozen software developers are well along the path to creating significant CAD power for desktop computers. These are not expensive dedicated systems or bundled hardware and software configurations that are device dependent; they run on stock microcomputers with few exceptions.

Hardware Requirements

The costs of the hardware and software necessary to configure a CAD system run from \$5000 for a very fundamental floppy-disk system up to




Photo 2: A sample three-dimensional video image produced by Energraphics software.

Processor Support	PC-Draw	CADdraft	Benchmark	Vector Sketch	Drawing Processor	CADplan	AutoCAD	VersaCAD
IBM PC	•		•	•		•	•	•
IBM PC XT	•	•	•	•	•	•	•	•
Columbia	•	•		•	•	•		•
Compaq.	•	•	•	•	•	•	•	
Corona				•	12/83			•
Eagle PC	•	•	•	•	•	•	•	6/84
Eagle 1630					•		12/83	
TI PC							•	
NEC APC			•		1/84		•	
Zenith Z-100					1/84		•	
Compupro							•	
Televideo							12/83	
Victor 9000		•			1/84	•	•	
Digital Microsystems			404				4000	
DEC Rainbow			1/84				12/83	0/04
DEC 350								6/84
Apple II								•
CP/M							•	
HP-200 Series							la constitue d	•
Price	\$250	\$495	\$595	\$900	\$995	\$1295	\$1000/\$1500	\$1995

Table 1: A comparison of computers.

 = existing feature date = expected release date

Input Devices	PC-Draw	CADdraft	Benchmark	Vector Sketch	Drawing Processor	CADplan	AutoCAD	VersaCAD
Sunflex Touch Pen Sunflex Touch Pad						•	:	
Light Pen	•							
Joystick								•
Houston Instrument Hipad		•	1/84				•	
Hitachi Tiger Tablet	1						•	4/84
GTCO		•			•	•		•
Summagraphics	3		1/84				•	
Kurta								4/84
Mouse Systems Mouse		•				•	•	
USI Optomouse			1				•	

Table 2: A comparison of input devices.

 existing feature date = expected release date

\$50,000 for a dual 68000-based microprocessor with a 20-megabyte hard disk and 1 megabyte of RAM (random-access read/write memory). The latter system is capable of very good two-dimensional and three-dimensional commercial animation graph-

Ideally, the CAD software you choose will support a variety of computers (table 1), input devices (table 2), graphics processors, and output devices (table 3).

Computers

A wide variety of desktop micro-

computers can be configured for computer graphics work. This added capability usually doesn't interfere with the word processor, the spreadsheet, or any other software in your library.

These computers fall into four general categories:

- 1. Atari, Apple, and other computers with proprietary operating systems using the 6502 microprocessor chip. Accelerator boards provide 8088 and 68000 chips for some of these.
- 2. S-100, STD, Multibus, and other

- systems like the Victor 9000 using the Z80 or 8086, 8087, and/or 8088 microprocessors.
- 3. IBM PC XT and the growing number of PC look-alikes using the 8086/8088 microprocessor and optionally the 8087 numerical data coprocessor.
- 4. Unix systems using the Motorola 68000 microprocessor.

The Intel 8088 microprocessor is faster and more powerful than the Z80 but less powerful than the Motorola 68000. Some systems, such as the Victor 9000, come from the fac-

Now 60 MHz or 100 MHz Tek quality is just a free phone call away!



Tek has expanded its best-selling 2200 scope line up to 100 MHz. And brought it all as close as your phone. Tek's revolutionary, reduced-component architecture brings unprecedented quality, reliability and affordability to the 60 MHz 2213 and 2215, and now, the 100 MHz 2235.

All three of these lightweight (13.5 lb.) scopes feature 2 mV/ div vertical sensitivity and 5 ns/div sweep speeds, plus a complete trigger system for stable triggering on digital, analog or video waveforms.

Scopes with a comprehensive 3-year warranty*... probes...and expert advice. One free call gets it all! You can order, or obtain literature, through the Tek National

	2213	2215	2235
Bandwidth	60 MHz	60 MHz	100 MHz
No. of Channels	2	2	2 + Trigger View
Alternate Sweep	-	Yes	Yes
Vert/Trig B/W Limit		_	Yes—20 MHz
Single Sweep		_	Yes
Accuracy: Vert/Horz	3%.	3%	2%
Delay Jitter	1:5,000	1:10,000	1:20,000
Trigger'g Sensitivity	0.4 div at 2 MHz	0.4 div at 2 MHz	0.3
Input R-C	1MΩ -30pf	1MΩ -30pf	1MΩ -20pf
Variable Holdoff	4:1	4:1	10:1
Price	\$1200†	\$1450†	\$19504 Now \$1650+

Marketing Center. Technical personnel, expert in scope applications, will answer your questions and expedite delivery. Direct orders include operating and service manuals, two 10X probes, 15-day return policy, and worldwide service back-up.

Order toll free: 1-800-426-2200, Extension 111.

In Oregon call collect: (503) 627-9000, Ext. 111.

tPrice F.O.B. Beaverton. OR.
'3-year warranty includes CRT and applies to 2000 family oscilloscopes purchased after 1/1/83.
Scopes are Ul. Listed. CSA and VDE approved.



PC-Draw	CADdraf	Benchmark	Vector Sketch	Drawing Processor	CADplan	AutoCAD	VersaCAD
1							
•			•		:	:	6/84
3/84 3/84	12/83 12/83	1/84	1/84	•	12/83 12/83	12/83 12/83	2/84 2/84 2/84
• 1/84 3/84 3/84	•	•	:		:		
:	12/83 12/83		:	:	• 12/83 12/83	•	:
1/84 1/84	:	1	•		:		
	•				•	11/83	
1				4		•	4/84
			:			:	
	:	•	•		•	•	2/84 2/84 2/84
•							
					•	•	2/84
:							
•							
:	1/04	•		•	1/04		
	3/84 3/84 1/84 3/84 3/84	12/83 3/84 12/83 3/84 11/84 1/84 12/83 12/83 12/83 12/83	12/83 3/84 12/83 1/84 3/84 3/84 1/84 1/84 1/84 1/84	12/83 3/84 12/83 1/84 3/84 3/84 3/84 12/83 12/83 12/83 1/84 1/84	12/83 3/84 12/83 1/84 1/84 1/84 1/84 1/84 1/84 1/84 1/84 1/84	12/83 12/83	12/83 12/83

Table 3: A comparison of output devices.

 existing feature date = expected release date

tory equipped with full graphics capability. They are the easiest to configure and generally the least costly. If you do need to configure a system for graphics capability, in a price/performance evaluation the IBM PC and its look-alikes come out on top, followed by selected S-100 systems (see photos 3 and 4).

Input Devices

Although you can use the keyboard as a primary input device, a specialized device is much easier and more efficient.

With manual drafting methods and a conventional drawing board, you physically draw a line from one point to another. You do the same thing with a digitizer or digitizing tablet (electronic drawing board), but rather than use a pencil or pen you use a puck, cursor device, or stylus. You can trace a library of drawing parts you have created over the years for use in assembling your current drawings. You can also work with drawings

created manually by your co-workers.

Touch pens and light pens enter data points directly onto the monitor screen-if you don't mind holding your hand in the air-but they don't trace manually created drawings.


Similar to digitizing tablets but without the expense or the accuracy, mice keep your hand in a restful position on a table or grid plate. Trackballs, which use a revolving ball like some video games, video-camera input, and even joysticks are available. It's a good idea to combine the key-

Let the ANGEL do the waiting \dots

It has been said that 30% of microcomputer users will eventually purchase a buffer. For business users, a buffer pays for itself in the time and money it saves the user not waiting for the printout. The more you use your printer the more you need a buffer.

RS232 OUTPUT

RS232 INPUT



ANGEL HAS ALL INTERFACES

ANGEL, The Intelligent Buffer is the perfect mate for your system. It has both RS232 Serial and Centronics Parallel interface, and can convert from serial to parallel and parallel to serial. It is truly a universal buffer that is compatible with most microcomputer systems. This versatility means when you upgrade your system you can use the same ANGEL.


JAMMED PAGE RE-PRINTS



ANGEL passes data to the printer exactly as received from the computer and is independent of software — including graphics. The ANGEL also features an innovative page mode which carefully monitors the page break data during printing. Under the page mode you can reprint the last page, jammed pages, do page skip as well as page pause for single-sheet feeding.

ANGEL is an intelligent buffer with 12 additional functions that may be activated when you need them; pause, hold, copy, clear, self-test, page reprint, page skip, page pause, multi-copy, continuous copy, space compression, hex dump, etc.

ANGEL comes with 64K bytes of memory, ample for most applications. Additionally, you may activate the space compression mode which in may cases extends the buffer capacity to more than 128K.



ANGEL is designed for all types of users – even those without technical background. All switches, including baud rate selection and parallel / serial configurations are externally accessible. Installation is a matter of connecting cables, setting up DIP switches and power-on. Ligo Research makes available standard cables/adaptors for most popular computer/printers. Connection diagrams are also provided for users who want to make their own cables.



With such a good product available now, why wait for your printer to catch up? You can order the ANGEL from your dealer or call direct to 1-800-323-3304, TODAY!



396 E. 159th St., Harvey, II. 60426 • 1-800-323-3304, 1-312-331-8797 • Telex: 910-257-0850 LIGORSCH, HARV in Canada: Computer Age, Ltd., P.O. Box 730, Nobleton, Ontario, LOG 1NO • 1-416-859-0370



Software Features to Look For

On-line Status

On-screen status items, such as layer number, grid status, lines of type, the cursor's x-y coordinate position, and various interactive prompts, are helpful. The ability to get information about your drawing or entities within it is also helpful. For example, if you want to know the size of your coordinate system, the exact location of a particular item, or the default status of various program parameters, the on-line status feature gives you access to this information.

Menus

While it is cumbersome and frustrating in the long run to choose program functions from an A, B, C type of menu, command menus that you point to on the screen are a desirable feature. In addition, if you have the freedom to design your own menu, you can develop a custom application using only those selections that apply to your drawing needs. For example, you may want to use only 10 of the 40 menu commands and organize them conveniently for your own frequency of use. The program may let you put predefined shapes (icons) in the menu for easy selection and placement in your drawings.

Macros and Command Files

Macros and command files are groups of program instructions and other dataentry items that can be executed with a single keyboard sequence. For example, if it takes you five steps to merge a disk file into your current drawing, you can place the necessary instructions in a macro/command file and execute it with a single command. You can even place these macros as selections on your menu.

Further custom flexibility exists if the software lets you stop during macro execution and issue a prompt for data entry. For example, you can develop a menu item that creates a shape; goes to a particular location; enters text mode; sets the font, size, and direction; and prompts you to enter the text string. The more powerful the macro capability, the more you can develop custom or turnkey applications.

Ideally, you can enter the program and execute the first command by making one entry at the A>prompt. This allows you to enter the program from a batch file, draw for a while, perform some other macro functions, exit cleanly, and then reenter

the original batch file. Turnkey CAD, CAE, and CAM operations then become feasible.

Grid

The world coordinate system and the coordinate system you define within it break down into grid points that serve as reference points while you are drawing. Look for the ability to specify the distance between grid points and to choose a different scale for the x and y axes. You don't want the grid points to become part of the database or to appear on the printer or the plotter. Ideally, they turn inverse when they appear in a solid fill.

When you activate grid lock or grid snap, another desirable feature, the data points you enter "snap" to the nearest grid point no matter where you enter them. This permits a degree of error when entering data points. Notice in the figure opposite how the actual figure (solid line) differs from the digitized line (dotted). This is especially helpful when you are trying to align different drawing layers, close irregular shapes, or enter data points quickly and accurately.

The ability to vary the distance between grid points becomes important with grid lock/snap. It allows you to change the coarseness of your drawing resolution as you fine-tune. You can, for example, zoom in on one square inch, snap to the nearest hundredth-inch for detail drawing, then zoom back out, snapping to the nearest quarter-inch.

With the incremental snap feature, your cursor stops only on grid points or resolution points as it moves across the screen.

Aspect Ratio

If "what you see is what you get" is important to you, make sure the program corrects for the aspect ratio of your display devices. Aspect ratio is a design engineering term that refers to the ratio of display width to height. For example, a 320 by 200 monitor presents a circle as an ellipse and a square as a rectangle unless the software makes the right adjustments. This is quite important if proportion matters during data entry or if you are using the display for a final presentation.

Data Entry

Shapes, blocks, groups, components, and dictionary items. These are all different names for similar drawing elements. You want to be able to create drawing elements, store them in a parts library, and merge them into your current drawing, rescaling and rotating them as desired. The ability to automate repetitive drawing tasks is one of the more important features of a CAD program. For example, if you are an architect and want to call one of a variety of drainage systems into a foundation/site plan, you can retrieve the right one from your drawing library on disk rather than redraw it from scratch.


Tablet or tracing mode. This can be extremely important for merging existing manual drawings into your library. Look for the ability to enter a drawing that is larger than the surface of your input device. For example, you may want to enter a 24- by 36-inch drawing you did 10 years ago through your 11- by 11-inch digitizer tablet and make it part of your drawing library on disk.

Keyboard entry. The ability to enter data from both a keyboard and an optional input device is desirable. Positioning the cursor, entering relative or absolute coordinates, and keying formulas that result in appropriate curves are all important. Absolute coordinate entry is essential.

Freehand draw or sketch mode. Drawing from vector point to vector point and snapping to grid points has its advantages, but so does sketching a freeform line. Different programs handle this capability quite differently. Sometimes the sketched line becomes one database item; other times the software stores it as a user-defined collection of data points. If this capability is important to you, look at the method of updating the database, the amount of storage used, and the flexibility available for manipulating your sketches.

Drawing primitives. Become familiar with the primitives (lines, arcs, circles, rectangles, etc.) and attributes (line type, width, color, etc.) available in a particular program. Also check the number of ways you can define an object. For example, you may want to define a circle as a center and radius, two points determining a diameter or three points on the circumference.

Many other primitive capabilities are shown on the accompanying tables. They include cross-hatching or filling an area (with or without user-definable patterns), fillets and Bezier curves (see glossary on page 208), and built-in math calculations.



Grid snap permits the perfect alignment of data points by forcing them to snap to predefined grid points. Note the solid-line shape you create even when you enter points in the dotted-line shape. This becomes important when registering one layer of a drawing with another.

If you need autodimensioning, be sure it suits your needs. Some things to look for are angular, radial, and autostacking features and the ability to customize dimension elements.

The primitive features available in CAD software vary widely. The more flexibility you have to customize the primitives, the happier you will be in the long run.

Layers. If the CAD software provides multiple layers, your drawing power magnifies. Layers are like pieces of tracing paper stacked one on top of the other that you turn on and off individually for display and hard-copy output. For example, if you are designing a house, you can develop a site plan on layer one, a foundation plan on layer two, a floor plan on layer three, an electrical plan on layer four, a plumbing plan on layer five, and a roof plan on layer six. This enables you to see the overall house with all its details integrated while you have the freedom to see and draw each individual plan independently. If you turn off all the layers except the electrical plan, you can send that plan to a hard-copy device. If you turn on the floor plan, you can conveniently work on your electrical drawing against the appropriate background.

Rubber banding. A visual aid when drawing, the line stretches like a rubber band while you pull it to the next data point. Rubber banding helps in trying to conceptualize the drawing process.

Editing Features

The ease and power of the editing capability are important considerations with CAD software. You must be able to manipulate the images you create while rescaling, rotating, and moving them around. This allows you to correct mistakes and freely modify your drawings.

If, in the example of the house plan, you previously completed a drawing of a house in a completely different scale from the site plan, the ability to load the old house plan and merge it with the new site plan while rescaling it and rotating it for proper sun exposure would be extremely helpful.

Partial delete. A feature quite often absent in lower-priced CAD systems is the ability to delete part of a previously drawn

image without having to erase and reconstruct the whole thing. For example, if you break a house wall and put in a window, you change the number of entities and data points updating the database. This feature, which is quite important in editing drawings, allows you tremendous flexibility. Without it, you need to preplan, resulting in a rigid drawing lacking in spontaneity.

Windowing. This is the process of defining an area you wish to manipulate by setting up two opposite corners of a rectangle that contains it. For example, you can window an area in order to delete, move, copy, save, or zoom in on it. With the rubber-banding feature, the window dynamically expands and contracts after you define one corner, so you can shape the window and see the area defined.

Others

The list continues (tables 5, 6, and 7), but you can readily see that CAD is very powerful. The best test is an actual test; take a drawing in, try out the software, and make sure the features you need are there.




Photo 3: The hardware elements of a CAD system drawn using vector-based AutoCAD software and displayed by a 640 by 400 Vectrix Graphics processor and high-resolution Vectrix color monitor. Note that much of the configuration is optional.

Text continued from page 176:

board, function keys, and an input device determined by the design work you do. Look for software that supports a variety of input devices in case your preferences change.

Output Devices

If you desire a copy of your work, you will be using a hard-copy device. Choose CAD software that gives you output options—the more the better. A mature program supports a variety of devices that output drawings to dot-matrix printers, ink-jet printers, pen plotters, electrostatic plotters, or microfilm recorders.

For applications requiring accurate representation of colors and highquality hard copy, such as painting packages, you can photograph the monitor. A variety of photographic and video interfaces are available.

Graphics Processors

The graphics processor and the graphics monitor determine the quality of the video-display image you view during editing. The processor translates the database image in RAM for display on the monitor. If either of these devices has poor resolution, the image is less than representative.

The area of video feedback during CAD work needs improvement and

is getting it. The price of a highresolution color processor/monitor combination dropped from \$5000 to less than \$2500 in one year. Many high-resolution graphics processor boards now available (Scion, Conographics, Techmar) are reasonably priced. Very high quality color graphics monitors range between \$1500 and \$10,000 at this time, but prices are approaching the economic means of the desktop computer user.

Drawing Resolution

The concept of resolution is impor-

tant to understand if you wish to become aware of current and future trends in computer-aided design. The number of dots or elements used to represent an image determines its resolution. Consider drawing a straight line. Take a pencil and begin placing dots in a line from left to right on a piece of paper. Make the dots about 4 inch apart. You are creating a low-resolution representation of a straight line. The finer your pencil point and the more dots you place within the line, the higher the resolution of your drawing is. If you place enough dots along the line, it appears to be a solid line. The same concept applies to circles, solids, text, and other shapes.

In general, the higher the resolution, the smoother and more accurate the image. Obviously, you want the highest resolution possible.

World Coordinate System

Each piece of CAD software has its own method of mapping a coordinate system, usually called the world coordinate system.

In a pixel-based system, the software maps out a coordinate system in RAM relative to the number of pixels available within the graphics processor/monitor. Each pixel becomes a coordinate point within the world coordinate system. You represent an image by the lit or unlit status of each pixel location (data point) in the image database. This method is com-



Photo 4: One example of a CAD system, an IBM PC with a Houston Instrument Hipad 11 by 11 digitizer and DMP-40 plotter.

PURE POWER CONTROL CENTER



Power Directors incorporate UL approved TranZorb** semiconductor technology and exceed the 1983 IEEE-587 Guide for surge voltages in low voltage AC power circuits. So you can protect your computer system from line surges and noise, giving it the pure power it needs. Voltage spikes are stopped in less than a nanosecond, EMI/RFI line noise is filtered out, and current

overloads are prevented. Now your system can be truly integrated with

central power control like the Model P12 shown above. Instead of a haphazard maze of power lines and extension cords, each component plugs into the fully shielded Power Director. You can turn on each component individually, or power up the entire system with a single switch.

Look for the full line of Power Directors wherever personal computers are sold. 'TranZorb is a product of General Semiconductor Industries of Tempe, Arizona.

computer

Computer Accessories Corporation, 7696 Formula Place, San Diego, CA 92121 (619) 695-3773

System Specs	PC-Draw	CADdraft	Benchmark	Vector Sketch	Drawing Processor	CADplan	AutoCAD	VersaCAD
Color output	•	•	1/84	1/84			•	•
Program load-time to draw Minimum RAM required Maximum addressable RAM Disk I/O frequency	27 sec 128K 192K Med	36 sec 320K 320K Med	10 sec 256K 640K Med	28 sec 256K Med	14 sec 256K Med	45 sec 320K 640K Med	33 sec 256K 640K Med	81 sec 64/128K 128K High
Drawing entity bound Drawing RAM bound Drawing disk bound	•	•	:	:	•			•
Copy/multiuse protection	Disk	RS-232		PROM		RS-232		Key/Card
Configuration utility		*	.			*	*	
Z80 support 8086 support 8087 support 8088 support 80000 series support	•	•	6/84	11/83	:	:	•	:
Machine/assembly BASIC	•	:	•		•	:	•	
C Pascal FORTRAN		•	•			•	•	
World grid resolution	1280 by 400	65,000 by 65,000	65,000 by 65,000	0.002	1 × 10 ¹⁵ by 1 × 10 ¹⁵	65,000 by 65,000	1 x 10 ¹⁵ by 1 x 10 ¹⁵	1 x 10 ¹⁵ by 1 x 10 ¹⁵
Floating-point Integer	•		.	•	•		•	:
Vector base Maximum vertices/entities	1400	5000		5000	10,000 pts. 8000 lines	• 65,000	•	50,000
Drawing file type Alternate file type	ASCII	ASCII	ASCII DIF	ASCII	Pascal DIF	ASCII	Binary ASCII	Pascal ASCII
Autocorrect for aspect ratio of graphics monitor							•	•
Intelligent plot utility		•			•	•	*	•

Table 4: A comparison of system specifications.

mon in painting software where you paint shapes by lighting up pixels within a fixed matrix. For hard copy, you dump the image pixel by pixel to an output device.

In a vector-based system, the size of the world coordinate system doesn't necessarily correspond to the processor/monitor resolution. If the software uses integer mathematics, the coordinate system may consist of approximately 65,000 by 65,000 data points. With floating-point math, the software may generate a world coordinate system with limits of 1×10^{15} by 1×10^{15} data points.

The number of data points the CAD software makes available within the world coordinate system determines the degree of resolution it can achieve. The more there are, the greater the potential for detail, and,

in general, the slower and more memory-hungry the program (see table 4).

To set the scale for your drawing, you map out your own user-defined coordinate system or grid on the software world coordinate system. Say, for example, that you want to map out an area of 24 by 36 database units corresponding to a D-size sheet of architectural drafting paper. You want each database unit to be one inch, and you want to be able to break that down into divisions of 0.001 inch. Once you define your coordinate system, the system develops a database to record location and other attributes ascribed to the data points. In a vector-based system, a data point could be the center of a circle and the beginning of a line segment on layer 5 in the color green. The circle might

be a predefined shape (or primitive) defined by a center point and a radius of 2 database units rather than a circle of data points.

Physical Resolution

To record an image electronically, vou enter it into the world coordinate system through a keyboard, digitizer, mouse, or light/touch pen. To manipulate the image, you display it on an output device such as a monitor. If you want to produce a hard copy, you send the database to printers and plotters. Each of these I/O (input/output) devices has its own resolution (called physical resolution) independent of that of the coordinate system or the image.

Differences in Resolution

In figure 1, see how the same circle Text continued on page 190

⁼ existing feature

^{* =} outstanding feature date = expected release date

ENTER THE FUTURE! Introductory offer \$49.95 THIS IS THE PASCAL COMPILER EVERYBODY'S BEEN WAITING FOR... EVERYBODY EXCEPT THE COMPETITION! LEARN TO WRITE Turbo Pascal IBM Pascal Pascal MT A BPREADSHEET 49.95 595.00 PRICE 300.00 Our Introductory offer Compile & Link Includes MICROCALC, a spreads of two lines on your disk, and ready to tun. And we've included 1 secondin 97 seconds 90 seconds apeed Execution 9 seconds 3 seconds Extended Pascal for your IBM PC 2.2 seconds speed APPLE CP/M, MSDOS,CP/M 86, CCP/M 300K + editor 225K + editor Not Available 168K + editor Disk Space 16 bit 33K w editori 86 or CP/M 80 computer features: 28K w editori the source code to show Full screen interactive editor providing you exactly how a spreadsheet is written 8 and 18 bit YES NO YES a complete menu driven program NO bulit-in editor YES NO development environment. (Introductory offer expires March 1, 1984) 11 significant digits in floating point Generate object YE8 YES YES arithmetic. code One pass native Turbo Pascal includes a Built-in transcendental functions. NO YES. NO code compiler Dynamic strings with full set of string

YES source code

Money Order.

Master Card.

Benchmark data based on Eight Queens in "Algorithms + Data Structures = Programs" by N. Wirth, run on an IBM PC.
Turbo Pascal is a trademark of Borland International. MT+ is a trademark of MT MicroSystems. IBM is a trademark of International Business Machines.

NO

NO

Random access data files.

 Full support of operating system facilities.

Program chaining with common

And much more.

handling features.

variables.

ORDER YOUR COPY OF TURBO PASCAL TODAY TO TAKE ADVANTAGE OF OUR INTRODUCTORY SPECIAL.

For Visa and MasterCard orders call toll free

1-800-227-2400 X 968

IN CA: 1-800-772-2666 X 968

(lines open 24 hrs. a day, 7 days a week) Dealer & Distributor Inquiries welcome.

Exp date:	Shipped UPS
	BORLAND
	NTERNATIONAL

Turbo Pascal \$49.95 + \$5,00

shipping per copy.

Borland International Scotts Valley, California 95068

Locates RunTime

errors directly in

Check

VISA. C--- 4. 250 page bound manual with extensive explana-tions and many illustrative examples.

My System is: o oit to oit
Operating system: CP/M 80
CP/M 86MS DOS PO DOS
Computer:Disk Format:
Please be sure model number and format are correct.
NAME:
ADDRESS:
CITY/STATE/ZIP:
TELEPHONE:
California residents add 61% sales tax. Outside North America add \$15.00. Checks must be on a U.S. bank, and in U.S. dollars. Sorry, no C.O.D.

CAD Software Surveyed

Two-dimensional Software

AutoCAD

Autodesk Inc. 150 Shoreline Hwy., Bldg. B Mill Valley, CA 94941 (415) 331-0356

AutoCAD is a powerful program capable of drawing anything from simple flowcharts to large, complex architectural drawings. Its strong points include a rich set of primitive commands, floating-point accuracy, little limitation on drawing size, good memory management, excellent peripheral support, and good editing features, including partial deletion of drawing elements. By means of user-definable menus, macros, and command files, AutoCAD can be customized without programming knowledge (a very powerful feature). A drawback, however, is that zooming, panning, and editing become slower as your drawing grows larger. This is typical for floating-point packages. If possible, use the faster 8087 numerical coprocessor with this program. You can zoom in from a view of the solar system to a desktop in a San Francisco office, but if you have a large number of elements in your drawing, the process may be slow. Aggressively updated and waiting only for a faster processor environment to complement its accuracy, Auto-CAD has tremendous potential.

Benchmark

Metasoft Corporation 6509 West Frye Rd., Suite 12 Chandler, AZ 85224 (602) 961-0003 (800) 621-1908

A surprisingly capable CAD package, Benchmark uses macro command files to add flexibility, get around the limited number of standard features, and allow program customization. Written in machine and Clanguages, the program loads in a fast 13 seconds and executes commands just as quickly. Documentation is sparse, but the on-screen user interface is well designed and well written. Peripheral support is limited, however; Benchmark needs to support input devices other than the

keyboard. More a graphics editor than a CAD system designed for detailed drawing, this program even contains businessgraphics primitives. Keep an eye on Benchmark; it has a lot of potential.

CADplan CADdraft

Personal CAD Systems Inc. 15425 Los Gatos Blvd. Los Gatos, CA 95030 (408) 356-3183

A fast and friendly program with a lot of potential, CADplan's rich primitive features coupled with powerful editing features make it well worth considering. This is the only package reviewed that contains a user-definable database-extraction provision, allowing you to create written reports based on elements you place in your drawing. Its powerful configuration module supports a variety of peripherals. On the negative side, CADplan's integer math limits drawing size and resolution. Therefore, make sure this package handles the detail you require. Also, digitizer input is slow, and the system doesn't remap the device when you zoom in for more detail, i.e., you draw in a smaller area on the digitizer. Aggressively updated, CADplan is sure to become a popular entry-level package.

A scaled-down version of CAD plan designed as a beginning package, CADdraft is rich in primitive and editing features and serves as an excellent introduction to CAD. Although the drawing size is limited, it may not hamper basic day-to-day drawing applications. Be sure the drawing resolution can provide the detail you desire since it is based on integer math. This program is fast, easy to use, aggressively updated, and supports a variety of peripherals. CADdraft is a good first step in CAD, especially if the more advanced CADplan suits your future needs.

Drawing Processor

BG Graphics Systems Inc. 824 Stetson Ave. Kent, WA 98031 (206) 852-2736

Written in Pascal, Drawing Processor provides rich primitive features with a special curve-fitting provision not found elsewhere. This powerful program has strong editing features, sophisticated manipulation of predefined shapes, and floatingpoint precision. This precise but somewhat slow program requires an 8087 coprocessor chip. A well-illustrated manual describes how to map out an area on the digitizer and customize it for data entry. The program requires two monitors to run in some cases and doesn't support color yet. It needs to support a few more peripherals and provide more dimensioning and layered dataentry power. Drawing Processor is likely to be a top contender among CAD programs for micros.

PC-Draw

Micrografx 1701 North Greenville, Suite 703 Richardson, TX 75081 (214) 234-1769

PC-Draw provides a surprising amount of graphics editing power in an inexpensive package. You can create symbols, place them in a menu within the graphics editor, then pick these elements and place them within the drawing area. You can create and edit images from complex block diagrams to simple architectural drawings in color or black and white. Currently, the program supports only light-pen and keyboard entry input with a variety of output devices. Well documented, but not a full CAD system, PC-Draw provides the basic tools for a variety of drawing needs.

Vector Sketch GTCO Tablet

GTCO Corporation 1055 First St. Rockville, MD 20850 (301) 279-9550

Written in FORTRAN, Vector Sketch provides some powerful CAD capabilities. A certain number of data points spill out each second as you draw in sketch mode. Line types, commands from an on-screen menu, and creation of a symbol library are available. The program limits the number of data points you can enter and the size of drawing you can create. When zooming into the drawing for more detail, however, it doesn't remap the digitizer. This means that a quarter-inch move on the digitizer can send the cursor completely across the screen, making detailed drawing difficult. While it currently supports a limited number of peripherals, Vector Sketch is being updated.

VersaCAD CADapple

T & W Systems Inc. 7372 Prince Dr., Suite 106 Huntington Beach, CA 92647 (714) 847-9960

VersaCAD and CADapple are different versions of a powerful floating-point program written in Pascal. The ability to overflow your drawing to disk eliminates the threat of being RAM bound. In fact, since Pascal limits the RAM used, the program is constantly accessing the disk, making a hard-disk system preferable. It can automatically set up the balance of available RAM as a RAM disk. Rich primitives, including a Bezier curve-fitting provision, strong editing features, the ability to save views, a screen-dump provision, and partial deletion of drawing entities make this program powerful. Floating-point precision results in slower execution even with an 8087 coprocessor. The program can require two monitors and supports a variety of peripherals. With an optional three-dimensional interface now available and tremendous potential, VersaCAD/CADapple promises to become a popular package for micros.

Three-dimensional Software

The potential of three-dimensional software becomes desirable the more you work with CAD. Think how much time you could save by drawing house plans and then taking a three-dimensional look at the results from the neighbors' second-story window. Certainly, we anxiously await economical and usable three-dimensional CAD on desktop micros.

Many three-dimensional programs are available, but they are expensive. Several

vendors have systems ranging from \$15,000 to \$40,000 and are considering introducing device-independent programs for

Currently, a variety of interesting, inexpensive, and aggressively updated packages provide limited two-dimensional capability along with three-dimensional modeling features. Some of these follow.

Energraphics/PC

Enertronics Research 150 North Meramec, Suite 207 St. Louis, MO 63105 (314) 725-5566 (800) 325-0174

Chock full of features for less than \$300, Energraphics includes business graphics, two-dimensional drawing with shapes libraries, and three-dimensional drawing with formula surface generation. It needs digitizer input. With excellent, well-illustrated documentation including its own software and many tools, this is an excellent entry-level package for learning about CAD.

MCS Software 3-D Space Tablet

Micro Control Systems Inc. 143 Tunnel Rd. Vernon, CT 06066 (203) 872-0602

MCS is a three-dimensional modeling package complete with a special digitizer for three-dimensional data entry. You can digitize a small three-dimensional stick figure and then rotate, edit, and rescale it on the monitor. This package also allows two-dimensional digitizer input that you can then transform into a three-dimensional image with a high degree of accuracy.

3Design

3Design POB C-56789 4710 University Way NE, Suite 1512 Seattle, WA 98105 (206) 525-7820 (800) 392-9210

Available for less than \$300, 3Design is

a three-dimensional stick-modeling package that constructs images as a collection of polygons and includes hidden-line removal and colored surface shading. Aggressively updated, this is an excellent entry-level package.

Painting

Painting software refers to pixel-based programs oriented toward graphics artists and illustrators, including the manipulation of images from a video camera. You can paint pictures on the monitor with a keyboard or digitizer. These packages will get more publicity as higher-resolution graphics processors and monitors become more economical. Descriptions of two programs follow.

Easel

Time Arts Inc. 4425 Cavedale Rd. Glen Ellen, CA 95442 (707) 996-4856

A phenomenal package, Easel lets you paint on the monitor with a digitizer using different brush widths and even airbrush simulation. A palette of colors appears on the screen ready to touch and paint. Although most of the package is written in FORTH, many machine-language primitives are available. You will hear more about Easel.

4 Point

International Microcomputer Software Inc. 633 5th Ave. San Rafael, CA 94901 (415) 454-7101

With 4 Point, you can paint pictures on the screen and manipulate them, making copies of parts, changing background colors, and even switching images between buffers to create simple animation. You can turn off all status prompts to photograph the monitor image, or you can output your drawing to a plotter. Although you can use a mouse for data entry, this package needs more input devices to create more detailed and accurate drawings. Keep an eye on 4 Point.

Looking For Hardware And Software Bargains?

ComputerFest/USA is the high-energy, no-frills computer show where you can really get into it—lots of action and great deals.

This is the show where manufacturers and commercial vendors sell discounted personal computing hardware and software. And, individuals sell their used equipment and software at incredibly low prices.

At ComputerFest/USA, you'll find great bargains on everything from complete systems to integrated circuits, diskettes to disk drives, furniture, consumer electronics, business/recreation/application software, supplies, books, magazines, and more!

BUYER INFORMATION:

Technical Professionals: This is the show for engineers, programmers, technicians and other hardware and software professionals who know what they're looking for.

Non-Technical Buyers: ComputerFest/USA is also an opportunity for the non-technical buyer to purchase new and used equipment at mail order prices! And, there's a Free Consulting Booth at the show, so you can get technical questions answered before you buy.

SELLER INFORMATION:

Selling Booths: \$225

("Contract Booths" are also available for individuals selling items acquired for their own personal use. \$45)

To request a selling package, call toll-free: (800) 872-3378 or call (415) 327-7810

ComputerFest/USA is coming to your area. During January, February and March of 1984, ComputerFest/USA will be in the following cities:

A Lucia	Document
Northern California	SC County Fairgrounds
The second second	344 Tully Road
	San Jose, California
Detroit	Michigan State Fair
	1120 W. State Fair Ave., Detroit, Michigan
Dallas/Ft. Worth	State Fair of Texas
	Dallas, Texas
NorthEastern United States	Exhibition Hall
(Boston Area)	50 Foster Street, Worcester, Massachusetts
NorthWestern United States	Western Washington Fair
(Seattle/Tacoma)	Highways 512 & 161, Puyallup, Washington
Chicago/Milwaukee	Grayslake County Fairgrounds
	Highways 45 & 120, Grayslake, Illinois
SouthEastern United States	Marriott Hotel
(Atlanta)	Courtland & International, Atlanta, Georgia
Southern California	Orange County Fairgrounds
	88 Fair Drive, Costa Mesa, California
	Northern California Detroit Dallas/Ft. Worth NorthEastern United States (Boston Area) NorthWestern United States (Seattle/Tacoma) Chicago/Milwaukee SouthEastern United States (Atlanta)

TO BE ANNOUNCED:

Minneapolis, MN Washington, DC Houston, TX

This is COMPUTERFEST/USA!

 \blacksquare Auctions \square Dancing Girls \square Door Prizes \square Free Consulting \square Consignment Table

■ Printers □ CRT's □ Portables □ Terminals □ Furniture □ Test Equipment □ Books □ Magazines □ Miscellaneous

Components □ Consumer Electronics □ EPROMs and Programmers □ ICs □ Robots □ Modems □ Hard and Floppy Disk

Drives □ Enclosures □ Keyboards □ Synthesizers □ A-D Converters □ Add-on PC Cards □ Buffers □ Cables □ Mainframes □

Connectors □ Computer Paper □ Ribbons □ MULTIBUS Boards □ Power Supplies □ Catalogs □ Games □ Computer Cases □

Extender Boards □ Real-time Clocks □ Joy Sticks □ Diskettes □ Video Games □ Video Equipment □ Communications □

Educational Software □ Expansion Memory □ Disks □ Interface Boards □ And More

■ Apple □ IBM □ MicroSoft □ S-100 □ CP/M† □ Cromemco □ Morrow □ Kaypro □ Osborne □ Corona □ Commodore □ TRS-80‡ □ TI □ Epson □ Zenith □ Shugart □ Altair □ Zentec □ Imsai □ Atari □ Centronics □ Processor Tech □ Diablo □ TeleVideo □ Oki-Data □ USI □ Peachtree □ VisiCorp □ Ashton Tate □ Heath □ And Many More

†CP/M is a trademark of Digital Research, Inc. ‡TRS-80 is a trademark of Tandy Corporation

Circle 99 on inquiry card.





Show Hours Tickets on Sale

10-6:00

DISCOUNT COUPON Admission only \$5.00 with this coupon

COMPUTERFEST

\$100 Discount

140 Univeristy Avenue, Suite 16, Palo Alto, CA 94301

5100 Discount

at 9 am

I'm a: Buyer ☐ Seller Name _ (Company) _ Address _ City. Zip_ State_ Phone

Other CAD Software Packages

Business Graphics

BPS Business Graphics
Business & Professional
Software Inc.
143 Binney St.
Cambridge, MA 02142
(617) 491-3377

Chart-Master

(800) DIAL BPS

Decision Resources 25 Sylvan Rd. S Westport, CT 06880 (203) 222-1974

Cheetah

Centec 11260 Roger Bacon Dr. Reston, VA 22090 (703) 471-6300

Executive Briefing System

Lotus Development Corporation 161 First St. Cambridge, MA 02142 (617) 492-7171

Flexigraf

Computer Associates International Inc. 125 Jericho Turnpike Jericho, NY 11753 (516) 645-3003

Graftalk

Redding Group Inc. 609 Main St. Ridgefield, CT 06877 (203) 431-4661 Graphwriter

Cypher Smartware 121 Second St. San Francisco, CA 94105 (415) 974-5297 (800) SMARTWARE

SAS/Graph

SAS Institute Inc.
Box 8000, SAS Circle
Cary, NC 27511
(919) 467-8000

Tellagraf Disspla

ISSCO Graphics 10505 Sorrento Valley Rd. San Diego, CA 92121 (619) 452-0170

CAD

CADcal

CADcal Products Inc. 9311 Eton Ave. Chatsworth, CA 91311 (213) 700-7888

Cascade 12.5 Designer

Cascade Graphics
Development
1000 South Grand Ave.
Santa Ana, CA 92705
(714) 558-3316

Design Graphix

Engineering Systems Corporation POB 80318 Baton Rouge, LA 70898 (504) 769-2226 MGI

Microcomputer Graphics Inc. POB 10819 Marina Del Rey, CA 90295 (213) 822-5258

Summadraft

Summagraphics Corporation 35 Brentwood Ave. Fairfield, CT 06430 (203) 384-1344

CAD Circuit Routing

Dasoft

Dasoft Design Systems Inc. 2550 Ninth St., Suite 113 Berkeley, CA 94710 (415) 486-0822

Futurenet Dash-1

Futurenet 21018 Osborne St. Canoga Park, CA 91304 (213) 700-0691

CAE

Images-2D Celestial Software Inc. 125 University Ave. Berkeley, CA 94710 (415) 841-7175

Tutsim Applied i 200 California Ave., Suite 214 Palo Alto, CA 94306 (415) 325-4800 **Graphics Utilities**

Digiware Panelfill Mapware

Computer Mathware POB 1327 Princeton, NJ 08542 (609) 924-6582

Grafmaker DI-3000

Precision Visuals Inc. 6260 Lookout Rd. Boulder, CO 80301 (303) 530-9000

Painting

Creative Graphics
Accupipe Corporation
222 West Lancaster Ave.
Paoli, PA 19301
(215) 296-7340

Painting, Business Graphics, Graphics Utility

PC Business Graphics Autograf Data Digitizing System C-J Sales One First St. Los Altos, CA 94022 (415) 941-6892

ULTRA-RES™ GRAPHICS

IEEE-696 S-100

- 1 X 512 X 512 \$495

- 3 X 512 X 512 \$1250

- 1 X 1024 X 1024 \$995

IBM-PC

- 1 X 512 X 512 \$495

- 1 X 1024 X 1024 \$995

- CONSOLE EMULATOR \$50 - 2D DRAFTING SOFTWARE \$200 - PLOT 10 \$150

FEATURES

Software drivers, Hardware zoom, Programmable Display Resolution, Windowing, Multi-Controller Capability, NEC UPD7220 Graphic Controller

Starting Prices

ULTRA-RES Trademark CSD Inc. IBM-PC Trademark IBM C.S.D. Incorporated P.O. BOX 253 Sudbury, MA 01776 (617) 443-2750

THE COLUMBIA IBM-PC COMPATIBLES. THEY REWARD TWO BUSINESS VIRTUES: FORESIGHT AND CUNNING.



Trust your instincts.

While others rushed out to buy an IBM™PC, you waited and watched. You knew prices would come down and software would get better.

Now we have a reward for your patience: the Columbia family of IBM-PC compatible computers. It's a choice of systems and software no one else can match.

The Columbia line includes the VP Portable which lets you work any-place, any time. There's also the MPC, our desktop model, available in dual floppy disk or 10MB hard disk drive. Compatible with each other and the IBM-PC, as well.

Foresight led you to our IBM-PC compatibility.

Westart you with more operating systems than IBM, even more than other IBM-PC compatibles (MS-DOS*and CP/M*86). Which means you have immediate access to all the latest business and financial software.

Free software that's a steal.

Thousands of dollars worth of free software come with every Columbia computer. Columbia Tutor gives you a fast, comfortable start. Perfect Software™ covers your word processing, spreadsheeting, and filing needs. Fast Graphs* turns facts and figures into graphs and charts. And asynchronous communications lets you share information withother computers.

For your sense of self, we give you Home Accountant Plus, games, and two programming languages so you'll feel like an eleven year old genius.

Responsive service. Above and beyond.

175 local Bell & Howell service centers stand ready to maintain your Columbia computer at a moment's notice.

Prices start at \$2995. The phone call is free.

Now, while you're feeling shrewd, call toll free for the Columbia dealer nearest you. Then, see for yourself how the Columbia Compatibles can reward your business virtues.

800-638-7866



Columbia Data Products, Inc. 9150 Rumsey Road, Columbia, MD 21045 (301) 992-3400, TWX 710-862-1891.

Trademarks: IBM—International Business Machines Corp.; MS-D@S—A licrosoft, Inc.; CP/M-86—Digital Research. Inc.; Perfect Software—Perfect Software, Inc.; Fast Graphs—Innovative Software: Home Accountant Plus—Continental Software Company. Software on screens not included.

Circle 67 on inquiry card.

BYTE January 1984 189




Figure 1: Even when the monitor represents the drawing poorly, you can record an accurate database and produce a very high resolution hard copy.



Figure 2: An image of the Golden Gate Bridge drawn with the 4 Point painting package and plotted on a Sweet-P plotter. Note the series of short lines that represents the image on a pixelbased system.

Text continued from page 182:

and line appear when represented by a variety of coordinate systems. Each system has a different number of data points to represent the image. Fewer data points provide lower resolution and cruder representation, resulting in jagged lines called stairstepping or aliasing.

Consider an input device capable of recording data points with a resolution of 0.001 inch and a coordinate system capable of 1000 data points per inch.

If you map the coordinate system created by the CAD software to the available pixels on the graphics monitor (see figure 2), an input resolution of 0.001 inch is too detailed for a world coordinate system of 320 by 200 pixels or even 2400 by 2400. This resolution is adequate, however, for a painting program where you either take a photograph of the monitor or do a pixel-by-pixel dump onto a hardcopy device.

Be confident because your Power Type Daisywheel correspondence becomes you.

When you can't personally be there, only the clearest typed correspondence should be your substitute. With a PowerType Daisywheel printer your documents look highly professional. And so do you!

PowerType. It's "typewriter friendly." Using a

PowerType. It's "typewriter friendly" Using a simple drop-in ribbon cassette, it bi-directionally types executive quality correspondence at 18 cps with a print wheel that holds 96 flawless characters.

from letter to legal size, from fanfold to roll to cut sheet. You can set right and left margins, vertical and horizontal tabs.

Plus, of course, PowerType has both serial and parallel interfaces to enable it to connect to just about any personal or business computer.

So the next time you're going face to face through the mail, rely on PowerType. It will help you make a professional impression. And that's always very becoming






Figure 3: An image of the Golden Gate Bridge drawn with high-resolution, floating-point, vector-based AutoCAD software and plotted on a high-resolution Houston Instrument DMP-42 plotter.

In an integer-based program with a world coordinate system of 65,000 by 65,000 data points and a scale of 1000 data points per inch, you create a 65-by 65-inch coordinate system to an accuracy of 0.001 inch. The input resolution matches that of the software coordinate system.

With a floating-point-based program (see figure 3), a potential resolution of 1×10^{15} by 1×10^{15} data points more than accommodates the capability of the 0.001-inch input device. Zooming and viewing allow you to take advantage of this difference.

Although the software database accurately records the image received from the input device in these last two examples, when you send the image through the graphics processor and onto the monitor, the results are often less than satisfactory. The physical resolution of the display device has nowhere near the resolution capability of either the input or software world coordinate systems. The software records the image accurately, but the best available video representation is not all that good.

Now consider an output device, such as a plotter, with a physical resolution of 0.002 inch (determined by

the step size of its motor). An output resolution of 0.001 inch provides an image whose jaggedness is barely perceptible. On the other hand, if the database resolution is less than the plotter's, a circle looks like a manysided polygon. If it is intelligent enough to draw a circle using a center and a radius, the plotter defines the resolution of the circle. With the pixel-based system, however, each pixel shows on the plotter as a line or dot, and the resolution is as crude as the one on the monitor.

A floating-point system permits a decimal rescale of virtually any proportion, while an integer-based system often permits rescaling the database image only in fractions of the database unit, such as 1/8, 1/4, or 1/2. This potential limitation is a problem only if it hinders the drawing task at hand.

Zooming, Panning, Windows, and Views

Zooming in and out (see figure 4) fills the monitor screen with various views of the world coordinate system, both near and far—a very desirable software feature.

Zooming in creates a window that fills the monitor screen with a closeup of part of your drawing. The drawing resolution is coarser because an image that normally occupies 1/10 of the screen now occupies 1/2 of it with the same number of data points. The scale of the monitor image is different, but the world coordinate and grid systems remain the same. You can add more detail, and the input device appears capable of a higher resolution.

In an integer-based system where the input resolution matches the software coordinate system's resolution, if you zoom in on a 1- by 1-inch portion of the drawing, the resolution is 1000 by 1000 data points. There is no point in zooming in any further because you have already used the maximum resolution available.

To give you an idea of the magnification possible in a floating-point coordinate system with 1×10^{15} by 1×10^{15} resolution, you can zoom in from a view of a football field to an 8½- by 11-inch sheet of paper on the 50-yard line, read the writing on it, and then zoom further inside one of the letters on the page to do some detailed drawing.

Zooming out is the reverse of zooming in. After you zoom in on an area to do some detailed drawing,



"The ONLY Book Club for Microcomputerists!"

Superior Performance! **Practical Price!**

More programs, projects, ways to use your micro for home, hobby, education, and business!

Select 6 Books for Only \$295 (worth up to \$135.70)











338 List \$15.95















WORD PROCESSING



























Free guide to **BASIC Statements** & Commands



Plus FREE For Joining

7 very good reasons to join The Computer Book Club®

- Big Savings. Save 20% to 75% on books sure to increase your computer know-how
- No-Risk Guarantee. All books returnable within 10 days without obligation at Club expense
- · Club News Bulletin. All about current selections-mains, alternates, extra-plus bonus offers. Comes 13 times a year with hundreds of up-to-the-minute titles you can pick from
- · "Automatic Order." Do nothing, and the Main selection will be shipped automatically! But . . . if you want an Alternate selection—or no books at all—we'll follow the instructions you give on the reply form provided with every News Bulletin.
- Bonus Books. Immediately get a Dividend Certificate with every book purchased and qualify for big discounts of 60% to
- Extra Bonuses. Take advantage of added-value promo-tions, plus special discounts on software, games, and more
- · Exceptional Quality. All books are first-rate publisher's editions selected by our Editorial Board and filled with useful, up-to-the-minute information

The Computer Book Club®

P.O. Box 80 Blue Ridge Summit, PA 17214

Please accept my membership in The Computer Book Club® and send the 6 volumes circled below, plus my FREE copy of BASIC Statements, Commands and Functions, billing me \$2.95 plus shipping and handling charges. If not satisfied, I may return the books within ten days without obligation and have my membership canceled. I agree to purchase 3 or more books at reduced Club prices (plus shipping/handling) during the next 12 months, and may resign any time thereafter.

> 336 1062 1160 1183 1195 1228 1276 1277 1295 1369 1389 1394 1421 1427 1428 1449 1453 1455 1466 1478 1479 1506 1539 1540 1612 1620 1633 1637

Name	
Phone	
Address	*
City	
	Zip
Valid for new members only. (Orders outside U Orders In U.S. dollars, Canada must remit in U Computer Book Club®	S. or Canada must be prepaid in International Money S. dollars.) This order subject to acceptance by The BY-184




Figure 4: Zooming, enlarging small parts of an image, changes the scale of the drawing in relation to the monitor.

you zoom out to see the entire drawing again. With some software, you save these zooms, windows, or views to disk and call them back at any time.

Panning scrolls the zoomed-in window over the world coordinate system—wandering around the drawing. When you are doing detail work, it is easier to move to a new area than to zoom out and back in again.

How RAM and Disk Storage Are Used

The way a program utilizes RAM and disk storage is important. Figure 5 shows a block diagram of the interplay between RAM and storage.

Typically, the CAD software loads only the necessary program code into RAM, leaving Help files and a number of program overlays on disk until needed. These overhead items determine the workspace left to manipulate the world coordinate system and the resulting database. In general, the less RAM you have, the more overlays and disk I/O you need. In a CP/M system with 64K bytes, many overlays are needed to run such a large and powerful program.

What determines the maximum size of your drawing? A drawing is "RAM bound" if its size or the num-

Text continued on page 198

SWIG®

SOFTWARE WRITERS INTERNATIONAL GUILD

SCHEDULED SWIG ACTIVITIES & MEMBERSHIP BENEFITS

- (1) \$10,000 PROGRAMMING CONTEST (Members only)
- (2) NATIONAL COMPUTER WEEK (May 11-May 20, 1984)
- (3) ANNUAL CONFERENCE AND SOFTWARE AWARDS CEREMONY (During National Computer Week)
- (4) CONSULTANT REGISTRY (With computer store referral system for customized software)
- (5) JOB PLACEMENT SER-VICE (Free to individual members, fixed maximum fee to companies)
- (6) FREE SEMINARS & MEETINGS LOCALLY
- (7) SOFTWARE LIBRARY LENDING & EXCHANGE SERVICE (Professional quality assemblers, utilities, games, etc.)
- (8) SOFTWARE LOCATION SERVICE (For companies & individuals-if it exists, SWIG will find it. If not, see #9)
- (9) SOFTWARE DEVELOP-MENT SERVICE (From novice to scientist, SWIG members can work on any project-from applications to games to R&D)
- (10) LEGAL SERVICE
- (11) AGENT (**SWIG** can represent you in sales to software publishers)
- (12) 24 HOUR 7 DAY BULLE-TIN BOARD SYSTEM (BBS) ACCESSIBLE BY COMPUTER FREE
- (13) AND MORE!!!!

THE LARGEST PAID MEMBERSHIP PROGRAMMERS GUILD - OVER 5,000 MEMBERS WORLDWIDE!!

MEMBERSHIP APPLICATION FOR SOFTWARE WRITERS INTERNATIONAL GUILD

NAME	
ADDRESS	
CITY	STATEZIP
PHONE # ()	-
CLASSIFICATION:	
□ NOVICE □ BEGINNER TO ADV	'ANCED
☐ ADVANCED WITH ON THE JOB EX	PERIENCE RESEARCH/SCIENTIST
 WHAT EQUIPMENT DO YOU HAVE EXPLAN TO BUY? 	PERIENCE WITH &/OR ACCESS TO &/OR
□ MAINFRAME. □ MINI □ M	IICRO □ DESIGN/R&D
BRAND NAME(S): ☐ IBM ☐ X	CEROX - APPLE - TI
□ COMMODORE □ RADIO SHAC	CK ATARI OSBORNE
☐ TIMEX/SINCLAIR ☐ NORTH ST	TAR ☐ HEWLETT PACKARD
OTHER	
AREAS OF INTEREST:	
☐ DATA PROCESSING ☐ BUSINE	ESS APPLICATIONS GRAPHICS
☐ LEGAL ☐ VOICE ☐ MEDIO	CAL APPLIANCE (HOME) CONTROL
☐ ROBOTICS ☐ GAMES ☐ I	MUSIC R&D OTHER
MEMBERSHIP ACTIVITIES AND SERVI	CES OF INTEREST:
READ THE LIST ON THE LEFT AND CI	RCLE THE NUMBERS BELOW THAT APPLY.
1 2 3 4 5 6	7 8 9 10 11 12
☐ I HAVE ENCLOSED \$20 ANNUAL M (MAKE CHECK PAYABLE TO: SWIG	
RETURN TO: SWIG P.O. BOX 87 STONY POINT, NEW (914) 354-5585	/ YORK 10980

SWIG(C) SOFTWARE WRITERS INTERNATIONAL GUILD

Your troubles There's a NewWord

With word processing, you expect to become more efficient. But instead of producing letters and reports effortlessly, your word processing program frustrates you with its complicated manuals and ponderous operating procedures. Your troubles are over. There's a new word for productivity- NewWord. NewWord is remarkably advanced NewWord is exceptionally powerful and versatile. It provides all the advanced editing and formatting capabilities that you need to guickly and easily create. correct and revise all your writings. NewWord not only does more than other word processing designs—it does each task faster, with fewer operations.

> you can deliver perfect documents every time. NewWord's versatility includes merge print, which allows you to produce customized form letters and reports by combining standard and individualized text. Information stored on one disk or file can be transferred automatically to another, perhaps merged with financial reports and graphics. Using **NewWord**,

The proof of NewWord's powerful performance is in the printout. With NewWord

you can merge mailing lists into form letters and print mailing labels.



are over for efficiency

NewWord makes you productive right away

You can put **NewWord** to work immediately, without feeling awkward or confused. Anyone with WordStar® experience won't even have to read **NewWord's** manuals. WordStar® text files work with **NewWord**. Start writing, using the same commands

as WordStar[®]. **NewWord's** high-powered performance and versatility will be immediately apparent.

New users will appreciate the highly readable manual and optional **novice**NewWord—a simplified, teach-yourself version featuring immediately useful functions. After **novice NewWord** you can begin to use NewWord's more advanced features without any trouble because **novice** teaches you how to use NewWord.

NewWord makes paperwork easy

Editing is easy and straightforward with **NewWord.** Single keystrokes perform primary functions, such as to insert, delete and move characters, words and sentences. **NewWord** obeys your instructions instantly, making

corrections and revisions easy—like using the convenient "unerase" command when you change your mind. Or finding a specific page in the document.

Using **NewWord**, even large blocks of text are moved and repositioned easily, and just as quickly copied or deleted. With the Search-and-Replace function, words and phrases such as mis-spelling and titles can be changed throughout the document with a single command.

As you write, **NewWord** automatically arranges text to your preferred format. When you edit, **NewWord** reformats your document. You see on the screen exactly what you'll get on paper—including print options like boldfacing, underlining, etc.

You'll be pleased by how much less effort it takes to produce perfect, professional-looking documents—even for a first time user!

NewWord sets new performance standards

The best performance features of the most popular word processors have been refined, enhanced and improved in **NewWord**.

NewWord executes much faster because there are no overlays except the printer driver. System operations no longer slow down on your personal computer. Processing is uncomplicated, and rapid.

"Save and resume" command doesn't move the cursor to the beginning of the file, eliminating another trustration typical of the other program. "Living" ruler

lines automatically change margins and tab stops for you as you move around the document.

In non-document mode, indentation is automatic at your command and the file can invoke a specific tab size—examples of features that are useful with structured programming languages.

These are just some of **NewWord's** powers. Yet it's easier to use than the most sophisticated program available.

NewWord is simple to learn, easy to use

Select from a multiple choice "MENU" of functions, and interactive onscreen prompts lead you every step of the way. If you have a problem, *NewWord's* extensive "HELP" screens assist you—in plain English.

There are no complicated codes and command sequences to learn or memorize. Menus make **NewWord** the effortless, versatile writing tool you've been looking for.

When you get **NewWord**, you can count on getting to work right away. An installation guide sets you up in minutes. A tutorial starts you right into producing documents. And the

NewWord Encyclopedia serves for handy reference.

Discover the NewWord in word processing

NewWord helps you improve paperwork efficiency, serving your every business/personal word processing need.

Discover how easy it is to take powerful and versatile word processing for granted. Your productivity will convince you. Discover **NewWord**.

LIMITED TIME SPECIAL OFFER

Send us your word processing software and \$100.00 and we'll send you **NewWord.** Call us today, toll-free

800-832-2244

(In California, call 800-732-2311)

Before sending us your software, call to: confirm availability for your computer, terminal configuration and printer

✓ receive a return authorization number from us
 ✓ obtain shipping address for your trade-in software. (Send with your check, plus \$4.50 for shipping via UPS Surface. California residents add 6% or 6½% sales tax.)

This introductory offer expires **January 31, 1984.** Offer is limited to nationally advertised word processing software programs operable on user's presently owned computer. **NewWord** is available without trade-in for \$249.00

*Initial availability limited to selected CP/M-80 computers. Versions for additional CP/M-80 computers and IBM-PC, and compatibles available soon. Call to confirm availability for your computer, terminal, configuration, and printer.



ROCKY MOUNTAIN SOFTWARE SYSTEMS
Business Microcomputers and Software

1280-C NEWELL AVENUE, SUITE 1001 • WALNUT CREEK, CALIFORNIA 94596 • (415) 680-8378




Figure 5: The interplay between RAM and disk storage.

Text continued from page 194:

ber of drawing entities you can place in it are limited by the RAM available or addressable. Some software packages (e.g., a pixel-based painting package) have a fixed coordinate system mapped out. Some software and hardware limit the amount of available RAM or determine the maximum amount of addressable RAM. Expandability and addressability are important features to consider.

When the size of your drawing reaches the hardware or software capacity, the system should give you a warning message rather than kick you out to the A> prompt. At the very least, you want an opportunity to save your work. Some software overflows the drawing database to disk (called paging), the same as a good word processor does. This allows your drawing to exceed the capacity of RAM.

If the software limits your drawing to a certain number of drawing elements, you are "element bound." For example, you might be limited to 3000 data points, vectors, vertices, or polygons or to 10,000 shapes, components, blocks, groups, or dictionary items.

If the software limits your drawing by the amount of disk storage available, you are "disk bound."

As attractive as a software package is, you must match the requirements of your typical drawings with these CAD limitations.

A truly powerful CAD configuration is capable of paging, uses a large number of drawing elements, and includes a large amount of hard-disk storage to minimize the risk of being disk bound. If you anticipate a significant amount of disk I/O, consider a hard-disk system. If your time is valuable and you expect to use your system a lot, make sure it is big enough to meet your drawing needs in terms of speed and capacity.

A Buyer's Guide


The list of features described in the table comparisons (tables 5, 6, and 7)

is food for thought but is certainly not complete. When you go to buy your CAD package, ask pertinent questions and expect answers. At the very least, you will be referred to a more informed individual. This way, you begin the journey to a wise decision. Many vendors and program developers give demonstrations. Attend some if possible. If you can't take the time for all this, hire a good consultant. Here are some questions and features to consider.

The vendor's update policy is extremely important. This industry is changing so rapidly that products are in a constant state of evolution. How will the vendor notify you of program improvements or revisions? If you're a licensed owner, do you receive a newsletter or revision/update notification? Check it out.

What training or support does the vendor offer? Do you get support through an "800" number? Is the software portable? If you want to use your drawings on a variety of com-

Text continued on page 202



Breakthrough! X-NET and the industry's leading accounting package have been linked to broaden the capabilities of all IBM PC's.

Here are the benefits of this breakthrough and what they mean to you.

1. READY ACCESS TO ALL

INFORMATION. With X-NET, any computer can get information from any other computer on the network. This means more than one operator can be entering orders, invoicing, changing inventory...all at the same time! But where security is needed, you can keep any file private while still within the network.

- **2. YOU CAN START SMALL...** Even if you have as few as two PC's, you'll have a system that is easily expandable and will grow with your company.
- **3....OR GET BIGGER.** X-NET grows as you grow, and networks up to 255 PC's, and best of all, expansion is so simple, you can do it yourself.

4. SUPERIOR ACCOUNTING

SOFTWARE. X-NET's software includes Accounts Receivable, General Ledger, Accounts Payable, Order Entry, Inventory Control and Payroll. You can still use your Spread Sheet and Word Processing software, but now much more effectively because your computer power is tied together.

5. ELECTRONIC MAIL. Send, receive and record inter-office communications without ever leaving your desk or interrupting an important business meeting.

6. AFFORDABILITY. X-NET is truly affordable to any company doing computing on any level. And the software is priced comparably to what others are charging for no-growth single-user software.

7. NO COSTLY CENTRAL FILE SERVER.

X-NET eliminates the need of having an expensive computer to act as a Central File Server, something other networks require.

8. SHARE YOUR PERIPHERALS. No longer does each of your computers need its own set of peripherals. Any computer on X-NET is linked to your printers, plotters, disk-drives, etc. A huge money-saver!

Get the best of both worlds. The X-NET Local Area Network with superior software packages, and XCOMP's other hardware accessories. Call your local dealer or XCOMP today.

*X-NET also operates on IBM PC compatibles.



XCOMP, Inc. 3554 Ruffin Road South San Diego, CA 92123-2502 619-573-0077 TELEX: 182786

IBM is a registered trademark of International Business Machines Corporation. X-NET is a trademark of XCOMP, INC.

© 1983 XCOMP, INC.

Circle 385 on inquiry card.

Primitive Features .	PC-Draw	CADdraft	Benchmark	Vector Sketch	Drawing Processor	CADplan	AutoCAD	VersaCAD
Keyboard Data Entry All entries Coordinate entry Absolute coordinates Relative coordinates Polar coordinates	•	:			:	:		:
Color	12/83	•	1/84	1/84	10	•	•	•
Freehand draw	•	•	•	•		•	*	
Lines Line types Line weights/widths Rubber-band lines	•			:	:	•	:	•
Arcs (2 pt. and center) Arcs (3 pts.) Arcs (angle specification) Arc line weight				•	:	•	:	:
Circle (radius and center) Circle (diameter) Circle (3 pts.) Circle line weight	•		:	•		•	:	:
Ellipse					•			•
Bezier curves Curve smoothing Fillets			cubic spline 1/84		*			*
Fill irregular shape Fill w/color Crosshatch Fill/hatch user-definable Fill/hatch part of database					11/84 11/84 11/84 11/84 11/84	•	*	:
Text Fonts supplied Fonts user-definable Height scaling Width scaling		•	1/84 1/84	•	3/84	•		:
Weight Rotation Left justification Right justification Center justification		:	1/84	•	1/84 1/84	•		4/84 4/84
Word-processor mode			1/84		1/04			3/84

Table 5: A comparison of primitive features.

- = existing feature
- * = outstanding feature date = expected release date

Through the Trap Door March 1979-\$35



Breaking the Sound Barrier September 1977-\$35

BYTE COVERS

The prints shown at left are beautiful Collector Edition Byte Covers, strictly limited to 750 prints each, and signed and numbered by the artist, Robert Tinney. Each print is 18 in. x 22 in., and is accompanied by its own Certificate of Authenticity. To order, use the coupon below. Visa and MasterCard orders may call 1-504-272-7266.

		
Please send Through the	Visa Visa	☐ MasterCard —
Trap Door prints (\$35),	Card No.	
Breaking the Sound Barrier	Expires: _	
prints (\$35), or sets of both prints	Name:	
(\$55). I have included \$3 per order shipping	Address	
	City:	
I have enclosed check or money order	State:	Zip:

Robert Tinney Graphics · 1864 N. Pamela Dr. · Baton Rouge, LA 70815

FREE dBASE II" SALESMAN

At SoftwareBanc Dealer Services, we'll do anything to help you sell dBASE II."
We even tried sending the country's leading dBASE II authority, Adam B. Green, to all of our dealers. After the first time, Adam wouldn't agree to being shipped UPS again, even after we offered to punch holes in the carton.

Instead, we videotaped him explaining dBASE II[™], and interviewing George Tate, Wayne Ratliff, and Fox & Geller.

Make us your dBASE II™ distributor and we'll send



Location courtesy of Tech Computer Store, Cambridge, Massachusett

you a free copy of this innovative videotape, as well as the bestselling dBASE II™ User's Guide. We can also help increase your dBASE II™ profits with our full line of add-on products and "Mix & Match" pricing.

Meanwhile, we'll work on sending you the real thing. Do you think putting lettuce on the bottom of the carton would help?

SoftwareBanc Dealer Services

661 Massachusetts Avenue, Arlington, Massachusetts 02174



Hours: Mon-Fri, 9AM-8PM EST; Sat, 9AM-5PM EST

To order call: (800) 451-2502 or (617) 641-1241 in Massachusetts.

For technical support call: (617) 641-1235.

Call us today and join the thousands of smart dealers who enjoy great prices, unbeatable technical support, and fast deliveries.

Circle 330 on inquiry card.

BYTE January 1984 201

Editing Features	PC-Draw	CADdraft	Benchmark	Vector Sketch	Drawing Processor	CADplan	AutoCAD	VersaCAD
Edit Control Cursor style change Coordinate dial Status on screen Status of item Status report	:	:		:	•	•	:	:
Pan Zoom by scaling Zoom by window	•			•	•	•	•	:
Refresh (raster redraw)	(•	•	•	•	•	•		•
Move item Move group of items Move by window Move between layers Move and rotate Move and scale	:	• '	• • 1/84	•	•		•	
Copy item/group of items Copy from disk Copy by window Copy window to disk Copy between layers Copy and rotate Copy and scale	:		:	:		:	•	
Identify an item		•	•			•	•	•
Erase item/group of items Erase by window Erase a layer Erase a shape Erase previous/beyond previous Restore last Restore beyond last	:		:	:	:	•	•	:
Partial Delete of: Lines Arcs Circles Ellipses Solids		•				•	* * *	
Rubber-banding windows Naming of items						•	•	:
Shapes/groups/blocks Multiple colors/ multiple layers Explode Nesting Save to disk	•	•	•			:	•	
Drawing libraries on disk Merge with current drawing Merge exploded Merge and rotate/scale Modify base point	•	:	•	:	:	:	•	
Directory of disk files while in drawing editor								

Table 6: A comparison of editing features.

date = expected release date

Text continued from page 198:

puters, the software needs to support them. If someone borrows your plotter and you want to attach a different one, is the software flexible enough to reconfigure on the fly?

Is the software language used by the package upwardly mobile? Does it have a file-structure option other than the drawing file format? In other words, can you communicate with

other programs, or are you locked into this particular vendor? Do you receive a detailed description of the drawing file structure?

Good documentation helps im-

⁼ existing feature * = outstanding feature

computers wholesald

315-472-3055 Box 150 Brewerton, N.Y. 13029

Reader Service # 106

We pay UPS shipping charges on prepaid orders.

-TERMINALS-ESPRIT Esprit..... \$469 LEAR SEIGLER ADM 3A......529 ADM II......539 ADM 36......979 108...... 715 TELEVIDEO 914...... 579 TEXAS INSTRUMMENTS TI 703 Printing Terminal..... Call TI 707 Print Term. w/modem. . . Call 300 (Color) Call -MODEMS-HAYES Micro Modem 100 269 Smartmodem 1200...... 498 Smartmodem 1200B Call NOVATION D-Cat......149 J-Cat 105 103 Smart Cat 179 103/212 Smart Cat......399 212 Auto Cat 549 Access 1-2-3..... 449 SIGNALMAN Mk1..... \$79 Mk VII.... \$109 Mk III...... 99 Mk II..... 79 Mk V...... 89 Mk VI.... Call U.S. ROBOTICS Auto Dial 212A 439

Advertised prices reflect a cash discount on prepaid orders only. Most items are in stock for immediate delivery in factory sealed cart-ans with full factory warrantees.

-SYSTEMS-**ALTOS** ACS-8000-10......\$5889 ACS-8000-12......6995 ACS-8000-14......8789 Altos II Terminal..... 849 COLUMBIA VP Portable...... Call

MPC Call MPC w/Hard Disk Call CROMEMCO C-10 Super Pak 1429 TUART...... 255 EAGLE

1600 Series 1620 1630 SPIRIT Portable -Callus today for the best prices-

INTERTEC CA	LL
MORROW	
Micro Decision	
MD-2 w/2 drives & software	929
MD-3 w/DS drives & software 1	199
MD-11 w/HD & software 1	949
AIFO	

NEC	
PC-8201	Cal
PC-8801A Computer	Cal
PC-8831A Dual 5 ¼"disk drive	Cal
NORTHSTAR	

HD 18 Mb. hard disk	3879
SANYO	
MBC 1100	\$1399
MBC 1200	1599
MBC 4000	. Call
MBC 550	. Call

Advantage 1Q HD5..... Call

MIDC 550
TELEVIDEO
TS-803 1989
Portable Cali
ZENITH
ZF-100-21
75 400 00 0000

ZF-120-32......4479

-PRINTERS-

ANADEX	
P-9501	\$1099
DP-9620	
OP-9625	1299
ND 6000	
ENTRONICS	2133
20-1 Paranel	
35-3 36 Iai	
	allel 239
C.ITOH	
Prowriter 8510A P	ar 369 er 569
Prowriter 8510A S	er 569
rowriter II Par	
	/33
DIABLO	919
30 RO 40 CPS	
PSON	1/03
	Call
TX-80	Call
X-80	Call
X-100	Call
BEMINI	
0X	295
5X	435
MANNESMAN	TALLEY 529
MANNESMAN MT-160 I	TALLEY 529 599
MANNESMAN MT-160 I	TALLEY 529 599 859
MANNESMAN MT-160	TALLEY
MANNESMAN MT-160 I MT-160 L MT-180 L SPIRIT	TALLEY
MANNESMAN MT-160 I MT-160 L MT-180 L SPIRIT	TALLEY
MANNESMAN MT-160 I MT-160 L MT-180 L SPIRIT	TALLEY
MANNESMAN MT-160 I	TALLEY
MANNESMAN MT-160 I MT-160 L MT-180 L SPIRIT NEC NEW NEC 15510 1845 1715 1949 DKIDATA	TALLEY
MANNESMAN MT-160 I MT-160 L MT-180 L SPIRIT NEC NEW NEC 8510 \$1445 8550 1845 7715 1949 DKIDATA ML-82A	TALLEY
MANNESMAN MT-160 I. MT-160 L. MT-180 L. MT-180 L. MS-181 L. MEC NEW NEC 1510\$1445 1550\$1445 1715\$1949 DKIDATA ML-82A	TALLEY
MANNESMAN MT-160 I	TALLEY
MANNESMAN MT-160 I MT-160 L MT-180 L SPIRIT	TALLEY
MANNESMAN MT-160 I	TALLEY

EXP 550 Ser. 689

TI 810 Basic 1199

TI 810LQ...... 1919

TEXAS INSTRUMENTS

-MONITORS-

AMDER	
Color I	
Color I +	119
Color II (RGB)	199
Color III (RGB)3	
300 G (12"green) 1	
300 A (12"amber)	
310 A (IBM PC) 1	69
BMC	
15 MHZ (12"green)	79
NEC	
JB-1260 (12" amber) 1	09
JB-1201 (12" green)	
JC-1212 (12"color)	
JC-1203 (12"RGB)	49
PANASONIC	
12" Green Monochrome 1	69
12" Amber Monochrome 1	
13" RGB	
TEYAN	
KG 12N (12"gr.)1	29
RGB Vision I (12"color) 2	99
ZENITH	
Z-122 (12"green)	
Z-123 (12"amber)	
Z-131 (13"color + gr.)	
Z-135 (RGB)	19
-HARD DISKS-	

CORVUS											
Model 6											1869
Model 11		,					,	*	,		2549
Model 20											3399
Omninet 6											1695
Omninet 11.											2375
Omninet 20.											3225
Miror Back-u	p										. 670

-DISKETTES-

3M/ Scotch 51/4". \$21.95 (Single Sided, Double Density) (Double Sided, Double Density)

If you can't find what you need listed here, just call for the best prices on the items you require.

N.Y. residents, add appropriate sales tax. We accept VISA and Master Card. Personal and company checks, allow2weeks to clear. C.D.D.'s require a 25% deposit. All prices and offers may be withdrawn without notice

Miscellaneous Features	PC-Draw	CADdraft	Benchmark	Vector Sketch	Drawing Processor	CADplan	AutoCAD	VersaCAD
Math Calculations Distance Area Area—irregular Volume Angle Feet and inches			1/84 1/84 1/84				:	
Dimensioning Autodimensioning Angular dimensioning Associative dimensioning			1/84			:	•	:
Miscellaneous Grid/user-definable grid Different x and y scales Grid snap Multiple definitions Auto change with rescale/zoom	:	:	:	•	:	:	•	
Tolerance/incremental snap	•	•		•		•	•	
Layers Mixed color on one layer Define attributes of layer Move between layers Regenerate only active layers Plot only active layers Save only active layers		•				•		
Rectangular arrays Radial arrays						•		
Menu on screen in editor Menu on input device Menu user-definable Command (macro) files in menu	:	•	:	•	:	•		12/84 12/83 4/84 6/84
Other command file use			•			•	•	•
Symbols on digitizer Symbols (icons) on screen	*				•		•	•
CAE utilities CAM utilities Three-dimensional interface			•		•	•	•	:

Table 7: A comparison of miscellaneous features.

mensely in taking you through the learning process. You want a wellorganized manual, a good table of contents, a setup and hardware configuration section, a strong tutorial section, a full discussion of features with examples, a quick reference section, a section on error messages, a good index, and a glossary of terms. It is important to have a manual with illustrations from the CAD program

Look for sample drawings or an interactive tutorial on disk and Help files accessible without having to leave the drawing editor. See that

prompts are helpful and don't stand in the way of your drawing. It is convenient to have a directory of the files

The cost of hardware is falling, while quality and capability are on the increase.

on the disk available from within the graphics editor as well.

Summary

I hope this whets your appetite for

graphics. Graphics image processing offers an electronic frontier every bit as exciting to explore as it once was to migrate west to mine for gold.


CAD software is becoming more powerful and reasonably priced. The cost of hardware is falling dramatically, while quality and capability are on the increase. More power and capability are coming, but is all the work we do now translatable into the future?

It is difficult to draw conclusions about whether one software package is better than another. That decision is largely determined by your per-

itself.

^{• =} existing feature

^{* =} outstanding feature date = expected release date





NEW YEAR SPECIALS

LOTUS 123 \$Call
Transtar 315 Color Printer \$489
64K RAM for IBM\$55
Smartmodem 300 \$205
CABLES
4FT PARALLEL\$35
4FT SERIAL
Microsoft Premium pack\$489
NEC Spinwriters ALL Models \$Call
OTRONA ATTACHE \$2595
BASIS 108 128K CP/M 3.0 \$1999
PROWRITER I
PROWRITER II\$659
EPSON FX-100
RANA ELITE I
RANA ELITE II\$380
RANA 1000 (FOR ATARI)\$309
BUFFERED GRAPPLER
16K\$179
32K\$199
64K\$239
MULTIPLAN IBM, Apple II/IIe \$169
IBM PC DSDD Drive
TANDON DRIVE \$239
RANA \$299
QUENTIN
FOURTH DIMENSION \$275
. Service Similar Control of the Con

CUSTOMER SERVICE & TECH. SUPPORT

01-273-2420

ORDERS ONLY

0-843-4302

150 Broadway, Suite 2212, N.Y. NY 10038

Money Order, Cashier Ck. Add 3% MC/VISA Charge Add 2% on COO Orders. Minimum Shipping Charge \$5 APD Orders Add 10%. Add 5% for Net Terms. All Returned Non Defective Merchandise are Subject to 20% Restocking Charge.







:UMP	Ш	41	5		
RANKLI	N				

ACE 1000 w/calar,	\$799
ACE PRO PLUS Systems, ACE 1000 w/color, ACE 10 Drive, 80-Column Card, ACE Writer II, ACE Calc, Monitor, Data	
Perfect, Personal Financier	\$Call
ACE 1200 (128K, Oual Processor, 1 Orive, 80-Col. CBASIC,	
	\$Call
ACE Office Management System	
ACE 1200 w/2 Orives, I/O Card, WordStar, MailMerge, ACE Calc.	SCall



in the second	ı
COLUMBIA 128K Ram, Qual OSDD (64DK) Orives,	
Fully IBM Compatible	
w/Superpack	H
w/Superpack	150 Call
COMPUPRO	all
ALTOS 586 SERIES/8000 SERIES \$6	all
CORONA PC (Hard or Floppy) Portable PC	Catl
EAGLE	
	;ati
PC-XL 128K RAM 1 Floppy,	2-11

١	10 MB Hard	\$Call
	KAYPRO CO-POWER BOARD IBM Compatible 128K DR 256K w/MS-OOS & CP/M 86	\$Call
	MORROW DESIGNS	
	MO2 64K, 2 SSOO Orives, WordStar,	
١	LogiCalc, Correct-It, Personal Pearl	\$Call
	MO3 64K, 2 OSDD Drives, Above	
	Software PLUS QUEST Accounting	An 11
	Package	\$Call
	MD11 128K, 400K DR, 2 Serial,	A0-11
ı	1 Parallel.	\$Call
	DECISION Series D200, D210, D220	\$Call
	Multi User Decision Series ,	\$Call

PLOTTERS

Call
Call
Call
879
995
599
֡

SANYO MBC 550 \$Call

\$Call

FOR APPLE II/Ile Franklin Ace

I OII AI I EE	3	ч	и	"	۲		ч	u	ш	"	ш	ш	Ц	ď	, more
Fourth Dimensio	п	S	up	e	. (Ori	٧e	١.	0		Þ		h		\$219
80-Col. w/64K (I	llε	1	Dπ	ly)	_							,		\$189
16K RAM	,			ì		ī				ï					\$49
ALS CP/M Card												Ī			\$299
ALS Dispatcher	ì	Ĭ	Ī	Ī	Ī			Ĭ	_	Ĭ		_	ľ		\$89
MicroSoft SoftC															
Grappler +															
Graphitti	•	•	•	•	٠	•	•	0		A		•	•	•	\$05
Pkaso card															\$129
IS Pipeline															\$Call
Microtek Dumpli															
Microtek Dumpli															\$169
EPO Surge Prote	C	to	15						4	40					\$Call

FOR IBM PC

AST	RESEARCH	INC.

MEGA PLUS	
64K w/Serial & Clock/Cal	\$279
128K \$379, 192K \$449, 256K \$489	

64K w/Ser. Par & Clock	\$399
128K \$459, 192K \$579, 256K \$599 MEGA PAK 256K Module	\$289
SIX PACK PLUS ,	\$Call
COMBO PLUS 64K w/Serial & Parallel	\$279
I/O PLUS Serial \$39, Parallel \$39, Game port \$39	\$129
QUADRAM	
QUARDBOARD 64K	\$279

64K	9	-		-	*	-				\$279 \$419
512+ EXPANSION										
Duad 512+(64K) .		~	٠	Ŧ		7		¥	4	\$239
Quad 512+(256K).		ï		4		Ĺ	Ĺ			\$399
Quad 512+(512K).	4				,				ì	\$639
QUADLINK	,		۵		+			+	4	\$489
MICROFAZER										

D/D (Daralloi/Parallol)

rir (rai allelirai allel)
8K \$125, 64K \$199, 128K \$309
256K \$589, 512K \$899
S/P, P/S, S/S
8K \$145, 16K \$165, 32K \$195, 64K \$229
9V Power Supply \$16.99

HARD DISK



COMREX		
COMFILER 10	MB FOR	QX-10 \$1995
CORVUS		DAVONG (Internal)
6 MB	\$1695	5 MB \$Call
10 MB	\$2350	10 MB \$1650
20 MB	\$3150	21 MB \$2495
XCOMP		acs
10 MB	\$1795	10 MB SEAD
16 MB	\$1995	Tall Grass . SCall

DOT MATRIX PRINTERS



			ř	•	-		•					Ī	•		
EPSON															Anno
RX-80 .															\$299
AX-80 F/	T					+			6		٨	٠	4	e	\$Call
MX-100		н						٠.	٠	٠.		6	'n	4	\$599
FX-80 .				,			4		4			à	4	4	\$569
STAR MI	CRON	IIC:	S												
GEMINI 1	IOX .			_											\$299
GEMINI 1															\$Call
OKIDATA															
MICROLI	NE 92	2	_	_	_			_							\$449
MICROLI															\$729
MICROLI	NE SA	D		•	•	•		•	*	7				*	\$979
MIGHOLI	141. 04	г.	1	+	4	4	8	*	ě.	4	P	-	¥		4313
MANNES	MAN	N 1	AL	1	٧										
MT160L								_							\$615
MT180L	15" (Car	ria	ge	e)	,	9			*			-	,	\$875
INFO RU	NNER	R	T	EA	M	N		1		4	ų	1		*	\$Call
TOSHIBA	P13	50		4	*	4		4	6	*		4			\$Call

LETTER-QUALITY PRINTERS



1000	S	*	Ē	. 1.	Ė				1.00	
C-ITOH										
F-10 STARWRITER.						۰			\$1169	
F-10 PRINTMASTER				٠	4		ı	+	\$1589	

COMREX COMRITER I (P or S)	79
DAISYWRITER 2000 EXP (48K BUFFER) \$10	19
JUKI (18 CPS 15")	25
NEC SPINWRITER SC	all
OUME SPRINT 11/40	45
SILVER REED \$639 EXP 550S \$659 \$649 \$650S \$649	69

MONITORS



AMDEK									
300 G	\$Call	300	IA .						\$Call
COLDRI	\$Call	CO	LOI	1	ll		,	-	\$359
COMREX color,	green, an	nber		. 16	de	4	4	1	\$Call
PRINCETON GRA	APHICS H	IX-1	2.		+	4	41	:	\$499
OUADSCREEN.		* *				4	ı		\$Call
TAXAN									
RGB VISION I .					×				\$275
WITH APPLE II-									3345
RGB INTERFACE	for Apple	lle			_				SCall
RGB VISION III.									\$519
KG 12N-UY (12"									135
USI PI-1 (9" gre									\$79

TERMINALS



Freedom											
Visual 50 Televideo											\$589
Televideo	925	i .					-			٠	8725
Televideo	950	١.	2	*		1		10			\$945

MODEMS

ANCHOR	
MARK I (300 baud), MARK XII (IBM) .	\$Call
HAYES MICROMODEM II	\$275 \$509 \$439 \$89
NOVATION	
ACCESS 1-2-3	\$Call \$144
CAT 300 BAUD Acoustic	
O-CAT 300 BAUD Direct	\$155
J-CAT 300	\$109
APPLE CAT II	\$269
212 APPLE CAT II	\$575
103 SMART CAT	\$179
ADDICAD CHART OF	
103/212 SMART CAT ,	\$419
SSM	
300 BAUO MODEM CARO	\$239
1200 BAUD MODEM CARO	\$529
	9025
TRANSEND 1/2/3 \$69/\$109/\$209	
US ROBOTICS	
PASSWORD	\$Call
MEN TE	40-11

DISKETTES

M SSDO O	iske	tte	e.				16			٠			,			\$24
M OSDD D	iske	tte	₽.	4	٠	à	a	à	۵	٨	a		£	a		\$Call
DYSAN SSD																
OYSAN OSO /erbatim SS																
/erbatim OS																
roi patimi ou	00		٠	٠		•	*	٠	•	•		٠			٠	QU-T

sonal preference and application. Take the time to make sure the software/hardware configuration you purchase is, or will be, equal to your drawing needs (see figure 6). Above all, ask the right questions and get satisfactory answers.

Rik Jadrnicek is president of Micro Flow (POB 1147, Mill Valley, CA 94942), a microcomputer consulting firm. When he isn't writing or playing with micros, Rik likes sailing and traveling.

For Further Information

Newsletters

The Anderson Report

Anderson Publishing Company 4505 East Industrial St., Suite 2] Simi Valley, CA 93063 (805) 581-1184 Published monthly

CAD/CAM Alert

The Management Roundtable Inc. 822 Boylston St. Chestnut Hill, MA 02167

Published monthly

The S. Klein Newsletter on **Computer Graphics**

Technology & Business Communications POB 89, 730 Boston Post Rd. Sudbury, MA 01776 (617) 443-4671 Published twice monthly

Directories

1983 Publications Catalog

IEEE Computer Society Administrative Offices POB 639 Silver Spring, MD 20901 Source of books on graphics

The S. Klein Directory of Computer Graphics Suppliers

Technology & Business Communications POB 392, 730 Boston Post Rd. Sudbury, MA 01776 Hardware, software, systems, and services

Periodicals

Computer Design

119 Russell St. Littleton, MA 01460





Figure 6: How to buy a CAD system.



Computer Graphics and Applications

IEEE Computer Society 10662 Los Vaqueros Circle Los Alamitos, CA 90720 (714) 821-8380

Computer Graphics World

Computer Graphics World Publishing Company Inc. POB 122 Tulsa, OK 74101 (800) 331-5959

Cray Channels

Cray Research Inc. POB 154 Minneapolis, MN 55440 (612) 333-5889

Digital Design

Morgan-Grampian Publishing Company 1050 Commonwealth Ave. Boston, MA 02215

Electronic Imaging

Berkshire Common Pittsfield, MA 01201



With the p-System™ from

For: IBM PC & XT CORONA COLUMBIA EAGLE COMPAQ COLBY DOT HYPERION

Do you feel stifled by your operating system? The p-System from NCI will release you. It is the complete program development environment for the IBM Personal Computer and compatibles. This is the fast p-System with the special p-machine emulator developed by NCI. The p-System from NCI gives you everything you need in one system at far

The p-System from NCI gives you everything you need in one system at far less than the cost to add similar utilities to any other OS. It includes a powerful screen editor, a multi-function file manager and RAMdisk support for fast access to files. Dynamic memory allocation lets you create programs larger than 64K and a print buffer frees your

computer to perform other tasks while printing.

This operating system is stable; friendly and easy to use. Command options are presented on a menu requiring only a single keystroke. The 8087 Numeric Coprocessor Support allows extremely fast floating point calculations and the asynchronous I/O lets you use serial printer and communications routines.

With the p-System you can choose either UCSD Pascal, Fortran 77 or Basic as your programming language. NCl also offers hard disk support for the IBM XT, Corona, Columbia, Corvus, Tallgrass, Davong, Genie 5+5, QCS, Datamac,

Microdisk and Santa Clara. Corvus OMNINET support can easily be added as well as memory cards from AST Research and Tall Tree Systems, the Colorplus card and the Hercules graphics

When you buy the p-System from NCI you get technical support and complete documentation.

For full details call or write:

Network Consulting Inc. Discovery Park, Suite 110 - 3700 Gilmore Way Burnaby, B.C. Canada V5G 4M1 (604) 430-3466

SPEED. PORTABILITY. RELIABILITY.

I Personal Computer and IBM Personal Computer XT are trade marks of International Business Machines Corporation. The p-System™ is a trade mark of Softech Microsystems, Inc. UCSD Pascal is a trade mark of the University of California. OMNINET is a trade mark of Corvos Systems Inc. 5+5 is a trade mark of Genie Computer Corporation. Colorphus is a trade mark of Frederick Electronics.

Glossary of CAD Terms

absolute coordinates: the location of a point in terms of x, y, or z distance from the predefined origin.

absolute vector: a line segment with an endpoint expressed in x, y, and z co-

aliasing: the stairstep effect on a raster display lacking the resolution to reproduce diagonals or circles as smooth images.

antialiasing: the software adjustment of raster-pixel addressing to make diagonal or curved lines appear smooth and continu-

aspect ratio: a design engineering term meaning the ratio of display width to display height.

associative dimensioning: updating dimensions of individual CAD/CAM display elements as display dimensions change.

attribute: any characteristic of a display item (color, line style, character font) or associated descriptor (style, shape, tolerance, part type or number).

beam-penetration CRT: this produces color by varying the electron-beam penetration of a multilayer phosphor display surface.

Bezier curve: a method of curve fitting (smoothing) by manipulating two line segments and the curves that are tangent to their surfaces.

bit map: the digital representation of an image in which bits are mapped to pixels. In color graphics, a different bit map is used for each red, green, and blue value. bit plane: hardware used as a storage

medium for a bit map. CAD: computer-aided design, drawing with the aid of your computer.

CAE: computer-aided engineering, an interface with mathematical analysis and drawing capability.

CAI: computer-aided instruction, using computers for individual and classroom instruction.

CAM: computer-aided manufacturing, automated production.

clipping, windowing, and viewing: the process of setting graphics-display boundaries.

composite color: color information encoded in a single video signal.

computer animation: the use of computer graphics to simulate or generate images for motion pictures.

control dial: a graphics input device that produces a continuous range of display

coordinates: a number of x, y, and z units that give the location of a point in a coordinate system.

cross hairs: the cursor or two intersecting perpendicular lines on display to indicate coordinate location.

device coordinate system: the coordinate system and axis length recognized by the display device.

device-independent CAD: CAD software capable of running on more than one type of computer or input/output device. digitize: to register a visual image or real object in a format that can be processed by the computer; data is read into the system with a puck, cursor pad, or stylus.

dimensioning: setting measurements on a CAD/CAM display; placement of dimension lines and arrowheads; calculation and placement of dimension distances.

display: a collection of graphics elements visible on the monitor.

dot matrix: a pattern of dots in a two-dimensional array.

dot-matrix plotter: a hard-copy device that reproduces the display as a pattern of dots.

dragging: leading an item, such as a userdefined cursor, across the display with a graphics input device.

draw: to generate a visible vector by moving a pen or by illuminating pixels between the current position and an endpoint specified in coordinates (absolute draw) or in displacements (relative draw).

echo: a graphics display, such as a text string or cursor, that provides visual feedback to the operator.

electroacoustic tablet: a data tablet with a writing surface of magnetostrictive material capable of tracking a stylus.

electrostatic plotter: a mster hard-copy device that produces images on paper sensitized to electrostatic charges.

endpoint: the end of a line segment expressed in terms of x, y, and z coordinates. fill: solid coloring or shading of display surface made by a pattern of line segments. fillet: a design engineering term meaning the concave transition surface between two otherwise intersecting surfaces.

flatbed plotter: a plotter with a flat display surface that you move across, up, down, and diagonally, with the plotting

frame buffer: local raster memory that stores the bit patterns mapped to pixels. function key: the key on a function pad that triggers a programmable operation such as rotation or scaling.

geometric model: quantitative representation of a two- or three-dimensional object created by referring to the Cartesian coordinate grid.

grid: uniformly spaced intersecting lines in two or three dimensions, which provide addresses for graphics objects.

hatching: filling an area of the display surface with a regular pattern of line segments.

icon: a graphics symbol representing a menu item.

image digitizer: a video camera with an electron-beam scanner that senses light and transforms it into a video signal.

imaging: computer processing of graphics data to produce a display.

incremental plotter: a hard-copy output device that repeats a display at discrete intervals.

incremental vector: a repeated vector defined by a regularly increased or decreased component and an absolute component.

ink-jet plotter: a hard-copy plotter that uses electrostatics first to atomize ink, then to place droplets on the plotting medium. joystick: a graphics input device that positions a cursor, locator, or pick or initiates a program change with a control lever.

laser plotter: this plotter uses a laser to produce images on photographic film in mster or vector format.

layer: logical two-dimensional CAD/CAM data divisions that can be viewed individually or as overlays.

light pen: the graphics input device used as a pick to identify a detectable display element.

line style or type: a primitive attribute that defines a line as solid or dashed and gives the dash pattern and terminators. line width or weight: this primitive attribute defines a line's thickness.

mapping: transforming an image from one coordinate system to another.

matrix: an array of x, y, and z coefficients for calculating a geometric transformation. mirror: to create the reverse image of a display item.

mouse: a hand-held input device used to position the cursor on the display surface. numerical control: computer instructions that automate machine and drafting

origin: the zero intersection of x, y, and z axes from which all points are calculated. orthographic projection: graphics representation of a three-dimensional object lacking the perspective suggested by the convergence of parallel lines. It permits only vertical and horizontal line segments in a two-dimensional drawing.

overlay: the plane of a graphics display that can be superimposed on another plane. paging: overflowing the drawing database to disk.

painting: a raster design technique based on illuminating pixels on a graphics display device.

pan: movement across the x and y grid. parallax: apparent image translation from its initial location to the point indicated by

perspective projection: simulation of depth and distance by representing parallel lines merging at a vanishing point.

pixel: the minimum raster display element represented as a point with a specified color or intensity level.

pixel replication: scaling by increasing the number of pixels excited, but without the increased detail of true magnification. plotter: a computer-controlled pen device that produces a hard copy of the display on paper or an electrostatic surface.

polar coordinates: location of a point in terms of the distance and angle from another point.

polygon fill: coloring or cross-hatching of a closed, multisided, program-defined surface.

primitive: the basic display element: point, segment, alphanumeric character, or

primitive attribute: a visual characteristic of an output primitive, such as character size, line style, or blink rate.

puck: a hand-held device with cross hairs used to input coordinate data.

RGB color: a color described in terms of its red, green, and blue intensity levels. RS-232: this serial interface permits linkage of a host computer and graphics terminal(s) or other peripherals over long distances.

raster: a rectangular pixel matrix permitting dynamic color displays.

raster display: a CRT display generated by an electron beam that illuminates.

raster plotter: this plotter reproduces displays in dot-matrix patterns.

relative coordinates: location of a point relative to another data point.

relative draw: movement of the electron beam in terms of x, y, and z distances for the purpose of drawing a visible vector on the display surface.

relative move: electron-beam movement in terms of x, y, and z distances without leaving a visible trace on the display.

relative vector: a vector with an endpoint specified in terms of the distance from the current position rather than in terms of absolute x, y, and z coordinates.

rotate: to transform a display or display item by revolving it around a specified axis or center point.

rubber banding: attaching the cursor to

a fixed display point with a line that appears to stretch and contract like a rubber band as you move the cursor.

SIGGRAPH: Special Interest Group on Computer Graphics.

scale: a size change made by multiplying or dividing the coordinate dimensions.

scale factor: the value by which you divide or multiply the display dimensions in a scaling operation.

screen coordinate system: the coordinate system of the display device; normally, the address limits of the axis length it recognizes.

scrolling: moving text strings or graphics vertically.

stairstepping: jagged raster representation of diagonals or curves; corrected by antialiasing.

static attribute: an unchangeable display characteristic of the input device.

tablet: a data tablet or digitizer; a graphics input device that generates coordinate data from visual data input through a puck or stylus.

touch-sensitive display: a display surface that receives data through physical contact.

trace: a line of the graphics display.

trackball: this mounted rotatable ball controls the position of the cursor and produces coordinate data.

transformation: geometric alteration of a graphics display, such as scaling, translation, or rotation.

translate: to shift a display item across the display surface to a new location.

turnkey: a computer system sold complete and ready to use for a specific application; requires no additional hardware modification or planning.

viewport: the specified window on the display surface that marks the limits of a display.

virtual coordinate system: coordinate system created by mapping a portion of the world coordinate system to the space available on your device.

virtual space: space referenced with the coordinates defined by the application.


window: a specified rectangular area of virtual space shown on the display.

window clipping: blanking line segments at window boundaries.

wire frame: a three-dimensional image displayed as a series of line segments outlining its surface.

world coordinate system: a device-independent coordinate system used to define display objects.

zoom: to scale a display or display item so it is magnified or reduced on the screen.



for Personal Computers

IBM PC™

IBM PC Compatibles RAINBOW 100™ Zenith Z-100™ TI professional

Language Support—BASIC, C, FORTRAN, Pascal, Assembly

Operating Systems—PC DOS. MS-DOS, CPM 86/80, Z DOS, UNIX

Software Compatible with our family of IEEE-488 Interfaces for VAX, PDP-11, LSI-11, S-100 BUS, STD BUS, SBX, and Multibus computers.



The Leader in IEEE-488 Computer Interfaces

12109 Technology Blvd. Austin, Texas · 78727 800/531-5066 • 512/250-9119

Rainbow" is a trademark of Digital Equipment Corp.

1BM PC" is a trademark of International Business Machines

SAVE THIS AD IT IS YOUR CATALOG AND CHANGES MONTHLY

SAVE THIS AD IT IS YOUR CATALOG AND CHANGES MONTHLY SOFTWARE for APPLE II +/IIe

HARDWARE For The APPLE II + /IIe

\$1,650

APPLE IIe 128K, 80 COLUMN APPLE IIe, STARTER SYS. BY APPLE (Sys. A) 64K and 80 column Disk II with controller APPI F No STARTER SYSTEM RY

> 128K and 80 column 1 Micro-Sci Drive with controller Filer. Utility and Apple DOS 3.3 Diskette Zendth 12° Green Monitor RF Modulator (for color TV) Game Paddles

Game w color graphics and sound 20 Blank Diskettes \$1,650 LIMITED WARRANTY: is 100% Parts & Labor for 90 days by us



DISK DRIVES #-SCI A2.143K Disk Drive A2.Controller Card A40.160K, Drive ★A70.286K, Drive \$ 479 \$ 230 \$ 100 \$ 79 \$ 449 \$ 299 \$ 599 \$ 299 \$ 100 \$ 79 A40 A70 Controller ALPS, A40, Belt Drive, 163K TEAC, T40, Direct Drive, 163K TEAC, T80, Double Sided, 326K \$ 299 \$ 199 \$ 349 \$ 239 \$ 449 \$ 329 \$ 110 \$ 59 SUPER5 1/2 HIGH Controller Card \$ 379 **\$ 249** \$ 649 **\$ 399** \$ 849 **\$ 499** \$ 145 **\$ 84** Rana Elite 2, 326K, 80 TK Elite 3, 652K, 160 TK VISTA DiskPak V1200. 6MB Backup Sys. \$1549 \$1049

OVERSTOCK SPECIALS

WHILE THEY LAST		
★ Axion, 320K RAM Disk System (+ or e)	\$1000	\$65
★ CCS, Senal Interface 7710A (Set Baud)	\$ 150	5 9
★ ComX, 16K RAM Card, 1Yr, Wly., for II -	\$ 179	\$ 3
Microsoft, 16K RAMCard for II +	S 100	\$ 6
 Silicon Valley, Word Handler 	\$ 250	\$ 3
List Handler	\$ 90	\$ 3
Videx, Videoterm. 80 column card for II -	\$ 345	\$22
	1000	TITE

VICEX, VICESIETTI, DU CUIUMTI CATO IOF II	3 343	3553
RAM EXPANS	SION	
★ ComX, for Ne. 80 col. 64K Adder Card	\$ 295	\$145
★ ComX, RAM Card, 1 Yr Wty. (II+) 16K	\$ 179	\$ 39
★ ALS. ADDRam (II -) 16K	\$ 100	\$ 59
★ Microsoft RAMCard (II -) 16K	S 100	\$ 69
★ Saturn Systems. RAM Card (II+) 32K	\$ 249	\$169
RAM Card (II +) 64K	\$ 425	\$299
RAM Card (II +)128K	\$ 599	\$399
* Axion RAM Disk System (- or e)320K	\$1000	\$650

ALCICOCALI		
* ALS, Smarterm II (+ or e)	5 179	\$139
ComX, 80 col. 64K Adder (fle)	5 295	\$145
Videx, Videoterm 80 col. (+ or e)	\$ 345	\$229
★ UltraTerm (+ or e)	\$ 379	\$279
Soft Video Switch (II +)	\$ 35	\$ 25
Enhancer II (II +)	\$ 149	\$ 99
Function Strip (II +)	\$ 79	\$ 59
We Have Full Videx Line Ca	all. Up to	35% of
Vista, Vision 80	\$ 289	\$199
MISCELLANE	ous	IS A
ALS, The CP M Card V3 D (+ or e)	5 399	\$299
Z-Card (+ or e)	\$ 169	\$129
Color ff (+ or e)	\$ 179	\$139
ASTAR, RF Modulator, to use TV	\$ 35	\$ 25
★ CCS, Serial Interface 7710A	\$ 150	\$ 99
Eastside, Wild Card (copier, + or e)	\$ 140	\$ 99
Wild Card Plus	S 190	\$139
Kensington, System Saver	\$ 90	\$ 65
Key Tronic, KB200 keyboard (II+)	\$ 298	\$219
★ Koala, Graphics Pad	5 125	\$ 85
Kraft, Joystick (Ap II II +)	5 65	\$ 49
Paddle (Ap II II +)	5 50	\$ 39
M&R Sup R fan (- or e)	5 50	\$ 39
* Microsoft, Z80 Softcard (+ or e)	\$ 345	\$235
Z80 Softcard Plus (+ or e)	\$ 645	\$459
Softcard Premium Pack (II+)	\$ 695	\$495
Softcard Premium Pack (file)	\$ 495	\$395
Micro Tek, Dumpling 64, Buffer	5 349	\$269
* Orange Micro, Grappier Plus (e or +)	\$ 175	\$119
16K Buffer Board for Grappier +	5 175	\$119
Buffered Grappier + . 16K	\$ 245	\$179
Daymer Louise Court Chin (II.)	5 50	6 00

VIDEO CARDS Buffered Grappier - , 16K Paymar Lower Case Chp (II +) *PCPI. Appli-Card, 14 leatures 6 Mftz 126K Memory Expand Board HElectronics. Super Fan *Saturn Systems. Accelerator II Transcend, SSM, ADUIL Senail Para I F TG Products. Game Paddies (II +) Joystick (II +) \$ 375 \$275 \$395 \$ 59 \$449 \$169 \$ 29 \$ 45 \$ 495 \$ 75 \$ 599 DISKETTES LIST OUR

BUSINESS \$259 \$ 99 \$149 Applied Soft Tech., VersaForm Artsci, MagicWindow II agic Combo (Wind, Mail & Words) \$ Magic Combo (Wind, Mail & Words) \$ 225 ★ Ashton-Tate, dBase II, Fleq CP M 80) \$ 700 Financial Planner (Fleq CP M 80) \$ 700 Financial Planner (Fleq CP M 80) \$ 705 Financial Planner (Fleq CP M 80) \$ 295 BPI Systems, GL, AR, AP P Flor (INV. each \$ 705 Continental, Bank Street Winter \$ 705 Continental, GL, AR, AP or PRe a \$ 505 Home Accountant \$ 75 FCM \$ 100 Dow Jones, Market Analyzer \$ 350 Market Manager Market Manager Market Morsocope \$ 700 \$385 \$395 \$199 \$235 Market Microscope 5 700 \$525 \$ 700 \$ 295 \$ 295 \$ 99 \$ 150 \$ 195 \$ 225 \$ 150 Fox & Geller, Quickcode (for dBase II) Fox & Geller, Quekcode (for dBase II) draph (for dBase II) draph (for dBase II) draph (for dBase II) Hayden, Pe Where (Speed) (90 oct board) Howard Soft, Real Estate Analyzer II Taz Preparer LLK, Letter Perfect w Mail Merge Micro Craft, (requires 280 CP M-Card) Verdict or Billikeper \$185 \$ 66 \$ 99 \$129 \$149 \$ 99 Micro Lab., Tax Manager 5 180 Micro Lab., Tax Manager 5 180 Micro Pto, Gilfrequire 280-CP M Card) WordStar w Applicand & CP M SPECIAL 5 495 WordStar + Training Manual SPECIAL 5 495 MaiMerge SPECIAL 5 250 SpellStar SPECIAL 5 250 SpellStar SPECIAL 5 250 Microsoft Muth-Pan (CP Mor Apple DOS) 5 275 Microsoft Muth-Pan (CP Mor Apple DOS) 5 150 Budget, Multitool (CP Mor DOS) 5 150 Budget, Multitool (CP Mor DOS) 5 150 \$325 \$429 \$ 75 Hrismoal, Mullbool (CPM or DOS) \$ 100 \$ ★ Osborne C.P. Soft, (Disk and Book) (Stat. Bus. & Math. Sone Cormon Basic Programs (75 each) \$ 100 \$ Frachcal Basic Programs (40 each) \$ 100 \$ Peachtree, Requires CPM & MBasic, 40 columns. Series 40 Cd. & AR & & P.A. Basic, 40 columns. Series 40 Cd. & AR & & P.A. Basic, 40 columns. Series 40 Cd. & AR & & P.A. Basic, 40 columns. Series 40 Cd. & AR & & P.A. Basic, 40 columns. Series 40 Cd. & AR & & P.A. Basic, 40 columns. Series 40 Cd. & AR & & P.A. Basic, 40 columns. Series 40 Cd. & AR & & P.A. Basic, 40 columns. Series 50 Cd. & AR & & P.A \$395 \$149 Perfect. Perfect Writer \$ 495 Perfect Speller Perfect Writer Speller 2 Pak \$ 295 \$ 99 \$199 Perfect Filer \$259 \$179 \$ 99 \$ 85 \$135 \$ 89 \$ 69 \$155 \$ 39 \$ 35 \$ 84 \$ 84 NEW! \$ 100 The Dictionary General Manager II NEW! \$ 230 \$ 250 \$ 250 \$ 90 \$ 125 \$ 125 \$ 125 * Silcon Valley, Word Handler List Handler List Handler Software Publishing, PFS File (specify + ore) PFS Report PFS Graph Stoneware, DB Master Version 4.0

DUSINI-	SS				
System Plus, GL, A/P, & A/R, 3 Pak	_	S	995	\$	555
Videx, Appiewriter II preboot disk		5	20	5	15
Visicaic 80 coi, preboot disk		5	50	\$	39
VisiCorp/Personal Software.					
Visicalc 3.3		5	250	\$	169
Visicalc Enhanced (fle)	NEW!		250		179
VisiFile or VisiDex, each		\$	250	\$	179
UTILITY & SY	/ST	E	М		
Beagle, Apple Mechanic		\$	30	\$	22
Double-Take		\$	35	\$	25
Typefaces (Req. Ap. Mecha		\$	20	\$	15
DOSS Boss or Utility City, ea	ich	S	30	\$	22
Tip Disk #1		S	20	S	15
Pronto DOSS		S	30	\$	20
Alpha Piot	No.	5	40	\$	27
Central Point, Frier, DOS 3.3 and Ut ★ Copy II Plus (bit copie		5	20 40	S	15
Einstein, Compiler, for Applesoft BA		3	129	5	85
Epson, Graphics Dump	SIL	5	15	5	93
Haves, Terminal Program		š	100	ŝ	65
* Insoft, GraFORTH by Paul Lutus		5	75	Š	59
Microsoft, A.L.D.S.		š	125	š	75
Cobol 80		š	750		550
Fortran 80		Š	195	Š	149
COMPLETE LINE IN STO	DCK				
★ Omega, Locksmith (bit copier)		\$	100	5	75
Penguin, Comp. Grphcs. Sys.	NEW!	5	70	\$	53
Graphics Magician	NEW	5	60	\$	41
Phoenix, Zoom Grafix		5	40	\$	34
Quality. Bag of Tricks	NEW	5	40	\$	29
HOME & EDUC				_	
Beagle Bros., Beagle Bag		\$	30	\$	22
Broderbund, Choplifter		5	35	\$	26
		5	60	5	40
Arcade Machine					25
Lode Runner		5	35	S	
Lode Flunner Apple Panic		5	30	5	21
Lode Flunner Apple Panic BudgeCo, Pinball Constr. Set		5	30 40	5	27
Lode Runner Apple Panic BudgeCo, Pinball Constr. Set ** Continental, Home Accountant		555	30 40 75	5 5	27 49
Lode Runner Apple Panic BudgeCo, Pinbail Constr. Set *Continental, Home Accountant Datasoft, Aztec or Zaxxon, each		5555	30 40 75 40	5 5 5	27 49 27
Lode Flunner Apple Panic BudgeCo, Pinbail Constr. Sel * Continental, Home Accountant Datasoft, Aztec or Zaxxon, each Edu-Ware, (Large Inventory)		5 5 5 5	30 40 75 40 atl	5 5 5 0	27 49 27
Lode Flunner Apple Paric BudgeCo, Pinball Constr. Set Continental, Home Accountant Datasoft, Aztec or Zaxxon, each Edu-Ware, (Large Inventory) Einstein, Memory Trainer		5555	30 40 75 40 2ati 90	\$ 5 5 C 5	27 49 27 all 70
Lode Flunner Appie Panic BudgeCo, Pinbail Constr. Set Continental, Home Accountant Datasoft, Areter or Zaxxon, each Edu-Ware, (Large Inventory) Einstein, Memory Trainer Hayden, Sargon II (Chess)	anch	5555	30 40 75 40 2all 90 35	5 5 5 5 C 5 5	27 49 27 all 70 29
Lode Flunner Apple Panic BudgeCo, Pinball Constr. Set ★ Continental, Home Accountant Datasoft, Arbeto or Zaxoon, each Edu-Ware. (Large Inventory) Einstein, Memory Trainer Hayden, Sargon II (Chess) Infocom, Zork I, II, or III, or Starcross	, each	5555	30 40 75 40 2ati 90	5 5 5 5 C 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	27 49 27 all 70 29 27
Lode Flunner Appie Panic BudgeCo. Pinhali Constr. Set *Continental. Home Accountant Datasoft, Acteor Zaxxon, each Edu-Ware, (Large Inventory) Einstein, Memory Trainer Hayden, Sarpon III (Chess) Infocom. Zofk I II, or III, or Starcross Koala, Fullium en slock, CALL	, each	5555	30 40 75 40 2all 90 35 40	5555 C 555 C	27 49 27 all 70 29 27 all
Lode Runner Appie Panic BudgeCo Pinhali Constr Set *Continental, Hone Accountant Datasoff, Artico of Zaxxon, each Edu-Ware, Large Inventory; Einstein, Memory Trainer Hayden, Sargon II (Chess) Infocom, Zoff, II, or III, or Starcross Koala, Full line in stock, CALL Learning Co., (Large Inventory)	, each	55555 555	30 40 75 40 2atl 90 35 40	5555055500	27 49 27 all 70 29 27 all all
Lode Flunner Apple Panic BudgeCo, Piriball Constr. Set Continental, Home Accountant Datasoff, Artice or Zaxxon, each Edu-Ware, (Large Inventory) Einstein, Memory Trainer Hayden, Sargon II (Chess) Infocom, Zork I. II, or III, or Starcross Koala, Full line in stock, CALL Learning Co. (Large Inventory) Lightning, Mastertype	, each	5555 555	30 40 75 40 2ati 90 35 40 2ati 40	5 5 5 5 C 5 5 5 C S	27 49 27 all 70 29 27 all all 27
Lode Runner Appie Panic Appie Panic Appie Panic Appie Panic Appie Panic Personal Construction Continental, Home Accountant Datasoff, Artico of Zaxxon, each Edu-Ware, Large Inventory Trainer Hayden, Sargon II (Chess) Indoom, Zoff, II, or III, or Starcross Koala, Full lime in stock, CALL Learning Co., (Large Inventory) Lightning, Mastertyne Micro Lab, Miner 20-94er	, each	5555 555	30 40 75 40 35 40 35 40 40 40	\$ \$ \$ \$ C \$ \$ \$ C C \$ \$	27 49 27 all 70 29 27 all 27 27
Lode Flunner Appie Panic BudgeCo. Piribali Constr. Set *Continental, Home Accountant Datasoft, Actic or Zaxxon, each Edu-Ware, Large Inventory: Einstein, Mercor y Trainer Hayden, Sargon II (Chess) Infocom, Zork II, or III, or Starcross Koala, Full line in stock, CAL. Learning Co., Large Inventory) Lightning, Masterhyne Micro Lab, Miner 20-9er Sierra On-Line, Ultima II	, each	5555 555	30 40 75 40 20 35 40 40 40 60	\$ \$ \$ \$ C \$ \$ \$ \$ C C \$ \$ \$ \$	27 49 27 all 70 29 27 all all 27 27
Lode Runner Appie Panic Appie Panic Appie Panic Appie Panic Appie Panic Personal Construction Continental, Home Accountant Datasoff, Artico of Zaxxon, each Edu-Ware, Large Inventory Trainer Hayden, Sargon II (Chess) Indoom, Zoff, II, or III, or Starcross Koala, Full lime in stock, CALL Learning Co., (Large Inventory) Lightning, Mastertyne Micro Lab, Miner 20-94er	, each	5555 5555	30 40 75 40 35 40 35 40 40 40	\$ \$ \$ \$ C \$ \$ \$ C C \$ \$	27 49 27 all 70 29 27 all all
Lode Runner Appie Panic Appie Panic Appie Panic Strontinettal Home Accountant Datasoft, Artec or Zaxxon, each Edu-Ware, Liarge Inventory Einstein, Memory Trainer Hayden, Sargoni If Chess) Infocom, Zoft. II, or III, or Starcross Koala, Fulline in stock, CALL Learning Co., Large Inventory Lightning, Masterhyse Micro Lab, Miner 20-3der Sierra On-Line, Ullma II Sir-Tech, Warardy		5555 555	30 40 75 40 20 35 40 40 60 50	SSSSCSSSCCSSSSS	27 49 27 all 70 29 27 all 27 40 39

PLOTTERS	LIST	OUR
WordStar Prof., 4 Pak MICROSOFT, Multiplan COBOL-80 Compiler SPECIAL	5 275 S 750	\$ 195 \$ 350
Mai/Merge "	\$ 250	\$ 129 \$ 429
MICROCRAFT Verdict or Billkeeper, each MICROPRO, WordStar*	S 995 S 495	\$ 495
Deadine or Planetfall, each	5 60	\$ 40
dGraph INFOCOM Stancross Zork I It or III. each	S 295 S 50	\$ 185
dUti	\$ 99	\$ 62
FOX & GELLER Ourk Code	\$ 295	\$ 185
PL1 CCompiler	\$ 350	\$ 375 \$ 250
CIS COBOL	5 850 5 550	\$ 575
Pascal MT	\$ 350	\$ 239
CBASIC Compiler (CB80)	\$ 500	\$ 339
BLUE CHIP, Millionaire DIGITAL RES. CRASIC	S 70 S 150	\$ 43 5 99
Friday	\$ 295	\$ 249
Financial Planning Lang.	\$ 700	\$ 439
ASHTON-TATE diffase II	\$ 700	\$ 385
IN STOCK	LIST	OUR
8" CP/M-80 SOFT		The seal

	AUBUL-BU COMPINE SPECIAL	2 130	2 220
	TERS OMB. HOUSTON	LIST	OUR
DMP-40,1 DMP-29,8 DMP-41 AMDEK DX	pen	\$ 749 \$1299	\$ 725 \$1695 \$2250 \$ 599 \$ 999
仰	H P 12C H P 11C 41C Calculator 41CV Calculator w 2.2K Mem. Call on accessories and soft	\$ 120 \$ 90 \$ 195 \$ 275 ware.	\$ 99 \$ 75 \$ 149 \$ 219
-	for the ATARI		

BROWNDISC	PHI	CE	PR	ICE
10 each Pulse LDS DD 48TPI	5	45	\$	32
10 each Pulse II, DS QD 96TPI			5	
CDC				
100 each SS. SD. 35T (Apple, Atari)	5 4		1920	169
10 each, SS, SD, 35T (Apple, Atan)		45	5	18
100 each, SS, DD, 48T (Apple, IBM)		50		179
10 each, SS, DD, 48T (Apple, IBM) 100 each, DS, DD, 48T, (IBM, H.P.)		55 50		19
10 each DS DD 48T (IBM, HP)		75		35
DYSAN 10 each SS SD (Apple etc.)		69		39
10 each, DS DD 48T (IBM, H.P. etc.)				49
MAXELL 10 each MO-1, SS. DD		55		29
10 each, MD2-D, DS DD	S	75	\$	39
MEMOREX				3021
10 each. SS DD. Type A (Apple, Atari)		45		23
10 each, DS DD, Type B (IBM, H P)				35
VERBATIM 10 each, MD525-01, SS SD 10 each, MD34, DS DD		49 84	Š	25 45
	200	0559	2.36	500,000
GENERIK DISKETTES -		15		IS \$1
100 each SS, SD, 35 Track (Apple, Atan) 1000 each SS, SD, 35 Track (Apple, Atan)				995
100 each DS, DD, 40 Track (IBM, H.P.)				170
1000 each DS, DO, 40 Track (IBM, H.P.)	562			400
W sackets, no tabels, top quality 90 day limit	ed wa	mar	aty b	v us
			200	35331
MOHADSLE GENE	:R	Ш	(100



DB Utility For II	\$ 99	\$ 69
MODEMS AND ACCESSORIES	UST	OUR
	PRICE	PRICE
ANCHOR, Signalman MK I Modern (RS232)	\$ 99	\$ 75
Mark XII	\$ 399	\$ 269
HAYES, IBM-PC Smartmodern 1200 B	\$ 599	\$ 439
IBM-PC Smartcom II Software	\$ 119	\$ 89
Stack Chronograph (RS-232)	\$ 249	\$ 189
Stack Smartmodern 300 (RS-232)	\$ 289	\$ 225
Smartmodern 1200 (RS-232)	\$ 899	\$ 535
Micromodem 100 (S-100 bus)	\$ 399	\$ 275
Micromodem II (for the Apple II)	\$ 379	\$ 275
Apple Terminal Program	\$ 100	\$ 65
IBM-PC to Modern Cable	\$ 39	\$ 29
NOVATION, All below require RS-232		
Applecat II Modern, 300 BAUD	\$ 389	\$ 269
212 Apple Cat, 1200 BAUD	\$ 725	\$ 559
PC-Cal with Crosstalk	\$ 595	\$ 419
Cat D-Cat	\$ 189	\$ 139
	S 149	
J-Cat 212 Auto Cat		
Smart Cat 103/212	\$ 695	\$ 415
SSM, Transcend 1 for Apple II Data Comm.	\$ 69	\$ 69
ModernCard for the Apple II Data Comm.	\$ 299	\$ 259
Transmodern 1200 (110/300/1200)	\$ 695	\$ 559
SOFTWARE, SEE APPLE OR IBM UTILITY SO		
OUT THATIL OLD AT FEE ON IBM UTILITY SO	A LHANE	SECTION.

OFTWARE, SEE APPLE OR IBM UTILITY SOF	· months	SCO I ION
MONITORS AND ACCESSORIES		
*AMDEK. 12" Green. #300G	\$ 200	\$ 135
* 12' Amber, #300A	\$ 210	\$ 149
★ 12" Amber, 310A for IBM-PC	\$ 230	\$ 159
★ 13"Color1, Composite	\$ 379	\$ 289
★ 13"Color II, RGB, Hi Res	\$ 529	\$ 439
DVM, Color II or III to Apple II I/F	\$ 199	\$ 175
NEC, 12" Green, Model JB1201M	\$ 249	\$ 159
12"Color, Composite, JC1215M	\$ 400	\$ 299
12" Color, RGB, IBM Model JC 1203	\$ 699	\$ 569
★PRINCETON, RGB Hi Res, HX-12	5 795	\$ 499
QUADRAM, Quadchrome 12" RGB Color	\$ 795	\$ 499
Quadrscreen 17', 968 x 512	\$1995	\$1595
SANYO, 12" Green, Model DM8112CX	\$ 260	\$ 199
ZENITH, 12' Green, Model ZVM123 NEW!	\$ 200	\$ 115

E	PRINTERS AND ACCESSORIES		
5	DOT MATRIX PRINTERS:		
9		LIST	OUG
9		PRICE	PRICE
9	EPSON, MX80F/T, 80 CPS, w/Graffrax +	\$ 745	\$ 455
9	FX80.CPS	-	Call
š l	MX100F/T, 80 CPS, w/Graftrax +	\$ 995	\$ 625
ř l	FX100 CPS	-	Call
š	Apple II Graphics Dump Program	\$ 15	\$ 6
5	LEADING EDGE, Gonila Banana	\$ 250	\$ 260
: 1	OKIDATA, 82A, 80 col., 120 cps, Para.	\$ 549	\$ 490
0	83A, 132 col., 120 cps, Para.	\$ 899	\$ 800
1	92, 160 CPS, 80 Col., Para.	5 699	\$ 500
	93, 160 CPS, 136 Col., Para.	\$1249	\$ 905
-	2350P, Pacemark, 350 cps, Para.	\$2695	\$2005
9 9	2410P. Papernark, 350 cps. Para.	\$2995	\$2300
9	ORANGE MICRO, Grappier +, for Apple	\$ 165	\$ 196
9	PRACTICAL Microsuffer in-Line 64K, Para.	\$ 349	\$ 2533
: 1	Microbuffer In-Line 64K Sensi	5 349	\$ 200
9	★ STAR MICRO., Gernini 10"X, 120cps, 2.3K	\$ 499	\$ 200
2	Gemini 15°X, 120cps, 2.3K	Call	Call
2	IBM-PC to Epson or Star Micronics Cable	\$ 60	\$ 25
9	Apple I/F and Cable for Epson or Gernini	\$ 95	\$ 50
2	LETTER QUALITY - DAISY WHEE		TER
,]			5 570
ONS	JUKI, 6100, 17cps, 80 Col., Parallel	\$ 700 \$ 895	
- 1	SILVER REED, EXPSSOP, 18 cps, 3 ptch		\$ 615
	EXP550S, 18 cps, 3 pitch	\$ 995	\$ 650
	Tractor Feed for EXP 550	\$ 160	\$ 125
5.	★TTX, 13 cps, Para. & Ser, Pin & Friction SUPPLIES: Tractor Feed Paper, Ribbons, Dai	\$ 649 sy Whee	\$ 450 is.

OTHER BRANDS AND PROGRAMS IN STOCK, CALL

CORVUS	6 Meg	\$2095	\$1605
	11 Mog	\$2750	\$2255
Drives Without Interfaces	20 Meg	\$3750	\$3090
IBM-PC Interface Manual, S.V.	V & Cable Kr.	\$ 300	\$ 220
IBM-PC Omni Transporter Pa	ckol4	\$1895	\$1405
Apple Interface, Manual, S.W.	& Cable Kit	\$ 300	5 236
Other Interfaces, Omni-Net. C			

* MEANS A BEST BUY AD #986

ORDERING INFORMATION AND TERMS: All Mail: P.O. Box 23068, Portland, OR 97223, Include telephone number:

ORDERING INFORMATION AND TERMS: All Helms usually in stock. Cacheros Checks, Money Orders, Fortune 1900 Checks and Government Checks, we immediately honor. Personal or other Company Orders allow 20 days to clear. No. C.O.D. Prices reflect a Twi. Lack descount so ADD 2% to ablow process or VISA or MC For U.S. Maniand, add 3% for shipping, insurance and handling (SMH) by UPS with 55 minimum for SMH uPS ground is standard so add 3% more UPS Blue with \$10 minimum for SMH Add 12% total lat SMH for US Postal. APO or FPO with 55 minimum for SMH For Haward, Alaska and Canada, UPS in some areas lone, and in the process of the sound of the process of th

OUR REFERENCES: We have been in computers and electronics since 1956, a computer dealer since 1978 and no computer mail order since 1980. Banks: 1st Interstate Bank, (503) 643-4678. We belong to the Chamber of Commerce (503) 644-0123, Bettle Business Bureau and Direct Marketing Association, or call Dunn and Bradsteet if you are a subscriber. Fastral ** and Generik ** are trademarks of ComX Corporation WordStar. Maildenge, Statricke, IntoStar, are trademarks of Moorthy.

CASH & CARRY OUTLETS:

ter sales only. Open Monday through Saturday PORTLAND, OREGON, 11507-D S.W. Paolic Hwy, Tenace Shopping Center, Tigard. On 99W between 217 and 1-5. Call July 1995.

Tele: 641-4736, in Loehmann's Plaza near Factoria Square, SE of Hwy, 405 & 90 and at SE 38th & Richards.

SEATTLE, WASH, 3540 128th Ave. SE, Bellevue, WA 98006

Circle 73 for IBM Peripherals. Circle 74 for Apple. Circle 75 for all others.

LOW PRICES TO PROFESSIONALS WHO KNOW WHAT THEY WANT AND KNOW HOW TO USE IT!



IBM is a trademark of IBM Corporation

256K

IBM-PC

System Includes Two 320K Disk Drives by CDC 90 Day Warranty By Us Call For Details And Configurations



MICR O SOI	RAMCard 256K SystemCard 256K SystemCard 64K Mouse	LIST PRICE \$ 550 \$ 395 \$ 625 \$ 195	\$ 385 \$ 275
MOUSESYSTEMS.P	CMousew software	\$ 295	\$ 195
ORCHID. R.S.	net" LOCAL AREA NET ochronie Graphics Gard NICS	\$1490 \$ 499	\$1190 \$ 379
ColorPlus, 16 colort		\$ 475	\$ 379
Cuadink, Apple II Er Quadbaard, no RAM Quadbaard 64K. ex; Quadbaard 1, no RA Quadbaard 1, no RA Quadbaard 11, 25 K. Quadbaard 11, 25 K. Quadbaard 12, 54 K. Quadbaard 12, 54 K. Quadbaard 12, 54 K. Quadbaard 13, 15 K. Quadbaard 14, 15 K. Quadbaard 15 K.	nulator I, expandable to 256K tandable to 256K tunction M, expand to 256K expandable to 256K expandable to 256K founction usserial port tusserial port tusserial port tusserial port	\$ 680 \$ 295 \$ 395 \$ 595 Call \$ 395 \$ 525 \$ 325 \$	\$ 485 \$ 215 \$ 279 \$ 395 Call \$ 279 \$ 395 \$ 265 \$ 420 \$ 625 \$ 225 \$ 209
Quadchrome, 12" Ri	3B Monitor	S 795	\$ 499
Quadscreen, 171, 96	8 x 512 Monitor PP, 8K, #MP8w PS.	\$1995 \$ 189	\$1595
Microtazer, w Copy, Microtazer, w Copy, Microtazer, w Copy,	PP, 64K, #MP64w P.S. PP, 128K.		\$ 219
#MP128	BwPS.	S 465	\$ 295
	ME8,w/P.S.	S 179	\$ 145
Microfazer, Snap-on. Eoson, d	.64K,P/P, ME64,W/P.S.	S 319	\$ 235
	ndable, (wcapy to 512K)		
Tecmar	1stMATE,64K 1stMATE,256K GraphicsMaster	\$ 389 \$ 589	\$ 295 \$ 435 Call



\$45

\$40 Ten or more

64K CHIP KIT 9 Each 4164, 200 ns. MEMORY EXPANSION. 900ay Warranty byus.

\$256 \$239 Two or more.

256K RAM BOARD

Fully Compatible, 2 Year Limited Warranty by ComX. With Fastrak RAM Disk Emutator and Spooler Software, Works on DOS 1.1 or 2.0.

★ Means a BEST buy. **AD #986**

for the DRIVES AND ACCESSORIES



320K/360K DS DD DISK DRIVES

With Detailed Installation Instructions 60 Day Warranty by Factory Authorized Bishbutor \$229 Same as now installed by IBM. \$239 For One.

\$199

HALF HEIGHT LIST OUR PRICE PRICE

MAYNARD Roppy Drive Control Brd. for up to 4 drives \$ 195 \$ 165

RANA 2.5Meg5" Drive System (Jan) S1550 S1195 Call

QUADISK, 6 Meg, Removable CALLON AVAILABILITY

VISTA, IBM-PC XT6MB Backup forHard Disk, V1200 \$1549 \$1049

SOFTWARE for the IBM-PC or XT

BUSINESS		
	LIST	OUR
ASHTON-TATE	PRICE	PRICE
★ dBase II, requires PC-DDS& 128K	S 700	\$ 385
dBase II User sGuide	\$ 700 \$ 30	S 20
Everyman's DB Primer (Book)	S 15	\$ 12
The Financial Planner	\$ 700	\$ 395
Friday	\$ 295	\$ 199
APPLIÉD SOFT, TECH., Versalorm	5 389	\$ 265
★ CONTINENTAL.I lome Accountant ÷	\$ 150	\$ 89
FCM(Filing, Cataloging, Mailing)	S 125	\$ 89
PropertyManagement	\$ 495	\$ 329
DATAMOST, Write-On (Word Processor)	S 130	\$ 89
DOW JONES, Market Analyzer	\$ 350	\$ 279
Markel Manager	5 300	5 239
Market Microscope	S 700	\$ 525
EAGLE SOFTWARE. Money Decisions	S 150	\$ 129
★ EINSTEIN, Writer NEW!	\$ 300	S 199
Memory Trainer NEW!	\$ 80	\$ 55
Speller NEW!	S 150	\$ 95
Marier NEWI	S 80	\$ 55
Letter Scenes NEW	\$ 300	\$ 195
FOX & GELLER, Quickcode (MSDOS)	S 295	\$ 179
dGraph (MSDOS)	\$ 295	S 179
dUtillor IBMPC DOS	\$ 99	\$ 59
HAYDEN IBM Pie Wnler	\$ 200	\$ 135
Pie: Speller	S 100	\$ 69
HOWARDSOFT, RealEstate Analyzer II	\$ 250	\$ 189
INFOR, UNLIMITED, EasyWhiter II (WP)	\$ 350	\$ 259
EasySpeller II	\$ 225	\$ 149
EasyFiler (a DBMS)	\$ 400	\$ 299
Inventory Control	\$ 595	\$ 395
★INSOFT, DataDesign(easy touseDBMS)	\$ 225	\$ 169
Data BaseMade Easy (Book)	\$ 17	\$ 12
LIFETREE. Volkswriter	5 285	\$ 195
★LOTUS, 1-2-3	\$ 495	5 329
MICROCRAFT, Verdict or Billikeeper, each	\$ 995	5 469
MICRO LAB, Miner 2049	\$ 40	\$ 29
MICROPRO, WordStar*	\$ 495	5 239
Mail Merge **	\$ 250	S 129
SpellStar *	\$ 250	\$ 129
★ WordStar Protessional, 4 Pak	\$ 895	\$ 429
Starindex *	\$ 195	S 109
InfoStar*	\$ 495	5 259
ReportStar *	\$ 350	S 199
DataIndex'*	\$ 295	\$ 195
StarBurst	\$ 195	\$ 115
★ MICROSOFT, Multiplan	\$ 275	\$ 175
Word	\$ 375	\$ 275
Word with Mouse	\$ 475	\$ 339
Financial Statement	\$ 100	\$ 69
Budget	\$ 150	\$ 100
- Charges	5 .50	,

LIST	OUR
	PRICE
	\$ 110
\$ 250	\$ 169
	11.2
	\$ 69
	\$ 69
	\$ 94
	\$ 239
\$ 395	\$ 239
\$ 295	\$ 195
\$ 389	\$ 149
S 295	\$ 99
\$ 695	\$ 199
\$ 595	\$ 199
\$ 299	\$ 219
S 140	\$ 94
5 125	S 84
5 140	\$ 95
\$ 140	\$ 95
\$ 295	\$ 195
\$ 295	\$ 199
\$ 495	\$ 375
\$ 195	\$ 149
\$ 300	\$ 195
\$ 596	\$ 396
\$ 100	\$ 67
	\$ 169
\$ 275	\$ 169
\$ 250	\$ 175
	PRICE \$ 165 \$ 250 \$ 165 \$ 250 \$ 5 100 \$ 5 145 \$ 5 305

TG PRODUCTS, Joystick

S 65 \$ 49 S 100 \$ 69

UTILITY & SYSTEM

esktopPlan1 \$ 300 \$ 219 siWord with VisiSpell (128K) \$ 375 \$ 269

1983 CL SOFTWARE AWARD:

VisiFileor VisiSchedule

1983 CL SUP I WARE AWARU:
Copy I PC by Central Point Software is shift the best is fixware
buy oil 1983 and 1984. It will copy more copy protected software
and faster than any other backup system. Unlike other copiers
if makes an eract duplicate of your original and it does 100%
verification of copy. Documentation is excellent.

★CENTRAL POINT, Copy IIPC. Backup S 40 \$ 35 ★COMK, Fastrak**, RAMBeix emulatior and printer spooler program. Works on any PC DOS version or RAM Card MenuDriven. NEW S 100 \$ \$ 59

UTILITY & SYSTEM

	LIST	UUH
war and the same of the same o	PRICE	PRICE
DIGITAL RESEARCH		
Concurrent CP M-86 *	\$ 350	\$ 225
CBASIC86 '	S 200	\$ 135
CP M-86 *	5 60	\$ 40
Pascal MT ~ (CP M-86)	5 400	\$ 169
Pascal MT- (MSDQS)	S 500	\$ 399
PLI(MSDOS)	\$ 750	
Access Manager (MSDQS)	\$ 400	5 179
Display Manager (MSDQS)	\$ 500	\$ 339
Speed Prog. Pkg. (CP M-86)	5 200	\$ 135
CIS COBOL-86	·S 850	\$ 525
DR LOGO-86	S 150	\$ 90
CBASIC Compiler (86 or MSDQS, each)	\$ 600	\$ 365
HAYES, Smartcomit(Data Comm.)	S 119	\$ 89
MICROCOM, Microterminal (Data Comm.)		\$ 65
MICROSTUF, Crosstalk XVI (Hayes& IBM)		
MICROSOFT muMain muSimp	5 300	
Business BASIC Compiler	\$ 600	
	\$ 350	
Pascal Compiler		
C Compiler	\$ 350	\$ 225
BASIC Compiler	\$ 395	
FortranCompiler	S 350	
COBOLCompiler	\$ 750	
BASIC Interpreter	\$ 350	
NORTON, Norton Utilities, 14 programs	\$ 80	\$ 65

HOME & EDUCATIONAL

EPYX Auto. Si m Templeof Apshai	\$	40	S	29
QilBarons	S	100	\$	75
★ ARMONK, Executive Suite	S	40	\$	27
BLUECHIP, Millionaireor Tycoon, each	5	60	\$	39
BPI SYSTEMS, Personal Accounting	S	195	\$	139
★ BRODERBUND, Apple Panic(Coror)	S	30	S	19
COMPREHENSIVE PC Tutor (DOS 1.1)	S	60	\$	40
CONTINENTAL, Home Accountant +	S	150	S	89
DATAMOST, PigPenor Space Strike, ea	5	30	5	22
OAVIDSON. The SpeedReaderII	S	75	S	49
INFOCOM, Deadline		50	\$	33
ZorkforZorkflorZorkffl.ea.	S	40	S	27
* INSOFT, WordTnxorQuotrix, each NEW!	S	35	S	29
MICROLAB, Miner 2049	S	40	S	29
MICROSOFT, FlightSimulator	S	50	S	33
MONOGRAM, Dollars& Sense	S	165	S	110
PBLCORP. Personal Investor	S	145	5	99
SPINNAKER. SnooperTroops(10r2)	S	45	\$	
Story Machine or Face Maker	\$	35	S	24
STRATEGIC, the Warp Factor	S	40	S	30
SUBLOGIC Might Mission Piribad	S	40	\$	27

HE WORLD'S LARGEST COMPUTER MAIL ORDER FIRM





(800) 547-1289

Order Desk Hours: 6AM to 6PM PST Oregon TOLL FREE [800] 451-5151 Hot Line For Information On Your Order Portland: 245-6200

SHOWROOMS AT: PORTLAND, OR. or SEATTLE, WA. BOTH OPEN M-SAT 10-5 ALL MAIL: P.O. BOX 23068, Portland, Or. 97223

PAS	OCOM 64K	. 15+1P	Clock	 00000	10 N	ONLY	\$279
AST	Mega-Plus	W/RAM	Superdrive	 x (0.00		\$	CALL
AST	PC-NET			 		\$	CALL

SPECIAL BUY: BMC 80/20 by Okidata

This hottest-selling computer in Japan can now be yours at an unbelievably low price!!!

Computer with built-in printer, address graphics, optional light-pen. (incl. CP/M, BASIC, WordStar, SpellStar, MailMerge, CalcStar)

Monochrome

LIST \$1995 . \$1699

LIST	\$2995	 Only	\$2349

MicroDecision	11	ł	Н	a	I	d	D	i	S	k													
LIST \$2795				,	į		 . ,				,					à	×					1	CALL
Intertec Superbrain	QD	*		8	ĸ			н	ě				×		ä		ě	ě		+			\$2145
Pied Piper Portable	i i	4		ě	K				ě		а	4						5	v		e	,	\$989

ASER 30

APPLE compatibility. fully legal. BASIC in ROM, hi-res. color.

(560 x 192). 4 channel sound, parallel interface, 40/80 column 8 function keys, cassette input opt. Floppy run APPLE software. \$ CALL

16-BIT COMPUTERS COLUMBIA 1600 BEST BUY:

\$3000 plus Free Software Nationwide Service by Bell

.

S

Columbia VP Portable LIST \$2995		 ř.			,	S	CALI
MP/M-86 Multi-user operating sy							
LIST \$5095		 ĸ		×		\$	CALL
Columbia 1600-4 10 MB Winche							
LIST \$3495				v	į.	\$	CAL
& Howell. LIST \$3495	His		d	Ġ.	'n		

NOW YOU CAN LEASE A COLUMBIA 1600-1 FOR ONLY \$83/MO.!

CORONA-PC: Exceptional high-res. LIST \$2995	S CALL
EAGLE Spirit XL-128K, Hard Disk LIST \$4795	SCALL
ZENITH Z-100 (Hard Disk Optional)	
FREE Lotus 1-2-3	S CALL
SANYO MBC-550 & 555 1st IBM-Compatible under	\$1000
NFC-ARC: 8086 8" Florones Hard Disk Ontion	

SPECIAL OFFER: CP/M-86 WordStar. SpellStar. MailMerge.

SuperCalc. dBASE-II. Millionaire game included FREE. HO Monochrome HO3 Color

LIST \$4198 \$3249 LIST \$3448 ... \$2749

		_	
Dynax 12" Amber	,		\$13
Taxan RGB-1		×	\$31
Taxan RGB-III hi-res		ž	\$51
Zenith RGB hi-res	,	×	\$52
Princeton PGS hi-res			\$49
NEC 1203 RGB		×	\$611

DISKETTE TYPE		NASHUA	SCOTCH	3-M
	LIST	SPECIAL	LIST	SPECIAL
51/4" s.s., s.d.	\$3.55	\$1.49	****	*****
51/4" s.s., d.d.	4.10	1.84	4.20	1.99
51/4" d.s., d.d.	4.90	2.15	6.00	2.99
8" s.d., s.d.	4.00	1.84	****	
8" s.s., d.d.	5.25	2.25	5.55	2.79
8" d.s., d.d.	6.50	2.69	7.10	3.49
Minimum Order 5 hoxes	Prices above	reflect 5% cash discount	Credit cards	or nurchas

orders (approved organizations ONLY) add 5%.

NEC PC-8201 Another Immediate hit!

Weighs only 38 lbs. yet has integral 40 char. x 8 line display, 32K ROM + 16K RAM Interfaces printers, bar-code reader, cassette & Floppies. List \$799



TRAINING

SHARP PC-5000

Revolutionary Portable Computer LIST ... \$1995







Mannesman-lailey mi-lout: nul Setten: 3339
MT-180L NEW up to 264 columns \$779
GEMINI-10X List \$499 DNLY \$ CALL!!!
GEMINI 15X List \$649 \$ CALL
Gemini Delta 10, 160 CPS \$ CALL
Epson FX-80\$CALL Epson RX-80 \$ CALL
Okidata 92
Daisy-Wheel Printers:
DAISYWRITER 2000, 48K buffer\$1095
TRANSTAR 130. emulates Diablo \$679
BROTHER HR-25 \$ CALL
DYNAX HR-15, best buy LIST \$599 \$449
DYNAX KEYBOARD\$189
QUME SPRINT II
JUKI 6100 low cost/hi perfor LIST \$699 \$489
Silver-Reed EXP 550
Mannesmann-Tally Sprint LIST \$399 \$339
BEODESEO

MODEMS

Hayes Smartmodem w/S	SmartCom \$484
SmartCom II	
Hayes 1200 B (F/IBM-F	PC)
Signalman MK12 Aut	o Send/Rec. 300/1200
BEST BUY	\$299

SPECIAL!

DYMAC	ClipStr	ip.	Only	UL-Appr	Sur	
Protector.	Protect	your	Inves	tment!		
LIST ST	19				ONLY	\$10

Compare our Prices Like our Service and Support they are superior beyond comparison.

WORDSTAR PROPAK (W/S	S	pε	III	S	aı		M	a	il	M	81	g	8,	S	ta	ır	in	d	e:	X	*			\$4
FRIDAY								į,								×				+				\$16
BOTTOM LINE STRATEGIST							×									×	,	è	4				r	\$2
PFS:FILE			×					*					į,			*.	+	,			×			. \$00
CONDOR III w/ReportWriter	*		6	٠		4	*	×		٠					¥	×	÷		14		4	*		\$2

YOUR

WORD PROCESSING	LIST	PRICE	ATS - All	75	38.
Benchmark (Metasoft)	499	354	UTILITIES		
Final Word (Unicom)	300	228	Disk Doctor (Supersoft)	100	36
Footnote (Dig Mrkt.)	125	85	Fancy Font (SoftCraft)	180	192
PeachPak (Peachtree)	500	330	Menu Master (Borland)	195	167
Perfect Writer/Speller	695	286	Smark Key	89	24
Punct & Style (Oasis)	125	90	Super Sort (MicroPro)	250	106
Spellbinder (Lexisoft)	495	264	Supervyz (Epic)	90	08
Superwriter (Sorcim)	295	195			
The Word Plus (Oasis)	150	105	LANGUAGES		
WordStar (MicroPro)	495	259	Basic Compiler (Microsoft)	395	200
			Basic Interpreter 80	350	202
			Business Basic Compiler	600	439
			CBASIC II (D/R)	150	181
SPREAD SHEET/FINANC	AL PLAN	NING	CBASIC 86 (D/R)	200	123
MultiPlan (Microsoft)	275	190	C Compiler (MicroSoft)	500	3(10)
Multi-Tool Budget	150	103	CB80 (D/R)	500	400
Multi-Tool Financial St.	100	72	Cobol Compiler (MicroSoft)	750	420
ProfitPlan (Chang Labs)	195	140	Fortran 80 Compiler	500	350
CalcStar (MicroPro)	145	95	Level II Cobol (D/R)	1600	1100
SuperCalc II (Sorcim)	295	194	Macro Assembler	200	133
VisiCalc (VisiCorp)	250	199	Pascal MT/MT+86	500	429
VisiTrend (VisiCorp)	300	238	PL/I (D/R)	500	496
SuperCalc III		SCALL	RM/Cobol full devel sys	750	540

ouperoune m		SUMEL	mer cooper run dever	343 750	
			RECREAT	TIONAL	
DATA BASE MANAG	EMENT		Infocom for ALL formats	(including hard	to go
1-2-3 (Lotus)	499	349	Kaypro. Morrow. Xerox.	Osborne DD. e	tc.)
Access Manager	300	234	Zork	49.95	2
dBase-II (Ashton-Tate)	700	390	Deadline. Starcross.		
dGRAPH (Fox & Geller)	295	199	Planetfall, Witness.		
dUTIL (Fox & Geller)	99	71	Suspended	59	23
InfoStar (MicroPro)	495	327	DATA COMM		
Notebook (Dig. Mrktg.)	150	102	DATA COMMU		
PFS FILE (Soft Pub.)	140	101	Crosstalk (Microstuff)	195	120
PPS FILE (SUIT PUD.)	140	101	Move-It (Woolf)	125	- 01
			Smartcom II [Hayes]	119	51
PFS GRAPH (Soft Pub.)	125	89	FOR RECOMMENDATION	S ON APPLICA	TIOL
PFS REPORT (Soft Pub.)	125	89	SOFTWARE (Cyma. MI		
Q-PRO-4 (Quick n' Easy)	395	285	Artificial Intelligence, etc.		
Quickcode (Fox & Geller)	295	212	Complete selection at con		
VisiFile (VisiCorp)	300	237	Complete selection at Con		CAU

TELEX ORDERS: Hardware under \$1,000 and all Software (Please

Telex re larger hardware items only if you are eligible for U.S. Export

Bank Reference: 1st Interstate Bank, Sunset Eastern Branch, Las Vegas, NV 89114

Mon. Fri. 7:00 AM - 5:30 PM PST

ONLY:

ORDER STATUS: (702) 451-1361 P.O. BOX 50029, HENDERSON, NV 89016



TERMS: Prices in this ad apply to prepaid orders only, reflect 5% cash discount off our regular prince Fortune 1000 companies. Universities and Government only, 30-day net based on our regular (non-case price. This ad supersedes all prior offers. Prices subject to change. Absolutely no return on used damaged items. Software returnable ONLY in UNOPENED original wrapping. 15 DAY EXCHANGE PFIL ILEGE, subject to 15% restocking. Add 3% for Handling. Shipping & Insurance (\$3.95 minimum Nevada residents add 5 75% tax. Circle 43 on Inquiry card

License) TELEX 472-0127 Attn: EMD

APPLE is trademark of Apple Computer Inc. IBM is trademark of International Business Machines. In

Speech Recognition: An Idea Whose Time Is Coming

Some theoretical and practical aspects of this emerging technology

by George M. White

Someday machines that recognize speech will be commonplace. People will talk to computers, typewriters, toys, TV sets, household appliances, automobile controls, door locks, and wristwatches. Each of these speechrecognition applications is currently being explored; some early forms are already on the market, while other forms are proving to be beyond our current capabilities. In this article, I'll examine some of the theory and market prospects for this exciting and elusive technology.

Having our lives filled with machines that obey verbal commands can transform our views of machines. Mechanical devices can take on a subtle lifelike quality when given the ability to respond to speech. This lifelike quality is further amplified when coupled with the machine intelligence that emanates from personal computers, arcade games, robotics, and household automation systems. We continue to be fascinated by the evolution of such intelligent products, and we probably could not reverse this trend, even as visionaries warn that we'll lose our freedom to new mechanical life forms.

Automatic speech recognition is generally considered to be the most difficult and complex problem in the field of voice processing. Voice synthesis, compression, analysis, encryption, and transmission are all more narrowly defined, and all contribute to the solution of the speechrecognition problem. Some of the world's largest companies (AT&T, IBM, Exxon), the U.S. Department of Defense, and several universities have been developing speech-recognition technology for years without the hoped-for degree of success. But despite difficulties, steady progress is being made.

In the past 10 years, at least a dozen start-up companies have been founded explicitly to develop and market speech-recognition products. Although several have gone out of business, about a dozen companies plan to be in the market with new products in 1984.

Philosophical Issues

The specter of Big Brother may not be of concern in Western society today, but the evolution of distributed intelligence among machines with speech-recognition capability certainly provides the technical base for monitoring our activities. In fact, the U.S. National Security Agency has developed what may be the world's most advanced speech-recognition algorithms. This system spots keywords in intercepted verbal transmissions from "unfriendly" nations. Currently, it is not likely that such techniques would be used for domestic surveillance. But speech technologists as well as the public must be aware of the potential loss of privacy.

Speech recognition is not a typical engineering problem. It is a scientific Gordian knot. It draws on LSI (largescale integration) and VLSI (very large-scale integration) chip design, signal processing, acousticphonetics, natural-language theory, linguistics, mathematics of stochastic (probability) processes, and computer science techniques. Because of its multidisciplinary nature and because many competent minds have pondered the problem for years, we should not expect a breakthrough in speech-recognition capability. Progress will be made, but it will be evolutionary, not revolutionary. Naive enthusiasm from novices in the field sometimes leads to proclamations that dramatic progress is imminent. Such views fail to consider the interdependence of disciplines required to produce a commercially viable product.

Nearly 15 years ago, a number of

companies and engineering organizations predicted near-term success in speech recognition. This prompted a prominent scientific leader, John Pierce, to say that automatic speech recognition was the domain of "untrustworthy engineers" (see reference 8) and that we would not have speech recognition until we had true artificial intelligence (AI).

Pierce based his critique on the observation that normal speech contains many words that are acoustically ambiguous, and it is only through contextual information and knowledge of linguistic constraints that we are able to remove the ambiguity. Because only humans have demonstrated sufficient understanding of the language constructs of spoken sentences to use them in a way that is unambiguous, Pierce's conclusion that fluent speech recognition requires human-like intelligence is understandable.

Today we do have elemental speech-recognition systems that recognize short utterances. However, this does not nullify Pierce's argument; it is a matter of the type of speech to be recognized. When fluent conversational speech is involved, a "model of the domain of discourse" must be employed, and the recognition process is called "understanding." This is, by definition, in the domain of AI. Recognition of short utterances using only template pattern-matching techniques is, in current vernacular, "pattern recognition," not "understanding."

In a broader sense, even the simplest forms of speech recognition are a part of AI, and AI is spread out in the technologies that make up modern society. The maturation of speech recognition and AI has not been by intellectual tour de force but by a broad-based industrial/technical evolution. Key events in this evolution include the appearance of the mass market for home computers, VLSI, mass-production techniques, and, perhaps, even Pac-Man. Although these are not usually thought of in the same context as machine intelligence and speech recognition, they play a significant role in the development of such capabilities, and they cannot be ignored by forecasters and planners who hope to tell us what products will materialize in the next few years.

Success is slowly materializing. Today we have adequate machine intelligence to achieve elemental automatic speech recognition (ASR), but we are a long way from conversational speech understanding.

Definition of Terms

Automatic speech recognition means different things in different contexts. Speech-recognition products have been on the market for nearly 15 years for isolated utterances. "Isolated utterances" refers to words or short phrases spoken with pauses between them. "Continuous speech" refers to normal speech without pauses between in-

Automatic speech recognition is the most difficult step in the voice-processing field.

dividual words. ASR systems differ vastly in technical content, depending on the type of speech input expected.

For isolated-utterance input, a variety of signal-processing algorithms and classification schemes have been applied with success. In general, the more care and control exercised on speech input, the greater the number of algorithms that work, because there is greater redundancy in the acoustic input. To reduce costs, some speech-recognition device manufacturers specify that speech input is expected to be carefully enunciated, isolated utterances, in a noise-free environment, from a limited vocabulary, and from a "known" talker. A known talker is one whose voice characteristics have been previously analyzed and recorded. Of the many techniques employed, few have achieved a useful trade-off in cost versus resilience to imperfect speech input.

The technology required for transcription of general conversational speech far exceeds our current capabilities. Cost-effective, voice-controlled typewriters that accept normal speech will almost certainly not be on the market this decade.

The striking difference in technical content in speech-recognition systems has to do with contextual properties of speech that at first seem paradoxical. For example, typically 20 to 30 percent of the words from taperecorded conversations cannot be understood when the words are played back individually in random order even though every word was perfectly understood in the original conversation (see reference 9). Thus, a word pronounced in conversation does not really carry the information we normally think it does. The information is spread out over several words rather than being encoded in individual phonemes (a member of the set of smallest units of speech), syllables, or words. The critical information needed to interpret a spoken word is not found in the word itself perhaps 30 percent of the time.

The information required to recognize a word in the context of normal speech floats on the "ether" of an entire phrase or sentence. Until we have intelligent machines that successfully extract semantic, syntactic, prosodic (stress), and perhaps pragmatic information from acoustic waveforms, we will not have conversational speech recognition by machines. It is safe to assume that this will not occur for several more decades. But there are other forms of speech that are easier for machines to recognize.

Carefully pronounced isolatedword utterances contain all the information needed for a machine to correctly recognize them without resorting to AI techniques. The technical barriers are more computational than theoretical, and, in fact, the more carefully pronounced the word, the less the computational power required. For a careful, cooperative talker in a low-noise environment, the computational power of the microprocessors in many personal computers is sufficient. But more computational power is required for multiple talkers, telephone input, larger vocabularies, word spotting, or

connected speech recognition.

For example, speaker-independent recognition over telephone lines is difficult because telephones distort speech spectra in a variety of ways. The voices of unknown talkers will probably have a variety of different spectral shapes for the same speech sound. Techniques for solving these technical problems are known, but they are expensive: Verbex, a subsidiary of Exxon, has offered commercial equipment containing special-purpose, high-speed computers that sell for more than \$65,000 to recognize digits and a few command words over dial-up telephones for arbitrary talkers.

The Cost Barrier

Widespread use of Verbex-type speech-recognition systems awaits dramatic cost reductions. In fact, the single greatest problem facing the entire field is the high cost of robust recognition capability.

Significant cost reductions can be achieved in at least four ways: through large-volume manufacturing

(economies of scale), faster computers, advances in LSI and custom LSI, and algorithm enhancements. Activities of many leading firms can be characterized by their relative emphasis on these approaches. These firms will be covered in more detail

Only low-cost systems can currently reap the benefits of large-volume manufacturing; they can exploit the installed base of telephones, personal computers, and toys. Milton Bradley has pioneered a computer peripheral compatible with the TI-99/4A home computer that allows you to play games using oral commands. Interstate Electronics has developed a single-chip recognizer that could become widely used in a massproduced vechicle, e.g., a toy. Verbex has developed a bit-slice machine architecture to carry out signal processing and pattern matching in its speech systems. Nippon Electric, Interstate Electronics, Threshold Technology, and Votan have developed special LSI chips for speech recognition. Several others, including Intel,

Harris, American Micro Systems, and General Instruments, have developed general voice-processing chips. Every firm in ASR has emphasis on algorithms, but Dragon Systems of West Newton, Massachusetts, stands out for extraordinary achievement and focus on algorithms.

Algorithms Cut Costs

Algorithm improvements aimed specifically at cost reduction typically involve search strategies to reduce the number of paths that must be searched in decision networks. This results in an apparent increase in the execution speed of the computer. Execution-speed enhancements may be obtained not only by efficient search strategies but also by "precomputing" relationship networks that might otherwise require random, or "exhaustive," search techniques.

Dragon Systems has made progress in reducing computation through algorithm improvements. Dragon's speech-recognition system executes on an Apple computer and



Littleton, MA 01460

IN MASSACHUSETTS CALL (617) 486-3193

SINCE 1973



SHOPPING CONVENIENCE

achieves recognition accuracies comparable to those executing on \$15,000 machines without Dragon algorithms. The Dragon system basically consists of an 8-bit A/D (analog-todigital) converter board and software.

How Speech Recognizers Work

Automatic speech recognizers are composed of sound analyzers followed by word classifiers. Sound analyzers may be nothing more than microphones followed by A/D converters (as in the Dragon system). More likely, the sound analyzer also performs bandpass filtering before A/D conversion. Most successful recognizers use bandpass filtering as the first step in analyzing an utterance. The most elementary and widely used approach to utterance classification is to form a two-dimensional matrix of the utterance with time along one axis and frequency energy content along the other. Reference matrices, which are generated for each word during talker training, are compared to the matrix of unknown utterances. The comparison is typically achieved by computing the distance (e.g., the sum of the square of the differences) between corresponding matrix elements in reference and unknown matrices for all elements in the matrices.

Dynamic Programming

There is an alternative to the matrix-comparison technique of classifying utterances known as "dynamic programming." Dynamic programming has been known to be superior for about 10 years. But consumer-oriented commercial systems avoid dynamic programming partially because of the large associated computational requirements and partially from lack of understanding of the algorithm.

Dynamic programming offers not only superior isolated-utterance recognition, but it also opens up the possibility of continuous-speech recognition. It has been more successful in continuous-speech recognition than any other algorithm, and it is used in the world's only commercial continuous-speech recognition systems.


The dynamic programming process computes many more combinations of time alignments between reference and unknown utterances than the static-matrix match just mentioned. In fact, its straightforward application increases the computation burden by a factor of 100. However, efficient search-path pruning algorithms can potentially (on the average) reduce the computational burden to the level required for matrix comparison. Recent cost reductions in commercial continuous-speech systems have cut costs by factors of two to five, and these cost savings are due directly to improved search strategies for dynamic programming.

One of the first steps in classifying an utterance is to convert it to a string of "phone units" (elementary sound units). This can be achieved by sampling the speech at a constant rate, e.g., 100 times a second. Alternatively, the speech is segmented into syllable-sized units by monitoring changes in energy or spectral con-

The problem with these approaches is that the number of time intervals or number of syllable segments usually varies from utterance to utterance. Talkers do not reliably reproduce segment durations or pronounce all the syllables in words. (Even if words were pronounced reliably, speech systems could not reliably segment the speech without simultaneously classifying the segment.) Therefore, the problem of variability in number of segments is inherent, and any successful classification scheme must deal with this variability. Dynamic programming provides an approach to handling this variability.

For example, suppose that the utterance "six" is segmented by a scheme that produces six segments: "ssiixs." Furthermore, suppose the correct reference template is "ssixxss." Dynamic programming determines how to "time-align" the segments of reference and the unknown utter-

The first step is to measure the speech sound similarity between all segments in the unknown and all



Flip the pages. You see PC modem cards with fewer features advertised for as much as \$599. Up until now that's how much it cost to make a modem capable of transmitting at 120 characters per second (1200 baud). It doesn't take a computer to figure out the savings in phone line charges when you communicate four times faster than the 30 character per second modems (300 baud). Now you can have the solution to your communication needs at an affordable price.

SEE HOW THEY WORK

You can imagine how precise the components have to be to convert tones over a phone line into 120 characters every second. Precision equates to cost. With the advent of the mass market in personal computers the economies of scale drove the costs of manufacture down. but did not effect the precision required. The technology used is called "analog filtering". It is the process of sending (modulating) and receiving (demodulating) tones with perfect pitch. A lot of adjusting, noise suppression, and a little magic is required. Real expensive. Some use lots of chips and filters (known as discrete components). The latest rage is LSI (Large Scale Integration) technology. Which is the same old analog stuff condensed onto fewer chips.

ADVANTAGE #1 Digital Signal processing



A NEW IDEA

We took a different approach. Through the use of four microprocessors the tones are chopped up digitally and measured millions of times per second, eliminating the need for analog circuitry. Two microprocessors do the modulating. two the demodulating. The chips are programmed to emulate the 103 (30 characters per second) or 212 (120 characters per second) standards and determine the correct speed automatically. It's a proven technology that provides outstanding performance. Best of all, it's inexpensive and reliable.



PC 212A/1200:

A GENUINE BREAKTHROUGH

NO CORNERS CUT

We included every feature you would want in a modem card. It's FCC registered for direct connection to your modular phone jack with the cord which is included. There is a separate modular jack for your telephone or you can listen through the onboard speaker. The autodialer works on rotary lines, tone lines, or a combination of both, and will pause for use with Sprint or MCI. It will work in originate or auto-answer modes. A separate microprocessor, a Z8, controls all the functions.

ADVANTAGE #2

Optional external serial port connector




AN ASYCHRONOUS ADVANTAGE

The modem board is addressed in the software as COM1 or COM2 and we have a handy little option you ought to consider. If you would like to use the asynchronous communications port when your modem is not in use, we will add a connector and the necessary circuitry for just \$20. This saves you the hundred bucks or so you would spend for another async card and saves a valuable slot. It can be configured as COM1 or COM2 and works just like IBM's does.

THIN IS IN

Itplugs into your IBM PC or XT and occupies any one slot since it is just 1/2 of an inch thick. This is made possible by using a special speaker which is just 1/8" tall. Competing brands either use a conventional cone type speaker, or they just skip the speaker altogether. Some modems also have large transformers which allow rob valuable space.





LET'S TALK SOFTWARE

Our modem is 100% compatible with the Hayes software commands so you can use any of the popular communications packages like IBM's Asynchronous Communications Support, CrossTalk, Transend, or PC Modem. We go one better than the competition. We include PC-TALK III. PC WORLD magazine referred to it as "the benchmark that other PC communications packages are measured against." It stores phone numbers, handles setting the modems characteristics, saves to disk files, transmits from disk files, even binary files. You can program up to forty keys to have things like passwords and log-on information be entered when you hit them. And to make sure data is sent and received accurately, the XMODEM protocol detects errors caused by poor line quality and automatically retransmits the data.

WHY BUY FROM US

Because besides having the best product on the market, we stand behind it and you. You get factory direct technical support after the sale. If at any time during the one year warranty period your modem should require service, we will fix or replace it within 48 hours. Notice also there are no hidden charges in our price. Nothing extra for credit cards or COD charges. We even pay UPS shipping. If you still are not convinced, and are ready to buy another brand of modem, ask them if they will take our acid test.

. THE ACID TEST

Qubie' gives you a 30 day satisfaction guarantee on your modem. If you are not completely satisfied we will refund the entire amount of your purchase including the postage to return it. If you can, get anyone selling one of our competitor's products to give you the same guarantee. Buy any modem you like and return the one you don't like. We know which one you will keep.

ORDER TODAY

It's easy to order by mail or by phone.

BY PHONE: Call us and one of our sales staff can answer any questions you have and take your order. Have your Visa or Mastercard number handy when you call.

(805) 987-9741

BY MAIL: We need your name and street address, daytime phone number, how many modems you want, and whether your computer has single or double sided drives.

VISA & MASTERCARD





\$299 includes: PC 212A/1200 autodial modem card, PC-TALK III software, cord to connect to modular phone jack, and manual. 1 year limited warranty.

Optional: Connector and circuitry to use serial port for another serial device \$25.

SHIPMENT


We pay UPS surface charges. UPS 2 day air service add \$5 extra. Credit card or bank check orders shipped next day. (Personal checks take 18 days to clear)



4809 Calle Alto Camarillo, CA 93010











Introducing the Freedom 200. No other VDT gives you more, for less.

For only \$745, the Freedom 200 gives you more user-relevant functions and optimized ergonomic features than any other standard VDT.

You get 106 keys, clustered for maximum user efficiency.

Plus 10 user-programmable non-volatile function keys (256 bytes worth) for a host of applications.

Plus 11 cursor control keys, including tab by word for easy

editing.

Plus flexible non-volatile set-up modes, full page or status line, to easily configure your terminal exactly the way you want it.

Plus user-definable smooth scrolling regions, with selectable

scroll rates.

Plus split-screen capability. Plus 128 ASCII characters, with 86 extended graphic characters for forms creation.

Plus non-embedded attributes (visual and data entry).

Plus double-high/double-wide

characters.

Plus programmable answerback message for enhanced security.

Plus programmable time out, to prolong the life of your screen.

Plus easy serviceability, and

space for add-on boards.

Plus two-page standard memory in emulation modes and one-page memory in native mode, with additional memory optional.

Plus 8 foreign character sets. Plus TeleVideo 950 and Lear Siegler ADM 31 emulation.

Plus more.

for less.

To find out more, contact your local Liberty dealer or distributor.

> Or call Liberty direct. (415) 543-7000.

No other VDT gives you more,

© Liberty Electronics 1984.

Circle 221 on inquiry card.




Figure 1: A speech-sound similarity matrix, Q(i,j), containing scores for comparing sounds in reference and unknown utterances.




Figure 2: A dynamic programming matrix, S(i,j), containing the accumulated scores beginning at S(1,1) and ending at S(i,j). The lines connecting matrix entries show the optimal path linking segments in unknown and reference.

Figure 3: The time alignment of unknown and reference utterances.

segments in the reference utterance. The results are entered into a speech-sound similarity matrix shown in figure 1.

The problem can now be restated as follows: what is the path from the lower left-hand corner to the upper right-hand corner that produces the lowest value? The allowable paths can be constructed from horizontal, vertical, or diagonal moves. The dynamic programming solution is to evaluate S(7,6), where

$$S(i,j) = Q(i,j) + MIN [S(i-1,j), S(i,j-1), S(i-1,j-1)]$$

Note that to evaluate S(7,6), other values of S must be computed first. So we begin with S(1,1) = Q(1,1); and then S(1,2) = Q(1,2) + S(1,1); S(1,3) = Q(1,3) + S(1,2); etc., until the first row of an S(i,j) matrix is computed. Then we move to the second row,

S(2,1) = Q(2,1) + S(1,1). The previous computations were simple because there was only one way to move from S(1,1). But now, for the first time, S(i,j) location can be reached from more than one precursor, namely S(2,2) can be reached from S(1,1) or S(2,1) or S(1,2). Therefore,

$$S(2,2) = Q(2,2) + MIN [S(1,1), S(1,2), S(2,1)]$$

In this example, S(2,2) = 2. The completed matrix is shown in figure 2. Note that the overall score for the match is 3, [S(7,6) = 3]. The optimal time alignment is shown by the lines in figure 2. The lines are put in as a final step, backtracking from S(7,6) to S(1,1).

The time alignment indicated by the lines is illustrated in figure 3.

This same approach can be used in "word spotting." In this application, the beginnings and endings of words are unknown. The matrices Q(i,j) and S(i,j) become longer, as long as an entire sentence. The toprow of the matrix S(i, j) is monitored for a dip in scores. If a dip occurs, the word has been "spotted," or identified. Note that in figure 2 the scores along the top row are high until the last two entries [5(7,6)] are reached. If the matrix were extended to the right (because there were other words rather than silence), then the scores for the top row would become large again. Yet the matrix would reveal that "six" had been spotted because the scores would have dipped briefly from an average of approximately 18 to 3.

Dynamic programming and related mathematical optimization techniques are of exceptional significance to automatic speech recognition. More than any other single intellectual tool, it has enabled speech classifiers to progress beyond short simple words to handle longer words, phrases, and sentences. Dynamic programming was independently developed with minor variations in at least three different fields: operations research, communications theory, and in mathematics as a first-order Markov process (see references 2, 3, and 12). None of these original formulations was for speech applications.

What's Available Now?

Table 1 shows the product names and identifies the manufacturers of products on the market in 1983 that are expected to be available in 1984. Note that these products are not intended for consumers but, rather, for industrial applications. The industrial applications are typically "handsbusy" activities involving inspections usually associated with quality control (for example, on an assembly line or in a laboratory in conjunction with entering data gathered using microscopes). The variety of applications is extraordinary, although the number of applications appears small. Other examples include flight-training simulators for entering a limited set of command words, baggage/ parcel sorting, voice control of machine tooling, and home-appliance control by personal computers. They have occasionally been used for educational applications.

Connected speech recognition is essential for some applications such as zip-code reading for parcel sorting by the United States Postal Service. Note that there are only three manufacturers of continuous speech systems.

It appears that the exciting new developments to watch in 1984 will come from Nippon Electric Corporation (NEC), Dragon Systems, Voice Control Systems, Interstate Electronics, and possibly Asulab. NEC is exciting for two reasons: first, the company has an extraordinarily good continuous-speech recognition system for vocabularies of up to 120 words for users who have trained the system (around \$2000); and second, NEC's lower-performance three-chip set will soon be available, recognizing 128 words of isolated utterances for talkers who have trained the system (estimated at \$35 per chip set in large quantities). This chip set, available on an OEM (original equipment manufacturer) basis to American manufacturers, should make speechrecognition technology widely available for isolated utterances.

Dragon Systems has developed al-

THE FORT	H SOURCE™
MVP-FORTH Stable - Transportable - Public Domain - Tools	□ MVP-FORTH Cross Compiler for CP/M Programmer's Kit. Can also generate headerless code for ROM or target CPU \$300
You need two primary features in a software development package a stable operating system and the ability to move programs easily and quickly to a variety of computers. MVP-FORTH gives you both these features and many extras. This public domain product includes an editor, FORTH assembler, tools, utilities and the vocabulary for the best selling	
book "Starting FORTH". The Programmer's Kit provides a complete FORTH for a number of computers. Other MVP-FORTH products will simplify the development of your applications.	□ MVP-FORTH Fast Floating Point Includes 9511 math chip or board with disks, documentation and enhanced virtual MVP-FORTH for Apple II and Ite. \$450 \$450
MVP Books - A Series	
□ Volume 1, All about FORTH by Haydon, MVP-FORTH glossary with cross references to fig-FORTH, Starting FORTH and FORTH-79 Standard. 2 nd Ed. \$25	MVP-FORTH Programming Aids for CP/M, IBM or APPLE Programmer's Kit. Extremely useful tool for decompiling, callfinding, and translating. \$15
□ Volume 2, MVP-FORTH Assembly Source Code. Includes CP/M®, IBM-PC®, and APPLE® listing for kernel \$20 □ Volume 3. Floating Point Glossary by Springer \$10	□ MVP-FORTH by ECS for IBM-PC or ATARI® . Standalone with screen editor. License required. \$10
 Volume 3, Floating Point Glossary by Springer \$10 Volume 4, Expert System with source code by Park \$25 Volume 5, File Management System with interrupt security by 	■ MVP-FORTH by ECS for IBM-PC or ATARI. With color animation, multitasking sound, utilities, and license. \$175
Moreton \$25 MVP-FORTH Software - A Transportable FORTH	□ MVP-FORTH Professional Application Development System (PADS) for IBM-PC, or APPLE. A three level integrated system
MVP-FORTH Programmer's Kit including disk, documentation, Volumes 1 & 2 of MVP-FORTH Series (All About	with complete documentation. Complete system \$40
FORTH, 2 nd Ed. & Assembly Source Code), and Starting FORTH, Specify □ CP/M, □ CP/M 86, □ CP/M+, □ APPLE, □ IBM PC, □ MS-DOS, □ Osborne, □ Kaypro, □ H89/Z89,	■ MVP-FORTH Expert System for development of knowledge- based programs for Apple, IBM, or CP/M. \$8
☐ Z100, ☐ TI-PC, ☐ MicroDecisions, ☐ Northstar, ☐ Compupro, ☐ Cromenco \$150	were a marked with interrupt security for IBM, Victor 9000, or CP/M \$20
FORTH DISKS FORTH with editor, assembler, and manual.	FORTH MANUALS, GUIDES & DOCUMENTS
☐ APPLE by MM \$100 ☐ NOVA by CCI 8" DS/DD\$150	☐ ALL ABOUT FORTH by ☐ 1980 FORML Proc. \$25
□ APPLE by Kuntze \$90 □ Z80 by LM \$50	Haydon. See above. \$25 🗆 1981 FORML Proc 2 Vol \$40
□ ATARI® valFORTH \$60 □ 8086/88 by LM \$100	☐ FORTH Encyclopedia by ☐ 1982 FORML Proc. \$25 Derick & Baker. ☐ 1981 Peoblector FORTH
☐ CP/M® by MM \$100 ☐ VIC FORTH by HES, VIC20 ☐ HP-85 by Lange \$90 cartridge \$50	Programmer's manual to fig-
	FORTH with FORTH-79
☐ HP-75 by Cassady \$150 ☐ C64 by HES Commodore 64 ☐ IBM-PC® by LM \$100 ☐ C64 by HES Commodore 64 ☐ C64 by HES Commodore 6	references. Flow charted, 2nd Proc. \$25
Enhanced FORTH with: F-Floating Point, G-Graphics, T-Tutorial,	Understanding FORTH by 1983 Rochester FORTH
S-Stand Alone, M-Math Chip Support, MT-Multi-Tasking, X-Other	Reymann \$3
Extras, 79-FORTH-79.	FORTH Fundamentals, Vol. A FORTH Primer \$25
□ APPLE by MM, □ Extensions for LM Specify	by McCabe \$16 Threaded Interpretive Languages \$23
F, G, & 79 \$140 IBM, Z80, or 8086 □ ATARI by PNS FG & X \$90 □ Software Floating	FORTH Fundamentals, Vol. II by McCabe \$13 METAFORTH by
Point \$100	Beginning FORTH by Cassady \$30
Support Support	Chirlian \$17 Systems Guide to fig-
☐ Multi-Tasking FORTH by SL, ☐ 9511 Support	□ FORTH Encyclopedia FORTH \$25
CP/M, X & 79 \$395 (Z80 or 8086) \$100	Pocket Guide \$7 Invitation to FORTH \$20
☐ TRS-80/I or III by MMS ☐ Color Graphics	□ And So FORTH by Huang. A □ PDP-11 User Man. \$20 college level text. \$25 □ FORTH-83 Standard \$15
F, X, & 79 \$130 (IBM-PC) \$100	college level text. \$25. FORTH-83 Standard \$15
Timex by FD, tape G,X,	Scanlon \$17 FORTH-79 Standard
Victor 9000 by DE,G,X \$150 Requires LM FORTH disk.	☐ FORTH on the ATARI by E. Conversion \$10
☐ fig-FORTH Programming Aids for decompiling, callfinding,	Floegel \$8
and translating. CP/M, IBM-PC, Z80, or Apple \$150	☐ Starting FORTH by Brodie. Best instructional manual Best instructional manual Source Listing
CROSS COMPILERS Allow extending, modifying and compiling for	available (soft cover) \$18
speed and memory savings, can also produce ROMable code. • Requires	□ Starting FORTH (hard includes editor, assembler,
FORTH disk. ☐ CP/M \$300 ☐ IBM• \$300	cover) \$23 and utilities \$25
□ 8086• \$300 □ Z80• \$300	□ 68000 fig-Forth with □ Jupiter ACE Manual by
☐ Northstar® \$300 ☐ Apple II/II+ \$300	assembler \$25 Vickers \$15
FORTH COMPUTER	☐ Installation Manual for fig-FORTH, \$15
☐ Jupiter Ace \$150 ☐ 16K RAM Pack \$50	Source Listings of fig-FORTH, for specific CPU's and computers. The
☐ 48K RAM Pack \$125	Installation Manual is required for implementation. Each \$15
Key to vendors: CCI Capstone Computing Inc. MM MicroMotion	□ 1802 □ 6502 □ 6800 □ AlphaMicro
DE Dai-E Systems MMS Miller Microcomputer Services	□ 8080 □ 8086/88 □ 9900 □ APPLE
FD Forth Dimension NS Nautilus Systems I Insoft PNS Pink Noise Studio	□ PACE □ 6809 □ NOVA □ PDP-11/LSI-11
LM Laboratory Microsystems SL Shaw Labs	□ 68000 □ Eclipse □ VAX □ Z80
Ordering Information: Check, Money Order (payable to MOUNTAIN VIEW PRESS, INC.) VISA, MasterCard, American Express, COD's \$5 outre, Minimum order \$15	and shipping by Air: \$5 for each item under \$25, \$10 for each item between \$25 and
INC.), VISA, MasterCard, American Express, COD's \$5 extra. Minimum order \$15. No billing or unpaid PO's. California residents add sales tax. Shipping costs in US included in price. Foreign orders, pay in US funds on US bank, include for handling	\$99 and \$20 for each item over \$100. All prices and products subject to change or withdrawal without notice. Single system and/or single user license agreement required on some products. DEALER & AUTHOR INQUIRIES INVITED
MOUNTAIN VIE	EW PRESS, INC.
	IEW, CA 94040 (415) 961-4103

		Approximate		Speaker	Approximate*
Manufacturer	Product	Price	Speech Type	Independence	Vocabulary Size
Dragon	Mark II	\$500	Isolated word	Yes	32-300
Scott Instruments	Shadow/VET	\$1000	Isolated word	No	80
Interstate	VRT 300	\$1100	Isolated word	No	80
Nippon Electric Corporation (NEC)	SR 100	\$2000	Continuous speech	No	120
Votan	V 5000-A	\$6000	Isolated word	No	256
Interstate	VRT 101/3/11	\$5000	Isolated word	No	80
NEC	DP 200	\$15,000	Continuous speech	No	150
Verbex	3000	\$20,000	Continuous speech	No	120
NEC	SR 1000	\$60,000 (variable)	Isolated word	Yes	20

Table 1: The commercial speech-recognition products suitable for industrial use. Note that continuous speech and speaker independence correlate with higher cost. The prices and vocabulary sizes of systems are rounded to fall into general groupings.

gorithms that it is prepared to license. The company's work represents a breakthrough in algorithm development, which has major implications for the entire field. These algorithms could enable the world's most costeffective speech-recognition devices to be developed. They have demonstrated performance superior to systems costing over \$15,000.

Voice Control Systems (VCS) has developed a time-domain, low-cost (requiring an 8-bit microprocessor such as a 6502), speaker-independent recognition scheme that it is licensing for a modest fee. This system is potentially less expensive than those of NEC or Dragon, but its vocabulary is limited to only 10 to 20 words at a time. On the other hand, the speaker independence of the VCS system makes it much more appealing as a consumer product, which ultimately may open possibilities for cost reduction and development of additional applications.

Finally, Asulab, of Neuchatel, Switzerland, is developing a wristwatch speech-recognition device. This will be an extraordinary technological achievement as well as an interesting consumer device. The system will be speaker-dependent (that is, it must be trained before use) and is capable of recognizing only 15 words spoken in isolation. It will be used to set the time, alarm, stopwatch function, and other standard timepiece operations.

Interstate Electronics Corporation, the oldest and probably one of the most successful speech-recognition companies in the United States, has produced a speech-recognition chip that enables speaker-independent isolated utterances suitable for consumer products, including toys. After an initial tooling charge, quantities of 100,000 or more cost \$5.50 per chip. This system enjoys an 85 to 90 percent accuracy level and is capable of recognizing a 16-word vocabulary.

Summary

Automatic speech recognition is an old idea that has fascinated researchers for a quarter of a century and frustrated attempts at commercialization for 15 years. During these years, important progress has been made in pattern matching through dynamic programming, in cost reduction through LSI (and VLSI) chips, and in voice processing through signal-processing theory and VLSI. Commercial potential is finally becoming realizable.

The concept of talking to machines instead of keystroking input has considerable appeal to the buying public. Market forces will prevail, and, I believe, speech-recognition products will literally invade our lives within a decade or two. In the near term we will see speech-recognition peripherals for computers, later as consumer novelties (such as voicecontrolled watch/calculators), and eventually as telephone controller/



An Epson Printer Did This with help from The Fancy Font System

Letter Quality

Say goodbye to correspondence quality and hello to Fancy Fond high-resolution, proportionally spaced, letter quality. Font provides tonts in sizes from 8 to 40 points; styles include Roman, Bold, Italic, Script, Old English, and more. All this c low-cost Epson (MX, RX, FX) and Gemini 10X printers. Fancy Font is a software package for CP/M and IBM PC compatible systems; no special hardware or installation is required.

Create Your Own Characters

You can use over 30 font sets in the Fancy Font package as furthermore, can create any new characters or logos you like, t to 1 inch by 1 inch. A database of over 1500 characters included that makes it possible to print foreign languages ar mathematical notations.

Font Style Samples

Sans Serif Script Old English $A = \int_a^b \sqrt{a^2 - x^2} \, dx$

$$\mathbf{A} = \int_a^b \sqrt{a^2 - x^2} \, dx$$

InfoWorld

Software Report Card

Error Handling 🗆 🗆 🖸 🗷

0000

Fancy Font

Performance

Ease of Use

Documentation

Ф Ψ Ω № С б д ж ± ÷ ≠ ≤ ≥ & @ § Ω ○ • # 4 Ь

Numerous Applications

Fancy Font customers numbering in the thousands, a constantly discovering new applications.

- Business and personal letters
- Custom forms, invoices, labels, signs
- Foreign Languages
- Mathematical Notation, Greek
- Super- and Sub-scripts
- View Graphs
- Custom Letterheads
- Resumés
- Articles for publication
- Newsletters brochures
- Complete manuals
- Advertisements
- Invitations, place cards

Copyright, 1985 by Popular Computing, In a subsidiary of CW Communications, Inc. Reprinted from InfoWorld, 5/2/85 (This ad was printed on an Epson MX-80 printer. Call for an actual sample.)

Company of the Compan		AND DESCRIPTION OF THE PARTY OF
	SoftCraft, Inc., 8726 S. Sepulveda	Bl. #1641, LA, CA 90045
"The quality of	1	phone: (213) 821-8476
	Fancy Font System	\$180.00
print is excellent,	Fancy Font Demo Disk	\$ 10,00 ¹
and the variety of	California Residents add 6.5%	sales tax
	Outside US add \$10 (only \$2 fe	or demo) postage
lype slyles and sizes	Diskette Format:	_
is even beller."	B" CP/M Epson QX10	Osborne OKaypro

Highlight: IBM and CP/M order now - (213) 821-8476 - M/C Visa

Pat McKeague. InfoWorld, 5/2/83

□ 8" CP/M □ Epson QX10 □ Osborne □ Kaypro
☐ IBM PC ² ☐Victor 9000 ² ☐Apple CP/M ³
27.50 applicable towards purchase of Fancy Font
PCDOS/MSDOS systems require 128K memory
13 77.14


dialers and voice-actuated typewriters. In the broader sense, speech ecognition is part of the general evolution of machine intelligence. It depends on the same fundamental technology as AI and provides the link that will bring us closer to our bright new machines.■

References

- 1. Baker, J. K. "Stochastic Modeling for Automatic Speech Understanding." Speech Recognition. New York: Academic Press,
- 2. Baum, L. E., T. Petrie, G. Soules, and N. A. Weiss. "A Maximization Technique Occurring in the Statistical Analysis of Probabilistic Functions of a Markov Chain." Annals of Mathematical Statistics 41, number 1 (1970), pages
- 3. Bellman, R. E. Dynamic Programming. Princeton, NJ: Princeton University Press,
- 4. Bridle, J. S., and M. D. Brown. "An Experimental Automatic Word-Recognition System: Interim Report." Joint Speech Research Unit (1974) number 1003 (unpublished).
- 5. Bridle, J. S., M. D. Brown, and R. M. Chamberlain. "An Algorithm for Connected Word Recognition." Proceedings of the IEEE International Conference on Acoustics, Speech and Signal Processing, May 1982.
- 6. Jelinek, E., L. R. Bahl, and R. L. Mercer. "Design of a Linguistic Statistical Decoder for the Recognition of Continuous Speech." IEEE Transactions in Information Theory IT-21, (1975), pages 250-256.
- 7. Loweree, B., and D. R. Reddy. "The Harpy Speech Recognition System." Trends in Speech Recognition. Englewood Cliffs, NJ: Prentice-Hall, 1980.
- 8. Pierce, J. R. 'Whither Speech Recognition?' Journal of the Acoustical Society of America, volume 46, (1969), pages 1049-1051.
- 9. Pollack, I., and J. M. Pickett. "The Intelligibility of Excerpts from Conventional Speech." Language and Speech, volume 6, (1963), pages 165-171.
- 10. Sakoe, H., and S. Chiba. "A Dynamic-Programming Approach to Continuous Speech Recognition." Proceedings of IEEE Symposium on Speech Recognition, April 1974, pages 101-104.
- 11. Velichko, V. M., and N. G. Zagoryko. "Automatic Recognition of 200 Words." International Journal of Man-Machine Studies, (1970), volume 2, pages 223, 235.
- 12. Viterbi, A. J. "Evor Bounds for Convolutional Codes and an Asymptotically Optimum Decoding Algorithm," IEEE Transaction on Information Theory, volume IT-13, (April 1967), pages 260-269.

George M. White is Chief Technical Officer of Koala Technologies Corporation (3100 Patrick Henry Dr., Santa Clara, CA 95050) and holds a Ph.D. in chemical physics. When he's not sitting in front of a microcomputer, he enjoys soccer and swimming.

ANNOUNCING THE BIGGEST NEWS SINCE HARDWARE AND SOFTWARE...





HELPWARE™ Helps You Put It All Together.

What makes HELPWARE™ different than other computer-related books? Clear, concise writing. Careful editing. And our commitment to publishing only those books that help you get the job done. Faster. Easier. More productively.

Buy Your Micro A Page At A Time.

Before you invest your hard-earned money in hardware or software, invest in HELPWARE.

Read about the product you want to purchase and then decide if it's right for you. Then, after you've made your purchase, choose the HELPWARE user guide, programming or technical reference and assembly language guide that will help you get the most out of your computer.

If You Love The Book, Wait Till You See The Screenplay.

Each book we publish, including our handy DiskGuide™ Series of compact computer



reference guides, clearly explains its subject matter so that you'll be able to solve your problem quickly and easily, regardless of your level of experience.

Before You Sign On The Dotted Line, Cut Ours.

To get your copy of our full line catalog, just cut out the coupon and send it to us, or call us TOLL-FREE at: 800-227-2895, in California, 800-772-4077. You'll see page after page of worthwhile titles. Each one tested and

re-tested to make sure that it meets our high standards. After all, if they were just books, they wouldn't be HELPWARE.

Osborne McGraw-Hill

TURN TO US FOR HELPWARE.

TM — HELPWARE and DISKGUIDE are Trademarks of Osborne/McGraw-Hill.

Circle 276 on inquiry card.

□ I'd	like a HELPWARE catalog	Dept. H1
Name		
Street		
City		
State	Zip	
Mail to	o: Osborne/McGraw-Hill	JUE
	2600 Tenth Street	SieW
	Berkeley, CA 94710	

Using Natural-Language Systems on Personal **Computers**

Your computer may speak English in 1984

by Jane Eisenberg and Jeffrey Hill

In boardrooms, managers' offices, secretarial pools, and hallways of corporate America, the role of computer technology is being reexamined. With the advent of personal computers, people no longer stand in awe of the machines or accept that the high priests of data processing must always intercede in the everyday use of the technology by knowledge workers.

A common refrain in these enclaves is, "Will computers ever understand English?" Indeed, the promise of the "computer revolution" seems to hinge on the machine's ability to speak the language of people, not the reverse. In George Orwell's 1984, if you remember, the computer-controlled apparatus of Big Brother had mastered the skill; in fact, it understood everyday conversation all too

The little-understood field of Artificial Intelligence (AI) may be the key to the eventual scaling of the humancomputer communication hurdle. AI researchers avow that natural-language query systems are an economically approachable reality in the year ahead.

In the following pages, we'll discuss some of the ways in which natural-language query systems will change the way that people and personal computers interact.

What Is a Natural-Language System?

Imagine yourself in the middle of trying to hang a picture. You're standing on a ladder and want your assistant to hand you a hammer. But instead of simply being able to ask for the hammer, you have to stop, get off the ladder, write a small program, debug it, and then run it in order to get the hammer.

Sound ridiculous? Yes, but that's exactly what most people face when they need to get information from computers. To make matters worse, most people don't know the "foreign" language of computers.

In fact, we humans take for granted our unique capability to communicate with each other in a common language. The languages people speak are called natural languages. A natural-language (NL) system is one that allows a person to interact with a computer by using the same language he uses to interact with another person. Such a system deals with the richness of English as people use it—along with all its ambiguities—and forgives the typical ungrammatical English that most people use in everyday communication. The NL system must handle

commonplace events such as misplaced modifiers, dangling participles, and sentence fragments.

The most obvious advantage of a natural-language system is that people do not have to be trained in a programming language to use a computer. Given the large potential number of users of information and the relatively small number of people who know formal systems, this is of key importance. There is another often overlooked advantage-it can be much easier to express a request in natural language than in a formal language. For example, figure 1 shows the same request phrased in both natural English and in the syntax of an "English-like" program command language. At a glance, it is easy to see how much simpler the English query is to understand, but what surprises many people is the discovery that the English query is shorter than the corresponding formal query.

The underlying reason for this conciseness is that a natural-language system does much more than simply understand the syntax of the language. The system derives much of its usefulness from its understanding of the semantics of natural language. The NL system maps the concepts expressed in words onto underlying concepts that computers can deal



Figure 1: A comparison of English (a) and "English-like" (b) queries.

with. In later examples, we will see many instances in which the ability of the system to map high-level concepts gives the natural-language system a considerable edge over any formal system.

We'll look briefly at the history of natural-language processing to see how it developed from a research area into a practical, mainframe database query tool. Then we'll examine how natural-language processing fits into the personal computer environment and compare its use with other methods of communicating with computers.

The History of Natural-Language Processing

Natural-language systems evolved from research into Artificial Intelligence, whose goal is to understand human intelligence well enough to produce machines that exhibit intelligent behavior. Understanding natural language was one of the earliest areas of AI research, since it was clearly a unique example of human intelligence.

The first AI work on natural language was in the area of machine translation (MT), using (then) new methods of syntax analysis, developed for understanding computer languages (as in context-free grammars, where language components are defined independent of the context in which they are used. These grammars use recursive definitions, i.e., an <unsigned integer> is defined as a <digit>, or as an

unsigned integer> followed by a
 digit>). It was quickly apparent that these "syntactic" based systems were not up to the job. The anecdotal climax of this early machine-translation effort was a system that translated the English sentence "The spirit is willing but the flesh is weak" into a Russian sentence whose literal reading was "The vodka is strong but the meat is rotten."

Since understanding natural languages depends upon better ways of representing semantic information, research switched from the MT effort to "question-answering systems." These systems use a knowledge database to understand and answer questions posed in English. One of the earliest such systems was the Baseball program (reference 4), which contained a database of statistics for one major league season. This research phase culminated in the early 1970s with two prototype systems, both based on the notion of "procedural semantics," in which the meaning of words and concepts is broken down into tasks and subtasks. The Lunar system of Woods (reference 5) could respond to English questions about the data analysis of the Apollo XI moon-rock samples (see figure 2). Winograd's SHRDLU system (reference 3) interpreted English sentences to control the movements of a simulated one-arm robot (see figure 3). Both of these systems contained extremely sophisticated theories of language. Both systems could parse more sentences than they could understand, but in their limited application domains they were quite impressive.

Clearly, more research into semantic representation was required to produce systems capable of understanding the range of English that people routinely use. Most of the research work in AI today is concerned with finding better representation schemes for knowledge. (For a more detailed history of natural-language processing research, see reference 2.) However, a great deal had been learned about the structure of natural languages (particularly English) and about ways for representing and applying the semantics of a limited domain. But was there a practical use for such systems? Woods's work with the Lunar system clearly suggested database query as a promising area. But three problems had to be solved to make this technology commercially viable:

1. Robustness. These systems were

How many breccias contain olivine?

What are they?

Do any samples have greater than 13 percent aluminum?

What are those samples?

List K/RB rations for breccias.

Figure 2: Sample questions interpreted by Woods's Lunar system.

Pick up a big red block. OK.

Grasp the pyramid. I DON'T UNDERSTAND WHICH PYRAMID YOU MEAN.

Find a block which is taller than the one you are holding and put it into the box. BY "IT," I ASSUME YOU MEAN THE BLOCK WHICH IS TALLER THAN THE ONE I AM HOLDING.

What does the box contain? THE BLUE PYRAMID AND THE BLUE BLOCK.

What is the pyramid supported by? THE BOX.

How many blocks are not in the box? FOUR OF THEM.

Figure 3: A sample dialogue with Winograd's SHRDLU system.

very sensitive to small errors in typing and grammar. A commercial version needs to forgive minor user mistakes.

- 2. Environment. The natural-language research systems were largely written in LISP, the common language of the AI research community. The "databases" used were home-brew systems developed especially for the natural-language system that used them. To be commercially viable, natural-language database query systems would need to run on standard commercial hardware, in a standard language, and take advantage of the technology developed in commercial database-management systems (DBMSs).
- 3. Portability. The most serious problem of the research systems was the "customization" cost. To adapt one of these systems to a new database typically takes a manyear of effort by an experienced AI researcher.

In 1975, Artificial Intelligence Corporation began work to produce a commercially viable natural-language database query system by concentrating on solving these problems. AIC's product, Intellect, is a robust, portable natural-language system that runs on IBM mainframe computers (see the text box on page 230 for a description of Intellect). It interfaces to most of the popular mainframe DBMSs. Intellect was the first successful commercialization of AI technology.

Use on Mainframes

The most widespread use of natural-language systems today is to provide the ability to query the contents of a database in free-form English. The first generation of commercial natural-language systems required mainframe computers with large amounts of storage and processing power. In addition, the development and refinement of natural-language parsing techniques required a substantial investment in both time and resources, which meant a relatively high price tag (\$50,000 to \$100,000). However, most major minicomputer vendors are pursuing the addition of a natural-language query facility to their product lines either through internal development efforts or via cooperative marketing agreements with the companies who have already developed this technology.

Database query is a good application for natural-language processing. First, let's define what we mean by the term database query. In order to understand a query, the system must

- 1) identify specific items of data to
- 2) identify criteria for selecting a desired subset of all records in all
- 3) determine the analytical and display processes required to manipulate the data
- 4) invoke the required retrieval, analytic, and display processes in the sequence necessary to answer the question

The technology of natural-language parsing currently works best when the dialogue is limited to a small world view. Database query is unique among natural-language applications in that it quite naturally fits this constraint—the dialogue is limited to the contents of the database.

Knowledge workers need information. A major obstacle to the acceptance of end-user computing has been the unwillingness of the noncomputerist to learn the necessary commands to make effective use of the computer as a resource. Studies of user information needs spurred development of systems whose medium of communication is the highest level end-user language, natural English. Systems offering anything less than comprehension of native English require excessive training of end users, training that is wasted unless the end users work on the system frequently.

Additionally, end users have little or no knowledge about the form in which the information is stored. Even worse, the user's conceptual view of the information has no mapping to the physical or logical format of the data. Users are interested in data access from a high level of abstraction. This means they want the ability to retrieve information in a form immediately useful to them. This often includes

1) Data summaries:

"What were the total commissions paid in the Western sales region last month?"

"Rank our product lines in terms of profitability."

- 2) Implied calculations such as averages and percentages:
 - "What is the average salary in the Accounting Department?"
 - "Give me the percentage of total sales in each region."
- 3) Aggregation of data over time:

"How did our sales in January compare to our sales in March?"

The flexibility of an English query system makes it possible to phrase questions in many different ways.

or 617-641-1241 in Mass. 617-641-1235 for Technical Support

SoftwareBanc

661 Massachusetts Avenue Arlington, MA 02174

Banc On Us!

WHAT IS SOFTWAREBANC?

Over the last two years, SoftwareBanc has provided the nation's most complete package of dBASE IITM products and services. Our **dBASE II**TM **User's Guide** and Seminars have introduced more than 60,000 people to dBASE IITM. Even expert dBASE IITM users can benefit from our **Advanced User's Guide** and quality add-on products. When it comes to dBASE IITM, SoftwareBanc is the source you should banc on.

BOOKS

PERMIT 1-4162-1976-11 dBASE II™ User's Guide by Adam B. Green. Join the 55,000 people who have made this the standard text on dBASE II™. \$29.00 - FREE with dBASE II™.



Advanced dBASE II™ User's

Guide by Adam B. Green. This collection of previously unpublished tips and techniques is the perfect companion to the dBASE IITM User's Guide. \$29.00



Report Writing in dBASE II™

by SoftwareBanc Technical Services. Everything you always wanted to know about dBASE Il's™ Report Writer. \$11.95

SOFTWARE WITH TECHNICAL SUPPORT

Word Processing
WordStar \$269
SpellStar \$149
MailMerge \$149
StarIndex \$149
Volkswriter \$129
Spreadsheets
1-2-3 with free
1-2-3 Trans \$399
Supercalc 2 \$199
Multiplan \$219

Our low software prices include unlimited, free technical support by our staff of software experts. You can trust us to be there for technical problems, tips or application advice.

ORDERING

To order, please call **(800) 451-2502** or (617) 641-1241 in Mass. Hours are 9 AM - 8 PM E.S.T. Monday-Friday and 9 AM - 5 PM E.S.T on Saturday.

Payment may be made by: MasterCard, VISA, check, C.O.D., money order. Mass. Residents add 5% sales tax. Add \$5 for S&H. Prices subject to change without notice. TM-Manufacturer's Trademark. Dealer Inquiries Invited. Ask about our Discount Savings Plan.

VIDEO

dBASE II™ Fundamentals on Video Tape

Written and Narrated by Adam B. Green.
This professionally produced, three hour video tape will help any viewer to create and manage dBASE IITM data files. Now you can have a SoftwareBanc Seminar in your home or office.

\$295.00 (VHS or Betamax formats). \$50 savings with dBASE II*.

SEMINARS

dBASE II™ and 1-2-3™

SoftwareBanc Seminars

Taught by Adam B. Green. Over 5,000 people have attended SoftwareBanc Seminars around the country. Our custom video presentation system will help you "Teach Your Computer Who's Boss."

●dBASE II™ Fundamentals ●dBASE II™ Programming
●Advanced dBASE II™ ●Problem Solving With
1-2-3™

Schedule Washington, D.C.Jan. 9, 10, 11, 13
\$175/Day

Tolorate

Triangle Article Article

 Orlando
 Chicago

 Feb. 6, 7, 8, 10
 Mar. 12, 13, 13, 14, 15

 \$175/Day
 \$200/Day

CLIP & MAIL

Return to: SoftwareBanc 661 Massachusetts Avenue, Arlington, MA 02174 ____ Send me a free catalogue. ___ Have a representative call me. Name _____ Company Address ____ City/State/Zip

Phone Number _____

Computer/Disk Format: _

Mainframe Versions of Intellect

The current verisons of Intellect run on IBM mainframe computers—the 370, 4300, and 30xx series as well as compatible machines made by Amdahl, National Semiconductor, IPL, and others.

These processors range from the IBM 4321, which is a 0.2 million-instructionsper-second (MIPS) machine to the 3084, which runs at 20 MIPS.

Intellect runs under all three of IBM's mainframe operating systems-VM/CMS, DOS/VSE, and MVS. The Intellect system interfaces to most popular mainframe database management systems, including IDMS, ADABAS, SQL, and VSAM.

Artificial Intelligence Corporation also offers DEAM, its own indexed retrieval sys-

The mainframe Intellect system is writ-

ten primarily in PL/I, with a few routines (less than 10 percent) coded in IBM assembly language.

Depending on the operating system and DBMS interfaces, the Intellect load module is between 600K and 900K bytes. Virtual memory required by each user is approximately 200K bytes.

A license to run Intellect on an IBM mainframe costs \$69,500. An optional interface to IBM's PGF graphics package (which allows the user to ask in English for pie charts, bar charts, etc.) costs \$15,000.

These fees include one-year maintenance, documentation, training courses at AIC, and applications consulting.

AIC sells Intellect directly, with its own sales force, and through OEM and joint marketing arrangements with other companies (IBM, Cullinet). There are approximately 150 mainframe installations of the system, most of them in Fortune 1000 com-

Porting Intellect to the personal computer environment has produced no major problems to this stage of the project. There are some differences between Digital Research's PL/I compiler and the IBM mainframe PL/I compiler, but these incompatibilities are overcome by elever coding.

The fact that hardware capability is not an issue in adapting Intellect to personal computers is a testament to the blurring of the lines separating mainframes, minis, and micros.

Some of these may be wordy, while others can be quite concise. In almost all cases, however, it is possible to be more concise in English than with a formal command language. In addition, some English query systems allow references to previous questions using implied pronouns. For example,

"List the first and last names of the secretaries to our New York City office."

"How many are married?"

Users can vary the selection criteria of a previous question very easily and succinctly:

"Who are the salespeople over quota in the Eastern region?"

"Western region?"

A simple English dialogue gracefully resolves ambiguities and spelling errors. If an ambiguity is detected, the system requests the user to clarify his intent. The user may be asked to clarify a word that may have multiple meanings in the database (such as New York), to correct a spelling error, or to enter a new definition or conceptual relationship into the system's vocabulary.

These examples show how highlevel concepts expressed in natural language can evoke a very complex series of operations in response to a simple question.

A system that can use conversational English to retrieve, analyze, and present information in a useful form will provide knowledge workers and middle- to upper-level managers with tools they desperately need and can use immediately.

Most large companies purchase a number of different application tools from different vendors. Many firms organize these software tools into an internal Information Center. This facility can provide a greater level of analysis, consultation, and support to end users.

A benefit of natural-language query systems is their ability to perform the function of "traffic cop" or integrator. It is highly desirable to have the natural-language interface be the only interface visible to the end user. Users can then issue a single request to have data selected, analyzed, and displayed. They do not have to learn the various command structures and intricacies of separate DBMS, graphics, or display packages. Users request work in ways they are used to.

The natural-language interface overcomes the two traditional problems preventing the information center from being a completely useful facility for the end user. First, each application package or software tool uses its own specific language. Second, these components are usually independent of one another, allowing no communication or control of data transfer among them.

Some NL systems also provide selection, summarization, and analytic capabilities beyond those available in the DBMS. Multiple passes over the data can perform such arithmetic operations as sorting and totaling by category, ranking, obtaining averages, performing comparisons, and formatting the information for output in a report or graph.

In fact, in many companies the natural-language system is becoming the "hub" of the Information Center. In these cases, end users can access many tools, including graphics packages, analysis and modeling systems, application programs, report writers, and DBMSs. The following types of requests are possible:

"Give me a pie chart of our 1983 sales in New England broken down by state."

"Print a report sorted by department of the average salary, number of employees, and the average departmental salary in-

Four Answers To Your S-100, Multi-User Problems.

Intercontinental Micro Systems makes everything you need for S-100 bus multi-user systems, networks or single user systems.

At a price that won't break your budget. Quite simply, our single board computers, slaves, 256K memories and personality boards let you build a system now, not later. The hardware works, the software works,

and the prices are what you'd expect from a company that uses the most advanced design, software and production techniques to keep costs down.

What you won't expect is the almost awesome sophistication of Intercontinental Micro System's products.

So stop messing around with multiple sourc-

ing, hardware integration problems and software nightmares. Come to Intercontinental Micro and get it all - price, performance and delivery.

Read the specs, then call, write or circle the bingo number below. We'd be glad to send more information and help solve your S-100, multi-user system problems.



CPX-MX SLAVES. □ IEEE 696.1/D2 S-100 compliance. □ Compatible with CPZ-48000 SBCP any Z-80A based CPU with extended address capability or 16 bit based CPUs complying with IEEE 696.1/D2 bus specification. □Z-80B" 6MHz (CPS-6X) or Z80A4MHz (CPS-4X) operation. □ Two synchronous (CPS-MS) or asynchronous (CPS-MA) serial I/O ports. □ TurboDOS™ & CP/NET" compatible. □ Master confiscation of slave memory for diagnostic purposes. □ Two parallel I/O ports; eight data bits + 2 handshake lines per port. □ 64 Kbytes of onboard dynamic RAM ☐ Master/slave memory-to-memory transfers under DMA control @ 571 Kbyte/sec transfer rate when used with CPZ-48000 SBCP. ☐ Software selectable baud rates.

Usable as an intelligent I/O processor in single user system.



PERSUNALITY BUARUS.

□ Centronics printer. □ 8 inch floppy disk. □ 5¼ inch floppy disk. □RS232 serial communications. □ Synchronous/ asynchronous modem. Priam smart/smart E hard disk.

Long distance serial communication (2000 ft @ 9600 baud). □ Shugart Associates Systems Interface (SASI). □ Clock / calendar.

Konan David, Jr. "hard disk.

Archive tape drive.

Circle 193 on inquiry card

SYSTEMS CORPORATION

4015 Leaverton Court Anaheim, CA 92807 (714) 630-0964 Telex: 678401-TAB-IRIN

□ IEEE 696.1/D2 S-100 compliance. □ Z80A, 4MHz Operation. □ Floppy disk controller (FDC). Single or double sided. Single or double density. 8" or 51/4. □ Two synchronous or asynchronous serial 1/0 channels (S10). □ Two parallel 1/0 channels (PIO). —Four channel DMA controller. —64K on board RAM. —Memory management unit (MMU). Addresses up to 16 megabytes of system memory. —Eight Vectored priority interrupts. Provisions for 2K or 4K onboard EPROM. Software selectable baud rates. □ IBM Bisync, HDLC, SDLC and other protocols. □ CP/M," MP/M." and TurboDOS' operating systems available. □ Turbo-Disk implementation included.


CPZ-48000 SINGLE BOARD COMPUTER.

B-100 256k

□IEEE S-100 bus, spec 696.1/D2 compliance. The 256KMB-100 is compatible with most IEEE S-100 board products now on the market. □ Linear addressable to 2 megabytes. □ 225 nanosecond access time, maximum, 160 nano-seconds, typical.

295nano- second read-write time, minimum.

Bank selectable 16K increments. □ I/O port address bank selection. □ Configures for phantom deselection. □ Parity error detection, visual and/or interrupts. □ Bank selection compatible with CROMIX." CP/M2.2." MP/M." Alpha Micro, and other major systems.





The facsimile for people with small spaces, modest budgets and great expectations.

Never before have so many sophisticated features been condensed into less than three square feet of lightweight desktop facsimile.

Our new Omnifax G39 digital facsimile delivers documents in seconds without mail delays or the cost of couriers. Best of all, it requires most functions automatically.

Sold and serviced by Telautograph's own facsimile experts nationwide and Canada. For brochure or demonstration, call toll free, ask for operator 553,

800-824-7888



Treat your personal computer to famous Diablo letter-quality printing.



MTI has the new Diablo 630 API ready for you.

Don't settle for less: up to 40 cps, your choice of over 200 metalized or plastic printwheels, in MTI's opinion the best letter-quality printer on the market today. And at MTI's best price.

Whether you rent, buy or lease our equipment, you'll find MTI is the one source for all the terminals, peripherals, systems, applications expertise and service you'll ever need. At good prices. Call us today.

> New York: 516/621-6200, 212/767-0677, 518/449-5959 Outside N.Y.S.: 800/645-6530 New Jersey: 201/227-5552 Ohio: 216/464-6688

"QED" Discounts VISA & MasterCard



Diablo Authorized Distributor

Applications Specialists & Distributors, New York, New Jersey and Ohio. DEC, Intel, Lear Siegler, Texas Instruments, Dataproducts, Diablo, 3Com, Hazeltine, Racal-Vadic, Digital Engineering, MICOM, Cipher, U.S.Design, Protocol Computers, MicroPro, Microsoft, Polygon and Select.

crease in 1982."

Because the NL query system acts as the supervisor, the underlying work of scheduling and dispatching tasks becomes invisible to the end user. This has both advantages and disadvantages. On the positive side, users can become more productive because they share the ability to issue very powerful commands with far fewer keystrokes. The learning curve is greatly shortened, and users find that the computer is a far more accessible tool.

A drawback may be an overly simplistic view of the amount of work necessary to answer a seemingly simple query. Frequently, questions that appear easy and "cheap" to answer are not, while queries that appear complex are in fact "cheap" in terms of machine resources. This is more likely to be a serious problem in the multiuser mainframe environment, with extremely large databases on line, than with a single-user microcomputer system.

Use on Personal Computers

With the rapidly expanding hardware capabilities of the personal computer, it is now possible to transport natural-language processing technology to the current generation of machines. Increased memory capacity and Winchester-disk technology combined with more sophisticated operating systems such as MS-DOS, Concurrent CP/M, and Unix make the application of this technology commercially viable.

What better fit could there be for the increased accessibility and user friendliness of a natural-language system than in the domain of the personal computer? Some people believe the direct-manipulation metaphor, as exemplified by popular spreadsheet programs such as 1-2-3 and Visicalc, is the best human interface. Others believe that the mouse and window technology of Lisa, Visi On, and Quarterdeck Software's DesQ is the wave of the future. Everyone agrees that integration of applications and tools within a common operating environment (with compatible file structures to facilitate

The CONCEPT AVT

Because VT100 users deserve more than just VT100 compatibility.



THE CONCEPT DISPLAY TERMINAL

VT100 compatibility is one thing, but eight pages of memory, programmable function keys, windowing, multiple computer capabilities, ANSI standard conformance...and VT100 compatibility is something else. Only from Human Designed Systems.

A good news/great news story from Human Designed Systems.

First the good news. The concept AVT display terminal gives you everything you need in an 80/132-column ANSI/VT100-compatible display terminal. And at a very competitive price.

Now the great news. The concept AVT display terminal provides an exciting, new set of capabilities that lets you do much more. Without changing the price.

It starts with ANSI standard conformance, DEC software compatibility, and 80/132-column capability, and extends that even further by offering eight pages of display memory to relieve the interactive user of the need to generate unnecessary hardcopy printouts and to provide the application developer with a powerful tool for applications requiring multiple formats and storage of large volumes of text; by enabling users to permanently configure a terminal for their needs or applications; by providing functionality

'Quantity one. DEC and VT are trademarks of Digital Equipment Corporation.

designed to improve the effectiveness of slowspeed applications; by enabling users to create true windows within display memory; by providing programmable function keys which transmit data and/or execute terminal commands; by providing up to three additional communications ports for connection to other

peripherals and computers; by providing flexible user networking functionality for use in a wide range of different applications, including multiple computer connections; and by doing much more.

VT100 compatibility and ANSI standard conformance. Add it to the concept display terminal's 132-column performance, in ASCII or APL/ASCII models, with multiple computer capabilities, windowing, programmable function keys, multiple pages of memory, and much more, and you can see why Human Designed Systems has given terminals a new meaning...and that means true economy.

human designed systems, inc.

3440 Market Street, Philadelphia, PA 19104 215-382-5000 Circle 186 on Inquiry card.

Human Designed Systems. We're redefining terminal performance.

Atlanta — (404) 391-9763; Boston — (617) 329-3510; Chicago — (312) 825-2960; Dallas — (214) 437-1888; Delaware — Infocon: (302) 239-2942; Denver — (303) 469-1953; Hawaii — Gray Associates: (808) 261-3751; Houston — (713) 952-1403; Los Angeles — (213) 410-9454; Northern New Jersey — Infocon: (201) 624-1372; New York City Area — Infocon: (212) 689-8833; New York State — Naco Electronics: Rochester: (716) 223-4490; Syracuse: (315) 699-2651; San Francisco — (415) 692-4184; Washington, DC — International Systems Marketing: (301) 279-5775; Argentina — Itron SA: (01) 774-9369; Australia — Computer Clarity Pty. Ltd.: (02) 241 3385; I. O. Peripheries Pty. Limited: (02) 427 3355; Belgium — BELCOMP: 091-522 288; Canada — CAIL. Systems: Toronio: (415) 882-1083; Denmark — ADCOM Dala Aps: 1-19 4466; Finland — Modulsystem OY: 0-6926511; France — Walton: (1) 226-06-90; Singapore — DTS Singapore: (65) 33-88-566; Switzerland — Mitek ag: 01-461-22-52; United Kingdom — Shandell Systems Ltd.: 02407-2027; Venezuela — H. Blohm SA: 2-541.21-22; West Germany — COMKO Computersystemges, mbH: 0221-48-30-51. DISTRIBUTORSHIP INQUIRIES INVITED.

data transfer) will become standard. Does natural-language processing technology have a place in relation to these other models?

Natural-language processing will be a complementary, rather than a competitive, component of future personal computer environments. The direct manipulation and mouse/ window metaphors are best suited to performing many tasks and will retain a place as the method for performing tasks such as financial planning, data manipulation, and data maintenance. However, it is also true that the power of natural language makes it the method of choice for operations such as database query, analysis, and display.

The trend toward software integration is becoming prevalent in the personal computer industry. Various strategies for achieving integration include

- 1) the easy transfer of program control and data between applications such as in Lotus's 1-2-3
- 2) the extension of this concept into

- a consistent operating environment such as Lisa or Visi On
- 3) the development of families of generic products from a single manufacturer, such as the Perfect series, the Easy series, etc.—these may have a common command structure across applications
- the ability to integrate standard, off-the-shelf software products into an operating shell or environment such as Quarterdeck's DesQ

All of these approaches have benefits and drawbacks. Trade-offs must be made in flexibility, functionality, or compatibility. Specific trade-offs include a lack of choice—the application you want may not be available in the environment you've chosen; a higher price—the applications you need may be more expensive because they work in a special environment; and an inability to use software you currently own because it doesn't work in a particular environment.


A natural-language interface can enhance any of these models. English can exist as a layer under an operating shell to perform supervisory tasks. It can act as an integrator as well as a supervisor to facilitate communication and data transfer among different software products. It can act as the simple, easy-to-use human interface for people who want access to information without needing or wanting to become familiar with the underlying components.

As a result of the power of the English language to concisely express complex commands, a natural-language front-end can greatly simplify the amount and complexity of keystrokes or "mouse picks" necessary to perform an identical operation with non-English commands.

For example, consider a database consisting of a file with information on the Fortune 500 companies for 1981. Each record consists of the following fields:

Company Name City State Industry

1981 Assets 1981 Income 1981 Equity Number of Employees



THE ONLY S100 BUS 16 BIT INTRODUCING SINGLE BOARD COMPUTER!

LOMAS DATA PRODUCTS PRESENTS:

THUNDER 186 provides the earth shaking performance you have come to expect from LOMAS DATA PRODUCTS, now in a full 16 bit single board computer. THUNDER 186 utilizes a highly integrated 80186 microprocessor from Intel to bring all the features required of an S100 bus computer system together on a single height IEEE-696

board.

The Thunder 186 features:

- 8 Mhz 80186 micro-processor (10 Mhz 8086 performance).
- Floopy disk controller, controls both 5\" and 8" disk drives simultaneously.
- Two RS232 serial ports with full handshaking.
- One parallel printer port.
- Either 128K bytes or 256K bytes of no waitstate dynamic RAM with parity.
- Full IEEE-696 (S100) bus compliance.


THUNDER 186 is the only single board 16 bit computer that requires no additional boards to complete a functional system. THUNDER 186 is fully supported by our full line of operating systems: MS-DOS**, CP/M-86*, MP/M-86*, and CONCURRENT CP/M-86*, which are all available immediately. Thunder 186 includes CONCURRENT CP/M-86 in the low introductory price.

LICHTNING 286

dia the transfer the transfer the transfer the transfer to the

*CP/M-86 and CONCURRENT CP/M-86 are trademarks of Digital Research. **MS-DOS is trademark of Microsoft. *Lightning One is trademark of Lomas Data Products, Inc.

When we introduced our Lightning One*** in January of 1982 it was the fastest CPU board on the \$100 BUS available. Now our Lightning 286 replaces the Lightning One as the fastest board on the \$100 BUS. We have incorporated the Intel 80286 microprocessor on a CPU board that again brings new levels of performance to microcomputers. The 80286 is capable of supporting up to 16 megabytes of physical memory and up to 1 Gigabyte of virtual address space when utilized in virtual address mode. In real address mode, the 80286 is compatible with the vast library of 8086/88 programs already written. We have the three major operating systems available immediately on our Lightning 286, no need to wait for third party support to take advantage of this exciting new processor.



The LIGHTNING 286 features:

- Up to 64 Kbytes of onboard EPROM
- 9 Vectored interrupts expandable to 65 levels
- Full compliance with IEEE 696
- Multi-layer board for low-noise reliable operation

In addition to these features, a high speed memory bus expansion port has been included that will allow extension of the memory with a high speed dynamic memory board. The use of the companion memory board will allow use of an 8 Mhz 80286 without memory wait states. The board will contain I Mbyte of memory, and will allow cost efficient expansion of 80286 memory space.

Price \$1395.00

If your application requires 16-bit computing power and versatility, call Lomas Data Products today.

Dealer inquiries invited.

LOMAS DATA PRODUCTS, INC.


66 Hopkinton Road, Westboro, MA 01581

Tel: (617) 366-6434



offer same day shipment on most items and we accept Visa, Mastercard and also American Express. We'll even pay the shipping charges if you send us a money order, cashiers, company or personal check. Purchase orders are gladly accepted from qualified organizations and we welcome dealer

inquiries. Call Diamond today, you'll be glad you did.



Diamond Software Supply 484 Lake Park Ave., Suite 123 · Oakland. CA94610 For price quotes, information, or in California call 1-415-893-7676. We credit your order for the call. Technical Department (415) 893-7678. International Telex 338139 (attn. 149)

Support, Service and Price.

Shipping/Handling UPS surface \$3.00 plus an additional \$3.00 per item for UPS Blue C.O.D. orders add \$4.00. For personal check allow 2 weeks for delivery.

Of these fields, the state, industry, and 1981 income are indexed.

Let's compare the command sequences necessary to perform database retrieval and analysis with dBase II vs. the natural-language query system, Intellect.

In order to find the companies located in California with sales over \$10 million, dBase II requires that we type

LIST ALL COMPANY, STATE, SALES81. FOR STATE = 'CA' .AND. SALES81 > 10000000

With English query, it is possible to type

"List the companies in California with sales over 10,000,000."

or

"CA with sales over 10,000,000."

(This question can be phrased several ways to obtain the correct answer. Note, too, that the inflection of the word "companies" to "company" is implicit in English but must be the exact field name in dBase II.)

The advantage of natural language is most apparent when further selection criteria or substitutions are desired. For example, if you want to add the selection criterion of companies employing over 10,000 people to the previous question, with dBase II you must reenter the complete query with the new selection criterion:

LIST ALL COMPANY, STATE, SALES81, FOR STATE = 'CA' .AND. SALES81> 10000000 .AND. EMPLOY81 > 10000

With English, we can type

"Also over 10,000 employees."

To substitute Illinois for California, the entire query would need to be retyped with "STATE = 'IL' in dBase II. With English, we can type "in Illinois" or "in IL."

The natural-language system can

further summarize the data-ranking, averaging, and doing comparisons as well as producing pie charts, bar graphs, and histograms. It can also format the data for output to a report or graphics package. These examples demonstrate that natural-language technology has a place in the personal computer market.

What is required to make this current level of mainframe performance available to today's microcomputers? Before the advent of 16-bit systems with increased memory, hard disks, and faster microprocessors, the most serious problem was simply one of size. However, computers such as IBM's PC XT and Apple's Lisa clear-

The advantage of natural language is most apparent when further selection criteria or substitutions are designed.

ly have the horsepower to run large, complex programs. In fact, the amount of computation available to a personal computer user may exceed the share of resources available to a timesharing user on a large mainframe.

The most serious issue with making natural-language query systems available to personal computer users is the same issue that concerns any effort to make mainframe technology available—the necessity to make the entire system usable by a person who is not a data-processing professional. In the mainframe arena, there is often a clear distinction between the people who have a need to query the information base and those responsible for creating and maintaining it. While there will certainly be cases in which personal computer users want to query data prepared by some other person or group, a common case will be the one in which a single individual is the user of the information and the database designer, dataentry clerk, and system programmer. In order to allow this "jack of all trades" to easily define, create, maintain, and query databases in natural languages, one approach is being taken by Symantec, a company founded by Gary Hendrix from the Stanford Research Institute. In this system, all the functions a user desires are part of the naturallanguage system itself. This approach is somewhat analogous to the 1-2-3 system, in which all functions are provided under a single umbrella.

Another approach is being taken by AIC in its development of a personal computer version of Intellect. This approach involves interfacing on the input side with popular personal computer database systems such as dBase II. On the output side, Intellect will allow data to be displayed by already existing personal computer graphics packages and even by a spreadsheet package such as Visicalc, Multiplan, or 1-2-3. This approach enables users to preserve their existing investment (of both dollars and time) and permits use of the "best" technique for getting the job done. Data may be retrieved and summarized by Intellect and then presented to a spreadsheet for further manipulation.

A problem with this approach is integrating the database system's definition of a concept (such as a field or a value) with that of the natural-language system. On the mainframe side, this job has traditionally been done by support personnel in the DP group. On the personal computer side, the user will have to perform this integration.

Let's say, for example, that we have a database of all the personnel in a small company. The data includes name, job, age, salary, address, department, date hired, and so on. We assume that the system has access to all the information in the database (such as the name of each field and its contents). When the user first sits down with the system, he might type

"List the earnings of everyone in the shipping department."

Since the system knows only the names of the fields in the database system, it would not know the word

Heart of TEXAS COMPUTER SYSTEMS

Model IV Portable: CALL

Model 12 & 16 at discount: CALL TCS Model 12 with 2 drives: \$2995 Model 12/16 Accessories/discount.

TCS Model IV, 64K, 2 Drive w/RS-232 \$1499 (40 track) \$1699 (80 track)

The New TRS-2000: CALL (IBM Compatable)

We carry the full TRS-80 line. Call for our discount prices.

DISK EXPANSION

Controller, Pwr.Sup. Hdwr.,Instruct. \$249 2 Kit 1, plus 1/40-trk.Tandon Dr. 3 Kit 1, plus 2/40-trk. Tandon Dr. 3a Kit 3 w/2 80 trk.drives \$429 \$598

(dual sided 40s)

Model IV needs 64K to operate. For 64K Kit, CALL.

Quality disk drives--0.E. brand on IBM Available bare and in cabinets.

TM50-1 SS Slimline: \$145 TM50-2 DS Slimline (IBM): \$209

TM100-1: \$159

TM100-2: CALL

CALL US IF YOU FIND LOWER PRICES!

M-IV

\$329

\$479

\$649

\$729

25% OFF LIST PRICE!

OMNINET - A high speed multi-user network that connects several computers for instant communication up to 4,000 feet away.

Save over \$1,000 on a 20 mg. Corvus Hard Disk system for IBM PC and other computers.

5mg. \$1649 10mg. \$2279 20mg. \$3049



Single user or networking hard disk system for IBM & Apple. Lowest prices anywhere. Priced from \$1375.
10, 15, 21, 32 mg. & cartridge tape backup—CALL.



Fast, dependable, versatile, low price.

Gemini 10X 9in., 120cps, Friction/Tractor Gemini 15X 15in., 120cps, Friction/Tractor Delta 10 10in., 160cps, Friction Tractor

Delta 15

PowerType Daisywheel

Call for our low, low prices!

DISKETTES \$1.50 ea.

Compublish, top quality mini floppy diskettes from \$1.50 complete with hub rings, protective envelopes, write protect tabs, and adhesive labels. SSDD, DSDD, boxed or in bulk. Money back guarantee. 100% Certified Error Free. CALL!

Heart of TEXAS COMPUTER SYSTEMS

P.O. Box 1327 Arlington, TX 76004 Toll Free 1-800-433-5184 Texas 1-817-274-5625

VISA,MC,cashier's check, money order. No tax out of state. Texans add 5%. Prices subject to change.



wabash

51/4" SINGLE SIDE 1.49* M11 51/4" SNGLE SIDE COUBLE DENSITY 1.89* M13 51/4" COUBLE SIDE 2.79* M14 51/4" DOUBLE SIDE 4.19* M₁₆ SINGLE SIDE 1.89* F111 8" SINGLE SIDE DOUBLE DENSITY 2.39* F1312 DOUBLE SIDE 2.99* F144

maxell.

51/4" mail for 2.09* MD1

BASF 54968 5¼" ss.dd 1.79* 53428 8" ss.sd 1.89*

FD1-128 8"

BASF •• 54974 5%" ss,dd 2.19" 54998 8" ss,sd 2.29*

MARKET 3.60*

公TDK 2501 54" ss,dd 2.39* 2801 8" ss,dd 3.90*

SENTINEL 5S-11 5'A" ss,sd 1.59* 8S-11 8" ss,sd 2.14*

WE ALSO STOCK AT FANTASTIC LOW PRICES

Memorex

3M Dysan UITRA . Floppies, Tape, Bata Cartridges, Bata Cassettes, and Disk Pack:

AQUANTITY 100. SMALLER QUANTITIES ADD 5%



C-10 CASSETTES Get 8 cassettes, and Cassette/8 Library-Album 8.00

SNAP-IT POWER CENTER 10.3 Turn one autlet into six! Pawer Surge Control 15 Amp Circuit Breaker 59.95

LIBRARY CASES Kas-sette/10 ... 2.49 5¼" Mini Kas-sette/10

BOOK VALUES

FULL SELECTION, DISCOUNT PRICES

on hundreds of titles published by ALFRED, HAYDEN, DILITHIUM, SAMS TAB, McGRAW HILL and many others.

SOFTWARE

AT FANTASTIC PRICES

SAVE 25% OR MORE on thousands of soft-ware packages for all systems, including Business, Language, Engineering, Games, Graphics, Utility, and many more.

Written purchase orders accepted from government agencies and well rated firms for net 30 day billing. • International orders accepted with a 15.00 surcharge for handling, plus shipping charges. • C.0.0. requires a 10% deposit. • We accept viss. Matercharge, Money Orders, and Derliffed checks. • Onckes require bank chearaces. • All shipments F.O.B. Samples, • Minimum shipping and handling 2.00. minimum order 10.00. • California residents add 6% sales iax. Prices and terms subject to change without notice. • Allsales subject to availability, acceptance, and verification. • All sales are final. • Satisfaction oursuled or full refund. Satisfaction quaranteed or full refund.

We also offer printer ribbons, printwheels, type elements, equipment covers, power consoles, paper supplies, storage and filing equipment furniture and many other accessories for word and data processing systems. Write for our free catalog.

Orders Only 800-854-1555

619-268-3537

"earnings."

The system must give the user a choice as to what the unknown word "earnings" means. It could simply be a misspelling of some word the system knows. Or, as in this case, the user intends the word as a synonym for the already known word "salary." If the user were to type "List all the executives," the correct definition of "executive" might be anyone who has the title of president, vice-president, or director.

The system "learns" the vocabulary of the user over time. This is, of course, the most basic form of learning ("learning by being told") and is, in fact, how people acquire much of their knowledge.

The personal computer version of Intellect-which will be written in PL/I, as is the mainframe version is currently under development. The product will be ready for shipment in 1984. An IBM PC with 512K bytes of memory and a hard disk will be the minimum initial target machine.

Business people are the target users of a PC version of Intellect. They require access to information stored in both mainframe and microcomputer databases. They also need timely and flexible analysis and display capabilities. A concurrent or multitasking operating-system environment will best provide this flexibility. The use of windows and pointing devices (mice) may also contribute to this environment. Users need the ability to search a database while concurrently examining a spreadsheet or printing a report.

It is planned that the initial version of Intellect will integrate English query with several popular commercial microcomputer and mainframe DBMS packages and provide output to popular graphics and spreadsheet programs for further data analysis and manipulation. In most cases, AIC intends to integrate its natural-language technology with existing applications software rather than develop a proprietary line of applications. In some cases, AIC may choose to enhance a capability of an existing product rather than, or in addition to, interfacing with a third-party pack-

Intellect allows the end user to dynamically and interactively enhance the vocabulary and concepts available to Intellect. It will permit users to create and populate a new database or use data definitions previously defined in a DBMS or file manager. A future goal of the product is to allow all user customization and fluency enhancements to be performed interactively. Another planned enhancement is to allow users to dynamically modify as well as query data.

Summary


We have seen examples of the current level of natural-language technology in the mainframe world and examined its place in the personal computer environment. This technology will not replace the "direct manipulation" paradigm but rather complement it, giving the user a choice of the best tool to accomplish a particular task. Given the power of today's personal computers, it is only a matter of time before several naturallanguage systems will be available.■

References

- 1. Harris, L. R. "A Model for Adaptive Problem Solving Applied to Natural-Language Acquisition." TR 72-133. Cornell University: Department of Computer Science, 1972
- 2. Hendrix, Gary, and Earl Sacerdoti. "Natural-Language Processing: The Field in Perspective." BYTE, September 1981, pages 304-352
- 3. Winograd, T. Understanding Natural Language. New York: Academic Press, 1972.
- 4. Wolf, A. K., C. S. Chomsky, and B. F. Green. "The Baseball Program: An Automatic Question-Answer." TR 306. Lexington, MA: Lincoln Laboratory, 1963.
- 5. Woods, W. A., R. M. Kaplan, and B. Nash-Webber. "The Lunar Sciences Natural-Language Information System: Final Report." BBN Report 2378. Cambridge, MA: Bolt Beranek and Newman Inc., 1972.

Jane Eisenberg is product director at Artificial Intelligence Corporation (100 Fifth Ave., Waltham, MA 02254). She received a B.S. from Cornell University and an M.S. in molecular biology from Boston College.

Jeff Hill is director of research and development at Artificial Intelligence Corporation. He received B.S. E. E. and M.S. E. E. degrees from MIT, where he was involved in natural-language research at MIT's Artificial Intelligence Laboratory.



Encounter REVELATION

For \$950, Revelation Software by Cosmos will give your PC capabilities that no microcoputer has ever had before. Through a versatile, high performance Relational Data Base Management System developed by Cosmos, Revelation will give your microcomputer all the power and sophistication of a minicomputer.

Revelation features a data base with variable-length fields and records, (up to 64K), and unlimited files and accounts. File size is

limited only by disk size.

Also featured: A powerful, hybrid programming language.

A fourth generation applications and program generator Our programs write programs!

Communications functions that give your PC the power to utilize applications, programs, and data from thousands of existing mainframe and minicomputers.

8087 math chip support Revelation co-exists with MS/DOS™ or PC/DOS™ 1.0, 1.1,

2.0 versions, and is compatible with the IBM PC™ XT™ COMPAQ™ Corona™ Columbia Multi-Personal® and the Eagle 1600™. It's also compatible with minicomputers utilizing the PICK Operating System™ Minimum configuration requires 320K memory and 8087 math chip.

MS/DOS™ of Microsoft Corp. IBM PC Registered TM of International Business Machines Corp. COMPAO™ of COMPAO Computer Corp. PICK Operating System™ of PICK SYSTEMS. Eagle 1600™ of Eagle Computers. Corona PC™ of Corona Data Systems.
Columbia MultiPersonal™ of Columbia
Data Products Inc.



Telephone 1-800-422-2511 P.O. Box AH, Morton, WA 98356 Inside Washington 206-496-5974.

Circle 116 on inquiry card.



PC
PERSONAL COMPUTER
WARE

PC Ware, Inc. Dept. 2 4883 Tonino Dr. San Jose, CA 95136 (408) 978-8626

in USA shipping paid by us for orders pre-paid, accept C.O.D. orders (U.S. only). For VISA or MASTERCARD shipping charges will be added, CA residents add 6.5% for tax. Outside USA adds 15% for shipping and handling. Payment multi be in U.S. funds. Dealer inquiries invited. One year warranty.









CENTRONICS PRINTER INTERFACE for Apple][and //e

- for Apple | and //e

 Multiple drivers onboard in EPROM (Interchangeable 2K RAM).

 Applesort, Pagcal, & CP/M Compatible

 Zhandshake lines (ACK" and strobe").

 status lines (select", Busy, Paper out, and Prime")

 Centronics data bit 8 may be jumpered low

 Conveniently located ribbon connector

 Part No. 22010 Septice.
- Part No. 22010 \$59.95

 With cable included Part No. 22011 \$79.95

HI-RES GRAPHIC PRINTER INTERFACE for Apple || and //e

- Keyboard controlled screen dumps
 23 different commands for text
- 23 different comments
 and graphics
 Color graphic screen dumps
 Interfaces to any dot matrix printer
 On-board printer selection
 Two page side by side printout
 Catole included

- Part No. 22080 \$149.95

Use your dot matrix printer to print high resolution graphics with your Apple [[or //e.

See us in California at the **MORTH-WEST COMPUTER SWAP** JANUARY 28, 29, 19 San Mateo Fairground MAY 5, 6, 1984 **Oakland Convention Center**

SERIAL INTERFACE

for Apple Ji and //e

- Asynchronous EIA RS-232C VO

EIPROM of there for 30 president in

Apple soft, Pascal and CP/M

- Suparate Def and DTE Connectors

or Hall Duplex

- Separate Def and DTE Connectors

organizable from 50 fals. software

solucing 134.5, plus hardware

- Programmable from 50 fals. software

solucing 134.5, plus hardware

- Programmable control register

- Programmable control register

- Parity, overrun, and frammig

- Software programmable interrupta

- Control of bandifolder

- Control of bandifolder

- DED, DSR and/or CTS hardware

- DMA and interrupt delay-chain

- PS-232 cable included

- Part No. 22040 \$129.95 Connect any serial device such as a printer, mouse, plotter, modem, etc. to your Apple II or //e



SERVAL INTEREST OF ADDIS IS AND INTEREST.

PARALLEL I/O INTERFACE

- Four handshake lines
 Conveniently located ribbon

connector Part No. 22020 \$89.95

Multiple drivers onboard in EPROM (Interchangeable 2k RAM)
Applesoft, Pascal, & CP/M Compatible
Dual 8-bit bi-directional parallel ports
Four bandshabe lines for Apple I[and //e

WHEN YOU'RE READY OUR **PC PLUS** KIT WILL BE WAITING



10mb Internal Upgrade

When you're ready to boost your storage capacity from 640K to 10mb without boosting power and without eating up desk-top space, our internal PC PLUS will be just a phone call away.

Waiting to give you all the capacity of the *XT at a price that saves you hundreds of dollars compared to the cost of trading up.

The DSS PC PLUS kit uses a halfheight 10mb Winchester disk drive that gives you all the benefits of Winchester technology - increased data integrity,

faster access — without taxing the power supply. It also includes a Winchester disk controller that is IBM formatted.

The DSS PC PLUS kit presents the storage solution you need now. What are your data storage needs? At DSS, we do much more than sell components. We create solutions.

The DSS PC PLUS kit includes:

- 10mb half-height disk drive
- DSS Controller
- Full height front bezel
- Mounting hardware
- Cables

Features and Benefits

- Increased capacity
- Increased access time
- Upgradeability
- No additional power requirements
- Enhanced cooling
- One board controller solution
- Operates with 1.25 MS-DOS through 2.0 MS-DOS
- Internal upgrade
- 1 10mb half-height Winchester = 31 floppy's
- Increased data integrity

Retail price: \$2250 from the dealer nearest you



2907 N. 55th St., No. 5 Boulder, Colorado 80301 303/449-7587 Toll Free: 800-851-PLUS Data Storage Solutions, Inc.

*XT is a registered IBM trademark

Portables—1984 and Beyond

Idea-Processing Software and Portable Computers

The new wave of computers demands new software

by David Winer and Peter Winer

Imagine you've arrived at a business appointment 10 minutes early. Instead of killing time flipping through a magazine, you reach into your briefcase and pull out a portable computer. You turn the power on and move the cursor through an outline of the points you want to cover in the meeting.

After a small reorganization (you wanted to discuss the project schedule after discussing personnel requirements), you move the cursor down to the financial-projections section and press the key marked Spreadsheet. Instantly, a small window opens up on the screen, and you try a few calculations and decide that your assumptions make sense. Turning the power off, you spend the next five minutes browsing through a magazine.

In 1977, Alan Kay (then at Xerox's Palo Alto Research Center and now chief scientist at Atari) speculated about the design and use of portable computers. It was just speculation then, but now, in 1984, it's realpeople are buying and using portable computers that are very much like the "Dynabook" that Kay described.

1984 is the year that the personal computer leaps off your desktop and into your briefcase, your knapsack, or your shopping bag. Before facing the wide-open future of software for portable computers, let's look at the history of portable computing.

A Short History

The first portable computers existed before personal desktop computers, before Wordstar and Visicalc and even CP/M. Texas Instruments' Silent 700 terminal, with a built-in modem, a full keyboard, and a thermal printer, was portable, even though it weighed almost 50 pounds. It had a handle on it; you were supposed to carry it around with you. In 1973, some people actually did, risking sore arms and back. The convenience of carrying around computer power was worth some discomfort.

Then came the personal computers, desktop machines made by Apple, Commodore, Radio Shack, then IBM, and so on. By 1981, some even had handles (e.g., Osborne and Kaypro). This meant you could carry "transportable" desktop-computer power somewhat less painfully (the Compaq Portable Computer, introduced in 1982, weighs only 28 pounds).

Transportables aren't fully portable. Like old tabletop radios, they're too heavy to be carried conveniently, and they must be plugged into a wall socket. Transportables haven't begotten new types of software; they come bundled with the usual desktop software (word processors, spreadsheets, database packages) and the usual software support structures (CP/M on the low end, spelling checkers and program generators on the high end). So much software comes bundled with the transportables that the market for software specific to them has never developed substantially. Even Compaq, which bundles only the operating-system software and a disk-based version of BASIC, has little software built specifically to exploit its transportability.

This trend is not surprising. The manufacturers of transportables spend a lot of advertising dollars to portray their machines as nothing more, nothing less, than transportable clones of the desktop machines they are emulating. This is an effective short-term strategy, but in the long term it has caused software manufacturers to ignore the special communications capabilities that many transportable units have.

In 1983, the first useful portable computer, the Radio Shack Model 100, was introduced. Manufactured in Japan by Kyocera and marketed in the U.S. by Tandy, the Model 100 has caught on in a spectacular manner and points the way toward truly convenient portable computing.

A Successful Design

Why was the Model 100 such a breakthrough? Basically, there are three reasons: its screen, its keyboard, and its software. Before the Model 100, portables typically had much smaller liquid-crystal display (LCD) screens. The Epson HX-20 with its 4-line by 20-column display can't compare with the 8-line by 40column display of the Model 100. For most people a 4 by 20 display isn't big enough. An 8 by 40 screen is barely adequate, but on the Model 100 it is workable. The smaller screens on other computers fail to meet the requirements of effective personal computing.

The keyboard on the Model 100 uses the standard QWERTY layout and has eight function keys, four arrow keys, and several dedicated function keys. You can touch-type on this keyboard; the full-size keys have a solid feel.

The system software of the Model 100 is stored in ROM (read-only memory). Turning on the machine automatically takes you into the top level of this software. From there, you can move a cursor over a menu of files, which can be BASIC programs or text files. You can edit a text file, run a BASIC program, or search a text file in several ways. Terminal software is included, enabling file transfers over the built-in modem, serial port or parallel port, and remote access to computer networks and bulletin boards.

Although significant, the Model 100 is just a transition product. An effective portable of the future will have a full 25 by 80 screen, more memory, a 16-bit processor, and software that is better adapted for portability. The year 1984 is when such a portable, weighing less than 10 pounds, will appear on the market. How will such a computer fit into our lives?

Applications

Clearly, as the Model 100 illustrates, software for portable computers is different from software for desktop computers. The companies behind the machine invented a new style of portable computer—one intended to assist in a broad range of applications including BASIC programming, text editing, appointment scheduling, name and address lookup, and communications.

Let's consider the problem of designing software for the ideal portable, one with sufficient memory (say 256K bytes) a faster processor (8086 or 68000), a larger screen (25 by 80), and maybe even a disk drive.

Although significant, the Model 100 is just a transition product.

How would software for this portable be designed?

Before implementing the first prototype, any good software designer will sit down and pose a few crucial questions dealing with the "who, what, why, and where" of the software product.

Who will be using the software? How much experience do they have with personal computers? How old are they? Are they male or female? How much education do they have? How much money do they make?

What will they do with the software? Should the software be targeted at a particular task?

Why are they using the computer instead of paper and pencil?

Where will the computer be used? Now that we're designing software for portable computers, we have to consider "laptop," "bedtop," "beachtop," "coffee-tabletop," and "floortop"

To be effective, the software for a portable computer has to be adaptable to a variety of situations, therefore it has to accommodate a variety of information structures. Standalone software that's simple enough to be used on the run must also be capable of producing sophisticated results. It must be simple, with small reference cards instead of extensive users manuals. The best portable software will appeal to the same broad market in which Atari and Coleco video-game machines sold in 1981. Simplicity will be one of the most significant factors in the success of portable software.

Our informal interviews with users of the Model 100 have yielded some clues to the who, what, why, and where of portable software.

Today, the primary users of portable computers are people who also use desktop computers. Therefore, a highly valued feature is the ability to upload and download information between the portable unit and the desktop unit. But eventually, just as portable radios and portable cassette players created their own markets, portable computers will appeal to people who aren't currently using desktop computers.

Most Model 100 owners use the machine for fact gathering, notetaking, simple calculating, organizing, and thinking, with little or no BASIC programming. (Many said they use the BASIC interpreter as a calculator, for computing ratios or summing numbers.) Our interviews indicated that the text editor is the program used most often; name/address lookup and scheduling are the programs used least often. There was not much demand expressed for full-blown word-processing, and spreadsheet capability was considered important only by "spreadsheet people." The need for a relational database package (such as dBASE II and PFS) was expressed by consultants with extensive bases of information to draw

Most users said they enjoy the convenience of a portable computer. Portables are also used to fill small gaps of time, time that would otherwise be wasted. There seems to be no limit on where a Model 100 is used: airplanes, podiums, parties, waiting rooms, restaurants, and hotel rooms.

A Design for Portable Software

Now we have a feel for the who, what, why, and where of portable computing. After talking with users of the current technology, we're ready to embark on some speculation about the future of portable software.

Will conventional database managers be the best operating software on portables? Probably not. Databasemanaging packages require that organization be preplanned, that all manipulation of structure take place before any information is entered. Database products such as dBASE II and PFS require that each fact or idea fit into a given layout or "template." The implementation of this type of database, no matter how user-friendly, can serve effectively only for applications such as accounting, mass scheduling, and mailing lists, in which the format of all information can be determined in advance.

More appropriate for the user of a portable computer is a database system that accommodates flexible organization and reorganization of concepts, ideas, or outlines and is not limited to records, fields, and files. A system should let a small section be reorganized without affecting material in other sections of the database.

Using such an "idea-processing" software package is the opposite of production-oriented software or 'productivity software." Word processors, a prime example of production-oriented software, take finished presentations and turn them into attractive printed documents. Taken to the limit in a desktop environment, word processing incorporates graphics and typesetting capabilities-advanced features, yes, but the wrong set of features for idea processing. The right features for idea processing are "soft" concepts such as outlining, structural editing, and easy manipulation of displayed information.

Idea-processing software supports brainstorming, fact compilation, organizing, and reorganizing. Idea processors exist in the noncomputer world; for example, notebooks, index cards, blackboards, and appointment

books are all idea-processing tools, much as a typewriter is a noncomputer word processor.

Good idea-processing software supports the belief that the world is a chaotic, disorderly, rapidly changing information structure, not a predictable table of rows and columns. With an idea processor you can easily add new facts and ideas and then painlessly reorganize the rest of your model to reflect the change. Idea processing does not exclude the need for word processing; it's useful to have a link between a portable idea processor and a desktop word processor.

Dimensions of the Portable Industry

We've mentioned two portable machines, the Radio Shack Model 100 and our hypothetical 16-bit, 256K-byte, 10-pound "ideal machine." But there are many other machines that qualify as truly portable: the Gavilan, Convergent Technologies' Workslate, GRID Systems' Compass, Sharp's PC-5000, as well as others that are just being introduced. (See Septem-

Our Specialty: 68000, 6809 CPU, graphic, database, communication, export

	PRINTER
MICRO-	110 cps, 84 x 84, graphic 459
PRISM	RS-232/parallel, pin & friction
EPSON	FX-80, FX-100, RX-80CALL
BANANA	50 cps
OKIDATA	ML 84 parallel,960
	92 parallel 470
	93 parallel
PRISM 132	200 cps, 132 col1,100
TOSHIBA	160 cps max 24-wire head
	excellent letterquality 1,576
GEMINI	Delta 10525
DIABLO	P11 100 cps, 80 col488
	P38 400 cps, 132 col 1,795
	Letter Quality
NEC	2050 20 cps for IBM 975
	3550 35 cps for IBM 1,835
	7710 55 cps for serial 2,150
DYNAX	HR25 23 cps parallel 799
	DX15 13 cps475
COMREX	Comwriter II 499
C.ITOH	F-10 40 cps Excellent1,150
DIABLO	630 API w/interface 1,899
QUME	11 + 40 cps
	50 cps

QUME	11 + 40 cps
Т	ERMINAL/MONITOR
ZENITH	Z-29 smart terminal BEST PRICE
ZVM 135	*RGB color/green monitor495
ZVM 123	*green monitor119
HAZELTINE	Esprit II
	Esprit III625
WYSE	50
VISUAL	55 725
102	VT-100/VT-102 compatible 895
graphic	emulate Tektronic 4010/4014
OPTION	
QUME	102 520
	103 132 col890
	108 A amber

ork City Showroom "IBM COMPADMPUTER". 18K RAM, two floppies, onitor keyboard, softwares. 18K RAM, two drives, Ox 325 graphic, monitor, SDOS, PC TUTOR MultiMate ord processing, BASIC
onitor keyboard, softwares 28K RAM, two drives, 10 × 325 graphic, monitor, SDOS, PC TUTOR MultiMate
28K RAM, two drives, 10×325 graphic, monitor, SDOS, PC TUTOR MultiMate
0 × 325 graphic, monitor, SDOS, PC TUTOR MultiMate
SDOS, PC TUTOR MultiMate
ord processing, BASIC
10 64K RAM, monitor, Z-80
PU keyboard, software
K RAM, Z-80 & 8088 CPU,
onitor
eyboard, CP/M86-80
56K RAM, monitor,
eyboard, two floppies
X-80 printer, CP/M
aldocs.
eachtree 5000 pak
28K RAM, two floppies,
ftware

FOR IBM PC

PLANTRONICS colorplus 16 color with graphic software & parallel port LNW I/O & RAM module

POWERFUL 68000 CPU Cromemco 256K RAM 68000 &

PORTABLE ON-THE-GO

to 474MB hard disk, graphic

Columbia, Corona, Televideo Teleporta Software and other equipment...CALL

	PLOTTER/DIGITIZER
HOUSTON	I INSTRUMENT DMP 291,795
	DMP 40
	DMP 41, DMP 42CALL
	HIPAD digitizer725
AMDEK	XY plotter 1 pen665
	6 pens1,095
MT PLOT	TER PIXY-3 3 pens650

MILLOODISHI
8" DS,DD Qume & Shugart compatible
M2394-63 bare drive390
M2396 slimline bare drive 410
Cabinet for dual 8" full size250
Cabinet for dual 8" slimline 200
Cable 50 Manual 25
DACE DIST Still EV # CC DD Institute askings

MITCHELL

BASF Disk drive 5¼ " SS,DD include cabinet, power supply and cable at 50% OFF ONLY \$95.00 (limited qty)

Prices subject to change. American Express, Visal Mastercard add 3%. F.Q.B. point of shipment. 20% restocking fee for returned merchandise. Personal checks take 3 weeks to clear. COD on certified check only. N.Y. residents add sales tax. Manufacturers' warranty only. International customers, please confirm price before order. Accept P.Q. from Fortune 500, schools and gov't.

Computer Channel TELEX: 21-55 44th Road 429418
Long Island City, NY 11101 CSTNY

For information CALL (212) 937-6363
To order CALL 1-800-331-3343

We make C easy...



and work!

Eco-C compiler...we've got it all.

Whether you're a seasoned **professional** or just getting started in C, the **Ecosoft** C compiler has everything you'll ever need. **COMPLETENESS:**

Our Eco-C compiler is a complete im-plementation of C and supports all operators and data types (including long, float and

double). EFFICIENCY: The compiler generates extremely efficient Z80 code using Zilog's mnemonics. On the benchmarks tested, typically we finished either first or second using substantially less

PORTABILITY:

The Eco-C library contains over 100 functions that are UNIX V7 compatible, and includes a complete transcendental package.
Programs developed with the Eco-C compiler can be moved to virtually any system with

ittle or no change.

EASE OF USE:

The Eco-C compiler includes Microsoft's MACRO 80 assembler, linker, library manager and supporting documentation. The assembler (M80) generates industry-standard REL file output. The linker (L80) is fast and uses only the functions you request in the program. Program development is a snap.

The user's manual is clear, concise and full The user's manual is clear, concise and full of useful information. For those of you just getting started with C, we also include a copy of the C Programming Guide (Que). This B. Dalton Best Seller has been adopted by a number of leading universities around the country and is included with each compiler. The book is designed to help you learn C from the ground up. We ought to know...we wrote the book.

We've made the compiler easy to work

We've made the compiler easy to work with for the professional and beginner alike. Most error messages, for example, tell you in English (not just a number) the line number and character position of the error, what was expected and a page reference to the Guide to consult for help if you need it.

P CE:

P CE:
We saved the best for last; we've cut the price by \$100.00. Now you can buy the Eco-C compiler for only \$250.00 (MACRO 80 and the book alone are worth \$218.00!). Shop around and we think you agree that the Eco-C compiler is the best value available.
The Eco-C compiler requires a Z80 CPU, CP/M, 54K of free memory and about 240K of disk space (one or two drives). An IBM-PC version will be available in the first quarter of 84. To order your Eco-C compiler, call or write.



TRADEMARKS: Eco-C (Ecosoft), MACRO 80 (Microsoft), CP/M (Digital Research)

ber 1983 BYTE, pages 36-44, for a comparative list of portables.)

The trend is upward. The newer machines have lower prices and higher performance, screens and memories are larger, and 16-bit processors are more common. When the market for portables matures two or three years from now, what will a portable computer look like? We guess that there will be three "levels" of portability, each defined in terms of price, capability, and bulk.

Machines at the lowest level will cost about \$250 and will use technology similar to that of the Model 100 with a minimum-sized screen, a full keyboard, and no disk drive. It will run a refined version of the Model 100 software (no BASIC, better ideaprocessing software, less emphasis on specific applications such as an address book and scheduler).

The middle-level machine will cost about \$1500 and will provide the functionality of our mythical 256Kbyte portable, but it will not have a disk drive. The unit will run ROMbased software, will be compatible with the standard desktop operating systems, and will interface to standard desktop computers as a keyboard. The operating software on this portable will offer sophisticated and easy access to the desktop's printer, typesetter, hard disk, and networking capabilities. Applications software will be up- and downloaded with a single keystroke. A large number of portable-specific applications will be available, including more powerful idea-processing software. It will connect to RS-232C devices and phone lines. Watch for radio communications, an interface to the developing cellular radio network. Because the middle-level portable will not have a disk drive, the bulk of the unit will be only slightly larger than the \$250 machine.

The high-level machine will have more memory, a disk drive, perhaps a small printer, and will sell for \$2500 to \$5000. It will have all the capabilities of the middle-level machine, but it will also weigh more (as much as 25 pounds) and thus be less portable. There will be a smaller market for this machine; it will be aimed at those people who need to carry an entire computer system with them (e.g., consultants with large databases).

Future Developments

How big will the portable-computer industry be, and what impact will it have on society? We believe that the machines at the lowest level will sell in the same mass-market numbers as Atari and Coleco game machines did in 1982. The industry that will serve this huge base of people using portables will be very broad. Users will need software, hardware, and means of hooking into phone and cable networks. They'll need services such as electronic mail and bulletin boards, training, and maintenance—many of the same services that current users of desktop computers need but in larger numbers and with more emphasis on communications and convenience. Certainly, having computers that travel increases the number of places that can be tied into a computer network.

Will portables finally force the development of a national computer resource for mail and messages or a standard for high-level communications? We think so, but it may take as long as five years for such sophistication to develop in the market. Currently, users of the Model 100 and other portables are communicating through networks such as The Source and Compuserve. Yet, because of the current price and performance of these services, we don't expect portable-computer users to turn these networks into massmarket consumables.

A new breed of software will be needed for desktops and mainframes. The bigger machines will have to monitor telephones and respond to commands when you dial in using a portable computer. Bulletin-board software will evolve into an efficient way to access desktop and mainframe resources from remote locations.

■

David Winer is president of Living Videotext Inc. (Suite 232, 1000 Elwell Court, Palo Alto, CA 94303). Peter Winer is a software consultant based in Brighton, MA.

SUPER SIX



SUPER SIX, THE FIRST 6MHz S-100 SINGLE BOARD COMPUTER TO SUPPORT BANKED CP/MTM 3.0



SUPER SIX FEATURES:

- 128 KB of Bank selectable RAM
- 6 MHz. Z-80B CPU
- DMA Controller
- 6 MHz, Z-80B DART (2 Serial RS-232 Ports)
- 6 MHz, Z-80B PIO (2 Parallel Ports)
- 6 MHz, Z-80B CTC (Clock Timer)
- Double/Single Density
 Floppy Disk Controller —
 Supports 8" and 5-1/4"
 Drives Simultaneously
- 2/4 KB of Monitor EPROM
- S-100, IEEE 696 Compatible

*CPM is a trademark of Digital Research Corp.
TurboDOS is a trademark of Software 2000 Inc.
SUPER SIX and SUPER SLAVE are trademarks of
Advanced Digital Corp.

SUPER SIX & CP/M[™] 3.0 A PERFECT MATCH

Advanced Digital has found the perfect match to its powerful, high-speed SUPER SIX single board computer. It's Digital Research's new CP/M 3.0. Because of SUPER SIX's 128 KB of RAM, it is the only S-100 board to support CP/M 3.0 in the banked mode; or run CP/M 2.2 with 64 KB of extra buffer.

SUPER SIX & TurboDOSTM ANOTHER PERFECT MATCH

When you combine the TurboDOS multi-user operating system with the 6 MHz SUPER SIX, you'll find your system running 1-1/2 times faster than



before. Add the 4 MHz or 6 MHz SUPER SLAVETM processor board(s) and you will have the fastest multi-user, multi-processor system available today.

See the SUPER SIX at your quality computer dealer or contact:



5432 Production Dr., Huntington Beach, CA 92649 Phone: (714) 891-4004 Telex: 678401 TAB IRIN



Draw attention to yourself.

(Write a program for the IBM Personal Computer.)

Let your imagination take wing.

Think charts. Graphs. Shapes. Images.

Use originality, creativity and color in programs that entertain. Educate. Organize. Analyze. And programs that get down to business.

Maybe you've written software like that. Or perhaps you're thinking about it.

If so, consider this.

You could draw attention to yourself by writing programs for the IBM Personal Computer on the IBM Personal Computer. Because all our advanced features (see the box at right) make it faster and easier to do so.

Enhanced BASIC already in ROM, for example, has graphics commands already built in.

And if you write a program using our Advanced BASIC, you'll find the DRAW command particularly appealing. It's virtually a separate graphics language within a larger language.

Put your visual together with both the characters and symbols in ROM for a simultaneous, text-and-graphics mix.

Have musical accompaniment as well.

It's easy, because BASIC controls the built-in

speaker with a single command.

Utilize the ten, programmable function keys. Try F3 to paint. F4 for lines. F5 for circles. Or F6 for boxes.

IBM PERSONAL COMPUTER SPECIFICATIONS

User Memory 64K-640K bytes

Microprocessor 16-bit, 8088

Auxiliary Memory
2 optional internal

diskette drives, 514" 160KB/180KB or 320KB/360KB per diskette

Keyboard

83 keys, 6 ft, cord
attaches to
system unit
10 function keys
10-key numeric pad

Diagnostics Power-on selftesting Parity checking Display Screens
Color or monochrome
High-resolution
80 characters x 25 lines

Upper and lower case

Operating Systems

DOS, UCSD p-System,

CP/M-86†

Languages
BASIC, Pascal, FORTRAN,
MACRO Assembler,
COBOL

Printer
All-points-addressable graphics capability
Bidirectional
80 characters/second
18 character styles
9 x 9 character matrix

Permanent Memory (ROM) 40K bytes

Color/Graphics
Text mode:
16 colors
256 characters and
symbols in ROM
Graphics mode:
4-color resolution:
320h x 200v
Black & white resolution:

640h x 200v Simultaneous graphics & text capability

Communications RS-232-C interface SDLC, Asynchronous, Bisynchronous protocols Up to 9600 bits per second

Remember that these function keys make your program more "friendly" to the user and, therefore, more appealing to us.

In fact, if you're interested in licensing your software, we could be interested in publishing it.

We could also be interested even if it runs on *another* computer. If we select your software, we'll ask you to adapt it to our system.

So if you think your software is close to picture perfect, consider sending it in.

IBM Personal Computer, External Submissions, Dept. 765 PC, Armonk, New York 10504.

The IBM Personal Computer A tool for modern times

For more information on where to buy the IBM Personal Computer, call 800-447-4700. In Alaska or Hawaii, 800-447-0890. †UCSD p-System is a trademark of the Regents of the University of California. CP/M-86 is a trademark of Digital Research. Inc.

249

SUMOHIBSITO



Neither do we. But, it wouldn't surprise us. Because our cases are built with brute strength, able to take a tough beating from even the mightiest challengers.

Stop wrestling with your computer equipment. With our cases you have ease of transportation plus maximum protection for all your components. Standard cases available for IBM, DEC, Apple, Tt, plus many others. Custom built cases are also available to help protect almost any configuration of sensitive equipment.

For loss prevention, each case has a 3" x 5" personal identification frame and individual serial number with toll free number. And like all Computer-Mate products, each case is pre-screened for excellence and backed with a 100% unconditional guarantee.

Chances are your computer equipment will never undergo a heavy bout with a Sumo wrestler, but with protection from Cases by Computer-MateTM, the odds are 3 to 1 your equipment would win.

For order/information contact:

Computer-Mate. Inc.

1006 Hampshire Lane, Richardson, Texas 75080
Dallas (214) 669-9370 • Texas Residents (800) 442-4006
Out of State (800) 527-3643. Dealer inquiries welcome.

Beyond the Application Program

A Different Approach to Integrated Software

Element managers that implement objects such as spreadsheet tables and text paragraphs may supplant the traditional concept of the application program

by John Banning

To bring the benefits of personal computers to professionals who travel widely, portable computers must have a basic set of facilities for data storage, data manipulation, and data transmission. These facilities include a word processor, a spreadsheet, a personal database, and a combination terminal-emulator and file-transfer system.

Since travelers lack luggage space for reference manuals, software in portable computers must be easy to learn how to use and, perhaps more important, easy to remember how to use. This requires a user interface that is visual—one that lets the user see what is going on—and one that is consistent across all applications. Moreover, the consistent user interface must let the user create documents that include data from two or more different applications.

This article describes what we at Gavilan Computer Corporation believe is an innovative approach to integrating software for portable computers in order to achieve high functionality and ease of use. Our software has antecedents in the objectoriented software developed at the Xerox Palo Alto Research Center and described in the August 1981 issue of BYTE. After orienting you in the outward appearance and fundamental terms of our software and discussing our development tools, I will discuss the structure of our software, which actually puts the user interface in charge of the computer, and the integrated application facilities, which are provided through "elements" and "element managers" rather than different application programs, each with its own unique kind of document with its own unique structure.

Software in portable computers must be easy to learn how to use and easy to remember how to use.

The element-manager approach lets users have different kinds of objects, such as paragraphs and spreadsheet tables, in the same document, and lets the objects retain their normal behavior and functionality. For example, a spreadsheet table appearing in a letter can still recalculate if a value used in one of its formulas is changed.

Orientation

Gavilan's approach to building easy-to-understand software is based

on objects whose state the user can observe directly (because that state is displayed on the screen). The user manipulates these objects with a small, uniform set of operations. In addition, these objects are based on things that are familiar to most users: file drawers, file folders, documents, paragraphs, and so forth.

Photo 1 shows an image of what is called the desktop as displayed on the portable computer's screen. On it are a file drawer and a number of documents, each tagged with an image (called an icon) that suggests a kind of object (the front of a file drawer or two overlapped pages of a document). These images on the desktop represent objects that are open and thus accessible to a user. This view can always be brought up by pressing the Desk Top button on the control area on the front of the computer (figure 1).

Also visible (near the center of the photo 1 screen) is a small arrow. By moving your finger over the touch pad on the front of the unit (the blank area in the middle of the control area shown in figure 1), you can move this arrow around, pointing it at things on the screen. This is the key that ties together the visual nature of the interface (the ability to




Photo 1: The Gavilan computer's desktop image.




Photo 2: A display illustrating the selection of file drawer A.

view documents directly) with the manipulation of objects. Instead of remembering object and command names and typing them into the computer, you point to an object and an operation.

You can point to the desktop icon of one of the open objects (photo 2), and then, by pressing the Select button (see figure 1), indicate that you would like to examine the contents of that object.

If this "on-screen button" operation is performed to select the photo 2 file drawer, what you might see is shown in photo 3: the file-drawer contents, which consist of file folders and documents arranged in outline form. Again the pictorial icons suggest the

kind of object you are looking at. As with the desktop, the contents of a document can be viewed by pointing to the document icon and pressing the Select button.

But you can also select data that is displayed in the file drawer (the names of the documents and file folders) by pointing at a document name and pressing the Select button. Having selected part of an object, you can perform any number of editing operations on it such as typing into it or (by pressing the appropriate button) deleting, moving, or copying it. By pressing the figure 1 Menu button, a whole list of on-screen buttons for various standard operations can be called up (photo 4) and then

selected. The operations available here are exactly the same ones that would be used to edit or otherwise manipulate a paragraph or a spreadsheet.

As with the desktop, by pointing to a document's viewing icon and pressing the Select button, you can look at the contents of a document. Photo 5, for example, shows text arranged in a paragraph, followed by the cells of a spreadsheet table. Again, by pointing to a particular object, you can select data in that object and do an operation on it.

Note that by selecting data in the paragraph, you begin interacting (through the human-interface software) with the word-processing ap-




Figure 1: The Gavilan computer's control area.

Introducing a sensible solution to the problems of dBASE II.

	dBASE II	The Sensible Solution
Records Per File	65,535	999,999
Maximum Record Size	1,024 bytes	1,536 bytes
Fields Per Record	32	384
Key Fields Per File	7	10
Number of Files Simultaneously Accessible	2	10
Number of Screens Per Program	Limited by system memory	Limited only by system storage
Data Dictionary	No	Yes

We don't mean to debase dBASE II, but if you're looking for a data base manager that's long on features, dBASE II can come up a little short.

For instance, a single dBASE II record can only contain 32 fields. And when you need to share information between one file and another, you can only access two at a time.

So, as good as dBASE II is, its limitations can quickly paint you into an electronic corner.

And that's why we created The Sensible Solution.

Finally. A sensational relational.

Along with all the usual things you expect from a data base manager, *The Sensible Solution* lets you handle the kind of tough assignments that dBASE II can't:

You can design data files with more than 300 variables. You can create reports using 10 different files at once. You can even set up file locking for multi-user computers.

Ready to get down to business.

A data base manager without ready-to-run application programs is hardly worth the disk it's copied on.

So, along with *The Sensible Solution*, you can also add *The Sensible Solution Bookkeeper™* or *Sensible Management*, our complete one-entry accounting and management system.

They're both affordable. Business-tested. And supplied with source code so you can make your own modifications.

A sensible trial offer.

When you purchase *The Sensible Solution*, we'll send along a special trial disk that lets you create forms and enter a limited number of records. If, after 30 days, you're not satisfied, just return the unopened master system disk for a full refund.

So why not take us up on our trial offer? You've got nothing to lose.

Except the problems of dBASE II.

The Sensible Solution

To order, write or call: O'Hanlon Computer Systems, 11058 Main Street, Bellevue, WA 98004 USA, Phone (206) 454-2261. Prices: *The Sensible Solution*—\$695, *Sensible Solution Bookkeeper*—\$495, *Sensible Management*—\$895. In Washington, add 7.9% state tax. VISA, Mastercard and dealer inquiries welcome.

dBASE II is a registered trademark of Ashton-Tate. Sensible Solution, Sensible Solution Bookkeeper and Sensible Solution Management are trademarks of O'Hanlon Computer Systems, Inc.




Photo 3: The file-drawer contents.




Photo 4: Pressing the menu button brings a list of on-screen buttons onto the photo 3 screen.

derreciation on the de		man-distriction	- Holling - Cole		Tribality.
conservative with res	rest to the s	tugar : am	e needed to be	rfect th e Furtz	:MoLW6
technique.	11,523	2084	3084	4084	
Personnel Personnel Expense	927	9 613	13	15 1273	

Photo 5: Document contents.

plication. If you were to move the arrow down to the spreadsheet and select data there, you would be interacting with the spreadsheet application. Thus, the idea of a program as something the user has to understand and deal with has been replaced with objects that users view and directly manipulate by following a few simple rules.

One of the standard operations that can be performed on an object is the Properties command (photo 6), which lets you view or set some property of an object. Selecting this command for a paragraph (photo 7)

shows that you can set character properties, general paragraph properties, or properties controlling the printing of paragraphs. By selecting character properties (photo 8), you get a form that can be filled in to set such features as boldface or italics. Thus, the property mechanism offers a uniform way of handling various properties of different kinds of objects, helping to keep the number of operations in the system small.

Structure

Figure 2 shows the overall structure of the software that Gavilan has built

to implement this visual, objectoriented approach.

This software is written in Interpac, a proprietary language. Thus, the bottom level of the software, which provides the environment for the rest of the software, is the interpreter for the Interpac language.

The operating system is designed not only to handle specialized aspects of portable computing (e.g., power and battery control), but also to provide the fundamental services necessary to build an object-oriented software system. These include a multitasking monitor (to support multiple

Microsoft languages connect your software to more 16-bit systems.

The largest market for 16-bit software. Over 95% of all 16-bit microcomputers run Microsoft. operating systems, languages, or both. That means your programs written in Microsoft languages find their market in the largest installed base of 16-bit systems. The IBM® PC, and systems from Wang, Zenith, DEC, Victor, Altos, Texas Instruments and Radio Shack, to name just a few. And, if you're working with Microsoft operating systems and languages, you'll find that it's far easier to transport software between systems.

A full range of languages. The versatile MS-BASIC interpreter and the fast MS-BASIC compiler, Microsoft Business BASIC and MS-COBOL for business use. MS-FORTRAN for scientific and engineering applications. Microsoft C, a complete C, that provides a productive alternative to assembly language. And MS-Pascal, a high-level language compiler specifically designed for microprocessor system software implementation. All these languages are compatible with ANSI or ISO standards. first production microcomputer. Since then, we've added a full range of 8-bit and 16-bit languages, plus the MS_m-DOS and XENIX_m operating systems. What's more, we are constantly enhancing both languages and operating systems. And we make those enhancements available to our customers. That means Microsoft programming languages are state-of-the-art programming tools. Tools that allow your applications programs to reach more systems. More effectively.

More information? See your Microsoft dealer for complete information on Microsoft's 16-bit languages and operating systems. Or, write for our booklet,"The Microsoft Language Family." A family of tools that give your programs access to the largest installed base of 16-bit systems.



10700 NORTHUP WAY BELLEVUE, WASHINGTON 98004

A total programming environment. Compatible languages. Operating systems, Utilities. Plus complete support. All the tools you need MINITERINA to write software that sells. Microsoft is a registered trademark



Photo 6: Selection of the Properties command.




Photo 7: On-screen buttons allowing selection of character, paragraph, or pagination properties.




Photo 8: Selectable character properties.

documents to be open on the desktop at one time) and block-structured access to the disk and main memory.

Holding the objects that a user views and manipulates is the job of the data-structuring software. It provides object-oriented data structures that are built on the blocks of the operating system's disk and memory services.

The human-interface software handles all interaction with the end user and thus has primary responsibility for creating the visual access to the objects held by the data-structur-

ing software and the commands that work on them. The element managers shown next to the data-structuring software in figure 2 are the main kind of application facility in this object-oriented system.

The development of this software has all been done on Bell Laboratories' Unix operating system using a number of compiling and debugging tools.

Tools

Interpac, the language Gavilan's software is written in, is based on the FORTH language. The choice of FORTH was dictated by a number of considerations. First, it was important to have compact code, as the task before us was to generate a very sophisticated piece of software that must run in a limited amount of memory. At the same time, it was important to sustain a high level of execution performance so that adequate response to the end user could be provided.

FORTH is ideally suited to these conflicting goals, as its interpreted form can be made compact, and the

Now NRI takes you inside the new TRS-80 Model 4 microcomputer with disk drive to train you at home as the new breed of computer specialist!

NRI teams advanced you how t se vic state-of-the-art mic

It's no be just a prog nician. With microcomputers

moving into lives (over 1 TRS-80m alc sold), interd skills are der NRI can prer the first cour

complete worm or the microcomputer.

program

tech



With NRI training, the programmer gains practical knowledge of hardware, enabling him to design simpler, more effective programs. And, with advanced programming skills, the technician can test and debug systems



Now training includes either the TRS-80 Model 4 Microcomputer with Disk Drive or TRS-80 Color Computer with Computer Access Card; professional LCD multimeter; the NRI Discovery Lab; and hundreds of demonstrations and experiments.

(TRS-80 is a trademark of the Radio Shack division of Tandy Corp.)

Only NRI gives you both kinds of training with the convenience of learning at home. No classroom pressures, no night school, no gasoline wasted. You learn at your convenience, at your own pace. Yet you're always backed by the NRI staff and your instructor, answering questions and giving you guidance.

easily.

TRS-80 Model 4 Pl s Disk Drive To Learn On and Keep

NRI gives you hands-on training on the latest model in the most popular line of Radio Shack microcomputers: the TRS-80 Model 4.

You not only learn to program your Model 4, you learn all about it... how circuits interact...interface with other systems...gain a real insight into its nature. Under NRI's expert guidance, you even install a disk drive, verifying its operation at each step.

You also work with a professional 4-function digital multimeter and the NRI Discovery Lab,® performing over 60 separate experiments.

The powerful, versatile TRS-80 Model 4 microcomputer disk drive and other equipment you train with are yours to use and keep!

Training With Color Computer

NRI offers you the opportunity to train with the TRS-80 Color Computer as an alternative to the Model 4. The same technique for getting inside is enhanced by using the new NRIdeveloped Computer Access Card. Only NRI offers you a choice to fit your specific training needs.

The Catalog is Free. The Training is Priceless.

Get all the details on this exciting course in NRI's free, 104 page catalog. It shows all equipment, lesson outlines, and facts on other electronics courses such as Electronic Design, Industrial Electronics, Video/Audio Servicing... 12 different career opportunities in all. Keep up with the latest technology as you learn on the latest model of the world's most popular computer. If card has been used, write to:



NRI Schools

McGraw-Hill Continuing **Education Center** 3939 Wisconsin Avenue Washington, DC 20016

We'll give you tomorrow.




Figure 2: The structure of the Gavilan computer's software, showing the main software components and their relation to one another.

structure of the language gives the programmer sufficient control to generate efficient code. FORTH also accommodates the insertion of assembly-language routines in those cases where performance analysis indicates that assembly language will provide substantial improvements.

Another important quality that Interpac has inherited from FORTH is the way it encourages the structuring of software in layers of abstraction. Each layer of FORTH "words" ("procedures" in conventional terms) is built on the lower layer and provides a more sophisticated level of abstraction to the next layer. This structure is particularly natural in that all operations in FORTH access their arguments in the same way regardless of whether they are part of or built on top of the base language.

FORTH in its pure form has some drawbacks that needed to be corrected. The combined interactive interpreter and compiler of classic FORTH has been replaced by an Interpac compiler that runs under Unix. This Interpac compiler generates much tighter code than that of standard FORTH, using techniques such as single-byte encoding of Interpac words and constant values.

In addition, a number of changes to the language were made to promote good software-engineering practice. Declaration of Pascal-like data structures was introduced to allow intelligible data-structure descriptions. Declaration of parameters on FORTH words was added to pro-

vide better documentation and allow for automatic type checking. Stack marking and local variables were added to allow more complex words to be created in a straightforward manner. A module structure was introduced to express modular decomposition and the attendant hiding of data structures and implementation details.

Along with the Interpac language and its compiler, a number of other tools were created. A remote debugger allows us to download programs from the Unix system to a target Gavilan unit and do symbolic debugging from the Unix system with a minimal impact on the target environment. This debugger also forms the basis for a performance monitor that tells us how much time is spent in each Interpac word and a test-coverage monitor that tells us what code has not been exercised by a particular test.

A message-compression utility allows us to compress by a factor of four the English (or French or German, etc.) text files used in error messages, menus, and the help facility.

Third-party software developers have a similar set of tools available to them. The difference is that they run under MS/DOS on the Gavilan unit or the IBM PC or XT and use the C programming language rather than Interpac.

System Software

The operating system manages and

controls the basic resources of the system, including not only device drivers for the computer's I/O devices, but also control of power to the peripherals and processor.

Because peripherals can be added on to the unit and applications capsules plugged into the unit, the operating system provides services for locating a particular device or application. These services include a logical I/O system that routes commands from the rest of the software and interrupts from the hardware to the appropriate device driver. (Device drivers are typically contained in the peripheral that they control, and the operating system provides a general way of accessing them.)

Two functions of the operating system contribute significantly to the particular goals of the rest of the portable computer's software. The first of these is the management of the microprocessor tasks by way of multiple tasks synchronized through semaphores. This approach allows multiple activities to proceed simultaneously in the system and provides the basis for having multiple documents open on the on-screen desktop-just as you might have on a real desk. It also provides an elegant mechanism for power control: whenever the process dispatcher cannot find any tasks that are ready to run, it saves the processor's state and turns the power off (power is automatically restored by the next interrupt).

The second way in which the operating system supports the user's view of the portable computer is through the block manager, which manages secondary storage to devices such as floppy disks. The block manager provides a uniform view of blocks, whether they are on the floppy disk or in main memory. It manages the whole process of deciding which blocks should be in memory and which should be returned to secondary storage. It also provides a transaction facility that is the basis of the system's Undo command.

Data-Structuring Software

The data-structuring software (whose structure is shown in figure




Figure 3: Details of the data-structuring software, which provides storage for and access to documents.

3) provides storage for and access to documents. It is built upon the block manager, which provides raw data storage and creates the structures that hold the state of objects. Three principal kinds of objects are supported at this level: documents, elements, and cell stores.

A document can exist on its own on a disk (or in a file drawer, as it is called) and roughly corresponds to what is called a document in the real world: a memo, a paper, a report, etc. A document is made up of a sequence of elements, each of which has a type and corresponds to something like a paragraph, section head, spreadsheet table, form, etc. A document may also contain a number of cell stores.

All documents have the same structure. There can be different types of documents, but these are distinguished principally by the kinds of elements contained in them. For instance, the file drawer, which provides the directory of the contents of a disk, is a special kind of document that can contain only file-folder and document-reference elements.


The second kind of object, an element, has two parts: the storage that

holds its state, and a program called an element manager. The state of an object is held in a record-like structure provided by the lowest level of the data-structuring software: the entity manager. One important piece of information kept by the entity manager is the type of the element.

Each type of element (e.g., paragraph, table, etc.) has associated with it an element manager. This element manager implements a standard set of operations that can be performed on an element, such as displaying the element, handling a selection in the element, typing into the element, copying information out of the element, etc. These operations are invoked by the human interface in response to user actions. The element manager performs those parts of the uniform set of user operations that are peculiar to a particular element.

The element-manager interface maps the calls invoking a common operation for an element to the element manager associated with it using the element-type code stored by the entity manager for the element.

The third kind of object supported by the data-structuring software, the



Our new Optimizing = C86[™] C Compiler controls Charlie...

Like a Puppet on a String!

Take control of Charlie with our new Optimizing = C86 ™ C Compiler...now available for the IBM PC-DOS and the MS-DOS operating systems. Take the upper hand with:

- Significantly faster and tighter code
- Standard object module format, linkable with the MS-DOS linker
- Compile time switch for big machine addressing (Programs can be as large as the memory you can afford!)
- Compile time switch to produce in-line 8087 code. (We still provide our floating point package, too!)
- Significant performance increases for our I/O library
- MS-DOS version 2.00 I/O library
- Many additional library functions
- Expanded manual with numerous examples
- Librarian for maintenance of MS/DOS libraries
- Optional assembly source output (It's not NECESSARY to produce assembly source, but it CAN be assembled using MASM!)

Pull Charlie's strings with our new Optimizing = C86™ C Compiler. See your local dealer or call Computer Innovations for information and to order the C86 Compiler Diskette and Manual...still only \$395.00!



Computer Innovations 10 Mechanic Street Suite J-504 Red Bank, N.J. 07701 (201) 530-0995

"They Say It All... We Do It All!"

Visa and MasterCard accepted.

C86 is a trademark of Computer Innovations, Inc. CPM-86 and MPM-86 are trademarks of Digital Research. MS-DOS is a trademark of Microsoft. PC-DOS is a trademark of International Business Machines.

cell store, holds values that can be displayed by elements and maintains some method of computing those values. Thus, a spreadsheet-table element displays the values of cells in a cell store. The cell store holds the formulas used to calculate the cell's values. Cell values can also come from such sources as a database query or an arbitrary application program, and they can be displayed by any type of element, such as a form or a paragraph. Thus, a paragraph could talk about the results of a spreadsheet, directly displaying cell values from that spreadsheet, or display the results of a query in an address database, thus handling such applications as mail-merging.

Human-Interface Software


The human interface handles all interaction with the user and is responsible for displaying objects and effecting those manipulations on objects that the user requests. The structure of the human-interface software can be viewed in two ways.

The first (figure 4) shows the tasks that run the human-interface software. The highest-priority task is that associated with the desktop view, and this task controls which human interface task has access to the input devices and display. Each of the open documents or file drawers in the system has a task associated with it. When such a task has access to the input devices and display, the user can view and manipulate the associated document and its elements. At any time, the user may press the Desk Top button, activating the desktop task, which takes over the input device and display and which may, at the user's request, cause another task to get the input device and display.

Figure 5 shows the other way of viewing the human-interface software: by its program structure. Each human-interface task executes the program shown in this figure. At the lowest level are the input and display routines that give access to these devices and cause a human-interface task to block if it is not allowed to access the devices when it tries.

Above this are various utility rou-

Why buy a VISUAL 102 instead of a DEC VT102?



Plus...graphics now or graphics later.

The new VISUAL 102 gives full DEC VT102* performance and more features at a much lower price. Plus, when you need it, a Graphics Option card turns the VISUAL 102 into a 768 x 293 resolution graphics terminal emulating the Tektronix 4010/4014. Just insert the card and immediately you have high resolution graphics compatible with a variety of available software packages.

VISUAL 102. The low cost, DEC VT102 compatible terminal that lets you graph now or graph later.

The UL listed VISUAL 102 exceeds FCC Class A requirements and U.S. Government standards for X-ray emissions.

See for yourself

Visual Technology Incorporated 540 Main Street, Tewksbury, MA 01876 Telephone (617) 851-5000. Telex 951-539




Figure 4: The structure of the tasks that run the human interface.




Figure 5: The components and structure of the human-interface software.

tines for displaying menus of operations and property forms. Also here is the Help module, which is called on to provide help whenever the user presses the Help button. This module gathers information from its environment and answers any of a set of questions that the user can select, such as "where am I?" "what just happened?" or "what can I do next?"

Next is the document-display module, which has primary responsibility for causing a document and its elements to be displayed. It figures out which elements in a document are to be displayed on what parts of the screen and calls the appropriate entry points in the element managers to cause the elements to be displayed there. This module also remembers what parts of what elements have been selected and handles all movement of the viewing window on a document.

The top part of the human-interface code is the main interpreter, which actually reads the user's actions on the touch pad and keyboard and performs the appropriate action. Note that according to this organization, the central human-interface software is always in control and that the application element managers are only invoked when the human-interface software deems it appropriate. This not only means that common code is concentrated in the human-

interface software, it also ensures a uniformity of response, as the user is always dealing with the human interface.

Application Software


There are basically three ways in which an application can fit into the Gavilan portable computer's software system. The first is as an element manager, and most of Gavilan's applications use this mechanism to interact with the user. Often such applications also involve a cell store.

The second way is as a more conventional application program. In this case the application code is associated with a human-interface task, but it replaces the main interpreter and the document-display module. Although it must still follow the human-interface conventions as to when it has access to the keyboard and display, it has a great deal more freedom about how it interacts with the user. Gavilan's communication and terminal-emulation application is one that follows this style.

The third application style is to interact with the user through a form. In this case the application is associated with a human-interface task that displays a document with form elements in it. The user interacts with the form element manager through the main interpreter of the human interface, viewing and filling out the form. At various times, the user can activate buttons on the form, invoking the applications program. Through a cell store associated with the form, the application can read values from the blanks in the form and write values to other blanks in the form. Thus, a life-insurance application could use a form to gather data about a potential client and then use another form to display net worth and other financial results for the client.

In all cases, the application code can access conventional files held by the data-structuring software, retrieving, updating, and displaying data from these files.

John Banning is vice-president of software engineering for Gavilan Computer Corporation (240 Hacienda Ave., Campbell, CA 95008).





FOR \$1995 FEATURES INCLUDE:

16 Bit CPU With 128K RAM Memory Expandable to 256K, Two 320KB Slimline Disk Drives, Floppy Disk Controller, Monochrome Monitor and Adapter, Parallel and Serial I/O's.

BEST OF ALL! TEN DAYS FREE TRIAL! ALL YOU PAY IS SHIPPING! Suggested List \$2395

CALL OR WRITE FOR MORE DETAILS OR SEND \$1995 + TO: TAVA CORPORATION 16861 Armstrong, Irvine, California 92714 714/261-0200 Headquarters/Telex: 181667 Answer Back COMPDSHACK IRIN



©TAVA CORPORATION 1983 †California residents add 6% sales tax. †Offer ends February 29, 1984 † †Allow two to six weeks delivery. LOTUS 1-2-3 is a registered trademark of Lotus Development

IBM® COMPATIBILITY

FOR \$1995 A Special Introductory Offer ††

THE SMART COMPUTER USER WANTS REAL VALUE WITH IBM COMPATIBILITY!

Circle 348 on inquiry card.

THE TAVA PC. The ultimate Personal Computer. It gives you IBM PC® Compatibility at a fraction of the cost. Choosing a personal computer is a difficult decision. But, when your decision is a TAVA PC, it's not hard at all! The TAVA PC runs under DOS 1.1, 2.0, CP/M86®, and p-System®. You can choose from a large library of all the most popular IBM PC software products such as dBaseII[®], Lotus 1-2-3[®], Visicalc[®] and thousands more.

CP/MB6 is a registered trademark of Digital Research. Inc. UCSDp is a registered trademark of Softech Microsystems dBASE II is a registered trademark of ASHTON-TATE, Inc.

IBM PC is a registered trademark of IBM Corp. Visicale is a registered trademark of Visicorp

How HP business graphics

Enhance your reputation for being more professional, persuasive, credible and effective than your competition with the new HP 7475A Business Professional's Plotter.

Make a first impression that lasts

The vital importance of graphics to today's business professional cannot be overstated. In survey after survey, statistics prove graphics can help you spot trends and relationships quickly, analyze data accurately, and communicate your ideas with more clarity and power than in any other way. Even more important, graphics can actually increase personal and company productivity. And create a first impression of quality and professionalism that lasts and lasts.

Graphics: the end to meetings that go nowhere

In a fascinating research project conducted by The University of Pennsylvania, 123 MBA candidates were involved in a study designed to test the effectiveness of business graphics in meeting situations. The results were startling. In the group where visual aids were used:

- Meetings were shorter: The study showed a 28% reduction in meeting length when transparencies were used.
- Group consensus was faster: Agreement was reached by 79% of the group using transparencies, compared with only 8% among the control group using no visual aids.
- The decision process was accelerated: 64% of study participants said they made their business decisions *immediately after the visual presentation*. When overheads were not used, the control group said they delayed decision-making until *some time after the group*

discussion following the presentation.

Presenters with visual aids were perceived as being more professional, persuasive, credible and effective than those not using visual aids.

Now, with the new HP 7475A Business Professional's Plotter, your meetings can have immediate and productive results like these

How the quality look of HP graphics can help

The way you present your information can be equally as important as the actual information you're presenting. And that's where the new HP 7475A Business Professional's Plotter lets your professionalism shine through.

Standards unsurpassed in the plotter business

The technical standards of the HP 7475A have no equal for producing quality graphics. With a resolution of one-thousandth-of-aninch, curved lines are smooth, not jagged, and straight lines are consistently straight. Its exceptional repeatability (the ability of a pen to return precisely to a given point) assures that intersecting lines and circular shapes will meet exactly. The result is high-quality charts and graphs you'll be proud to present.

Why 6 pens when experts say 4 will do?

Graphics industry experts maintain that good graphics contain four colors per chart. But Hewlett-Packard goes the experts two better by providing a six-pen carousel, so you can store and usepens of different widths-thick pens for bold headings and thin pens for details. And with six pens, you won't have to waste valuable time changing them. That's important when "the boss wants to see your presentation in twenty minutes!" With the HP 7475A, you also

With the HP 7475A, you also get automatic pen capping to prevent pens from drying out between uses, and special "pen damping" (gently lowering the pen to the paper or transparency) to increase pen life and ens

transparency) to increase pen life and ensure better line quality... use after use after use. You also get a rainbow of 10 colors to choose from, in two line widths.

Your choice: 2 paper sizes and today's most popular graphics software packages

While most professional business applications will be satisfied with standard $8\frac{1}{2} \times 11^{n}$ paper or transparencies, the HP 7475A adds the

can be the key to your success.



and personal computers.

Naturally, speaking of software compatibility leads us to hardware compatibility....

Compatible with almost any personal computer in the marketplace today

With two interfaces available, the HP 7475A quickly "makes friends" with most models of today's most popular personal computers, including IBM,[®] Apple,[™] Compaq,[™] Osborne[®] and Commodore[™] –as well as a host of HP computers.

The cost? Surprisingly affordable

The new HP7475A Business Professional's Plotter is an amazingly affordable \$1895. When you consider that a typical fee for a single five-color transparency from a graphics service is \$50—and that the same transparency can be prepared for about \$1 in materials on the HP 7475A—the return on your investment is almost immediate.

Another choice: HP's low-cost, high performance Personal Computer Plotter

For the "business on a budget," you may also want a look at our 2-pen Personal Computer Plotter, the 7470A. Its low cost (only \$1095) is as remarkable as the quality of its plots. With many of the same features as the new HP 7475A, the HP 7470A plots on a single paper size ($8\frac{1}{2} \times 11^{n}$). It stores and caps two pens,

For the name of your nearest Hewlett-Packard dealer call toll-free 800-547-3400.




1101303

YES! I'm ready to gain a reputation for being more professional, persuasive, credible and effective than my competition. Please send me your FREE "Better Presentations Package," so I can learn more about the new HP 7475A Business Professional's Plotter and the HP 7470A Personal Computer Plotter. I understand I will receive this valuable package without cost or obligation.

details, mail the coupon below today. We'll also enclose a list

of software packages you can use with the HP 7475A or HP 7470A.

sional's Plotter and the I understand I will rece or obligation.	HP 7470A Personal Computer Plotter. eive this valuable package without cost
Mama	Title
Company	
Address	
City/State & Zip	
Phone Number (
My computer is	
	ard nardo Drive, San Diego, CA 92127 ng Communications 11202 BT



Prices subject to change without notice.

Reviewer's Notebook

by Rich Malloy

The Chameleon Plus

Last month I mentioned that Seequa Computer Corporation of Annapolis, Maryland, was going to send us a revised version of its low-priced Chameleon. The first unit the company sent us had some difficulty with its serial port and its parallel printer port. In addition, its documentation was somewhat lacking.

This month, I am pleased to report that Seequa has delivered on its promise. We recently received a Chameleon Plus that seems to be in almost perfect working order. The parallel printer port works without a flaw, as does the serial port. And the documentation for the MS-DOS operating system seems as complete as that for any other computer. There are still a few very minor rough edges (we still haven't received MBASIC or the CP/M-80 operating system yet), but this machine looks pretty good.

Note, however, that the Chameleon Plus is not the \$1995 system I mentioned last month. The \$1995 system has only single-sided disk drives (160K bytes each) and 128K bytes of memory. In contrast, the Chameleon Plus has the more useful doublesided drives (320K bytes each) and 256K bytes of memory. It also costs more-\$900 more, to be exact, for a total of \$2895. That puts it in the same league with other portable IBM clones from Corona and Columbia and even the slightly higher-priced Compaq. The ace up Seequa's sleeve, however, is its CP/M-80 compatibility, and the real value of the Chameleon will depend on how well the company supports that capability. Look for a detailed review of this machine soon.

On the Printer Scene

As anyone who has been watching

the printer market has probably observed, a number of trends appear to be developing. For example, several good quality daisy-wheel printers have been introduced at fairly reasonable prices, and some are even sprouting keyboards. Not to be outdone, more and more electronic typewriters are coming out with computer interfaces. Meanwhile, dotmatrix printers with increasingly high resolution are appearing. A few of these machines have come our way recently.

Comrex, which is part of the Epson family, has been selling daisy-wheel printers for some time, seemingly in competition with the tremendously successful dot-matrix printers made by its parent company. Comrex's latest offer, called the CR-II Comriter, is a variation of the Brother HR-15 printer, and at \$599 for a parallel version (\$649 for serial), it's a good buy.

The CR-II prints at about 13 characters per second (cps), which seems common for low-cost daisy wheels. It can print at a pitch of either 10, 12, or 15 characters per inch or do proportional spacing, but the proportional spacing requires a special daisy wheel. I've been using the CR-II with letterhead paper and it's been giving me some very nice-looking documents. My only real complaint is that its page-feed mechanism is a bit awkward.

In the dot-matrix category, Mannesmann Tally of Kent, Washington, a division of the giant Mannesmann conglomerate in West Germany, has been quietly producing high-quality printers for some time now. Lately, it has begun producing printers at more reasonable prices.

The latest printer from Mannesmann Tally is called the Spirit-80. About the same size as the Epson MX-80 and priced at \$399, the Spirit-80 seems to be a good product for the home market.

The Spirit has one of the best character fonts I've seen on a low-cost dotmatrix printer, thanks to a Mylar ribbon and the use of square print hammers. All of the dots actually connect with each other. It prints at 80 cps. And the choice of pitch is similar to that of the early Epson MX-80: 9, 10, and 17.8 characters per inch.

The TI 855 printer from Texas Instruments is the latest in a line of TI printers. This new dot-matrix printer offers incredibly high resolution at a fairly reasonable price (\$935 for friction feed, \$995 for tractor feed). In letter-quality mode, each character is composed of an 18- by 32-pixel grid. These characters are almost indistinguishable from typewritten ones. As for speed, the TI 855 prints at 35 cps in letter-quality mode and 150 cps in draft mode.

Perhaps the most interesting feature of the TI 855 is that the character-font generator routines are stored in removable cartridges. These cartridges can be interchanged just like daisy wheels, and three cartridges can be connected at one time. You can switch from regular Courier type to italic type and even to Orator type at the push of a button.

One of the nice little things about the TI 855 is that you don't have to turn the printer off line before you press the page-feed button, which spares you a lot of button pressing.

The TI 855 seems to be a solidly built printer. We've been using it to print out our voluminous manuscripts, and it's been working very well. I only wish we had some graphics software that could take advantage of its high resolution. Maybe next month.■

Rich Malloy is BYTE's product-review editor.

Hardware Review

The Zenith Z-100

This system offers the best of the 8-bit and 16-bit worlds

by Ken Skier

After haunting computer stores and attending computer shows for more than a year, I despaired of ever finding a system that would meet my requirements. What were my requirements? I just wanted the best of both worlds. I needed an 8-bit CP/M system to run the editor and cross-assembler I use in software development, yet I didn't want to lock myself into an 8-bit environment. With all the new software coming out for the IBM PC and its work-alikes, I wanted to be able to run those applications as well. And although I had no immediate need for graphics software, I wanted a system that would support graphics displays because . . . well, just because they're so pretty.

And graphics were what first drew my attention to the Zenith Z-100. I was trudging down yet another aisle at last fall's Northeast Computer Show, hoping that this one might be the last, when an absolutely stunning display of color graphics stopped me in my tracks. "What's this?" I asked the man. "This" was the new computer from Zenith Data Systems, the Z-100. It had just the kind of split personality I was looking for: an 8-bit side consisting of an 8085 running CP/M and a 16-bit side consisting of an 8088 supporting MS-DOS (known as Z-DOS when it runs on the Z-100). Here was one system that seemed to offer me the best of both worlds. And to put the icing on the cake, its color graphics clearly outclassed the IBM PC's.

So I bought it. And I've used it far more than 40 hours a week for the last eight months. After that kind of road test, I can report that I am still impressed by the machine. Let's see why.

Physical Aspects

The Z-100 comes in two basic configurations: the Low-Profile unit and the All-in-One. The All-in-One (photo 1) features a built-in monochrome CRT (cathode-ray tube). The Low-Profile unit lacks a display, but it's only 7 inches high and designed to serve as a base for an external monitor. Both units provide signals for an external RGB (red, green, blue) or monochrome video monitor.

Both units are 191/2 inches on a side. The All-in-One is 13½ inches high; the Low-Profile unit, true to its name, stands only 7½ inches tall. Each has room internally for two 54-inch floppy-disk drives or for one floppy-disk and one Winchester drive, and each can support one or two external 8-inch drives as well.

Z-100 is enclosed in a "durable earthtone-color cabinet" that has proved quite resistant to smudges and fingermarks. The optional 8-inch floppy-disk system comes in a cabinet of the same color. It would look at home in any business or professional setting.

The Display

The Z-100's text display (photos 2 and 3) consists of 25 rows of 80 characters, each formed from a 5 by 9 dot matrix. The characters are crisp and clean, and the letters g, j, q, and y have true descenders.

Under ZBASIC, text can be displayed in any of eight colors, and all selected colors may be visible on the screen at the same time. By exchanging the foreground and background colors, you can display text in reverse video. Furthermore, ZBASIC gives you control of each pixel on the screen, so you can underline any text or move words and numbers up and down to create superscripted and subscripted text. These display attributes, however, are up to the programmer; they are not built into the operating system.

The Z-100's graphics capability (photo 4) is impressive: 225 rows of 640 pixels. If color memory has been installed, you can assign any of eight colors to any pixel. (An RGB monitor is necessary to do justice to the Z-100's color graphics capability; with a monochrome monitor, you will see only eight levels of gray.) Text and graphics can be displayed on the screen at the same time.

The display is bit-mapped as three planes of color: one 64K-byte plane each for red, green, and blue. Although ZBASIC includes powerful graphics commands and statements, the assembly-language programmer may choose to access the screen directly by reading and



Photo 1: The Zenith Z-100. This version features a monochrome monitor in All-in-One style. In another configuration, the Low-Profile style, the monitor is in a separate enclosure and the disk drives are arranged horizontally above the keyboard. An RGB color monitor is available for both styles. Note that the keyboard has an IBM Selectric-style key layout, with a numeric keypad on the right and a row of function keys along the top.

writing the appropriate bytes in memory.

The Keyboard

The keyboard is one of the great strengths of the Z-100. It consists of a standard typewriter keyboard bordered on both sides by such frequently used keys as Control, Help, and Delete, and topped by a row of 13 programmable function keys. To the right is a keypad of numeric and cursor keys. There are 95 keys in all.

The keyboard has the feel of a Selectric typewriter or dedicated word processor. The keys are nicely sculpted, travel about an eighth of an inch, and bottom out positively. They are also extremely reliable. I am not a gentle typist. (In my last job, I had to have my dedicated word-processing keyboard replaced every few months.) Yet the Z-100 has stood up now under eight months of my hammer-handed typing and never missed a key.

The typewriter keyboard itself has an absolutely conventional, Selectric-style layout. The Shift keys are where you would expect them to be, as are the Tab and Return keys. The Tab key is properly oversized, and the Return key is oversized and shaped like a backward "I"—a great big target that you can't miss, no matter how fast or wildly you type.

The 13 programmable function keys in the top row can be assigned any function quite readily in ZBASIC (a version of Microsoft BASIC almost identical to IBM's BASICA). A special Help key can be used by programmers to make their programs self-documenting, but not all applications programs take advantage of this key. Those that do, of course, are much easier to use than those that don't. Someday . . . ah, someday every computer will have a Help key, and every program will take advantage of it.

All keys repeat automatically if held down. The nor-

mal repeat rate is 11 characters per second, but by holding down the Fast Repeat key, you can make any key repeat at 28 characters per second. I find this feature tremendously convenient, especially when I want to space halfway across the screen or enter a row of asterisks into a program.

Like many dedicated word processors, the Z-100 clicks to acknowledge each keystroke. I like getting this confirmation, but if you find it distracting, you can type an escape sequence (described in the Z-100's excellent documentation) to suppress the key-click.

Part of the numeric keypad is a dedicated cursor pad. Its layout is usable but less than ideal. If the cursor keys were laid out in a diamond pattern, they would be easier to use. They would also take up more space, but I would willingly sacrifice the numeric pad for a diamond-shaped cursor pad. Or Zenith could make the Z-100 a little wider, to make space for a diamond-shaped cursor pad and a numeric pad.

Disk Drives

As I mentioned before, the Z-100 has room internally for two 5¼-inch floppy-disk drives or for one 5¼-inch and one Winchester drive; it can also support one or two external 8-inch drives.

The 54-inch floppy-disk drives hold 320K bytes of data (formatted) and are compatible with the IBM PC's drives. Thus, you can create a file on a Z-100 (running Z-DOS) and save it on a floppy disk, then carry that disk over to an IBM PC (running PC-DOS) and access that file. (However, although Z-100 disks are compatible with IBM PC disks, that doesn't mean that you can save a program on one machine and run it on the other. More on that

My main concern in dealing with any disk drive is its

The Display'

The 2-100's text display consists of 25 rous of 80 characters, each formed from a 5 x 9 dot matrix. The characters are crisp and clean, and the letters s_1, j_1, q_1 and y have true descenders.

Under ZBASIC, test can be displayed in any of 8 colors, and all selected colors may be visible on the screen at the same time. By exchanging the foreground and background colors, you may display test in reverse video. Furthernore, ZBASIC gives you control of each pixel on the screen, so you can underline any test, or move vords and numbers up and down to create superscripted and subscripted text. These display attributes, however, are up to the programmer; they are not built into the operating system.

The Z-180's graphics capability is impressive: 225 rows of 640 pixels. If color memory has been installed, you can assign any of eight colors to any pixel. (An RBB manitor is necessary to do justice to the Z-100's color graphics capability; with a monochrome monitor, you will see only eight levels of grey.) Text and graphics may be displayed on the screen at the same time.

The display is bit-mapped as three planes of color: one 64K plane each for red, green, and blue. Although ZBRSIC includes powerful graphics commands and statements, the assembly-language programmer may choose to access the screen

Photo 2: An example of text on the Z-100's monochrome display.

reliability. The 54-inch floppy-disk drives on the Z-100 have proved themselves reliable beyond my wildest expectations. In the first six months of very heavy use, the drives performed flawlessly. (I even had disks survive power outages-with no loss of data!) However, I did encounter some disk errors when I persisted in using the Z-100 during periods of extremely hot, muggy weather. (Installing an air conditioner and cleaning the heads solved that problem.)

Unfortunately, 8-bit CP/M software is hard to come by in the Z-100 54-inch format. I've resorted to buying it on 8-inch disks and having my dealer transfer files from

be displayed in any of 8 co

Photo 3: A close-up of text on the Z-100's monochrome display.

the 8-inch disk to a Z-100 floppy disk. Or, if you have access to a Kaypro, you can use it to transfer files from many common 54-inch formats to the Z-100 format. (Of course, if the Kaypro can do it, why can't the Z-100? If the Z-100 could read assorted 54-inch formats, I'd have a much easier time acquiring software. How about it, Zenith?)

The optional 8-inch disk system includes one drive (\$1599) or two drives (\$2299) and stores 1.25 megabytes on each disk. The advantages of this system includeobviously-much more data storage on line as well as faster disk access and the ability to buy software in the

At a Glance

Name

Zenith Z-100

Manufacturer

Zenith Data Systems Inc. 1000 Milwaukee Ave. Glenview, IL 60025

Components

Size: 19.5 by 19 by 7.5 inches Processors: 8085, 8-bit, 5 MHz; 8088, 16-bit, 5 MHz Memory: 128K bytes system memory (expandable to 768K), plus three 64K-byte planes of screen memory; all parity-checked

Display

Text: 25 rows of 80 characters, 5 by 9 dot matrix ("soft" character set, dynamically redefinable) Graphics: 225 rows by 640 dots; 8 colors

Output: RGB and monochrome video

Keyboard

95 keys, including 13 user-programmable function keys and an 18-key numeric and cursor pad Repeat rate: If characters/second; with Fast Repeat key: 28 characters/second

Mass Storage

Two internal 51/4-inch floppy-disk drives, double-sided, 320K, IBM PC-compatible; controller supports two external 8-inch drives as well; optional 11-megabyte Winchester may replace one of the internal drives

1/0

Two EIA RS-232C serial interface ports, software-configurable for 110 to 38,400 bps; one 8-bit Centronics-compatible parallel port (output only)

Expansion

Bus provides five IEEE-696 (S-100) slots; disk controller occupies

Software

None included; CP/M-85 and Z-DOS (MS-DOS) are available, as are 8-bit MBASIC, 16-bit ZBASIC, 1-2-3, Microplan, Wordstar, Peachtext 5000, and other programs

Options

The Z-100 is available with 0, 1, or 2 built-in 5¼-inch drives; with or without a built-in monochrome monitor; assembled and tested (as the Z-100) or in kit form (as the Heathkit H-100). Software package of Z-DOS, CP/M-85, ZBASIC, and MBASIC available for \$300

Documentation

278-page User's Manual. Two ring-bound manuals accompany each of the following software products: Z-DOS, ZBASIC, CP/M-85, MBASIC, and Multiplan

Price

Prices range from \$2199 for the HS-100-31 (kit with one drive, 192K RAM, monochrome graphics) to \$3499 for the ZF-110-22 (assembled unit with two drives, 128K RAM, color graphics) to \$5599 for the ZW-120-32 (assembled unit with one floppy-disk drive and one Winchester, 192K RAM, monochrome graphics, built-in nonglare green CRT)



For users of Apple, IBM, TRS/80, Atari, Commodore, Texas Instruments, and other brand name computers:

Here's the easiest way to buy quality diskettes at discount prices

Now you can get error-free double density diskettes by IBM, Control Data, Maxell and Verbatim delivered to your door. For some of the lowest prices around.

You save because we ship huge volumes of magnetic media in boxes of 10.

To order, use this form. For even faster service, call toll-free.

1-(800)-FLOPPYS or

1-(800)-521-5700 Michigan • 1-800-482-4770 Canada • 1-800-265-4824

Alaska/Hawaii • 1-800-821-9029

ALL MAJOR CREDIT CARDS ACCEPTED Shipping & handling F.O.B. Southfield Transaction Storage Systems Inc., Southfield, MI

EXPECT A MIRACLE

Circle 361 on inquiry card.

	Size	IBM	Qty.	Verbatim _®	Qty.	Control Data	Qty.	maxell	Qty.
	5-1/4" SS 5-1/4" DS			23.90 34.90		19.90 29.90		28.90 41.90	
i	8" SS	24.90		- -		28.00		41.90	T I
	8" DS	39.90		_		29.90			
	Sub Totals	\$	_	\$	_	\$	_	\$	_

Name . Company Address

City ■ AMEX ☐ MASTERCARD U VISA

Card # . Shipping and handling 1-6 boxes add \$4.00 per order

Clip and mail today to: Transaction Storage Systems, Inc., 22255 Greenfield Road, Southfield, MI 48075




Photo 4: An example of graphics on the Z-100's monochrome display.




Photo 5: Inside the Z-100. The S-100 bus sits behind the disk drives and disk-drive controller (upper left) and the display (upper right). Access to this bus is very simple. The top cover of the machine can be easily removed, without unfastening any screws.

8-inch format.

The optional Winchester drive (about \$2400) provides 11 megabytes on line, which may be transferred to or from the Z-100 at 5 megabytes per second—an order of magnitude faster than the 51/4-inch floppy-disk drives can manage. That's invaluable if you have a large amount of data, or many programs, on line. Still, you must back up that hard disk eventually, and doing so onto 51/4-inch floppy disks will take some time, since you might need 30 or more disks to complete the operation. Nevertheless, one can hardly fault Zenith for offering a hard disk with so much capacity.

Microprocessors

The Z-100 is a dual-processor system. Its 8-bit 8085 lets it run CP/M-85 applications, and its 16-bit 8088 lets it run MS-DOS. Both processors run at 5 MHz.

Note that, although both processors are present, you cannot use them simultaneously, and I am not aware of any applications that transfer control from one processor to another. Thus, in any given work session, the Z-100 is either an 8-bit system or a 16-bit system.

How do you tell the Z-100 which processor to use? Just turn it on and insert the appropriate system disk. If you insert a CP/M-85 disk, the Z-100 will configure itself as an 8-bit, CP/M system. Or cold-start it with a Z-DOS disk, and the Z-100 will configure itself as a 16-bit, MS-DOS system.

Memory

The Z-100 is available with as little as 128K bytes of RAM or as much as 768K, all parity-checked. The main circuit board can accommodate 192K bytes of RAM; additional memory requires memory cards, which plug into the S-100 bus (photo 5).

(With all this RAM on hand, you might want to use some of it as a RAM disk—or, in the 8-bit environment, you might want to access memory beyond 64K through the use of bank-switching. If so, you'll have to look to third-party software developers, since the software supplied by Zenith provides neither RAM-disk capability nor bank-switching.)

In addition to the system RAM just described, the Z-100 contains 64K to 192K bytes of video RAM. Monochrome graphics needs only 64K, whereas color graphics requires 192K: three planes of 64K each, to provide information for the red, green, and blue signals. A Z-100 with only monochrome graphics can be upgraded to color by the addition of 128K bytes of RAM (a \$290 option).

Interfaces

The Z-100 comes with two serial ports, a parallel printer port, a light-pen interface, and outputs to drive RGB and composite video monitors. Sockets for all of these interfaces are on the back of the Z-100 (photo 6), making it easy to have a very neat installation, with all cables out of sight.

The serial ports conform to the EIA (Electronic Industries Association) RS-232C standard. One is wired as DTE (data terminal equipment) and the other as DCE (data communications equipment). Thus, one or the other should be suitable for cabling to almost any RS-232C device.

By running a program called Configur, you may set each serial port to any desired data rate, from 110 to 38,400 bits per second. Configur also lets you designate odd, even, or no parity; handshaking protocol, if any; and handshaking pin, if any. Configur is totally menudriven and extremely easy to use—it even draws a picture on the screen, showing the back of the Z-100, with

MOST ACCOUNTING SOFTWARE TURNS WORK STATIONS INTO BATTLE STATIONS.

When you have Champion Accounting Software, your personnel can leave the combat zone. Because Champion* gives you the performance you need, without a fight.

Champion is written in dBASE II** on one convenient disk. And its features make conventional accounting software obsolete.

PERFORMANCE YOU CAN SEE.

Other software dealers will tell you what they think their product will do. Only Champion dealers will show you how the software performs:

 Help lunction provides users with clear, concise, on-line answers to questions about Champion. Unparalleled recovery program automatically puts the user's books back in balance in the event of a crash.

Real time updating. All files are simultaneously updated when data is entered.

PRAISED BY EXPERTS.

"It performs extremely well...If you are looking for a good, competitively priced, fully integrated accounting package... take a close look at this one."

Amanda Hixson INFOWORLD, 9/83

"...users will find this to be a very comprehensive software package with several attractive features that make it superior to its competition."

Carl Heinz, CPA INTERFACE AGE, 8/83 For more about Champion performance, see the Champion dealer nearest you. And get the accounting software system that lets you work in peace.

*Champion is a registered trademark of Champion Software Corporation.
• dBASE II is a registered trademark of Ashton-Tate.

Champion Software Corporation Formerly: Data Base Research Corporation 66 South Van Gordon, Suite 155 Lakewood, CO 80228, (303) 987-2588

CHAMPION BUSINESS ACCOUNTING SOFTWARE

Dealer Inquiries, Circle 497 All others, Circle 498



Users Leve PRINTEK Performance

They love the way PRINTEK printers go about doing everything that needs printing. From data processing, to graphics, to executive letter quality correspondence. Day after day. With all the features needed to make your printer performance as good as your computer's.

Three models to choose from. One for every requirement, every budget—Models 910, 920, 930.

Dual speeds—up to 80 cps for correspondence and 340 cps for data processing and drafts.

Bidirectional/Logic Seeking.

Multiple character sizes—to fit every need.
With true descenders for easier reading and
proportional spacing for better appearance.
Resident and downloadable fonts.

Multilingual—to serve computers around the world. With 96 ASCII characters and up to 8 standard languages.

Dual density graphics—144x144 dots per inch for detail, 72x72 for speed—in raster format with true data compression. Dot addressable.

Versatile paper handling—up to 6 copies on 2½"-16" paper. For everything from labels to really big spread sheets (227 cols.)

User lover—quiet (less than 60 dBA), easy-change cartridge ribbon, front panel controls and status indicators, self-diagnostics, easy interfacing, and ready-anywhere multi-voltage power supply.

You, too, can become a PRINTEK lover. Call for the name of your nearest sales representative.

Printek, Inc., Benton Harbor, MI 49022 616/925-3200 TWX 810-270-3112

1-800-368-4636








Photo 6: Part of the back panel of the Z-100. Along the bottom are two serial connectors (both male and female), a parallel printer port, and a light-pen connector. On the upper right is a brightness control for the internal display, just above a connector for an RGB monitor. Note the wealth of cut-outs for optional connectors.

an arrow pointing out the DB-25 connector for the port you've selected. The only way it could be more user-friendly is if it had hands coming out of the screen to plug in your cable for you.

I have connected my Z-100 to a variety of computers, printers, and other RS-232C devices, both for input and for output, and have always found the interfacing to be quick and easy. Would that RS-232C communications could always be established so readily.

The Z-100 also features a Centronics-compatible parallel port, making it a simple matter to connect the Z-100 to any parallel-interface printer, plotter, or similar device.

A light-pen port is available, but Zenith does not yet provide a light pen to go with it.

Signals are available for both RGB and composite video monitors. You can drive both types of monitors at once, but both will show the same picture; you can't show one picture on one monitor and a different picture on the other.

If you need more I/O (input/output) than this, you can always plug in an S-100 card to provide the number and type of ports you need.

Software

The Z-100 runs 8-bit CP/M and 16-bit MS-DOS—probably the two most popular operating systems for today's personal computers. A powerful version of Microsoft BASIC is available for each operating system: MBASIC for CP/M, and ZBASIC for MS-DOS.

ZBASIC is almost identical to BASICA, the most powerful version of BASIC available for the IBM PC. They seem to differ only in some of the graphics statements. ZBASIC offers greater resolution and more colors than BASICA, but BASICA offers several screen "pages," whereas ZBASIC offers only one.

I prefer ZBASIC. With BASICA, you must decide at the outset whether you want a high-resolution, monochrome display, or a low-resolution, four-color display. With the Z-100, that decision is unnecessary. All text and



MICRO-TAX* MICROCOMPUTER TAXSYSTEMS, INC.

6203 Variel Avenue, Suite A Woodland Hills, CA 91367, Dept. 1B Phone (213) 704-7800 (Area code changes to (818), effective January 1984)



YOU CAN'T FIGHT STATIC SITTING DOWN.

Static electricity exists everywhere in an office environment—it's not just confined to a few square feet around a CRT. And when you consider that someone casually walking past a terminal can generate enough charges to trigger a major malfunction, it's clear that a small anti-static mat is hopelessly ineffective in protecting sensitive computers.


The solution is Staticide®. Unlike bulky mats, which can be unwelcome in a smartly-decorated office setting, Staticide provides an invisible barrier against static—a shield that remains in effect for up to six months with a single application. And while mats can cost hundreds, a quart of Staticide is only a few dollars. What's more, now you could wipe out static and dust attraction on CRT screens and keyboards with new Staticide® Wipes™.

Staticide from ACL. When you compare it against antistatic mats, the results will

floor you.

to our customers.





graphics are displayed in high-resolution mode. There is no need to issue a SCREEN statement to configure the screen; you may PRINT, DRAW, PAINT, or create a LINE in any of eight colors at any time.

With the exception of the graphics and certain parameters used in opening RS-232C ports, BASICA and ZBASIC seem to be identical. Almost any program written in BASIC for the PC should run on the Z-100, with little or no modification. (Of course, if it uses PEEKS, POKES, CALLS, and USR functions, all bets are off.) Nonetheless, you cannot simply take a disk that has an IBM PC BASIC program, insert it into a Z-100, and run it. It won't work, and when you list the program, it won't look right. Why not?

The answer has to do with the way each version of BASIC tokenizes a BASIC program. (A token is a byte used by the BASIC interpreter to represent a keyword. Tokenizing a BASIC program makes it take up much less space in memory or on disk.) A program in memory is always tokenized.

When you save a program on disk, it is normally saved in tokenized form. But BASICA and ZBASIC use different tokens to represent the same keywords. For example, BASICA might use the token \$8A to represent the keyword PRINT, while ZBASIC might use the token \$A2 to represent the same keyword. If you save a BASICA program in tokenized form and then load it into the Z-100, ZBASIC will interpret it as a different program. Every PRINT statement, for example, might be interpreted as a GOTO. No wonder the program won't run.

Fortunately, there is a simple solution. To transfer an IBM PC program to the Z-100, first save it in ASCII (American National Standard Code for Information Interchange) format. (A program saved in ASCII format has all keywords spelled out; they are not represented by tokens.) To save a program in ASCII format, use the optional argument [,A] like this:

SAVE "PROGRAM.BAS", A

Now you can take the disk over to a Z-100 and load the program. ZBASIC will interpret every PRINT statement as a PRINT statement and will correctly interpret all other keywords as well. Then if the program doesn't run immediately, it should be a relatively simple matter to modify it to make it run.

What about applications programs? Some of the most popular applications for the IBM PC are already available for the Z-100: 1-2-3, Multiplan, Wordstar, and Peachtext 5000, to name a few. And as new products are announced for the PC, their developers often state the intention of bringing out a version for the Z-100. However, the Z-100 is not totally PC-compatible, so don't expect any arbitrary PC application to run on the Z-100 right out of the box. Some will, some won't. That's probably the most frustrating thing about the Z-100. I think it's a better machine than the PC, but sometimes I just wish it were a PC, so I wouldn't have to wonder about its ability to run PC applications.

PIECE OF MIND

CompuPro's System 816. The fastest, most cooperative computer you can buy.

OEMs and systems integrators are busy people. Too busy to waste time with an uncooperative computer system. That's why every System 816 from CompuPro is built to work long and hard without a whine or a whimper:

More Dependable.

With ten years of pioneering successes built into it, the System 816 is backed by the industry's longest warranty coverage. Depending on your needs, our warranties range from 12 to 36 months. Most other computer manufacturers expect you to be satisfied with 90 days, which typically covers parts only.

You can also depend on complete hardware and software support, flexible configurations and upgrades, and system training.

More Powerful.

The System 816 squeezes more performance out of the IEEE-696/S-100 bus than any other system you can buy. A choice of CPUs—and up to 4 Mbytes of our exclusive M-Drive/HTM RAM disk—give multiple workstations all the speed and power they can ask for Standard RAM memory is expandable to one megabyte or more.

Disk **storage** capacity ranges up to 4.8 Mbytes on floppy drives and as much as 320 Mbytes per controller on hard disk.



A GODBOUT COMPANY

3506 Breakwater Court, Hayward, CA 94545

CP/M and CP/M-86 are registered trademarks and CP/M-68K. MP/M-86. Concurrent CP/M-86 and FORTRAN 77 are trademarks of Digital Research Inc. CP/M 8-16 and MP/M 8-16 are compound trademarks of Digital Research Inc. and CompuPro.



More Versatile.

All family members share a common modular architecture. So it's a simple matter to upgrade or

reconfigure any of them to keep up with your needs. All the while maintaining complete software compatibility up and down the line.

And the S-100 bus allows you the flexibility to plug in any compatible board to add graphics capabilities or boards for your own unique applications.

You also get your choice of operating environments, including CP/M®, CP/M-86®, Concurrent CP/M-86™, MP/M-86™ and CP/M-68K™, and our own CP/M®8-16™ and MP/M™8-16™. At the programming level, the

System 816 family supports Pascal, C, FORTH, BASIC, COBOL, PL/1, FORTRAN 77™ and more.

More Information.

Your customer's satisfaction is important to both of us, so don't get stuck with a system that's more of a hindrance than a help. Send in the coupon and find out what peace of mind is all about.

For business, scientific and industrial computing solutions, call **(415) 786-0909** ext. 506 for the location of our dealers worldwide, or the Full Service CompuPro System Center nearest you.

	Send me your free System 816 brochure.
	Send me the name of my nearest Full Service CompuPro System Center or dealer:
NAME	
TITLE	
ADDRESS	
	STATEZIP
	mpuPro, Attn: Sales Dept. Do Breakwater Court, Hayward, CA 94545

Prices and specifications subject to change without notice.

System 816 front panel design shown is available from Full Service CompuPro

System Centers only.

©1983 COMPUPRO



* 1-800-841-0860

TELEMARKETING COMPUTERS AND **EQUIPMENT TO SAVE YOU MONEY**

SINCE 1978



PURE RADIO SHACK EQUIPMENT

DISCOUNT

CALL FOR PRICES ON COMPLETE LINE

PRINTERS AND EQUIPMENT

EPSON

ECM CORONA

RB ROBOT



Novation 33



(*commodore

WE SELL IBM P.C. COMPATIBLES

Since 1978

- PIONEER IN DIRECT TO CONSUMER SALES OF MICRO COMPUTERS AND ELECTRONICS
- NAME BRAND PRODUCTS
- LARGE INVENTORIES
- NEXT DAY SHIPMENT ON MOST PRODUCTS

FREE UPON REQUEST

- DISCOUNT PRICE LIST AND INFORMATION KIT
- . COPY OF MER'S WARRANTY
- PRICES AND PRODUCTS ARE SUBJECT TO CHANGE WITHOUT NOTICE



Micro Management Systems, Inc.

2803 Thomasville Road East Cairo, Georgia 31728 (912) 377-7120

Documentation

The documentation provided with the Z-100 is complete and easy to use. It is also voluminous. Printed on 8½- by 11-inch card stock and bound in a vinyl-clad 3-ring binder, each manual outweighs a typical lap computer—and a complete system may well include 10 manuals. (The Z-100 itself comes with a 278-page User's Manual, and each software product comes with one or two volumes of ring-bound documentation.) If you get a Z-100 with two operating systems, two versions of BASIC, and Multiplan (a standard software bundle), you'll need a bookshelf just for your system's manuals. And a strong bookshelf, at that.

The User's Manual includes many pictures identifying the parts of the system and step-by-step instructions showing the novice how to get the system up and running. The CP/M guide is the best-organized book I have come across on how to use CP/M. Every manual features a table of contents and an index: both are complete and detailed.

Technical Support

When I needed information that I couldn't find in the manuals, I called Zenith's Software Consultation Group. Their performance was excellent. Even when my questions were extremely technical, they managed to give me prompt and accurate answers. Their phone number is printed on the inside of each manual. (No, it's not an 800 number—but the quality of support available at that number is worth far more than the price of the call. Without it, some of my most important applications would never have run on the Z-100.)

Conclusions

The Z-100 is a powerful and reliable system that runs both CP/M and MS-DOS. In many ways it is IBM PCcompatible, but it is not a PC clone and cannot run all PC software. On the other hand, its keyboard and graphics are clearly superior to the PC's.

The Z-100 features sufficient I/O for most applications, and further I/O can be provided via its S-100 bus. Its documentation is excellent and backed up by professional technical support. Quality control in the hardware, software, and documentation is superb. The system delivers exactly what you expect and offers no unpleasant surprises.

How could it be improved? A diamond-shaped cursor pad would help. So would the ability for CP/M-85 to read and write a variety of 514-inch disk formats. And although Z-DOS has a utility that can read CP/M files, it can't write them. So I'd like to see a Z-DOS utility that can copy Z-DOS data and text files to CP/M disks.

The bottom line? If you want a well-designed, wellbuilt, well-documented system that runs the best of 8-bit and 16-bit worlds, consider the Zenith Z-100.■

Ken Skier (28 Fairlawn Lane, Lexington, MA 02173) is an author and software developer whose credits include the Skiwriter word processor, now distributed with the Epson Notebook computer.

PERFORMING ARTS of COMPUTER SCIENCE



Our Duet Product (MCM*80 and DCM*80), installed in thousands of multi-processor multi-user systems as well as in single user systems worldwide, certifies our fieldproven performance. Our state-of-the-art products, first and best, have been soundly accepted by the various institutes, from the government to the universities, and utilized by the various applications, from office automation to control automation. Our product superiority is recognized for the following reasons.

Identical Master/Slave SBC (Single Board Computer) architecture results in a prime advantage, never letting the entire system down. Not only that, the master/slave status is programmable, so it is truly possible to build redundancy in a multiprocessor system.

Unlimited Expandability differentiates our pro-

ducts from other multiprocessor based systems which are bound to the networking limitation. Our TURBODOS implementation onmultiple networks, which connect multiple multiprocessor systems, matches the capacity of a

high performance. minim HEREITHER PROPERTY. mmmin

mainframe, thus surpassing the mini computers.

Low Cost Local Area Networking has always been a subject but never a solution. Our approach to the LAN of SBCs, with integrated LAN control thru the high speed and reliable IPC (Inter-Processor Channel), provides an ultimate low cost solution for each computing station in a network.

Superior S-100 board Products are the key to superior system products. We now provide two prominent single board computers: MCM*80, based on Z80 (4 MHz, 6 MHz, or 8 MHz) processor family, and MCM*186 based on 80186 (8 MHz) processor. There are two disk controller products, DCM*80 and DCM*80 II. DCM*80 is the first disk controller to in-

tegrate the floppy disk controller and the SASI (ANSI SCSI) hard disk host adapter in one board, DCM*80 II is DCM*80 plus 8K Track Buffer with onboard DMA for



Our RAM*80 is the first memory board which has quad-mode capability. It works not only as an 8-bit and 16-bit memory board, but also as a memory disk board.

LINK*80 is an intelligent I/O board designed for high performance foreground processing capability with on board processor (Z80 A) and memory buffer.



JC Systems products are available worldwide thru 60 dealer bases which are growing continually. All of our products are serviced factory-direct or by our dealers. We maintain highly confident technical support, both in the hardware and software products, CP/M and TURBODOS.

INTRODUCING A SPINWRITER FOR EVERYONE WHO THOUGHT THEY COULDN'T AFFORD A SPINWRITER.



Spinwriter 2000 gives you famous Spinwriter features, quality and reliability for a new low price.

Our new Spinwriter® 2000 retails for only \$1095. And prints at 200 words per minute.

Even though the Spinwriter 2000 Series costs less, they are nothing less than true Spinwriters. The 2000 offers the same superior quality and reliability as the rest of the family.

So if low-volume, letterquality printing is what you need, the Spinwriter 2000 is letter-perfect for you. And your budget.

Now, for about the same price as an ordinary printer, you can have a letter-quality Spinwriter. preferred by more PC owners.

The Spinwriter name is one of the legends of the computer industry. That's why NEC Information Systems is the number one supplier of letter-quality printers to PC users.

In fact many famous personal computer makers recommend the Spinwriter, not only for letter-quality printing, but because it can bring out the full capabilities of their system.

SPINWRITER IS A REGISTERED TRADEMARK OF NEC CORPORATION.

Spinwriter has capabilities you can't get on other printers.

Spinwriter's unique "thimble" print head gives you impeccable printing.

You can choose from over 60 different

Our unique "thimble" print head holds up to 128 characters, enough for any special

type faces with up to 128 characters. And even have two type faces, or scientific and arithmetic symbols on the same thimble.

The 2000 also lets you change forms handlers quickly and easily. Seven **NEC-built forms**

custom look to all of your forms-oriented applications. Which means you can shift from word processing to billing, shipping or inventory control in moments.

Want to send an original letter to a few hundred customers? Our sheetfeeder mechanism handles printing on your letterhead and second page or envelope.

Other Spinwriter advantages include continuous forms handlers that take paper up to 16 inches wide, variable size forms and multi-part forms.

Every Spinwriter is built to work as hard as vou do.

Spinwriters have long been known for their reliability. Five years without a failure is not unusual. Which is twice as good as any other printer.

That's not to say that someday you won't need a

only will you find it nearby, you'll find it fast. NEC-trained experts can repair


a Spinwriter in less than 20 minutes.


The 2000 plugs

directly into your

PC's printer port.

For the Spinwriter distributor nearest you, call 1-800-343-4418 (in Massachusetts call 617-264-8635). And find out why more and more PC users are saying "NEC and me."





Software Review

Pinball Construction Set

Build your own pinball game on an Apple II, Atari 400/800/1200, or Commodore 64

by Elaine Holden



Photo 1: The title picture for the Pinball Construction Set. This is an example of the type of graphics a player can create. Note that this software was originally published by Budge Company but is now also available from Electronic Arts.



Photo 2: Astro Blast, one of the demo games that come with the system and are ready to play.

Attention, pinball wizards! As you well know, those big arcade machines with flashing lights and ringing bells have long been a fascination to those of us wishing to exhibit skill, dexterity, and some evidence of a misspent childhood. Now, thanks to the Pinball Construction Set from Electronic Arts (photo 1), not only can you play pinball in the comfort of your own home, you can also design your own pinball game. Other pinball-simulation games have been available for some time now, but this is one of the first games that lets you build other games.

If you need a game fix immediately after purchase, you can just boot the disk and play one of the five demonstration pinball games available (see photo 2). They are set up for as many as four players, so you can play alone or with friends. After this initial introduction, and once rational thinking has returned, you can reach for the user's guide and discover how much more exciting this construction set can be.

Building a Dream Game

One of my fantasies as a pinball player has always been to build my own game—one to suit my mood. At times I want the toughest challenge going, but once in a while I like a real pushover, and sometimes I even like an honest game. The variety of my requirements is endless, but, until now, the variety of available pinball games was not.

With the Pinball Construction Set, I can make any game I want, save all my quarters, and exercise my creativity at the same time. This game enables a complete novice to put together a worthwhile beginning game, gain experience, and later devise a devilishly tough, highly competitive game.

Just as in any construction kit, all parts are provided. Each piece of the pinball game is represented by a picture. These pieces can be placed anywhere on the empty pinball board (photo 3). All parts are activated and dragged onto the board by a movable hand symbol. This




Photo 3: A pinball game being constructed. Note the menu of game parts on the right half of the screen and the column of icons along the right edge of the screen.

symbol, as well as everything else in the game, is controlled by the joystick.

The Hand is one of a number of icons (pictures) that represent the various functions the program can perform. For example, you work with an icon that looks like a disk to save or load a game. These icons make it easy for a beginner to use the program.

If you want a different shape for a game board, the Arrow, Scissors, and Hammer icons can create and change solid shapes. These are very powerful commands because you can change not only basic shapes within the game's parameters but also the actual shape of the board. (Traditional arcade pinball games, of course, do not offer this option, and I've become bored with the same rectangular shape.) My favorite game creation so far has a pentagonal shape with lots of bumpers and few flippers.

Lest you imagine that the various shapes and games must remain the same color, take heart. A Paintbrush icon instantly changes the color of the game border or the shapes within. (For small shapes there is even a Magnifier icon). If you have a particularly nasty streak, when constructing a game for friends, you can paint over a bumper or other pinball part. It will still be there, you understand, it just won't be visible. To carry this trick one step further, you can paint in what looks like a bumper or paddle, and when the ball falls through the fake part, watch your opponent's face drop.

I also enjoyed personalizing my game with fancy decorations and a nifty title. For this I used the Magnifier icon (photo 4). It takes a little time and patience to perfect this icon's uses. Seeing a part of the screen magnified seven times its usual size takes some getting used to. Persistence is rewarded, however, by some really fine designs and lettering.

I had everything I needed for the perfect pinball game at this point—or so I thought. Then I turned the page of my manual and found the World icon. This feature gives four scales which change the conditions of the ball.

Gravity determines the weight of the ball; Speed governs how fast the ball moves; Kick is the strength of the bumpers; and Elasticity reflects how much bounce is wanted in the game.

The last icon worthy of note is the And gate. An And gate in computer science is a switch arrangement that permits an electrical flow only if all switches in the gate are on. The And gate in the Pinball Construction Set, functioning along the same principle, lets you record a bonus only if all the targets you have hooked together have been hit and turned on. Pretty fancy stuff. This icon also lets you change score values and sound. You can even have the beloved sounds of bells and whistles right at home.

Something for Everyone

I found this to be an incredibly complete kit. Bill Budge, the creator of this package, has a marvelous sense of programming. From the standpoint of an instructor of computer programming, I can only say, "Wow! I wish I wrote that." From the basic concept to the refined details, this is indeed a classy game.

The crowning feature of the Pinball Construction Set is its simplicity. A novice or young child can play a demo game to learn pinball basics. Nevertheless, for adult or child, it needn't remain just a game. Players can exercise creativity with color, shape, sound, relativity of weight and speed, and detail, all with this one program. As expertise increases so does the quality of the games created. Moving at the individual's pace, this non-

At a Glance

Pinball Construction Set

Software to play and/or construct a variety of pinball simulation games

Publisher

Electronic Arts 2755 Campus Dr. San Mateo, CA 94403 (415) 571-7171

Price

\$40

51/4-inch floppy disk in Apple II, Atari 400/800/1200 or Commodore 64 formats

Documentation

13-page users guide

Computer Needed

Apple II, Atari 400/800/1200, or Commodore 64; joystick required

Ages 10 and up: pinball lovers, game players, creative people, and teachers of gifted and talented children




Photo 4: An example of how the Magnifier icon is used. The figure on the right is a seven-times magnification of the apple in the upperright corner of the game board.

threatening program records work done and provides for easy correction and alteration.

Despite this simplicity, sophisticated adult players will also be impressed with the game. It can be difficult enough for even the most advanced player because of the challenge and endless variety of modifications, refinements, and degrees of difficulty available. I predict that this program will be a continuing favorite in many personal game libraries.

I should note that you can also use this program to make gifts for gaming friends. Pinball games of your own creation can be put on blank disks and given away. You can design each game with the recipient in mind, and since up to 128 parts can be on the board at once, hardcore pinball players should remain fascinated for a long time.

Conclusions


It's really hard to find anything wrong with this game. The concept is well designed and executed. The instructions needed to begin the game are minimal, and game playing is immediate and, in the case of novices, instructional. Experienced players can gain valuable tips from the more difficult samples such as DEMO4 and DEMO5 (which illustrate some common obstacles such as a corner of the game where a ball could get stuck).

Creativity is encouraged. At the same time, players are not threatened or intimidated by either the screen display or the user's guide. Rather, they are gently encouraged and aided. This is valuable for children and inexperienced players and computer users.

I certainly feel that the Pinball Construction Set is valuable both as a learning and creating tool and as a truly entertaining game.■

Elaine Holden is the supervisor of reading and language arts for the Merrimack, New Hampshire, School District. She can be reached at 22 Elm Street, Peterborough, NH 03458.

SemiDisk and SemiSpool: **SURE-FIRE WAIT-REDUCTION!**



512Kbyte SemiDisk[™] I \$1095

Time was, you thought you couldn't afford a SemiDisk. Now, you can't afford to be without one.

	256K	512K	1Mbyte
SemiDisk I, S-100	\$895	\$1095	\$1795
BMPC		\$1095	\$1795
TRS-80 Model II		\$1095	\$1795
SemiDisk II, S-100		\$1395	\$2095
Battery Backup Unit	\$150		

Time was, you had to wait for your disk drives. The SemiDisk changed all that, giving you large, extremely fast disk emulators specifically designed for your computer. Much faster than floppies or nard disks, SemiDisk squeezes the last drop of performance out of your computer.

Time was, disk emulators were afraid of the dark. When your computer was turned off, or a power outage occurred, all your valuable data was lost. But the SemiDisk changed all that. Now, the optional Battery Backup Unit helps take the worry out of power interruptions. It keeps the SemiDisk powered for up to 5 hours during a power failure.

Time was, you had to wait until your printer finished printing to use your computer. That's changed, too. Now, the SemiSpool print buffer in our Version 5.0 software, running under CP/M 2.2, frees your computer for other tasks while your data is printing. With a capacity up to the size of the SemiDisk itself, you could implement an 8 Mbyte spooler!

But one thing hasn't changed. That's our continuing commitment to supply the fastest, highest density, easiest to use, most compatible, and most cost-effective disk emulators in the world.

SemiDisk. It's the disk the others are trying to copy.

SemiDisk Systems, Inc.



Box GG Floryagion, OR 97075 (503) 642-3100





DON'T WASTE YOUR MONEY ON A WORKSTATION DATA ACQUISITION SYSTEM.

As you conduct your search for the ideal data acquisition system, we think you'll find a number of capable systems, all from fine makers.

But we also think you'll find this: there is really only one system likely to meet, and perhaps exceed, your own personal standards for accuracy, flexibility, performance and power. And do so for a bottom line investment that is truly easy to justify.

That system is the Keithley DAS Series 500 for the IBM PC and Apple II families of microcomputers.

To begin with, even a basic Series 500 configuration, like the one shown in the chart, comes out of its carton with enough power and capacity for most lab and test bench applications. So you no edn't trade up to more expensive options to get basic capabilities.

And because the Series 500 is completely modular, you can start out with just the capacity you need. Then choose from our comprehensive library of plugin function cards to instantly reconfigure your system for the most demanding applications—with up to 272 channels of discrete analog input, 50 channels of analog output, 160 channels of digital I/O, and AC/DC device control. With direct transducer connection and signal conditioning for each individual channel.

It's also the only system equipped with Soft500, the integrated measurement and control software that proves once and for all that easy doesn't have to mean simple.

Soft500 gives first time users the accessibility and friendliness they need to get excellent results the first time out. Yet it also provides experienced users with the depth and extended facilities needed for complex applications. Including unique features such as foreground/background architecture, powerful screen graphics and statistical analyses. Plus, automatic conversion of binary data to familiar engineering units.

In all, you'll find the features you need to make the Series 500 increasingly productive through years of new and more demanding applications.

	DAS Series 500	ISAAC 91A	ISAAC 2000	MACSYM 200	HP 3497A
System Base	\$4300(1)	\$3950	\$4100	\$3660	\$2990
Analog Input					
16 Channels	Yes	Yes	+ \$850	+ \$362(2)	+ \$2104(3)
Instrumentation Amplifier	Yes	+ \$700	+\$700	Yes	Yes
± 0.035% Absolute System Accuracy	Yes	+51100(4)	+ \$1100.4)	No	Yes(5)
30 kHz Sampling	Yes(6)	No	Yes(7)	Yes	No
High Speed Programable Ranges	Yes	No	No	Yes	No
Other I/O					
5 12-Bit Voltage Outputs	Yes	+ \$187(8)	+ \$937(9)	+ \$937(9)	+ \$2500(10)
16 Digital Inputs	Yes	Yes	+\$175(11)	+ \$330	+ \$530
16 Digital Outputs	Yes	Yes	+\$175(11)	+ \$350	+ \$710
4120VAC Outputs	Yes	No	No	+ \$638(12)	+ \$265(13)
System Features					
Programable Timers	Yes	Yes	Yes	Yes	+ \$555
Realtime Clock	Yes	Yes	No	Yes	Yes
Power Supply	Yes	+ \$350	Yes	Yes	Yes
Software System					
Data Acquisition BASIC	Yes	Yes	Yes	Yes	No
Foreground/Background	Yes	No	Yes(14)	Yes(14)	No
Data Analysis	Yes	No	No	No	No
Realtime Graphing	Yes	Yes	Yes	Yes	No
Engineering Units	Yes	No	No	No	No
Package Price	\$4300	\$6287	\$8037	\$6277	\$9654

1. System 520. 2. 16 channels of \$725.32 channel card. 3. \$1640 A/D card plus 16 channels of \$580.20 channel card. 4. $\pm 0.003\%$ accuracy ($\pm 0.00\%$ accuracy (± 0.00

Naturally, we'd like to suggest the Series 500 as the wisest choice in workstation data acquisition. But we also believe that as you compare and examine the facts, the Series 500 will eventually suggest itself.

For complete information on the Keithley DAS Series 500 workstation data acquisition system, call us toll-free at 1-800-552-1115. In Massachusetts call (617) 423-7691. Or write to us at Keithley DAS, 349 Congress Street, Boston, Massachusetts 02210.



Information contained in the comparison chart is correct to the best of our knowledge as of October 1. 1983; however, Keithley DAS assumes no liability for its accuracy. IBM PC is a registered trademark of International Business Machines Corporation. Apple II is a registered trademark of Apple Computer, Inc. ISAAC is a registered trademark of Cyborg Corporation. MACSYM is a registered trademark of Analog Devices, Inc. HP is a registered trademark of Hewlett-Packard, Inc. © 1983 by Keithley DAS, Boston. Massachusetts

Circle 123 on inquiry card. BYTE January 1984 287

Hardware Review

The TRS-80 Model 16B with Xenix

by Steve Barry and Randy Jacobson

The Radio Shack TRS-80 Model 16B is surprising in at least two ways: first, it appeared later than the company's announcements would have indicated, and second, it has an industry-standard multiuser operating system-Microsoft's Xenix, a derivative of Bell Laboratories' Unix version 7. The Model 16B's Xenix capability is remarkable in that it represents the first use of an outside supplier's operating system in Radio Shack's history. This event is of even more interest because Xenix is to be supplied for several other popular microcomputers.

In this review we'll first present an overview of the 16B's hardware and capabilities, and, because the hardware's effectiveness depends on its ability to run Xenix, we'll also cover that operating system's major features.

The TRS-80 Model 16B is a blend of the old and the new. It is based on a dual-processor architecture (Motorola 68000 and Zilog Z80), and it runs as either a single-user or a multiuser computer. The machine is particularly significant because it has most of the hardware features available on other machines in the \$5000 to \$16,000 price bracket, and it has the support of an industry powerhouse behind it. Although not innovative in concept, the 16B is more than just a solid high-end engine for Radio Shack's software. The computer performs well for its class of machine and is likely to be a major focus of software houses trying to take advantage of Radio Shack's marketing clout and Xenix program portability. The 16B is compatible with an extensive line of Radio Shack peripheral hardware, and there is also

a strong indication that the Model 16B will be a central element in Radio Shack's announced but unmarketed local-area-network (LAN) strategy. Indeed, with its LANcapability option, the system could become the backbone of an expandable, low-cost, office-wide, multimodel, shared-computer resource.

Background

Starting about a year ago, rumors of Radio Shack's new high-end machine piqued the curiosity of many enthusiasts. The computer was supposed to be a powerful yet inexpensive multiuser machine that employed a proprietary operating system said to be incompatible with the software available on widely distributed multiuser operating systems such as MP/M. When the machine failed to materialize, rumors said its delay was due to myriad hardware and software problems.

In spite of its uncertain beginnings, the Radio Shack TRS-80 Model 16B has hit that all important and all too narrow marketing "window," defined by public acceptance of a combination of price, performance, and features. Once such a window is filled by a few machines, other manufacturers find it difficult to penetrate the market. The target market for this machine is the small business that requires a one-source supplier of multiuser turnkey hardware, software, and service for core business applications. However, the 16B can also serve as a small Unix and Xenix development environment.



Photo 1: The TRS-80 Model 16B standard system.



Photo 2: The 86-key detachable keyboard of the 16B.

System Summary

The Model 16B (photo 1) runs a large library of singleuser software. Moreover, it has multiuser capabilities, and significant multiuser software has become available early in the machine's life (see the At a Glance box).

A minimum three-user system consists of the console with 384K bytes of memory, one 1.25-megabyte 8-inch floppy-disk drive, an 11.6-megabyte hard-disk drive, two user terminals, a printer, and software. The system console has a detached 86-key keyboard (photo 2). The keytops are textured to avoid glare. The standard alphabet, number, and symbol keys and the numeric keypad keys are black with white legends. Other keys-including Shift, Tab, Break, Backspace, eight function keys, and the cursor keys-are white with black legends. A bump is placed on the numeric pad's 5 key to aid manual orientation for touch-typing. Cursor keys are arranged (awkwardly, in our opinion) in a vertical column on the left border of the numeric pad. Keytops are slightly longer vertically than horizontally and have dual-spring action so that the touch is heavier at the bottom of the key travel, but there is no other auditory or tactile feedback for key-switch closure. We felt that the keyboard touch was vague, and this prevented rapid typing during our limited use of the machine. Function keys surround the upper and right side of the numeric keypad. Control keys (such as Return, Tab, Enter, and Shift) that are either the same size or even larger at the base than the character keys have the same raised striking area as an alphanumeric key. Two important symbols for Unix users and programmers can be produced only by pressing Control and another key simultaneously. These symbols are (for the pipe feature) and \, used primarily in C-language programming.

The system is housed in a large but attractive integrated enclosure containing a seven-slot system card cage, the floppy-disk drive, the console video display (a 12-inch-

Editor's Note: Since this article was written, Radio Shack has announced a new standard configuration for the Model 16B: a 256K-byte system with one 8-inch floppy-disk drive and a built-in 15-megabyte hard-disk drive for \$6999.




Photo 3: The Model 16B's card cage.

At a Glance

Name

TRS-80 Model 16B Computer

Manufacturer

Radio Shack Division Tandy Corporation 1300 One Tandy Center Fort Worth, TX 76102

14 by 211/4 by 231/2 inches

Welaht

Approximately 50 pounds

Components

Processors: Motorola 68000 running at 6 MHz, Z80A running

at 4 MHz

Memory: Z80A with 64K bytes; M68000 with 256K bytes

minimum, 768K bytes maximum (128K-byte memory-expansion board is \$699, 128K-byte add-

on-chip kit is \$2991

Display: 24 lines by 80 columns, green phosphor,

brightness and contrast controls, upper- and lowercase characters, 32 symbol graphics

characters

Keyboard: Detached 86-key stepped keyboard with 6-foot

coiled cord; keytops are textured to avoid glare One 8-inch double-sided double-density

Data Storage: 11/4-megabyte floppy-disk drive installed in the

console

Expansion: Seven-slot card cage; three slots are free in a 512K-

byte system with a 12-megabyte hard-disk drive

Operating Systems

TRSDOS-II/16 (single user), TRSDOS-12 (single user), TRS-Xenix (multiuser)

Documentation

TRS-80 Model 16B Operator's Manual, 100 pages; TRSDOS-II Reference Manual, 326 pages; TRS-Xenix Operations Guide, 161 pages: TRS-80 Model 168 Owner's Manual lactually the TRSDOS-16 Operating System Manual), 256 pages; Twelvemegabyte Hard Disk Owner's Manual, 50 pages; BASIC Reference Manual (TRSDOS with BASIC interpreter), 235 pages; Assembler-16 Manual, 353 pages

Software Avallable

TRS-Xenix multiuser software: General Ledger (\$599); Payroll (\$699); Accounts Receivable (\$599); Accounts Payable (\$599); Order Entry/Inventory Control System (\$599); Sales Analysis (\$399); Job Costing (\$199); Multiplan spreadsheet (\$349); COBOL Development System (\$699); BASIC interpreter (\$299); and TRS-Xenix Development System with C language, electronic mail, text processing, and Xenix utilities and Assembler-16 (\$750). The Model 16B also uses Model II and Model 12 software in the Model II compatibility mode (single user)

Optional Features

Second internal 8-inch floppy-disk drive (\$799); one (\$1299) or two (\$2098) external floppy-disk drives; 11.6-megabyte primary hard-disk drive (\$3495); 12-megabyte secondary hard-disk drives (three maximum, \$2495 each); graphics video adapter board (monochrome 640- by 240-pixel resolution, \$499); DT-1 data terminals (two maximum, \$699 each)

Prices

256K bytes, one floppy-disk drive: \$4999 256K bytes, two floppy-disk drives: \$5798

384K bytes, one floppy-disk drive, one 11.6-megabyte hard-disk

512K bytes, one floppy-disk drive, one 11.6-megabyte hard-disk drive [minimum recommended Xenix configuration]: \$10,294

diagonal green-phosphor tube without antireflection treatment), the Motorola 68000 processor board, a memory board, and the hard-disk interface. This configuration costs in the neighborhood of \$16,000, complete with a top-of-the-line Radio Shack letter-quality printer and a complement of multiuser accounting and core business-applications programs. Moderate-resolution (640by 240-pixel) monochrome-video-graphics hardware is an option for the console terminal but is not yet supported by Xenix software.

Software

The optional single-user software library includes all TRS-80 Model II and 12 programs (nearly 50 from Radio Shack), each targeted at a broad base of business and professional users. The optional multiuser software library is, at this writing, confined to program-development software (available at additional cost; see At a Glance), "big four" accounting packages (General Ledger, Accounts Payable, Accounts Receivable, Payroll), and Microsoft's Multiplan advanced spreadsheet. Other software includes an order-entry/inventory-control system, sales analysis, and small-contractor job-costing programs. COBOL and BASIC languages are sold separately, as is the TRS-Xenix development system, which includes many utilities, the Clanguage, Unix-style communications, Unix-style text processing (not word processing in the usual sense), and Unix's basic electronicmail facilities.

Hardware

The TRS-80 Model 16B has two serial RS-232C ports, a parallel printer port, and a space on the connector panel reserved for the Datapoint/Radio Shack Arcnet LAN interface. In its current configuration, then, the system can handle only three users: two working on dumb terminals, such as Radio Shack's model DT-1, and a third working on the system console. The system card cage has space for seven cards. The maximum RAM (randomaccess read/write memory) allowable currently is 768K bytes, which is obtained using the M68000 microprocessor's on-board memory and two 256K-byte cards. The 64K bytes of Z80 memory are on a separate card below the card cage (photo 3) in the base of the system unit. The M68000 memory cards are connected to the processor board by two card-edge ribbon cables in a bus configuration, in addition to their interface to the motherboard. One card slot is used for the hard-disk interface, and another is used for the console terminal electronics. Two slots are unused in the configuration we tested. Recent rumors suggest that Radio Shack is planning to announce a six-port terminal multiplexer board, along with a 15-megabyte hard-disk drive. The multiplexer and an Arcnet board would fill the card cage and, according to our system-performance evaluations, provide enough interfaces to cause severe response delays for a full load of users. It is possible that this machine could support only two to four users in a program-development environment, if our previous experience with similar hard-

ware applies to this machine. In fact, with only 384K bytes of memory (one advertised "complete" configuration), Xenix may even be noticeably slow with three users. However, the three-user configuration with 512K or 784K bytes of memory is clearly supported and seems to make the most sense in terms of the speed of the operating system and the memory-segmentation scheme that is implemented.

Local-Area Networking

For larger groups of users, the Arcnet board might be used to interconnect clusters of three users per Model 16B (i.e., a distributed-star network). As a user, you would have access to the 16B to which your terminal is connected and would also have read and/or write access to programs and data for which you have authorization on other 16Bs connected to the network. Typically, in other Unix systems (although there is no official indication that Radio Shack will go this way), networking means you run a program at your terminal that lets you log onto the desired remote system via the physical network facilities. You may then do work on the remote system or transport programs and data back to the system to which your terminal is directly connected. You must have a user account on each networked Unix system that you want to use. Thus, you may have several accounts on several different machines in the office, and it is possible that none of the accounts would have all of the upto-date information you desire to use in a particular work session. This network architecture itself promotes redundant storage of data on several systems. The software for this type of network access is standard Unix fare: uucp is the Unix-to-Unix copy program (used for file transport and intersystem mail), and cu is the call-Unix program (used to establish a logical user connection over a preexisting physical connection between systems). The au program lets you log onto the desired system as though your terminal were directly connected to that system. The a program also allows file transport back to your actual host system. Xenix appears to have the standard Unix networking described above. This is good, but things can get much better.

In contrast, consider two alternative network architectures. The first (and by far the nicest to work on) is the virtual system. In this system, you would typically have your own powerful personal computer (e.g., a 16B) interconnected with other users' 16Bs by a local-area network (e.g., Arcnet). A program called the Network Manager would run on each active system as an invisible background task. All requests for files (i.e., programs, data, or directories) that cannot be satisfied on your system are referred to the Network Manager. The Network Manager then queries all other active systems on the network for the desired item and transports the item to your computer for execution, if that item is a program. If the item is not a program, an access link is created via the network, if you have the correct authorization. You never see all of this activity: you either get access to the file or receive an error message describing why access was

denied (file not found, file found on another file system to which access was not granted, etc.). This type of network reduces data redundancy and, more important, provides you with a transparent network-wide access interface. The Model 16B could be hooked up to this type of network if Radio Shack, Datapoint, or Microsoft creates the right network software.

In the second alternative, the 16B's Arcnet hardware could be used in a simple star network where a central network "server" consists (usually) of a central processor and disk system. Each user workstation would be a Model 16B computer having either no mass-storage system or only a floppy-disk drive. The central server is used for all fast bulk storage and may also be used to route data from one user's workstation or file system to that of another user. It is easy to make this sort of network operate like a virtual system, but such a network is usually slower and is vulnerable to faults in the server. Program execution on each of the workstations might also be slower due to the need to retrieve program or data segments from the central server's disk. The advantages of this type of local-area network are that it is low in cost, it can minimize data storage redundancy, it provides a single integrated and coordinated file system, and, finally, it has relatively good compute performance for processes that are entirely memory resident. Whatever Radio Shack decides to do with the LAN facilities it has in store for us, you can bet that it will be proprietary and will promote the sale of other Radio Shack computer products.

Xenix on the Model 16B

The Xenix implementation on the 16B is an enhancement of Unix version 7 with the addition of several extensions from the University of California, Berkeley, and from Unix System III. (For more information on the Unix operating system, see David Fiedler's three-part article, "The Unix Tutorial," appearing in the August, September, and October 1983 BYTEs. See also the several theme articles in the October 1983 issue on Unix.) The system comes in two pieces. The basic multiuser Xenix operating system and a pretty good collection of utilities comes with the purchase of a Model 16B. The Xenix Development System adds numerous utilities and C, the language in which Unix is written. C is being touted in the industry as the only way to write truly portable fastexecuting code. Let it be known, however, that not all versions of C are created equal. Unfortunately, despite a clear definition of what C is and what it's supposed to do by Kernighan and Ritchie in The C Programming Language (reference 1), several nonstandard C compilers are available on the market today. Worse, some compilers have subtle differences in their implementations that hinder true portability—code that runs well in some environments gets sick in others. The TRS-Microsoft implementation appears to be reliable and standard. The Xenix Development System adds many useful utilities and commands including the Unix electronic-mail facilities and Unix communications. Xenix is, in comparison

EXPOTEK

24 Hour Xmas Hot Line

1-800-528-8960

Guaranteed Low Prices

PRICES ARE CONTINUALLY CHANGING IN THIS FAST GROWING MARKET. WE PURCHASE IN HIGH VOLUME TO INSURE YOU OF THE LOWEST POSSIBLE PRICE. OUR ADVERTISING IS PREPARED ATLEAST ONE MONTH IN ADVANCE, SO CHECK FOR OUR CURRENT LOW PRICE.

- HIGH VOLUME SALES INSURE LOWEST POSSIBLE PRICE WE DO NOT "ADD ON" TO SHIPPING COSTS
- WE SHIP FROM STOCK
 WE GUARANTEE OUR PRODUCTS

PORTABLE COMPUTER CASE

IBM. APPLE, FRANKLIN, TRS 80, ETC

All metal construction designed for low RFI emissions replaces stock case. Unit folds to compact size enclosing keyboard and drives (up to three). When set on desk and opened, keyboard folds to convenient typing height

IBM CALL SAVE\$

AST, Hercules, Microsoft, Maynard, Persyst, Profitsystems, Quadram, STB, Talltree

for the IRM

TANDON 100-2DD\$225
QUADRAMCARDS CALL
16K RAM CHIPS SETOF 9 \$1490
64K MEM/UPGRADE \$55
SOFTWARECALL
COMPLITEDO

CUMPUTERS

	UU	
580-10	 	\$3500
586-10		
586-14		
8600-12	 	\$8399

ATARI **SAVE \$ CALL**

W/15MR

*** 101110		
	EVIDE	
802		. \$2515
802H		
803		
1603		

VIEWPOINT A1.

VIEWPOINT A2

	H	Δ	5	7	F		ĺ	•	Ť	1		J	İ	
ESPRI														
ESPRI														
	T	Е	ı			١	I	ı	I)	E		Ì	
910														

		г	7	Т	r	ā	Г	٧	Z	7	٧	7	1	ı	۱		2	•
970	,				ï							,		·		i		\$975
950				4	4	ú	*	+	ą	Ħ				в				\$865
																		DO32

ı	MICOR SCI AZ		*	•	÷	2	. \$230
ı	RANA ELITE 1				4		, \$260
ı	RANA ELITE I RANA ELITE III. FOR ATARI RANA 1000		4		+		.\$249
ı	FOR ATARI						
١	RANA 1000	+			,	٠	. \$375

			1	U	ı	ı	L	,	ı	ı			
F1040										,			\$1090
F1055	,								,			,	\$1499
1550P													. \$599
8510P		,					 . ,						. \$345
	-			-		_	-		_		_		

SILVEREED SAVE \$ CALL

DS120																
DS180	*	4														\$1100
			1		M	П	١.		Г	•	П		ſ	١		
				L	И	u	ŀ	l	Г	5	L		L	J		
620				_		-	•	-		-	-	_				\$275
630RO			p	•					*		ŏ	=		je.	10	21099

				h	I	I	(1		
			,		10		,			.\$1365
										.\$1705
										.\$1900

OKIDATA

300 GREEN....

300 AMBER\$145	
310 AMBER (IBM)\$199	
COLOR I\$275	
BMC	

GREEN ... COLOR

/IIII EEU/IIIUU
16K RAM\$69
Z80 \$235
VIDEX 80 COLUMN\$199
VIEWMAX 80\$175
MICROSOFT PREM. PK 485

DISKETTES ELEPHANT SS/SD...\$18.00 BX

SCOTCH SS/DD...,\$22.00 BX

TWX 910-950-1194

\$485

\$550

CUSTOMER SERVICE (602) 863-0759

10439 N. CAVE CREEK RD., #111, PHOENIX, AZ 85020



hat does a fireman know about designing software? Nothing. Usually.

Meet Dennis Jarvis, a firefighter from Southern California. About five years ago he broke his leg in a fire-related accident and was confined to the house for about six months. To keep him occupied, Dennis' wife bought him a computer.

Dennis had never used a computer before. But he proved to be a natural.

Dennis was soon writing his own programs. And Basic Accounting from Firefighter was born.

It was brilliant.

And so simple, you don't have to know anything about accounting theory to use it.

But don't get the wrong idea. Just because it's simple, doesn't mean it's not smart, too.

Basic Accounting from Firefighter has so many more features and capabilities than the best selling accounting package, there's no room to list them in this ad. You'll just have to ask your dealer to show you.

Dennis? He returned to the Fire Department soon after his leg healed, but remains the spearhead of Firefighter Software.

In fact, in his never-ending efforts to make Firefighter the most personal, most supported software, Dennis has set up a telephone hotline to answer your questions and provide consultation. That's just Dennis' way of insuring Firefighter remains superior, always simpler yet smarter.

Hotline: 1-800-641-0814

California Hotline: (213) 991-8200

FIREFIGHTER.

SIMPLER, SMARTER SOFTWARE.



31245 La Baya Drive, Westlake Village, CA 91362 292 January 1984 © BYTE Publications Inc. Circle 472 on inquiry card. to other manufacturer's offerings, a fairly complete implementation of Unix (minus the languages that come standard with real Unix) at a moderate cost. However, it is possible that Unix System V will be released to end users at a low cost and so offer significant competition to Xenix.

Xenix and Unix System Calls

The most widely distributed and used version of Unix today is version 7. Microsoft Xenix is a derivative of this version with some enhancements and is available as a single or multiuser environment. Like Unix, Xenix requires a good deal of memory (at least 256K bytes for a one-user system) and a lot of hard-disk space (we think that a 10-megabyte disk with an average access time of 95 milliseconds is the minimum practical). Both systems work better with more memory and with faster, bigger disks. Xenix supports all of the version 7 standard system calls (what a program uses to talk with the operating system), plus some extensions that improve multiuser access to the system's resources. The standard system calls (similar to CP/M's BDOS, or basic disk operating system, calls) are shown with brief explanations in table 1. The most notable extensions to Unix are in the kernel; they affect file access and signaling between tasks (called processes in Unix). Unix and Xenix are structured much like an onion; at the center is the kernel, the basic code that makes it all go. Successive layers of code add utilities, features, languages, and the user interface—called the shell. The kernel has the task of making the link between the Unix standard environment and the nitty-gritty of the machine on which the operating system is running. Thus, standard system calls can be issued from programs, and their translation into action on a particular machine is handled by the kernel. This is the key to why Unix is a highly portable system. You only have to rewrite the kernel and a few device drivers to transport the whole system to another machine, using a standard C compiler and an assembler available on the target machine. One of the primary concerns in using Unix in a commercial multiuser environment is how to achieve orderly and centrally-controlled access to disk data at the individual record level. Standard Unix does not support the types of access-permission control and concurrency control (file and record locking) required by business programs. This is one of the first areas addressed by Xenix enhancements to standard Unix.

File Access Control

The Xenix extension routine locking locks or unlocks a specific number of bytes in a file. The process that issues the lock command has read/write access to these bytes and may allow read-only access to other processes. The parameters mode and size control these actions. If the region being locked is already locked by another process, the locking routine requesting access can wait for the entire region to be unlocked or can return with an error code. A Unix/Xenix standard specification for this routine is shown here:

Now your computer can say anything and say it well. Introducing the Votrax Personal Speech System.

Quite articulate.

The unlimited vocabulary Votrax Personal Speech System is the most sophisticated, low cost voice synthesizer available today. Its highly articulate text-to-speech translator lets your computer properly pronounce conversational words at least 95% of the time.

For all those unusual words and proper names, you can define an exception word table and store your own translations. And remember, the entirely , self-contained Votrax PS System gets your computer talking without using any valuable computer memory.

Built-in versatility.

Much more than just a voice output device, the Votrax PS System lets you mix either speech and sound effects or speech and music. A programmable master clock and 255 programmable frequencies give you unmatched control of speech and sound effects.

The Votrax PS System offers user expandable ROM for custom applications, user downloadable software capability and sound effects subroutines for easy user programming. Its programmable speech rate provides more natural rhythm, while 16 programmable amplitude levels give you greater control of word emphasis.

Actual size: 12.2" x 4.5" x 2.6"

Friendly to humans.

Designed to look like a printer to your computer, the Votrax PS System is extremely easy to use. It can be used in tandem with your printer without an additional interface card. Both serial and parallel ports come standard, allowing you to connect the Votrax PS System to virtually any computer. Speech, music and sound effects are only a PRINT statement away.

computer instruction with voice textbooks as well as spoken drills and testing. And then, late at night, you can make those adventure games explode.

A quick list.

- ☐ Highly articulate Votrax text-tospeech translator.
- □ 255 programmable frequencies for speech/sound effects.
- □ 16 amplitude levels.
- ☐ Simultaneous speech and sound effects or speech and music.
 - 8 octave, 3 note music synthesis. □ Serial and parallel interface standard.
 - ☐ User programmable master clock.
 - □ User defined exception word table.
 - ☐ User programmable speech rate, amplitude and inflection. □ User expandable ROM
 - for custom applications. □ User downloadable
 - software capability. □ 3,500 character input buffer: subdivisible for a printer buffer
 - ☐ Internal speaker and external speaker jack.
 - □ Real time clock and 8 user defined alarms.
- □ Oral power up and error prompting. □ X-on/X-off and RTS-CTS handshaking.
- □ Programmable Baud settings (75-9600).
- □ Interrupt driven Z-80 microprocessor. □ Parallel/Serial interconnect modes.
- □ Proper number string translation: the number "154" is pronounced "one hundred fifty four".

To order, see your local computer retailer or call toll-free

1-800-521-1350

Michigan residents, please call (313) 588-0341. MasterCard, VISA or personal check accepted. The price is \$395 plus \$4 for delivery. Educational discount available. Add sales tax in Michigan and California.



What to say after "Hello".

Businesses will appreciate spoken

data transmission, narration of graphic

demonstrations. Spoken verification of

data input will make computers much

easier for the blind to use. School chil-

The Votrax Personal Speech System


is covered by a limited warranty.

Write Votrax for a free copy.

500 Stephenson Highway, Troy, MI 48084

dren can receive comprehensive

displays and unmanned, oral product





\$75*

\$99*

RIGHT FACE. RIGHT PRICE.

At \$75 and \$99 respectively, PRINTERFACE™ and GRAPHICARD™ are the right parallel interface products for your Apple II, II + , IIe or Apple compatible system.

But don't be fooled by those low prices. High performance features and high reliability make them the right choice for serious printing requirements.

PRINTERFACE, for example, offers 27 easy commands that let you format text, send controls to the printer. You can even dump 80-column text screen from your Apple IIe.

GRAPHICARD gives you all that, plus graphics capabilities for 37 of the most popular printers. Eight additional commands permit a variety of graphics, screen dumps, including side-by-side, top-to-bottom, double-size, inverse, emphasized, rotated and mixed text and graphics. For Apple II owners, the GRAPHICARD will give 80-column screen dumps from the Videx™ 80-column board.

By the way, if you buy PRINTERFACE and decide later that graphics would be nice, there's an easy-to-install upgrade kit that'll do the trick just fine.

Both cards clearly give you more for your money. And both are warrantied for five years. That's right, five years.

So drop into your local dealer and ask about PRINTERFACE and GRAPHICARD today. Two more practical products from Practical Peripherals.



31245 La Baya Drive, Westlake Village, CA 91362 (213) 991-8200 • TWX 910-336-5431

*Suggested retail price.

locking (fildes, mode, size)

int fildes;

int mode; long size;

We'll describe some of the notation as we go along, but a complete specification of the C language is contained in Kernighan and Ritchie's book on C. All Unix and Xenix documentation uses headers such as this one to specify exactly what a routine's calling sequence is.

access	determine accessibility of file turn accounting on or off
acct	schedule signal after specified time
alarm brk	change core allocation
chdir	change working directory
Citali	change working directory
chmod	change mode of file
chown	change owner and group of a file
chrrot	change the root directory
close	close a file
creat	create a new file
dup	duplicate an open file descriptor
execl	execute a file
exit	terminate process
fork	create a new process
getgid	get group identity
gotgia	got g. cop lacility
getpid	get process identity
getuid	get user identity
indir	indirect system call
ioctl	control device
kill	send signal to a process
link	link to a file
lock	lock a process in primary memory
lseek	move read/write pointer
mknod	make a directory or a special file
mount	mount a file system
пісе	set program priority
open	open file for reading and writing
pause	stop until signal
pipe	create an interprocess channel
profil	execution time profile
ptrace	process trace
ptrace	process trace
read	read from file set user identity
setuid	
setgid	set group identity
signal	catch or ignore signals
stat	get file status
stime	set time
sync	update super block
time	get date and time
times	get process times
umask	set file creation mode mask
umount	remove a file system
unlink	remove directory entry
utime	set file times
wait	wait for process to terminate
write	write on a file

^{**}Apple is a registered trademark of Apple Computer, Inc.



UNLEASH THE POWER

Having been in the microcomputing industry for 10 years, VR Data Corporation has earned its reputation for microcomputing excellence. For over a year we have been making solid deliveries of the PANTHER establishing ourselves as THE SOURCE for proven, premium quality Winchester Disk Subsystems. The PANTHER satisfies the most demanding mass storage needs with capacities of up to 30 megabytes or more.

Utilizing 5 1/4" Winchester disk drive technology, and microprocessor based error correcting controller boards, the PANTHER continues to be the #1 choice of discerning professionals. Available with one or two drives in one enclosure, the PANTHER can support many combinations of fixed and removable drives.

Now VR Data Corporation proudly introduces the newest member in the Panther family of Winchester Disk Drives, the "CUB". The CUB is a sub-mini Winchester Disk Subsystem, representing the latest in innovative technologies. With advances such as 100mm thin film plated media with embedded digital servo, and switch mode power, the CUB placed VR Data well out ahead of the pack. Available in single (master) and dual (master/slave) drive configurations, the CUB provides the user with capacities up to 10 megabytes of fixed or removable storage media.

The CUB's sleek low profile design totally eliminates that overcrowded work area problem and adds a professional appearance to your system. The CUB removable media drives are ideal for 5 megabyte on-line storage as well as 5 megabyte backup for your fixed media drives. Adapter modules are available for the most popular microcomputers. The PANTHER family of drives are available at quality Computer Stores everywhere. If your dealer does not yetcarry PANTHER Drives from VR Data, tell them the future has arrived.



777 Henderson Blvd. • Folcroft, PA 19032 • (215) 461-5300

Note that the notation is terse and assumes that you understand both the nuances of the C language and how C was used to implement the function.

The parameter fildes is the file description (i.e., the unique identifier) of the file to be locked. Variables are shown in C-language-type declaration statements as either integer (int) or long integer (long).

Binary semaphores are implemented in Xenix as a special file type having a length of 0. Each semaphore has a name (sem_name) and a mode that specifies permissions. A program creates the semaphore as follows:

int creatsem (sem_name, mode) char /* a character pointer */ *sem_name: int mode:

Execution of the integer function creatsem causes the semaphore to be reset and a unique semaphore identification number to be returned. Other processes can then open the semaphore with a routine open_sem, but access is granted only if the calling process has been given permission by the creating process. The routine wait_sem suspends the calling process until that process is signalled by the routine sigsem. More than one process may wait for a given semaphore to be set. A firstin-first-out (FIFO) queue is maintained by the system for each semaphore. A program that reads a shared file issues sigsem when it is done with the file. The sigsem call awakens the next process on the FIFO stack that is waiting to use the file. The routine nbwaitsem checks to see if the queue for a particular semaphore number is empty.

Thus, the semaphore routines provide the tools with which programmers can construct a binary signaling system between processes. The system is totally maintained by the programmer. A high degree of skill is required to use these facilities. But some such facilities are essential to the implementation of any multiuser application program on a system where one action must be completed before the initiation of the next.

Xenix also provides several convenience routines such as a "check" routine, rdchk, which looks to see whether there is any data to be read on an input stream. Programmers can use the routine to avoid annoying "hangs" on inactive input streams. The routine shutdn does all of the housekeeping necessary to shut down the Xenix system in an orderly fashion, including flushing all buffers to disk and halting the central processing unit. The consequences of a disorderly shutdown, caused by a power outage or an inadvertent flick of the power switch on the disk or the processor, are quite uncomfortable. Data and even whole files and file systems can be lost without the possibility of resurrection (unless you really know what you are doing). To reduce the impact of such improprieties, Xenix also supplies a tool that allows some of the worst effects of a damaged file system to be fixed. File-system-repair programs can replace the root file system's "super block" by passing a new super block in sblk,





We'll give you a 3M Post-it Note tray and a sample pack of Post-it Notes—a \$4.98 value. Absolutely free! Just buy any specially marked box of 3M diskettes and send in the proof of

purchase—with 75¢ for postage and handling. Complete details inside specially marked diskette boxes.

One 3M value deserves another.

3M diskettes have long been noteworthy for their unparalleled reliability. A reputation based

on over 30 years experience in manufacturing high quality computer media. Now we're giving you one more good reason to use high quality 3M diskettes.

So buy a specially marked box of 3M diskettes. And send for your free Post-it tray and notes today! Look in the Yellow Pages under computer supplies and parts for the 3M distributor nearest you. In Canada, write 3M Canada, Inc., London, Ontario. If it's worth remembering, it's worth 3M data recording products.

3M hears you...






Prices reflect 3% cash discount . Bankcards . Sorry no COO. . FOB Bellevue

All items currently in stock

13240 Northup Wy #4 - Bellevue, WA 98005



a structure that contains all of the header declarations for the super block of the file system to be repaired.

The Unix File System

The Unix file system is a hierarchical, or tree, structure. Microsoft has implemented the same general structure in a recent rewrite of its operating system for the IBM Personal Computer, PC-DOS version 2.0. The root directory, I, is where everything starts. Within I are kept data files, files that contain programs, and files that are directories of other files. It also contains a directory called usr, which contains all of the user directories. Let's suppose that a user named Randy has, as his home directory, the file called randy. Randy writes a program called hello. To run that program it is only necessary to type the name of the program. What you type can be the whole name (/ust/randy/hello) or an abbreviation, depending on where you are—that is, what your current directory is. If you type cd /usr/randy, your current directory is randy and you can just type hello to execute the program. If your current directory is /usr, you must type randy/hello.

Files and file systems are held together with a glue made of pointers. Files reside in any blank space available on a disk. If the first space available is too small, the file is written partly in that space and partly in the next free space. Pointers keep track of what is where. Because directories are nothing but files, it is possible that a single bad pointer can lose hundreds or thousands of other files.

Additional problems can occur in relation to another feature of the operating system: to enhance performance, writes to disk are not necessarily done when requested by the user or calling program. This is because Unix I/O is heavily buffered in memory. When some event calls for a write, the write occurs to the buffer and the system decides whether it is time to flush the buffer to the disk. Every 30 seconds or so a housekeeping process (called a daemon) comes along and flushes the buffers so that the disk doesn't get too far out of synchronization. Not surprisingly, this daemon is called sync. Sometimes, due to a power fault, a bad memory location, or some other event, the disk and the memory buffers are left unsynchronized as the system crashes. Even the best-run and best-maintained Unix system will encounter an occasional crash or partial crash. The result is usually a somewhat damaged file system. It is up to the person responsible for system maintenance to repair the damage.

System Maintenance

Unix version 7 supports programs used for file-system maintenance, backup, and system accounting. Xenix has made a number of extensions to the system to make maintenance easier. File systems can be repaired using dcheck, icheck, ncheck, and clri. These utilities give the system maintainer a high degree of flexibility, but to be used effectively they also require a high degree of knowledge about the file system. Xenix includes a Unix System III utility fsck (file system check) to help simplify repairs to the file system.

Information

	Unix		
Program	Version 7	Xenix	TRSDOS
log in accounting	ac	ac*	
turn on system accounting		accton*	
prompt for correct time		asktime*	
clear i-node	clri	clri*	
directory consistency	dcheck	dcheck*	
turn off terminals		disable	
incremental system dump	dump	dump	
directory of dump tape		dumpdir	
turn on terminals		enable	
file system consistency		fsck	
quickly halt system		haltsys	
storage consistency	icheck	icheck*	
test RAM			memtest
make a file system	mkfs	mkfs	format
make a special file	mknod	mknod	
add login ID to system		mkuser	
mount file system	mount	mount	
name for i-numbers	ncheck	ncheck*	
incremental system restore	restor	restor	
remove user from system		rmuser	
system accounting	sa	sa*	
print and set dump dates		sddate*	
gracefully halt system		shutdown	
become super user	Su	SU	
update super block	sync	sync	
back up script		sysadminn	backup
tape archiver	tar, tp	tar	
dismount file system	umount	umount	

*Available with the optional Radio Shack Development System.

Table 2: Unix version 7 maintenance programs.

Backup is a key to the integrity of Unix systems. Invariably, even with expert use of the file-maintenance utilities, files are lost due either to user error or to system error (user error is far more likely). The only effective remedy is a current backup of the file that was lost. Xenix supplies a menu-driven procedure (actually a shell script) called sysadmin to help users maintain an adequate backup of the system, and sddate is used to maintain a backup history for the system.

Normal system maintenance includes authorizing new users, deleting unneeded user accounts, establishing a logical connection between new hardware (e.g., terminals) and the system, and starting and stopping the system. Xenix has made many of these chores easier. The programs mkuser and rmuser establish (make) a user account and remove one in a far easier way than Unix, where the manager must edit the /etc/passwd file. In Unix version 7 the terminals were enabled and disabled by editing the letchtys file. In Xenix the programs enable and disable simplify this process. The program shutdown is used to warn other users that the manager intends to shut the system down. The haltsys program accomplishes the shutdown quickly.

Table 2 is a brief description of the maintenance programs available in Unix version 7, Xenix, and, for com-

Turn Your FLOPPIES Into FLIPPIES

5W" FLIP IT



aligned, accurate, safe way to make index-hole cutouts



DOUBLES YOUR DISKETTE **MEMORY IN SECONDS!**

The self-aligning Write- a) 51/4" FLIP-IT: for all 51/4" computers incl. Apple, Enable Punch has a special Deep-Grooved and "Case-Hardened" Steel Punch for making a clean write-enable cutout. Just insert into diskette and punch. Flip-it will pay for itself immediately — because every diskette you own or will buy is now like owning or buying two. Order yours today.

IBM, Oaborne, Atari, Radio Shack, Commodi Raypro, Franklin & more only \$29.95

b) 8" FLIP-IT: for 8" computers incl. IBM, Wang. Allos, Radio Shack, DEC. DG. & more Only \$34.95 c) Labels: (self-sticking, 100 ea) \$3.00

d) Write Protect/Enable: (5%" or 8") (100 ea) \$2.65

e) Hub-Reinforcing Kit (positioning-tool for hubopening) 5%" disks: \$10.99

8" disks: \$12.99 f) Hub-Reinforcer Rings: (50 rings ea. for hubonening)

5%" disks: \$5.85 8" disks: \$7.20 g) Disk Sleeves: (lint free, 10 ea.)

54" disks: \$2.55 8" dishs: \$3.85

Add \$2.50 for shpg and hdlg. (AK, HI, PR, Canada=add \$5, Int'l orders add USD10.50)

— Mass. res. add 5% lax

Circle 475 on inquiry card.

Flip-It

Tel: (617) 527-FLIP

P.O. Box 201, Newton Hlds., MA 02161

Telex: 4991009 CHTRI

copyright 1983 D/Punch Corp.

We acknowledge all trademarks

2000 letters per hour ia your personal computer



delivered in 48 hours or sooner at 26¢ a piece.

Whether it's credit and collection applications, announcements to your customers, or sales promotions for new services, our MAIL-COM software turns your personal computer into a one-button mailing house of enormous power. All you need is a modem, a personal computer, and our MAIL-COM software.

Our software allows you to link up with the U.S. Postal Service's new ECOM System. After receiving your letters via modem, the Postal Service will then print, stuff, seal and deliver the letters usually by the next day and guaranteed within 48 hours.

MAIL-COM is a complete, interactive package supporting all ECOM formats. Available now for the IBM PC (\$195.00), CP/M (\$195.00) and the Alpha Micro (\$495.00).

To order, call or write.

Computers

1501 Third Avenue New York, NY 10028 (212) 734-3875



and MS-DOS, and VMS too!

UniPress can meet your software needs, for a range of hardware, including VAX, MC68000, and IBM-PC.

UniPress, your UNIX source.

PACKAGING: VAX/VMS and UNIX, MC68000/ UNIX on Sun, Masscomp, Apollo, Tandy 16, Apple Lisa, Sritek Board for IBM PC, Dual, Plexus, Callan, and Cyb. Perq and Perkin Elmer, too. Source code, as well as binary. Maintenance available. Inquire regarding other hardware.

UniPress Software
UNIX SOFTWARE Priced from
■ Full UniPlus + UNIX for Apple LISA \$ 495 ■ EMACS—Multi-window text editor
(Gosling version)
■ C cross compiler—to 8086 and 68000 (includes assembler, linker, etc.) 8000
MS-DOS SOFTWARE
■ Software tools—Unix-like facilities add power to MS-DOS: includes ed, grep, sort, diff, cat, etc
VMS SOFTWARE
■ EMACS—Multi-window text editor (Gosling version)
OEM and dealer inquiries invited. Quantity terms available.
Call or write for more information.

UniPress Software, Inc.

1164 Raritan Avenue, Highland Park, NJ 08904 201-985-8000 Toll Free: 800-222-0550 (outside NJ) Telex: 709418 Mastercard and Visa

Overseas distribution available through Lifeboat Associates — Japan

Unix is a trademark of Bell Laboratories. VMS is a trademark of Digital Equipment Corp. MS-DOS is a trademark of Microsoft. UniCalc is a trademark of Lattice, Inc.

parison, TRSDOS (an operating system that we perceive to be similar in scope—if not in structure or detail—to most of the common single-user operating systems in the microcomputer market today). Entries in tables 2 through 15 marked with an asterisk (*) in the Xenix column are available with the optional Development System from Radio Shack or Microsoft. Entries in tables 3 through 15 marked with the † symbol are from the Berkeley implementation of Unix.

Program Development

Unix version 7 supports the program-development environment with a standard set of languages (included in the operating system package): f77 (FORTRAN 77), RAT-FOR (Rational FORTRAN preprocessor), a rudimentary BASIC interpreter, and, of course, C, as well as a host of useful utilities such as an assembler, a debugger, and library management. Table 3a shows the program support utilities available in several operating systems. Table 3b lists the programming languages, utilities, and related programs available in Unix and Xenix. Note that language software for Xenix is available only in the Development System or as a separate package. The arcv utility converts an archive from PDP-11 format (most of Unix was originally developed on PDP-11s) to one suitable for the Motorola M68000. Another utility, ctags, is used with vi, a full-screen (visual) editor of considerable power and complicated syntax, to edit programs using more than one source file. With ranlib you can convert an archive to a randomized library that can be used with the link editor—a program that takes the output of compilers or assemblers (i.e., object programs) and puts them together to form a single runnable program (thus, a "fix" in one program module requires only short recompilation and linkage editing to have the program running again). The Berkeley extensions mkstr, strings, and xstr minimize the storage space required for strings used in C programs.

Unix/Xenix Text Processing

The Unix community has spawned a number of editors and text processing systems. Xenix makes many of the text processors and two editors available to users. The Unix line-oriented editor ed is easier to use on a printing terminal than on a screen, but it is simple and quick and, for short texts, very effective. The vi editor has a manual nearly an inch thick and is a very powerful screen-oriented character editor. Each of these editors can be used to prepare text that can be subsequently processed by one of the formatting programs. Note that what you see is not what you get in the system. The textprocessing formatters such as nroff, troff, and negn provide tremendous flexibility and handle chores such as typesetting, mathematical equations, tables, and reference sections. The problem is that this is a multistep process. You place formatting commands into the text during text editing. To see the effect of these commands, you submit them to the proper formatter and print the result. You then proof the output, noting typographical errors, editorial changes, and format goofs. Back to the

"LOWEST PRICES"



SMITH CORONA LETTER QUALITY PRINTERS

SMITH CORONA TPII	\$ 444
TPI STOCK SALE ONLY 7 LEFT	375
TELETEX TTX-1014 S & P	506
STARWRITER 40 cps S or P	1112
PRINTMASTER 55 cps S or P	1436
NEC 3510 33 cps SERIAL	1409

DOT MATRIX PRINTERS

GORILLA BANANA Graphics

IDS MICROPRISM

SUPERBRAIN II DOUBLE DENSITY

OUAD DENSITY

SUPER DENSITY

COMPUSTARS FOR NETWORKING Prices too low to advertise SYSTEMS GROUP Multi-User SYSTEM 2966 w/17Mb Tape Backup 8"Floppy+19Mb Hard Disk \$7434

RADIO SHACK TRS-80 SAVE!

Which Computers are Best

Insured Shipping at Low Rates.

AMERICAN SQUARE COMPUTERS is

AMERICAN SQUARE COMPUTERS IS or organizing a World Wide Association of Computer Dealers. Open a Store or Start Work Out of Your Home! We Charge NO FRANCHISE FEE:

(Our Competitors charge a FRAN-CHISE FEE of \$15,000.00 to \$45,000.00.) Be a Winner! Let US help YOU get started MAKING MONEY by HELPING PEOPLE to put COMPUTERS to WORK. Write or Phone Today.

EPSON FX-80

PANASONIC KX-P1090 Fr&Tr	
Emulates FX-80	321
STAR MICRONICS GEMINI	
10X 120cps dot graphics	307
15X 120 cps like MX-100	484
OKIDATA	
82A Serial & Parallel 120cps	CALL
84 Parallel 15" Fr&Tr 200cps	CALL
92 Parallel 10"Fr&Pin 160cps	CALL
C. ITOH	
PROWRITER 8510 10"Par 120cps	404
2000	

SUPERBRAIN

TRAXX 5 1/4" ADD ON DRIVES

580-20 3-User 20Mb 8000-14 with 208K RAM 586-10 16-bit 12Mb Hard Disk

16-bit 30Mb Hard Disk

ADVANCED DIGITAL

CPM 3 TURBODOS MULTI USER

ALTOS COMPUTERS

ALTOS S-100 COMPUTERS 580-2 3-User 2 5 1/4" 580-10 3-User Hard Disk

ADVANCED DIGITAL 6MHz COMPUTER ADVANCED DIGITAL 6MHZ COMPUTER SINGLE BOARD Z80B RS232 5-100 128K with DISK COMTROLLER for 5"078" SUPER SIX (Includes PSNET/I) \$ 555 SUPER SLAVE=Z80B+PSNET/I+128K 491

SUPER STAR has 5Mb removableHD 4460

TRAXX 5 1/4" ADD ON DRIVES Bare drive SSDD SSDD w/cabinet & power supply



TELEVIDEO

TERMINALS

TELEVIDEO 910 Emulates	\$ 419
TELEVIDEO 910+ Smart	538
TELEVIDEO 914 NEW Detach Kbd	506
TELEVIDEO 924 NEW Non-volatile	614
TELEVIDEO 925 Detach keybrd	674
TELEVIDEO 950 Prog funct keys	863
TELEVIDEO 970 VT-100 compat	935
ADDS Viewpoint 3A+ Emulates	442
ADDS Viewpoint G Graphics	1371
ADDS Viewpoint 60G Graphics	1511
ADDS Color Terminal NEW!	998
Zenith Z-29 Z19&VT100 compat	655
Zenith ZT-1 Terminal+modem	483
Visual 50 Ergonomic	653
Visual 55 New! Enhanced #50	734
Visual 102 80/132 columns	890
V102 Graphics option for 102	653
Visual 300 ANSI&VT100 compat.	842
Visual 330 VT52&Haz1500 comp.	842
Visual 500 Graphics 14"screen	1970
Visual 550 Graphics, Buffered	2138
-	

MONITORS

TEMITH

\$1970

2376

2684

	117
ZVM-123 Green Phosphor	134
ZVM-131 Composite Color	322
ZVM-RGB-135 Color Monitor	491
USI 12" Amber 20 MHz \$	149

NEC

	2" Amber Phosphor " Color w/Audio		190 312
--	--------------------------------------	--	------------

AMDEK

AMDEK 13" COLOR I Demo, 1 1eft 257

4167 Kivett Dr.

GRAPHICS & COLOR GRAPHICS

VECTRIX

VΧ	128	8 col	ors	322x	560	Pix.	\$1795
٧X	384	16.8	mill	ion o	cold	ors	3595
VXM	Hi	Res.	13"	RGB	Mon	nitor	1221

MICROANGELO

MA	512	512×480	110	onochroi	ne	S	674
MA	520	512x480	+	Screen	Pak2		890

COMPUTERS

COMPUPRO

3806

4562

7176

Compupro computers come as mainframe, boards, and drives, and you must set the switches.

816A Computer	8085/8088	128K	\$4106
816B Computer	8085/8088	256K	5180
816C 8085/808	8 512K 3 us	sers	6613
816D 10 MHz 8	086 512K		10194
816-08 CPUZ 20	08K Oasis		CALL
816-016 10 MH	z 8086 512	K	CALL
816-68K 8 MHz	68000 256H	(6471

SEATTLE Pure 16 bit computer is the fastest microcomputer by actual test!

	BK Static Ram	
& 1 paralle	el ports. Avail. Nov/De	C CALL
Hard Disk (CALL

TARBELL with 2-8" disk drives

TARBELL RE	BEL 5-100	64K Z	80B	6Mhz
REBEL 2 2	5 1/4" FI	Lpy=800	K	
REBEL 5 1/4	" Floppy	+ 5Mb	HD	3009
REBEL 5 1/4	" Floppy	+10Mb	HD	3139
REBEL 5 1/4				3268
TARBELL EN				Drvs
EMPIRE I S				\$3304
EMPIRE II	Double si	ided		3775

MEDICAL SOFTWARE

MICROMED or	MICRODENT	\$1656
STARDOC for	OASIS SYSTEMS	350



NORTH STAR ADVANTAGE

NORTH STAR ADVANTAGE	8 BIT	8/16
Work Station	\$1996	\$2329
2 Floppies 360K ea.	2298	2631
5 Mb Hard + 360K Flopp	y 3432	3765
15 Mb Hard+ 360K Flopp	y 4566	4899

NORTH STAR HORIZON

	1 User	Multi
2 Floppies 360K ea	\$2775	N/A
5 Mb Hard & Floppy	3833	\$6948
15 Mb Hard +Floppy	4595	7147
18 Mb Hard +Floppy	6101	8647
CALIFORNIA COMPUTER S	SYSTEMS	
CALSTAR 2 8" Drvs 2.5	Mb 128K	\$2295
2210-01 ONLY 4 LEFT IN		615

Factory Guarantees

Micro Decision II

MICRO DECISION

Morrow Terminal

"A DEAL YOU CAN'T REFUSE"

64K RAM Z80 4MHz 2 serial ports 1 parallel port 2 5 1/4" drives. Free Software: CPM 2.2, MicroSoft Basic, BaZic, WordStar, LogiCalc spreadsheet, Correct—it spelling checker, Personal Pearl data base

checker, Personal Control Cont ABOVE PACKAGES INCLUDE ALL CABLES

DECISION 1

SingleUser=FREE CPM, MicroSoftBasic. S-100, IEEE 696, 14-slot, 4 MHz Z80 Realtime clock, Interrupts, 3 Serial &1 parallel port,64K RAM expandable to 1 Megabyte

D120 = D100 + DSDD 5 1/4" + 10Mb HD bl20 = bl00 + bsbb 5 1/4" + lomb Hb
+Wordstar, Correct-It, Logicalc,
BaZic, Personal Pearl, and Quest
Bookkeeper Software 3538
MultiUser = Hardware & Software as
Dl20 w/256K RAM & Memory Protect
+ Micronix Operating System runs

+ Micronix Operating system runs
16 programs simultaneously!
D200 w/10 Mb DMA Hard Disk
D210 w/16 Mb DMA Hard Disk
D220 = D210 w/512K RAM & 6 Serial &
2 Parallel ports. A 6-user system,
can be upgraded for 15 users. 5293

MORROW DISK DRIVES

Complete systems include S-100 controller, power supply, cabinet, & fan, CPM & Basic 80. Add Drives include power supply, cabi-

						Add
				Syst	em	Drive
5 1/	4"	Win.	10Mb	\$15	72	\$1081
5 1/	4"	Win.	15Mb	17	13	1362
8"Wi	no	chester	10Mb	26	25	2134
8"Wi	no	chester	20Mb	31	87	2766
MOF	RC	W 8"FL	OPPY	DISK	DRIVES	w/DMA
One	1	sided		\$ 8	70	\$ 576
One	2	sided		10	81	800
Two	1	sided		14	118	1011
Two	2	sided		18	39	1432

APPLE, IBM OR MORROW, WHICH IS BEST? FREE BROCHURE!

Call for latest prices & availability





We Beat Prices

Jamestown N.C. 27282

919-883-1105

MRS/OS Source Code

THE Z-80 OPERATING SYSTEM

- Runs CP/M 2.2* and CDOS® application programs
- Contains 55 OS function calls
- Direct and Standard console I/O
- Standard console I/O includes numerical formatting and I/O steering
- User defined "CNTRL C" function
- Sequential and Random disk file access
- Provides Standard file management functions plus Direct Disk Access
- 12 system utility functions include PATCH AND BATCH
- Requires 32K Z-80 computer with editor and assembler

- Directory utility provides directory error checking, statistics, and alphanumeric ordering
- "HELP" menus throughout

FULLY COMMENTED SOURCE CODE included in 250 page manual

Source code also provided on 8" SSSD disk 8"SSDD disk or 51/4" SSDD disk (please specify)

ONLY \$5995

(includes shipping & handling)
Mass. orders include 5% sales tax



16 Bowman Lane Westboro, MA 01581 (617) 366-8969 Phone orders welcome

CP/M is a registered trademark of Digital Research Corp CDOS is a registered trademark of Cromemco Corp



Continuous

for Desk-Top Computers

as low as **\$29**.95

for 250 checks printed with your name and bank information


- Statements, invoices, other forms compatible with software from over 300 sources.
- · Or program to NEBS standard forms yourself.
- Quality products in small quantities shipped direct to you.
 Fast service, low prices, money-back guarantee.

FREE one-stop catalog of computer forms, stationery, supplies and accessories.

Write or phone for your copy Today.

TOLL FREE 1 + 800-325-1117

(Mass. residents 1 + 800-448-4688)



A division of New England Business Service, Inc.

CODE 11006

(3a)

	Unix			
Program	Version 7	Xenix	TRSDOS	CP/M
debugger	adb	adb*	debug	ddt, save
archive/library manager	ar	ar*		
convert archive format		arcv*		
assembler	as	as*		asm
create a tags file		ctags* †		
link editor	ld	ld*		load
ordering for library	lorder	lorder*		
maintain program group	make	make*		
message file from C		mkstr*†		
print name list	nm	nm*		
octal dump	od	od*	list	dump
display profile data	prof	prof*		
size of an object file	size	size*		stat
remove object file parts	strip	strip*		
time a command	time	time*		
randomize library		ranlib*		
extract objects strings		strings*	t	
extract C strings		xstr*†		

*Available with the optional Radio Shack Development System. †From the Berkeley implementation of Unix.

(3b)

	Unix	
Program	Version 7	Xenix
BASIC interpreter	bas	
unlimited precision	bc	bc*
C program beautifier	cb	cb*
C compiler	CC	CC*
desk calculator	dc	dc*
FORTRAN 77 compiler	f77	
lexical analyzer generator	lex	lex*
C program verifier	lint	lint*
macro processor	m4	m4*
rational FORTRAN dialect	ratfor	ratfor*
structure FORTRAN	struct	struct*
parser generator	yacc	yacc*

*Available with the optional Radio Shack Development System.

Table 3: Support utilities of four operating systems (3a) and languages and utilities available for Unix and Xenix (3b).

editor. The typos and changes are easy, but figuring out how to get the formatting just right is a matter of considerable effort for those of us who haven't had the foresight to get a Ph.D. in nroff. Tabel 4 shows what text utilities are available in Unix and Xenix.

File Processing

File processing was an area of considerable concern to the Unix system designers. An efficient program-development environment requires all sorts of neat ways to get at things, to see if one thing is the same as another, or to sort things into some reasonable order. Xenix provides the complete Unix version 7 file-processing set and extends the set by a considerable margin. Table 5 shows the file-processing capabilities of Unix, Xenix, TRSDOS,

Become a dBASE II expert without cracking a book

dBASE II is, quite simply, the best-selling database management system (DBMS) made

for any computer, ever. And with over 150,000 users so far, it's become the standard for managing data with a microcomputer.

Jump into dBASE II, disk-first.

The best way to learn to use dBASE II is to use dBASE II. Our ondisk tutorial is a hands-on interactive learning system that will get you up to speed on dBASE II, quickly and easily. Then you can use your

new-found knowledge to create a full business information system that

does exactly what you need done. A system that will handle today's problems, yet grow with you.



dBEST deal in town.

On-Disk Tutorial

ASHTON TATE

When you buy dBASE II, you'll be getting the most advanced information management tool available for your micro for only \$700 (suggested retail price). At the same time, you'll be getting the most advanced teaching tool (the dBASE II On-Disk Tutorial) for free.

For the name of your nearest dBASE II dealer, contact Ashton-Tate, 10150 West Jefferson Boulevard, Culver City, CA 90230, (800) 437-4329, ext. 212. In the U.K., call (0908) 568866.

ASHTON-TATE

dBASE I is a registered trademark of Ashton-Tate. ©Ashton-Tate 1983

Here's just a taste of our great prices.

DISKETTES

ЗМ	
S.S. D.DEN 40 TRK, 10	, 16 SECTORS . \$ 22.00
O.S.O.DEN 40 TRK, 10	, 16 SECTORS 34.50
VERBATIM DA	TALIFF

MD 550-01, 10, 16... **PRINTERS**

C-ITOH F-10 40 CPS P/S\$	1250.00
C-ITOH F-10 55 CPS P/S	1590.00
C-ITOH PROWRITER PARALLEL	399.00
C-ITOH PROWRITER SERIAL	550.00
EPSON GRAFTRAX PLUS	60.00
IDS 480 MICROPRISM	459.00
RIBBONS FOR MX-80	8.95
RIBBONS FOR MX-100	24.00
SOUNDTRAP for 80 column printers	99.00

MODEMS

HAYES	MICRON	MODEM	ii/e	\$	256.0	0
HAYES	SMART	MODEN	(300	Baud)	.208.5	0
HAYES:	SMART	MODEN	(1200	Baud)	.528.0	0
NOVATION	IN APPL	F-CAT	(300 B	(hus	310.0	n

MONITORS

AMOEK COLOR II INTERFACE Ite\$	149.00
AMDEK RGB COLOR II	.465.00
AMDEK RGB INTERFACE	.145.00
AMDEK 300A	.159.00
AMDEK 310A IBM AMBER	.179.00
BMC GREEN MONITOR	92.D0
NEC 12" GREEN MONITOR	158.00
TAXAN 12" AMBER	.145.00
USI AMBER 9"	.155.00
USI AMBER 12"	.165.00
ZENITH AMBER	.129.00

APPLE SOFTWARE

APPLE MECHANIC\$	23.00
APPLESOFT WORKSHOP	.37.45
BANK STREET WRITER.	.49.98
BEAGLE BAG	.23.00
DOSS BOSS	.18.50
DOUBLE TAKE	.24.95
FIREFIGHTER	. CALL
FORMATT II ENHANCED.	32.50
MICROTYPING II, Hayden	.24.35
PFS: GRAPH	.89.95
PFS: (NEW) PERSONAL FILING SYSTEM	85.00
PFS: REPORT	79.00
TIP DESK #1	.15.59
UTILITY CITY	.23,00

APPLE II/IIe HARDWARE

ALS 6 MHZ CP/M w/64K/C-BASIC	.\$ 319.00
KRAFT JOYSTICK	48.94
MICROSOFT CP/M/80 col/64K RAM	342.50
MICROSOFT Z-80 SOFTCARD	229.00
OUENTIN APPLEMATE	238.00
RANA CONTROLLER	104.00
SUPERFAN II	62.00
SUPERFAN II W/ZENER.	84.50
SUPER FIVE HALF HEIGHT DRIVE	269.00
VIDEX 80x24 VIDEO CARD	229.00
ULTRATERM	293.00
7710A ASYNCHRON, SER	135.00

GREAT APPLE GAMES

FLIGHT SIMULATOR (NEW)	34.50
LEGACY OF LLYLGAMYN,	32.35
LODE RUNNER	27.25
WIZARDRY	37.95
ZORK I, II. III	28.D0

IBM® HARDWARE

APPARAT CRANBO II w/64K\$ 364.00
HERCULES GRAPHICS CARD399.00
KEYTRONICS KEYBOARD215.00
KOALA PAD99.00
KRAFT JOYSTICK
LATTICE C COMPILER369.00
MICROSOFT FLIGHT SIMULATOR38.95
MICROSOFT 64K278.00
PLANTRONICS COLOR + w/Oraftsman 475.00
OUADBOARO 64K308.00
OUAOLINK 550.00
Tandon TM100-2 Oouble head 40 trk, 235.00
TEAC HALF HEIGHT D.S. Disk Drives 279.00
TECHMAR GRAPHICS MASTER587.00
T/G JOYSTICK47 95
T/G TRACKBALL47.95
USI MULTIDISPLAY499,00
64K MEMORY UPGRADE 80.00

SOFTWARE

CONCURRENT CP/M 86,	315.00
CP/M 86 DIGITAL	54.00
d BASE II	.409.00
EASYWRITER IL.	.185.00
HOME ACCOUNTANT+	.105.00
JFORMAT.	29.00
LOTUS 1,2,3	.369.DD
MICROSOFT FORTRAN	.257.00
MICROSOFT WORD W/MOUSE	.387.50
MONTE CARLO Multifunction Card 64K	345.00
MULTIMATE	
PFS: FILE,	97.50
PFS: GRAPH,	97.50
PFS: REPORT	97.50
PFS: WRITE	.107.00
PIE WRITER.	.115.00
PROKEY	58.50
VOLKSWRITER	125.00
WORDSTAR	. 279.50
WIZARDRY	47.76

MISCELLANEOUS

FLIP & F	LE DISKETTE STORAGE\$ 19.95	1
614" BIB	Oiskette Cleaner w/solution8.95	

To order or for information call

In Los Angeles:

31304 VIA COLINAS **WESTLAKE VILLAGE, CA 91362**

Satisfaction Assurance -- Your satisfaction is assured by our 30 day guarantee on all hardware products we sell. All manufacturers' warranties are honored by manufacturers. Dead-on-arrival software will be replaced free during the first 20 days, however, no refunds or exchanges on software. Proof of purchase required. All returns must be authorized in advance.

and CP/M. The copy utility is a handy extension that copies groups of files, whereas cp does so only with some fairly arcane manipulation. A Berkeley enhancement called more displays files a screenful at a time. Members of the grep family, including look, are used to

Program	Unix Version 7	Xenix
Program		VELIIX
simple text formatter	roff	
text typesetting	troff	troff*
text formatter	nroff /	nroff*
typeset mathematics	eqn	eqn*
format mathematics	neqn	neqn*
format nroff/troff	tbl	tbi*
format references	refer	refer*
insert references		lookbib*
simulate typesetter	tc	tc*
greek letters print	greek	
reverse line feeds	col	col*
remove format constructs	deroff	deroff*
check eqn usage	checkeq	checkeq*
prepare for statistics		prep*
format output		sp*

*Available with the optional Radio Shack Development System.

Table 4: Unix and Xenix text utilities.

Program	Unix Version 7	Xenix	TRSDOS	CP/M
•	awk	awk		-
pattern processing				
append file to file	cat	cat	append	
catenate and print	cat	cat		type
compare two files	cmp	cmp*		
choose common lines	comm	comm*		
copy groups of files		сору	move	
copy	ср	ср	copy	pip
convert and copy a file	dd	dd		
differences in two files	diff	diff		
differences in three files		diff3*		
full expression search		egrep*		
string search		fgrep		
limited expression search	grep	grep		
print beginning of file		head*t		
relational database join	join	join*		
find lines in sorted list	look	look*		
browse file		moret		
print page headings	pr	pr		
reverse lines		rev*		
stream editor	sed	sed		
sort or merge files	sort	sort		
split file	split	split*		
checksum of file	sum	sum*		
print end of file	tail	tail		
translate characters	tr	tr*		
topological sort	tsort	tsort*		
duplicate lines	uniq	uniq*		
word count	wc .	wc*		

^{*}Available with the optional Radio Shack Development System. †From the Berkeley implementation of Unix.

Table 5: File-processing capabilities of four operating systems.

^{*}For all your computer product needs, come visit us at our new California store.



Thirsty for a 384k Multifunction Board? Try a SixPakPlus™

Since the introduction of DOS 20, the capabilities of the PC have been increased with the ability to address up to 640k of memory. With the current PC having 256k available on the computer motherboard. you need another 384k to reach 640k. Great you say, but multi-function boards only have room for 256k on them. Welllookagain, because now you can get the new SixPakPlus™ with up to 384k of memory, clock/calendar, asynchronous (RS232C serial) port, printer port, SuperDrive™ electronic disk emulation, and SuperSpooler^{1M} printer spooling. There is even an optional game port. And if you already have enough memory for your present needs, you can still get on the bandwagon by buying it without any memory. When your needs for memory grow, the sockets are ready for you to install six banks of 64k parity checked memory.

With the SixPakPlus™ from AST Research you get the most advanced multifunction board available from the industry leader in IBM PC enhancements.

You get a clock/calendar powered by a clip-on battery which does not require factory service to replace. It automatically loads the correct time and date when you turn on your computer. The serial port can be configured as COMI or COM2, and has jumpers for simplifying wiring of cables. The printer port uses, all the same signals as IBM's - you can even use the IBM diagnostics on it. The optional game port uses any IBM compatible joystick.

The board is backed up with a one-year warranty on parts and labor and the Qubie' satisfaction quarantee. If for any reason you are not satisfied with the performance of your board within 30 days of purchase, you may return it for a full refund, including the postage to return it. And if your board should need warranty service we do the repairs in 48 hours or we replace your board with a new one. That's the level of service that has made us the largest dealer in the world for AST Research products

MegaPlus II & I/O-Plus II The Ultimate Expansion for IBM PC or XT

The AST Research Mega Plus II™ has three functions standard. Paritychecked and fully socketed memory up to 256k in 64k increments; clock/ calendar with battery back-up for automatic loading of time and date when the computer is turned on; and asynchronouscommunication port (RS232C serial) which can be used as COMI or COM2, (DTE for a printer, or DCE for a modem). Also included is SuperDrive¹⁴ "electronic disk" software. This program builds "disk drives" in memory which access your programs at the speed of RAM You get SuperSpooler's, print spooling software. It operates your printer while you continue to work with your computer

Options include a 100% IBM compatible parallel printer port (can be configured as LPT1, or LPT2), and a second RS232C asynchronous port (COMI or COM2). Three MegaPak[™] options can plug onto your MegaPlus II "prggyback" style to give you an additional I28k or 256k of memory, or a game port.

I/O-Plus II", is the answer for those who don't need additional memory but would like all those other multi-function board features. The I/O-Plus II'* comes standard with a clip-on battery powered clock/calendar, an asynchronous communication port (RS232C serial). SuperDrive™ electronic disk. and SuperSpooler' print spooling software

Optional is a second asynchronous port (DTE, or DCE), a parallel printer adapter, and the best game paddle adapter on the market. It is an IBM standard game port, but it can also use Apple compatible paddles and joysticks. Options are all socketed so they may be added later should the need arise

Both boards come with a one year factory warranty and the Ouble' satisfaction guarantee if for any reason you are not satisified with the performance of your board within thirty days of purchase, you may return it for a full refund, including the postage to return it

TO ORDER BY MAIL INCLUDE:

- -complete description of products requested
- -daytime phone number
- -California residents add 6% sales tax
- -check or credit card number with expiration date (personal checks take 18 days to clear)





TO ORDER BY PHONE:

In California (805) 987-9741 Outside California TOLL FREE (800) 821-4479

PRICES:

I/O-Plus 21 with Clock/calendar, serial Jasynchronous) port, SuperDrive™ and SuperSpool - 5119

MegaPlus II" no memory, with clock, serial, and software - \$229

SixPakPlus^{1*} no memory, with clock, serial port, printer port, and software - \$229

	Each 64k of memory installed and tested on MegaPlus, SixPakPlus or alone555
	Parallel Printer Port
	Second Asynchronous Port
	Game Adapter (I/O or SixPakPlus) \$35
	MegaPak™ with 256k of Memory \$299
	128k of Memory \$199
١	GamePak for MegaPlusII
١	ConnectAll Cable Bracket
ı	Cable to Parallel Printer
	Cable to Modem or Serial Printer \$25
	Diagnostics Program \$10
ı	SUPERWRITER by Sorcim, \$179
١	SUPERCALC: by Sorcim
	dBASE II by Ashton-Tate
	Word Processing Keyboard
	Keyboard/Superwriter Package \$399

SHIPMENT

Normal shipment is day after receipt of order We pay UPS surface charges on all items except keyboards For keyboards add \$5 for surface, \$10 for 2 day air. All COD shipments add \$3

QUANTITY PURCHASES?

If your corporation, institution, or users group has needs for quantities of boards, call us for details on our quantity purchase program.

4809 Calle Alto, Camarillo, CA 93010

Tempo House 15 Falcon Road, London, SW 11, UK



ORYX **SYSTEMS**

QUALITY DISCOUNTS

APPLE/ FRANKLIN

	_	
ASHTON-TATE d-Bose II\$	399	
ASPEN SOFTWARE		
Grommotik\$	60	
Proofreader	42	
BEAGLE BROS.		
Apple Mechanic \$	22	
DOS Boss	17	
Utility City	22	
BRODERBUND		
Bonk Street Writer\$	49	
General Ledger w/AP.	305	
Poyroll	275	
•	2/3	
CDEX		
Visicolc Training \$	45	
CHARLES MANN		
Closs Scheduling\$	299	
CONTINENTAL SOFTWA	ARE	
Home Accountant \$	49	
DOW JONES		
Market Analyzer \$	245	
Market Manager	219	
Microscope	569	
•	007	
HOWARD SOFTWARE	c "	
Tox Preporer\$	Call	
LINK SYSTEMS		
Dotofox\$	Call	
Dotolink	79	

CP/M	
VISICORP Visicolc (II or IIE)\$ Visischedule	1 <i>7</i> 9 225
SYSTEMS PLUS (Z80 req.) Landlard \$	375
SUPERSOFT Basic Tutor Fortran	\$79 299
PFS: File	79 79 79
Basic Compilers' Runtime\$ Safteach UCSD P-system Set	169 94 469
SOFTECH	
SIERRA DESIGN Homeword\$	Call
Complete Graphics/ Apple Tablet	В6

SOFTWARE

COMPUVIEW V.Edit 8080 ZRO

I8M/PC\$	130
*V-Edit CP/M 86,	
MS DOS	160
DIGITAL RESEARCH	
*Pascal MT + W/SPP \$	389

39 39

49

239

209

Call

Coll

Call

Call

LOGO CORNER Krell Logo\$ 75

CROPRO	MAC
ordstor (Special)	ZSID (Z80) Debugger .
v/CP/M Cord,	CP/M 2.2
col, & 64K)\$ 375	C 8asic 2
astor (Includes	PL/1-80
DAM 70 L 44K) 275	C 0 :- C :- :-

(W/CP/M Cord,		CP/M 2.2
7 col. & 64K)\$	375	C Basic 2
Infastor (Includes		PL/1-80
CP/M, 70 col., 64K)	375	C Basic Compiler
Pro Pok		(CB-80)
(WS/MM/SS/Index)	425	Access or Display Mar.
MICROSOFT		C Language/compiler
Cobol-80 \$	499	Concurrent CP/M 2.0 .
Fortran-80	145	All 8" - 86 Version
	125	of Above \$
TASC Compiler	95	INFOCOM
A.L.D.S	169	*Deadline \$
Multiplan (DOS)	107	*Storcross
OMEGA		*Suspended
Locksmith\$	69	Zark, I, II, III (each)
PEACHTREE (CP/M)		Planet Fall
Peochpok 40 G/L +		
	227	LEXISOFT
A/R + A/P (Special)\$ Series 40	237	*Spellbinder\$
G/L, A/R, A/P eo	195	MARK OF THE UNICOR
	173	*Final Word \$
Series 9	270	MICROPRO
Peochcolc	279	*WordStar\$
Telecommunications	279	*InfoStar\$
PENGUIN SOFTWARE		*Pro-Pock (WS/MM/SS
Complete Graphics\$	53	Index) \$
Graphics Magician	45	All others \$

d-BASE II CORNER	
Ashton-Tate	
d-8ose II	Col
Bottom Line Strategist	269
FPL	475
Friday	199
Human Soft	
d-8ase Plus	89
Fox & Geller	
Quick Code	199
D Util	60
	OU
Software Banc	
d-Bose II User's Guide:	
w/ d-Base II Purchase	
w/a d-8ase Purchase	20
Anderson-Bell	
Abstot	349
Tylog Systems	
d-Bose Window	1.00
,	177
*All above available on PC-DOS	

MICROSOFT 8osic 80\$	239	PICKLES & TROUT CP/M for TRS-II \$	180
Basic Compiler Fortran 80 Cobol 80	249 330 449	PRO/TEM SOFTWARE *Footnote\$	105
Macra 80 MuMath/MuSimp	130 185	REVASCO ZBO Disassembler\$	85
MuLisp/MuStor	142 1 <i>7</i> 5	SORCIM *Supercalc III , , , \$	Cal
7		Superwriter (w/Spaller & Moiler) . \$	179

PEACHTREE CORNER

•	▶ PeachPak 4 (G£, AP, AR)\$ ▶ General Ledger / Accounts Poyable / Accounts	237	
	Receivable / Soles Invoicing / Inventory Control /		
	PeachPay Payrall Eoch	399	
	▶ PeachText	160	
	▶ PeachText w/ Random House Thesaurus	195	
	▶ Spelling Proofreader	95	
	▶ PeochColc	90	
	▶ Job Cost System	399	
	▶ Client Posting & Accounting	399	
•	▶ Graphics Language	275	
•	▶ Business Grophic System	199	

Crosstolk \$ 115	SELECT Select Word
NORTHWEST ANALYTICAL	Processor\$ 35
Statpok\$ 365	STAR SOFTWARE SYSTEMS
DASIS	*Legal Time, Billing 84
The Word Plus \$ 120	Property Mgmt 84 *Acc't Portner 29
Punctuation and Style 99	Accironner, 27
ORGANIC SOFTWARE	SUPERSOFT
Datebook\$ 229	*Diagnastic II\$ 8
*Milestane 229	Disk Doctor

Formats Available*

All prices below are for 8" standard. Other formats are available. Some formats subject to "Download" fee and require minimum 2 weeks for delivery. Please inquire.

*Fortran 4	299
Bosic-8086	225
C Cross Assembler	400
*ScrotchPod	199
T MAKER III	220

IBM/PC

Please see CP/M listing. All products with a * in front are also made for PC/DOS and are priced the same unless otherwise specified.

ALPHA COETWARE

Dota Base Mgr. II \$ Moiling List	195 72 105 87 35
CENTRAL POINT Copy II PC\$	34
CONDOR III w/Training,\$	445
CONTINENTAL Home Accountant \$	95
DIGITAL RESEARCH	
Concurrent CP/M 86\$	225
CP/M-86	40
Cobol 86	499
(MS DOS)	375
SPP 86	130
SID 86	113
C Basic 86	135
Pascal PC/DOS	385
DR Logo	109
DOW JONES	
Morket Analyzer\$	245
Market Manager	219
ECO-SOFT	
Microstat\$	230
FINANCIER	
Tox Series	105
Personal\$	119

GRAPHIC SOFTWARE

SpellBinder\$ 259

Volkswriter ****** 135 LOTUS 123 \$ Coll

PeochText 5000\$ 237

LEXISOFT

LIFETREE

PEACHTREE

Please see listing under CP/M.

SUPERSOFT	
C Compiler - 8086 \$	350
Star Edit	180
Disk Edit	75
Basic Campiler	225
Fartran IV PC/DOS	
ar 8086	299
BOS7 Support	40
Diagnostics II	89
Scratch Pod	199
SYSTEMS PLUS	
Landlard (prop mgmt) \$	375
Runtime Basic	
(rea d for above)	45
and many more!	

APPLE/ **FRANKLIN BOARDS**

ALS CP/M Cord\$	299
ALS Smorterm	249
ALS 7-Cord II	142
ABT Keyboard	99
Axlan Romdisk 128K	299
Bit 3 Dual Comm-plus .	209
CCS 7710 Asynch Serial	119
Central Paint Alaska	119
East Side Wild Cord .,	110
Microsoft 16K Romcord	69
Microsoft Softcord	235
Microsoft Softcard +	429
Microsoft Premium	
Softcord (IIE)	395
Microtek Printer I/F	75
Microtek Dumpling-16	195
Microtek Dumpling-GX	119
Mourtain A-D/D-A	279
Mountain Music	
System w/Software ***	299
PCP 4 MHZ Appli-	
Card + 88 Card	599
PCP 88 Cord 16 Bit	
+ 64K	475
Prometheus Versacard	159
Prometheus Grophitti	10,
Cord	99
Cord	//
w/soble	129
w/coble	127
Parallal	179
Porollel	179
Street Echo II Speech	100
Synthesizer I/F	129
Tymac Parallel I/F	
w/coble	79
Videx Display	
Enhancer	99
Videx Disploy	
Enhoncer II	99
Videx Func. Strip	59
Videx Videoterm	
VT-600	235
Videx Ultraterm	299
Wesper 16K Rom Cord	69
Places	

IBM/PC **BOARDS**

AST RESEARCH CombaPlus 64K Clack/ Calendor, Serial & Porallel, I/F, Expandable to 256K\$ MegaPlus 64K, Clack/ Colendor, Serial Port,	279	
Expandable to 512K w/Megapak	269	
Extra parts available for Megaplus and I/O Plus II includes Game,		
Parallel & Serial	40	
for Megaplus\$ I/O Plus II Clack/Calen-	Call	
dar and Serial Part	115	
LNW Products\$	Call	
MAYNARD ELECTRONICS		

Hoppy Drive Control-	
ler w/Porollel Port.,,	209
w/Serial Port	249
Sandstor Mem. Card	
— 3 madules cap	194
Sandstor Multifunction	
Cord - 6 modules cap.	93
Sandstor Modules\$	Coll
QUADRAM	
Quadboard 64K, Clack/	
Colendor, Serial &	
Parallel Parts,	

Controller \$ 155

Flappy Drive

Saftware\$	279
Microfozer Stock Printer Buffer (expandable to 512)	()
▶ Parallel/Parallel BK	145
▶ Porallel/Porollel 64K	188
► Serial/Parallel BK	170
► Serial/Serial BK	170
Quadlink 64K Memory, Game Part allows	
Apple Saftware to	
to an IBM/PC\$	Coll
TECMAR Products\$	Coll
XEDEX/MICROLOG	
Boby Blue , \$	475
TALL TREE	
512K JRAM Mem.	

Board \$ 699

DISPLAY CARD CORNER	
Hercules Grophics Board\$	369
Orchid Monochrome Graphic Adapter	360
Plantronics Calorplus,	389
USI Display Cord (calor/monachrome)\$	
Amdek MAI Cord\$	Coll
Tecmor Grophic Moster\$	Coll

Amdek Video 300A	
Amber\$	159
Amdek RG8	425
NEC 12" Hi-Res Green.	187
Sanyo 12" Hi-Res	
Green	199
USI Hi-Res 12" Amber ,	160
NEC JB-1260 Green	119
PGS RGB Color\$	Call
NEC JC-1203 RGB	560
Panasanic	
Monitors\$	Call
Quadram	
Quadchrame\$	Call
Toxon 12" Amber	139
Taxan 12" Green	132
Toxan 12" Med. RGB	323
Toxon 12" High RGB	512
Toxon RGB	
Cable for PC	17
Sony Profeel	
12/19/25" ,\$	Coll

	259
Superfive Half-Hgt	
(App)	9
Panasonic Half-Hgt	205
Tandon TM-55-2 \$	275
Tandon TM-100-2,	239
Davong DSI-501 Hard \$	Call
Davong DSI-512 Hard \$	Call
Davong DSI-519 Hard \$	Call
Corona 5 MB Hard 1	.395
	,795
CDC 1800	270
	Coll
	Coll
Vista Sala 143K S	259
Visto Sala & Cantraller	329
	_
(1
PRINTERS	

C.	Itoh	Startwrite	r F10	. :	51,149
		Prowriter			

C. Itah Prowriter 1550.

Okidata Microline 92 .

IDS Prism BO

IDS Prism 132

Star Micronics

Star Micronics

NEC 3550 \$ Call NEC 8023A..... Okidata Microline B2A Okidata Microline B3A

(w/4 options) 1,547 IDS MicroPrism Silver-Reed

Daisy Wheel \$ Call

GE Printers S Call

Epson FX-80 Transtar T-130-P

Transfor T-315P Color

599

499

449

TELECOMMUNICATIONS CORNER *** SPECIAL ***

Hayes Smortmadem 12000/Hayes Smortcam II Software	9
AST I/O Plus II Clack Colendar and Serial Part\$	689
Above w/Smartmodem 300	399
Hayes Smartmadem 1200 & Smartcam # Saftware	575

MODEMS

	_/
Novation	
Apple-Cot II\$	269
Hayes Micromodem II.	259
Anchor Mark I.	B4
Anchor Mork VII	129
Hoyes	
Smart modern 300\$	205
Hoyes	
Smortmodem 1200	495
Hayes Chronograph	189
Novation 212	
Auto-Cot	579
US Robotics Auto-	
Dial (full auto	
answer 300/1200)	459
US Robotics Auto-	
Link (auto answer	
300/1200)	379
US Robotics Possward	395
	_

Iransfar 1-120P	4
Mannesman Tally	
MT1601	4
MTI60I	- 5

Esprit	. \$	Call
and much me	or	e.

DISKETTES

3M 5" DS, DD, Box \$	40
BASF 5" DS, DD, Box .	37
Maxell 5" DS, DD,	
MD2, Box	40
Verbatim 5"	
DS, DD, Box	35
Ultra Magnetics 5"	
DS, DD, Banus Bax	
(12 Diskettes)	35

PLOTTERS

Enter P100 Sweet P	
Apple/Franklin,	
18M/PC\$	595
Strobe M100 Platter	
w/ I/F Apple/Franklin	499
Strobe M100 Platter	
(RS 232)	539
Ponosonic Digital	
Plotter\$	Coll

MISC.

Chall Based 6	C 11
Chalk Boord	Coll
Kaala Technologies	
Graphic Tablet\$	99
Symtec Light Pen	
IBM/PC	140
Symtec Light Pen	
Apple/Fronklin	200
TG Joystick IBM/PC	49
TG Joystick	
Apple/Franklin	46
Versa VersaWriter	
Toblet IBM/PC.	
Apple/Franklin	235
Wico Analog Joystick.	59
Wico Apple Adopter	1B
Wico IBM/PC I/F Card	52
Keytronic Keyboard	
18M/PC	209
Keytronic Keyboord	10,
Apple/Fronklin	249
Curtis PC Products \$	Coll
Electronic Protection	COII
Series\$	Call
Jeries	Call
CP/M is a registered	

trademark of Digital Research. IBM and the IBM logo are registered trademarks of International Business Machines. Apple and the Apple logo are registered trademarks of the Apple Computer Company. Fronklin and the Franklin lago are trademarks of the Franklin Computer Compony.

Please:

- Wisconsin residents add 5% for sales tax.
- ▶ Add \$3.50 for shipping per software and light items. For multiple and other items, call.
- ▶ Foreign odd 15% handling & shipping for prepayment. (Int'l money order.)
- Prices are subject to change without notice.
- All items subject to availability.

Store prices are strictly retail. ORYX SYSTEMS, INC.

425 First St. . P.O. Box 1961 Wausau, WI 54401

For technical information and in Wisconsin: 715-848-1374

Int'l Telex: 260181 ORYX SYS WAU

We welcome:



	Unix			
Program	Version 7	Xenix	TRSDOS	CP/M
repeat last command		!(csh)	again	
execute command at time	at	at*		6,7
execute on log-in	.profile	.profile	auto	
create shell script	ed	ed	build	ed
schedule programs	cron	cron		9
shell with C-like syntax		csh [†]		
echo arguments	echo	echo		
evaluate expression	expr	expr		
return false		false		
fix last command line			fc	
get string from input		gets*		
signal process	kill	kill		
run command with priority	nice	nice*		
run immune to hangups	nohup	nohup*		
return a random number		random	•	
read line from terminal	read	read		4
execute a shell script	sh	sh	do	submit
suspend for interval	sleep	sleep		
return true		true		
duplicate output	tee	tee*	dual	
condition command	test	test		
shell with TRSDOS syntax		tsh		
wait for completion	wait	wait		
output unit end of pipe		yes		

^{*}Available with the optional Radio Shack Development System. †From the Berkeley implementation of Unix.

Table 6: Program-control interface facilities available on four operating systems.

search files for patterns or words, and cmp, diff, and diff3 are file-content comparison programs.

Xenix Shells

The program control interface for Unix systems is implemented by a shell program. This shell is the outermost skin of the operating system onion. Xenix has three shells available. You are assigned a shell when your user account is created on the system. Changing shells is a simple matter. It is possible, but not easy, to write a whole new shell and use it instead of one of the shells provided. An easier matter is to write "shell scripts" within either the standard Bourne shell or the Berkeley C-shell. Shell scripts can help make user environments that are much easier for unsophisticated users than the standard environments. Menu interfaces, for example, can be implemented without excessive difficulty. Radio Shack has also provided tsh, which implements an emulation of the TRSDOS environment and its commands (such as dir) for users familiar with that interface and unwilling to tackle the standard Unix fare. Table 6 is a comparison of the program-control interface facilities available on Unix, Xenix, TRSDOS, and CP/M.

Communication

Unix has supported intersystems communication for some time and as a standard part of the system. Xenix has expanded the complement of communications pro-

	Unix		
Program	Version 7	Xenix	TRSDOS
reminder service	calendar	calendar*	
call up Xenix (terminal			
emulation)	cu	cu*	terminal
send or receive mail	mail	mail*	
permit or deny messages	mesg	mesg*	
write to user	write	write*	
Unix-to-Unix copy (file transfer)	uucp	uucp*	host
uucp log summary		uulog*	
Unix-to-Unix execution		uux*	
write to all users	wall	wall	

*Available with the optional Radio Shack Development System.

Table 7: Communication utilities. Note that Unix supports both communications among users on one system and communications among separate systems.

grams available. Of particular note is uux, a program that lets you specify separate systems for program input, execution, and output. Naturally, these systems must be linked by auto-dial modems or by a local-area network. Table 7 is a comparison of utilities available within Unix version 7, Xenix, and TRSDOS.

File-Access Control

Unix files have sophisticated access controls. Each named file has an owner who, in turn, belongs to a group. The file has a set of access permissions and is marked with the date created and the date last modified.

Changing shells is a simple matter: it is possible to write a whole new shell and use it instead of one of the shells provided.

The utilities mv (move a file—the same as renaming it), chown (change owner), chmod (change mode—the same as changing access attributes), chgrp (change file group), settime, and touch are all used to change these access attributes. A directory is a special file that has special attributes and that contains references to other files. Thus, several of the listings in table 8 are directory-control functions. The utility h (link) allows a file to appear in more than one directory under different names. Table 8 presents a comparison of Unix, Xenix, TRSDOS, and CP/M on file-access control.

Terminal Handling

Unix provides an easy method for handling nearly any terminal in a way that is (usually) transparent to users and their application programs. Settings include speed (data rate), parity, echo (i.e., full or half duplex), the characters to use for backspace and kill, and the end-of-file characters. The Berkeley enhancement tset uses the terminal-capabilities database /etc/termcap to set terminal modes. Note that in Xenix, it is impossible to set terminal



It's free. It's confidential.

Today's technical career market changes fast. But now there's a way to keep up with it. This new key to career opportunity is your personal computer. And the cost is nothing but a phone call.

Just call CLEO. That stands for Computer Listings of Employment Opportunities.

CLEO responds to your commands. You specify what job categories, companies, or geographic locations interest you. CLEO calls up the appropriate ads right on your screen. At every step, you're guided by explicit online instructions.

Daily updates keep CLEO job listings current. You can even apply for positions right from your

own terminal. For a detailed job search, or just an idea of what's available, CLEO is waiting for your call today. With today's opportunities.

CLEO access: (415) 482-1550 • (408) 294-2000 • (213) 618-8800 • (714) 476-8800 • (619) 224-8800 300 BAUD, full duplex, standard ASCII code. Access assistance: (213) 618-1525



Recruitment advertisers call (213) 618-0200 collect to find out how you can Computer Listings of Employment Opportunities place your ad on CLEO. An electronic publishing activity of The Copley Press, Inc.

BYTE January 1984 309 Circle 61 on inquiry card.

	Program	Unix Version 7	Xenix	TRSDOS	CP/M	
	change working directory		cd			
	change file group	chgrp	chgrp			
	change file owner	chown	chown •			
l	change file mode	chmod	chmod	atrib	stat	
ı	find files	find	find*			
l	make a link	ln	In			
١	make a directory	mkdir	mkdir			
l	move files, directories	mv	mv	rename	ren	
l	remove files	rm	rm	kill,purge	era	
l	remove directories	rmdir	rmdir			
l	change file dates		settime*			
I	change modified date		touch*			

*Available with the optional Radio Shack Development System.

Table 8: File-access control functions of four operating systems.

Program	Unix	Xenix	TRSDOS
set key click	Version 7		click
clear screen set terminal options set terminal tabs set terminal modes	stty tabs	stty tabs* tset†	cls setcom

^{*}Available with the optional Radio Shack Development System. †From the Berkeley implementation of Unix.

Table 9: Terminal commands.

Program line editor encode/decode permuted index find spelling errors	Unix Version 7 ed crypt ptx spell	Xenix ed crypt* ptx* spell*	TRSDOS	CP/M ed
non-English spelling screen editor	typo	vi*t		

^{*}Available with the optional Radio Shack Development System. †From the Berkeley implementation of Unix.

Table 10: Text-manipulation facilities of four operating systems.

Program	Unix Version 7	Xenix	CP/M	
sign on	login	login		
log in to a new gr change log-in pas		newgrp passwd	user	
J 3 3 1				

Table 11: Access-protection facilities.

tab stops unless you purchase the optional Development System. See table 9 for terminal commands.

Much program development time is spent in an editor. A good editor makes program development much easier and much less error-prone. Note, however, that an editor is not a word processor. The vi editor is a very powerful screen-oriented editor that comes from the Berkeley Computer Science Labs. It relies on the termcap file to tell it how to make magic things happen, even with comparatively dumb terminals. This editor takes considerable effort to learn, but once you know it well, it allows very fast text manipulation. Table 10 compares editing/ text-manipulation facilities on four operating systems.

System Access

Unix was conceived as a timesharing system. Accordingly, the access-protection facilities on Unix and Xenix are far better developed than on either of the single-user operating systems shown in table 11. Users have a password that may be changed by use of the passwd command. Files are protected by user (the file owner) and by group. A user may belong to more than one group. As a safety measure, on some systems repeated unsuccessful attempts to log into a Unix system may trigger a software disable of the terminal port being accessed.

Unix has for some time had standard support for limited line and curve drawing on a number of different graphic devices. Although not very comprehensive and not nearly as user-friendly as some current commercial packages, simple graphics can be done on a basic Unix/ Xenix system. Table 12 shows the three routines generally available (in the Development System for Xenix).


Unix/Xenix has a general-purpose printer spooler that works on whatever has been set up as the system's printer. In contrast, TRSDOS has several explicit and useful individual commands. These are shown in table 13.

	Unix	
Program	Version 7	Xenix
draw a graph interpolate smooth curve graphics filters	graph spline plot	graph* spline* plot*

*Available with the optional Radio Shack Development System.

Table 12: Unix and Xenix graphics routines.

Program	Unix Version 7	Xenix	TRSDOS
line-printer spooler print current screen controls spooler set to top of form	lpr	lpr	print screen spool t
Table 13: Printer-hand	dling commands.		



How the TI-55-II makes short work of long problems.

Whenever you can solve complex problems quickly and accurately, you're ahead of the game. And that's exactly what the TI-55-II does for you. By giving you 112 pre-programmed functions (like definite integrals), it allows you to take short cuts without losing accuracy. You'll accomplish a lot more in less time which means increased efficiency.

With our TI-55-II you can tackle problems you thought could only be solved with higher-priced programmables. You're not only getting the standard slide rule functions but also statistical

capabilities. This way you can work out linear regressions, permutations and combinations, just to name a few.

The TI-55-II also gives you enough programmability to eliminate a lot of repetitive key punching. Our Constant Memory™ keeps programs and data on tap, even when the calculator is turned off. So once you've entered a formula, you can simply put in the variables to get your solution. The Liquid Crystal Display shows your answers in standard, scientific or engineering notations — clearly and precisely.

We also help you get the most

out of your calculator with the Calculator Decision-Making Sourcebook. It gives you step-by-step examples of the best techniques used for solving mathematical, scientific and statistical problems. And we've included a special section on how to program your TI-55-II.

So next time you're facing another time-consuming problem, cut it down to size with the TI-55-11.

TEXAS INSTRUMENTS

Creating useful products and services for you.

	Unix		
Program	Version 7	Xenix	TRSDOS
print calendar	cal	cal*	
CAI	learn	learn*	
system manual	man	man*	help
conversion program	units	units*	

*Available with the optional Radio Shack Development System.

Table 14: Miscellaneous software features of Unix version 7, Xenix, and TRSDOS.

	Unix			
Program	Version 7	Xenix	TRSDOS	CP/M
current date and time	date	date	date, time	4.11
disk free space	df	df	free	stat
disk usage summary	du	du		
determine file type	file	file*		- 13
information on user		finger*1		
input/output statistics	iostat			
directory contents		1	dir	dir, stat
directory by column		lc†	files	- 1
directory contents	ls	ls		
file system ownership	quot	quot		
print out environment		printen	v*t	
process status	ps	ps		
system statistics		pstat*	status	
working directory name	pwd	pwd		
terminal name	tty	tty		
logged-in users	who	who		

^{*}Available with the optional Radio Shack Development System. †From the Berkeley implementation of Unix.

Table 15: Status utilities of four operating systems.

ı			Real	User	Syster	
	compile sieve	cc -O sieve.c -o sieve	33.0	5.4	5.9	
ı	execute sieve	sieve	10.0	9.0	0.2	
	simultaneous sieves	sieve&sieve&sieve&time sieve	38.0	9.0	0.2	•
	compile terminal	cc -O terminal.c -o terminal	34.0	6.8	6.5	
	one terminal	terminal 1	16.0	0.4	7.5	
	two terminals	terminal 2	31.0	1.2	13.5	
	three terminals	terminal 3	46.0	1.9	19.7	
	compile disk	cc -O disk.c -o disk	36.0	6.4	6.4	
	one file	disk 1	5.0	2.0	0.5	
	two files	disk 2	8.0	3.7	1.2	
	four files	disk 4	13.0	7.5	2.1	
	eight files	disk 8	32.0	15.4	4.0	
	simultaneous sorts	sort f1>f1s&sort f2>f2s&sort				
		f3>f3s&time sort f4>f4s	63.0	6.7	2.8	
	multifile sort	sort f1 f2 f3 f4 > sorted.file	97.0	37.9	12.8	

Table 16: Model 16B benchmark results. Entries in the Real column represent total elapsed time; entries in the User column represent time in the user process; and entries in the System column represent kernel time. Times are given in seconds.

Miscellaneous Features

Because Unix is a fairly mature system, a lot of software has been written for it that is generally useful but hard to classify. Among the nice things available are those shown in table 14. The on-line system manual is handy for those who need access to specific manual pages fairly quickly. Note, however, that you need to know the name of the function you want to read about you can't say, "Tell me about the utility that changes ownership of a file." The on-line computer-aided instruction (CAI) on Unix is nice, but using it tends to be a bit tedious. The conversion program for units is useful for those of us who have trouble converting from one measurement system to another in our heads.

Informal comparisons on other systems have shown the Model 16B to be about what you'd expect of a 6-MHz M68000-based machine running Unix and using the C language.

Unix and Xenix provide a number of valuable utility programs that inform you about system status and certain other data. Table 15 compares the facilities in Unix version 7, Xenix, TRSDOS, and CP/M in these areas. The finger utility from Berkeley retrieves information from your password file in a more readable format than contained in the file itself. You can list the status of processes running on the system with ps. This utility is useful in general but is especially useful to the system manager. Used in combination with the kill command, the ps utility allows the manager to free hung terminals or terminate runaway processes and unwanted processes. (Some microcomputer manufacturers don't make this feature available to their customers, claiming that their system software security scheme could be broken if it were available. However, this feature is an essential part of any Unix-style system and we applaud Microsoft and Radio Shack for making it available.) A System III utility called pstat prints out the kernel tables, which are loaded with useful information, if you know what you are doing.

TRS-80 Model 16B Performance

We subjected the Radio Shack TRS-80 Model 16B to an extensive list of performance tests. One of these tests was a compute-bound microprocessor speed test (the Sieve of Eratosthenes, used by Jim and Gary Gilbreath in "Eratosthenes Revisited: Once More through the Sieve," January 1983 BYTE, page 283), and others were designed by us for this article. We have done some informal comparisons on other systems available to us and have found the Model 16B to be about what you would expect of a 6-MHz M68000-based machine running Unix and using the C language. The Model 16B we tested had

JUKI LETTER QUALITY, DAISY WHEEL PRINTERS ARE NOW AVAILABLE NATIONWIDE AT \$69900



There's no mystery about it! Juki's Model 6100 bi-directional, daisy wheel printers are full featured and priced right!

Designed to perform word processing and graphic functions including bold face, subscript, superscript and shadow, the Model 6100 prints at 18 cps, has a proportional spacing control and utilizes 100 character drop-in daisy wheels. The Juki printer uses IBM Selectric Ribbons and is compatible to IBM, Apple, Osborne, Kaypro and most other personal computers. But that's no secret!

The news is that the Juki Model 6100 printers are now available through a reliable network of industry professionals strategically located throughout the country to give you the prompt, dependable sales and technical service you need. And Juki distributors are backed by a company who has been specializing in electronics for over 25 years.

So, contact the Juki distributor nearest you for the real undercover story on the best letter quality, daisy wheel printer around.



CONTACT YOUR JUKE DISTRIBUTOR FOR THE DEALER LOCATION MOST CONVENIENT FOR YOU

MT, WY, CO. UT, NM

BZA Winchester 5to Newton, MA 02161 617/964-5270 Serving ME, NH, VT, CT, RI, MA

BUTLER ASSOCIATES, INC. | COMPUTER SERVICES

5-2880 Serving. Serving. Serving. Serving. 703/750-3882 METRO NY.E. PA. NI TR. NC. SC. MS. LA. AL. GA. FL. WI. IL. MN. LA. MO. NE. NO. NS. SO. Serving: MD. DE. DC. YA

UPSTATE MY

23976 Freeway Park Brive Suite Farmington Hills, MI 48024 Dalla 313/477-7586 214/ Serving: MI, IN, OH, KY, PA, W. PA, WV Serving

2300 Valley View L Swite 109 Dallas, TX 75234 214/243-7994 ing: TX, OK, AR, LA VITEK 930-6 Boardwalk Avenue San Marcos, CA 92069 619/744-8305, Serving: S.CA

NATIONAL HEADQUARTERS: JUKI (HOUSTRIES OF AMERICA, INC. DA DIVISION 298 Market Street Saddle Breek, NJ 07682

WEST CRAST: IUM INDUSTRIES OF AMERICA, INC. CALIFORNIA DIVISION 20437 Soyth Western Avenue Fortance, CA 90501 213/320-9081

512K bytes of memory and the 12-megabyte hard disk. Terminal I/O was, according to Radio Shack literature, done by the second processor in the system, a 4-MHz Zilog Z80. The kernel seems to be particularly slow, especially as it attends to terminal I/O. In contrast, the kernel is rather efficient on disk I/O, but the overall system is hampered by slow hardware. Note, however, that long average disk-access times are a consequence of efforts to keep the system price down—you have to pay for the speed you get. Performance times were col-

lected by executing the test using the Unix time command. This command monitors the time it takes to execute a process. Tabel 16 shows the results of the benchmarks in seconds. Total elapsed time ("Real"), time in the user process ("User"), and kernel time ("System") are reported individually. The Sieve program is shown in listing 1. The disk and terminal programs are shown in listings 2 and 3, respectively. The disk program is designed to provide a disk-intensive I/O load while the terminal program is designed to provide a serial-port I/O

Text continued on page 318

Listing 1: The Sieve of Eratosthenes program used as a compute-bound microprocessor speed test on the Model 16B.

```
#define TRUE
#define FALSE
                 0
#define SIZE
                 8190
char flags [SIZE + 1];
main ()
{
         int
                 count;
                 i;
         int
         int
                 iter;
         int
         int
                 prime;
        printf ("10 iterations\n");
        for (iter = 1; iter <= 10; iter++)
         {
                 count = 0;
                 for (i = 0; i <= SIZE; i++)
                          flags [i] = TRUE;
                 for (i = 0; i <= SIZE; i++)
                          if (flags [i])
                                  prime = i + i + 3;
                                  for (k = i + prime; k <= SIZE; k += prime)
                                           flags [k] = FALSE;
                                  count++;
                          }
        printf ("%d primes.\n", count);
}
```

Listing 2: The disk benchmark program.

Listing 2 continued on page 316

SuperSoft FORTRAN

For CP/M-86; MS DOS, IBM PC DOS, and CP/M-80°

SuperSoft FORTRAN is the answer to the growing need for a high quality FORTRAN compiler running under CP/M-86 and IBM PC DOS. It has major advantages over other FORTRAN compilers for the 8086. For example, consider the benchmark program used to test the IBM FORTRAN in InfoWorld, p. 44, Oct. 25, 1982. (While the differential listed will not be the same for all benchmark programs, we feel it is a good indication of the quality of our compiler.) Results are as follows:

IBM FORTRAN: SuperSoft FORTRAN: 38.0 Seconds 2.8 Seconds

In its first release SuperSoft FORTRAN offers the following outstanding features:

- 1. Full ANSI 66 standard FORTRAN with important extensions
- 2. Standard data types, double precision, varying string length, complex numbers
- 3. Free format input and free format string output
- 4. Compact object code and run time support
- Special functions include string functions. dynamic allocation, time/date, and video access
- Debug support: subscript checking, good runtime messages
- 7. Full IEEE floating point
- 8. Full 8087 support-available as option (\$50.00).

Program developers:

SuperSoft's family of FORTRAN compilers means you can write your programs once and they will run under CP/M-80, CP/M-86, and MS DOS. This lets you get your applications running fast no matter what the environment.

The current compiler allows 64K code space and 64K data space with expansion anticipated in future releases.



"At last, a FORTRAN compiler that works great on my 8086, 8087, and 8088 and Z-80 based systems!"

SuperSoft FORTRAN: available NOW and working great!

128K with CP/M-86 or MS DOS. Requires:

32K with CP/M-80

Price: \$425 (in each environment)

In conjunction with SuperSoft, SuperSoft FORTRAN was developed by Small Systems Services, Urbana, IL, a leader in FORTRAN development.

CP/M-80 and CP/M-86 are registered trademarks of Digital Research. IBM PC is a registered trademark of International Business Machines Corp.

Japanese Distributor:

ASR Corporation International, TBL Building, 7th Floor, 1-19-9 Toranomon, Minato-Ku, Tokyo 105, Japan. Tel. (03)-5025550, Telex: 222-5650 ASRTYO J.

European Distributor: SuperSoft International Ltd., 51 The Pantiles, Tunbridge Wells, Kent, England TN2 5TE. Tel. 0892-45433. Telex: 95441 Micro-G.



FIRST IN SOFTWARE TECHNOLOGY

P.O.Box 1628 Champaign, IL 61820 (217) 359-2112 Telex 270365

```
"f6",
        "f7",
        "f8"
};
main (argc, argv)
        argc;
char
        *argv [];
{
        int
                 num;
        int
                 x;
        int
                 у;
        num = *argv [1] - '0';
        for (x = 0; x < num; x++)
                fp [x] = fopen (file [x], "w");
        for (y = 500; y > 0; y--)
                 for (x = 0; x < num; x++)
                         fprintf (fp [x], "%50d\n", y);
        for (x = 0; x < num; x++)
                 fclose (fp [x]);
```

Listing 3: The terminal benchmark program.

```
#include <stdio.h>
FILE
         *fp [8];
         *dev [] =
char
{
         "/dev/console",
         "/dev/tty01",
         "/dev/tty02"
         "/dev/tty03"
        "/dev/tty04".
         "/dev/tty05"
        "/dev/tty06",
         "/dev/tty07"
};
main (argc, argv)
int
        argc;
        *argv [];
char
{
         int
                 num;
        int
                 x;
        int
                 у;
        num = *argv [1] - '0';
        for (x = 0; x < num; x++)
                 fp [x] = fopen (dev [x], "w");
        for (y = 0; y < 500; y++)
                 for (x = 0; x < num; x++)
                          fputs ("how fast are your terminals\n", fp [x]);
        for (x = 0; x < num; x++)
                 fclose (fp [x]);
}
```

SuperSoft BASIC Compiler

for CP/M-86, MS DOS, and PC DOS

Compatible with Microsoft BASIC

The SuperSoft BASIC compiler, available under CP/M-86 and MS DOS, is compatible with Microsoft* BASIC and follows the ANSI standard. If you want to compile BASIC programs under CP/M-86, PC DOS, and MS DOS, SuperSoft's BASIC compiler is the answer.

Greater accuracy with BCD math routines

If you have used other languages without BCD math, you know how disconcerting decimal round off errors can be. For example:

With IBM PC* BASIC	With SuperSoft BASIC with BCD math		
10 A=.99	10 A=.99		
20 PRINT A	20 PRINT A		
30 END	30 END		
Output: .9899999	Output: .99		


As you can see, SuperSoft BASIC with BCD provides greater assurance in applications where accuracy is critical.

SuperSoft's BASIC is a true native code compiler, not an intermediate code interpreter. It is a superset of standard BASIC, supporting numerous extensions to the language. Important features include:

- Four variable types: Integer, String, and Single and Double Precision Floating Point (13 digit)
- Full PRINT USING for formatted output
- Long variable names
- Error trapping
- Matrices with up to 32 dimensions
- Boolean operators OR, AND, NOT, XOR, EQV, IMP
- Supports random and sequential disk files with a complete set of file manipulation statements
- IEEE floating point available soon as an option

In addition, SuperSoft BASIC has no run time license fee. SuperSoft's line of fine language compilers includes FORTRAN, BASIC, C, and Ada.

Requires: 128K memory BASIC compiler: \$300.00



SuperSoft BASIC lets me run compiled BASIC programs under either CP/M-86 or MS DOS.

*SuperSoft BASIC is compatible with Microsoft BASIC interpreter and IBM PC BASIC. Due to version differences and inherent differences in compilers and interpreters some minor variations may be found. Machine dependent commands may not be supported. The vast majority of programs will run with no changes.

Japanese Distributor:

ASR Corporation International, TBL Building, 7th Floor, 1-19-9 Toranomon, Minato-Ku, Tokyo 105, Japan. Tel. (03)-5025550, Telex: 222-5650 ASRTYO J.

European Distributor:

SuperSoft International Ltd., 51 The Pantiles, Tunbridge Wells, Kent, England TN2 5TE. Tel. 0892-45433. Telex: 95441 Micro-G.



P.O.Box 1628 Champaign, IL 61820 (217) 359-2112 Telex 270365

Microsoft is a trademark of Microsoft Corporation.

IBM PC is a trademark of International Business Machines Corporation.

CP/M is a registered trademark of Digital Research.

Text continued from page 314:

load. We noted the compile times for each program and for various conditions of execution of each program. These times and conditions are shown in table 16. The Sieve was executed alone and as four background tasks, the last of which was executed under time. The terminal program used the console and either one or both of the terminal ports, each set to 9600 bps (bits per second), full duplex. The disk program wrote data to one, two, four, or eight files simultaneously. The Unix sort facility was then used to sort the resultant files under two conditions: a simultaneous sort of each file to its own destination file, and a multifile sort of each file to a single destination file. We believe these benchmarks to be a fair and accurate picture of the various activities that combine to form "system performance."

Analysis


The Radio Shack TRS-80 Model 16B is a fairly well-implemented and apparently well-supported Xenix system. Business-oriented software is available from the manufacturer, and it should be possible to get third-party "Unix-compatible" software for the machine in the near future. The machine we tested was not as reliable as we would have hoped. On several occasions, the display screen seemed to roll like a TV with a maladjusted vertical-hold control. We let the display roll for 5 to 10 minutes and the problem corrected itself on every occasion. More seriously, for unknown reasons, the 12-megabyte hard

disk went down for an afternoon. After a couple of attempts to reformat the disk (23 minutes per attempt), we finally succeeded and were able to reload the operating system and development software. Everything went fine after that. This incident illustrates the three cardinal rules to be followed by all users of nonremovable hard disks: 1) back up your data and software, 2) back them up again, and 3) back them up a third time and put the media in another room.

When we opened the back of the system unit to look at the card cage, we found that one of the rivets used to attach a card-edge guide to the card cage wall had come loose, leaving the card in that slot partly unsupported. Such mechanical strain could result in premature board failure.

Despite these problems (we regard them as new-product teething pains), we thought the system was a useful and well-executed product. Radio Shack has come a long, long way from the TRS-80 Models I and III. With Radio Shack's customary attention to providing software and a wide variety of compatible peripherals, this system could become one of the more interesting offerings in its price class. It has already met and exceeded some of its competition in the area of available business software. Its only failing in addressing its target market is its use of the standard Unix shells. A turnkey business user expects a gentler user interface, such as has been provided by some of Radio Shack's competitors. We also have to





Why The Computer Industry Trusts Emery.



We've earned the trust of companies like yours by providing on-time delivery time after time. And with Emery you can ship virtually any weight, anywhere.

People in the computer industry especially appreciate knowing that over 96,000 U.S. communities are within their reach with a single call to Emery. You can request same day and overnight services or schedule a pickup of any shipment from a time-sensitive contract, to a computer chip, to a mainframe, because our customer service representatives are skilled at handling your special needs.

You'll also appreciate the money you can save when you send more of your shipments with Emery. You qualify for Multiple Shipment Discounts from the first time you ship with us, and our Multi-piece Savings to a single destination


can save you even more. So call your local Emery office today and find out how our services can be tailored to the high-pressured needs of the computer industry. © Emery Worldwide 1983

Circle 154 on inquiry card.

ENERY

WORLDWIDE

We've earned the trust of American Business.





250 Watt Load

500 Watt Load

KLR-500A-1S0 500 Watt Load; Patented

Shipping: \$12.75 Land; \$45.50 Air

250 Watt Load; Patented

Filter Isolated Sockets

Filter Isolated Sockets

Ask Your Local Dealer

Electronic Specialists, Inc.

17 1 South Main Street, Box 389, Natick, Massachusetts 01760

Toll Free Order Desk 1-800-225-4878

MasterCard, ViSA, American Express

Software Services

The BROKER

comment on the system manuals. There are eleven of them: six for Xenix and the Development System, and five for the single-user operating systems, the assembler, and hardware owner's manuals. The manuals are long, neat, well indexed, illustrated, and index-tabbed. They are, however, rather difficult to use, especially for the intended purchasers of the machine. The documentation for the hardware and single-user software is moderately informative, but tends to brush the surface of topics that require detailed treatment. There is no clear documentation path, either. One manual says to read it first (the 16B's Operator's Manual); it deals entirely with the single-user operating systems and basic use of the machine. Although it is relatively lengthy, the Xenix documentation is only a mild improvement over standard Unix manuals. There are some custom-written sections, and the organization and indexing of the manuals is much better than for standard Unix manuals. However, we feel that naive purchasers could not use this machine without a lot of careful handholding from their dealers. We hope that Radio Shack dealers are better able to handle the complexities of Unix than are most computer retail stores today.

Conclusions

The Radio Shack TRS-80 Model 16B computer is a good competitor in the race to computerize America's small businesses. Its drawbacks for an unsophisticated user relate to the traditional Unix user interface and the lack of any real help to a novice from the large stack of manuals shipped with the system. Its advantages include good initial software offerings and the support of a very large company with many dealers and service centers. While there is certainly better executed hardware and software available in the same price category, Radio Shack has a significant potential advantage in its extensive support capabilities. It's not clear whether Radio Shack can or will invest in the educational program necessary to make sure its dealers can cope with the very sophisticated Xenix environment. The Microsoft implementation of Xenix is fairly complete and has many useful extensions to the basic Unix software set. Surprisingly, to us, the Model 16B appears to be a very good choice for people who need a small Unix development environment. Radio Shack has done a good job on this machine, and it deserves serious consideration.

References

- Kernighan B. W. and D. M. Ritchie. The C Programming Language. Englewood Cliffs, New Jersey: Prentice-Hall, 1978.
- Weinberg, P. N. "The Multiuser UNIX Benchmark." UNIQUE. June 1983, pages 3–8.

Steven H. Barry is a senior scientist with Systems Research Laboratories Inc. (Eastern Division, 6231 Leesburg Pike, Suite 300, Falls Church, VA 22044). He holds a Ph.D. from the University of Rochester and an M.A. from California State University, Los Angeles.

Randall Jacobson is a software manager for Systems Research Laboratories. He was educated at the University of Maryland.

KLR-250A

KLR-500A


KLR-250A-1S0

\$291.95

\$346.95

\$390.95

\$445.95



You simply agree to buy 3 more books—at handsome discounts—within the next 12 months.

This set of six carefully selected booksan \$86.30 value—will be your basic reference source for small computing.

1. BASIC AND THE PERSONAL COMPUTER.

Thomas A. Dwyer and Margot Critchfield. A down-to-earth introduction to programming in BASIC. Includes: computer graphics, program development, data bases, and more. Also, many step-by-step examples of word processing, computer games, and computer simulations. Publisher's Price: \$15.55.

2. MICROCOMPUTER GRAPHICS.

Roy E. Myers. Provides the essential mathematics and programming techniques you will need for computer graphics applications in BASIC, and many other topics. Publisher's Price: \$12.45.

3. THE COMPLETE HANDBOOK OF PERSONAL COMPUTER **COMMUNICATIONS:** Everything You Need to Go Online with the World.

Alfred Glossbrenner. This digested collection of detailed information on the far-flung aspects of networking and data bases shows you how to gain access to a universe of information with your small computer. Publisher's Price: \$14.95.

4. WRITING IN THE COMPUTER AGE: Word Processing Skills and Style

for Every Writer.

Andrew Fluegelman and Jeremy Joan Hewes. A

manual for everything from types of equipment to the fine points of formatting the finished work. Publisher's Price: \$10.95.

5. CP/M AND THE PERSONAL COMPUTER.

Thomas A. Dwyer and Margot Critchfield. A crisp, detailed tutorial that will easily turn the average reader into a skilled CP/M user. Features lab exercises in each chapter. Publisher's Price: \$19.95.

6. EXECUTIVE COMPUTING.

John M. Nevison. 25 business methods illustrated by computer programs, in a step-by-step casebook. You'll find details on pricing techniques...long-range planning...corporate data bases...and much more. Publisher's Price: \$12.45.

SMALL COMPUTER BOOK CLUB is a division of the Library of Computer and Information Sciences, the oldest, largest and most respected computer book club in the world. The SMALL COMPUTER BOOK CLUB will keep you up-to-date with the latest developments in software, improvements in hardware, programming languages, and much more—all at handsome discounts.

So start enjoying the club's benefits today.

4 Good Reasons to Join

1 The Finest Books. Of the hundreds of books submitted to us each year, only the very finest are selected and offered. Moreover, our books are always of equal quality to publishers' editions, never economy editions.


2. Big Savings. In addition to getting the Microcomputing Library for \$2.95 when you join, you keep saving substantially—up to 30% and occasionally even more. (For example, your total savings as a trial member-including this introductory offer-can easily be over 50%. That's like getting every other book free!) 3. Bonus Books. Also, you will immediately become eligible to participate in our Bonus Book Plan, with savings up to 70% off the publishers' prices.

4. Convenient Service. At 3-4 week intervals (16 times per year) you will receive the Book Club News, describing the Main Selection and Alternate Selections, together with a dated reply card. If you want the Main Selection, do nothing and it will be sent to you automatically. If you prefer another selection, or no book at all, simply indicate your choice on the card, and return it by the date specified. You will have at least 10 days to decide. If, because of late mail delivery of the News, you should receive a book you do not want, we guarantee return postage.

If the reply card has been rem wed, please write to the Small Computer Book Cl b, Dept. YAF5, Riverside, N.J. 08075 to obtain membership information and an application.

If you write anything from a letter a day to a book a month, reading this could change your life. $\operatorname{Word}_{\operatorname{Book}}^{\operatorname{The}}$ A Short Course In Computer Literacy Peter A McWilliams

"Oasis Systems' software - unquestionably the best"... Peter McWilliams, author of the #1 best-selling book on word processing.



The WORD Plus is the standard by which other spelling checkers are measured. Here's why:

- Real 45,000 word dictionary.
- · Shows errors "in-context."
- Interactive word look-up finds correct spelling for you and corrects at the push of a button.
- · Hyphenates words automatically.
- Solves crosswords, puzzles, and anagrams.
- Works with almost any CP/M®, CP/M-86® or MS/DOS (1.0, 1.1 and 2.0) compatible word processing program (WordStar, Magic Wand (PeachText), Spellbinder, Perfect Writer, Select, Final Word, Volkswriter, . . . and more!).

Punctuation & Style takes the worry out of writing by automatically catching dozens of different punctuation errors, both common and obscure. In addition, P&S catches unpaired format commands (underline, boldface, etc.), doubled words, and more.

P&S gives you a "critique" of your writing, suggesting alternatives for commonly misused or over-worked phrases. It also shows where active voice can replace passive voice to add clarity and precision.

Punctuation & Style is the perfect companion to The WORD Plus. It works easily with most CP/M word processors. (Available also for CP/M-86 and MS/DOS.)

Call or write for complete information:

619-222-1153



2765 Reynard Way San Diego, CA 92103

Circle 271 on inquiry card.

Dealers contact: **SOFTWARE DISTRIBUTORS** 1-800-252-4024 (in California) 1-800-421-0814 (outside California)

Software Review

Naturallink to Dow Jones News/Retrieval

Texas Instruments' new software makes it easy to get complex financial information

by Mark Haas

One of the problems of the Information Age is that it isn't always easy to get the exact information you want. Several large databases, such as The Source, Compuserve, Knowledge Index, Dialog, Delphi, and others, offer their services to individual users and businesses. Each of these databases, however, works in a different way, using a unique command structure. In fact, even within a single database there may be several individual services, each working in a different way. To ease connection to one of those databases—the Dow Jones News/ Retrieval Service—Texas Instruments has designed a software package that speeds and simplifies access procedures.

The Dow Jones News/Retrieval Service, a division of Dow Jones and Company Inc., which also publishes the Wall Street Journal and Barron's, is used primarily by businesses and individuals interested in business. This service provides financial information on any company listed on the New York and American stock exchanges as well as selected over-the-counter companies. You have access to 15-minute-delayed stock quotes, historical stock-quote information, disclosures, and price/volume data. The service also provides information on a large number of industries, news stories from various financial newspapers, transcripts of "Wall Street Week," movie reviews, weather information, and access to an encyclopedia. It's all in there—if you know how to access it.

The major problem with Dow Jones News/Retrieval is the cryptic way in which its information is accessed. To give you an idea of how complicated this process can get, I'll quote from the Operating Guide for the system:

1. Type the appropriate character to obtain the desired database.

CHARACTER DATABASE

Comma (,) Common and preferred stocks

and warrants

Slash (/) Corporate and foreign bonds

Plus (+) Mutual funds Small hyphen (-) Options

U.S. treasury issues Number (#)

- 2. Immediately type in the symbol for the desired quote. Symbols are in the *Operating Guide*. SPECIAL NOTE FOR COMMON STOCKS. To access a quote from a specific exchange, not the composite, first type in the number of the exchange and then the stock symbol. No number is required for OTC stocks.
 - 1 New York 3 Pacific 2 American 4 Midwest

To access preferred stocks add a plus (+) immediately after entering the symbol. For warrants add a percent (%) immediately after entering the symbol. For when issued stocks on the NY and AMEX, add a (@) immediately after entering the symbol, for the OTC exchange, add a V after the symbol.

- 3. Up to five different quotes can be obtained with each request by hitting the space bar between each symbol. Do not mix databases in a single request.
- 4. Hit the Return key following the last symbol in a request.

You can imagine how much time it would take you to get information for even a short list of stocks. Requests for other types of information have a similarly cryptic nature.

Enter Naturallink

Texas Instruments Data Systems Group, maker of the TI Professional Computer, has developed Naturallink to

At A Glance

Name

Naturallink to Dow Jones News/Retrieval

Type

Simplified interface to the Dow Jones databases

Manufacturer

Texas Intruments Inc. Data Systems Group POB 1444 Houston, TX 77001 (713) 895-3000

Format

Double-sided, double-density, $5\,\%$ -inch, MS-DOS formatted disk, copy-protected

Language

Machine language

Computer

TI Professional Computer with at least 256K bytes of memory, MS-DOS, an internal or external modem (asynchronous communications card needed for external modem)

Documentation

User Guide, approximately 60 pages

Price

\$150 (includes Dow Jones membership)

make the user's interaction with Dow Jones News/Retrieval more natural. This package provides owners of the TI Professional Computer with an easy-to-use method for retrieving information from the Dow Jones database. It will dial the phone, log you onto Tymnet or Telenet (Canadian subscribers, however, must log on to Datapac manually), and even use your password to connect you to Dow Jones. It can then query the database with questions you have previously set up, store the resulting data, and get you off line in a fraction of the time you would need to complete the process manually—with a resulting cost savings, too.

Naturallink's best feature, however, is that it enables you to build English-like questions that are then converted by the software into the cryptic commands used by Dow Jones. This works as follows: from the main menu, the Build Questions option presents you with the screen shown in photo 1. The topmost window contains the word "What" and is used to show the present state of the question being built. Each of the other windows contains a list of phrases used to construct queries. Queries to the database are constructed by selecting from the several groups of phrases shown to form complete sentences. Queries can be built off line and stored either individually or in groups for later use.

Phrases are selected from each window by use of the cursor. Initially, the cursor is on the first entry in the upper left-hand window, just below the word "What." All questions must begin with a phrase selected from this window. The cursor can be moved up and down within the window by using the up and down cursor



Photo 1: The Build Questions screen is the heart of the Naturallink system. Divided into windows, each window contains a specific set of phrases that are combined to form English-like sentences used to query the Dow Jones database. Small arrows at the bottom of some windows indicate that more phrases exist and can be scrolled into the window. The window across the top of the screen is used to view the progress of the sentence being constructed. The narrow window across the bottom of the screen contains information on controlling the system with the function and other keys. The stock list can be customized to your particular needs.



Photo 2: Context-sensitive Help screens can be called up at any time by pressing the F9 key. Further help is available to explain the purpose of an entire screen or window by pressing Shift-F9. Help appears on the screen in its own window as shown.

keys. It can also move from the first to the last phrase and back by use of the Home key. Additional phrases scroll into the window when the cursor is at the bottom of the window.

To select a phrase, all you have to do is move the cursor over the phrase and press the Return key. The selected phrase is then added to the contents of the topmost window, where you can see how the question you are constructing is progressing. At any point you can press the F9 key to get help on a particular phrase, and a window containing the help information will appear on the screen (photo 2); alternatively, you can press Shift-F9 to get an explanation of the particular window you are in. You can also press F10 to back up, or undo, the question you are constructing.



is the current quote for in the option price for user the stock prices for Ryple Computer on the New York exchange on the New York exchange in the fundamental data for are the Boal none swarpen happened on Well Street Welk are the matigated earnings for is the Dunchmar II info for are the headigner

of the hoar company of the hoar concerning the company for part the tounant Update in the Holl Street Jeannal

Freeze F18 to Back Up F11 to Start Over SMETT-F11 to Guit RETURN to Select

The correct quote for is the option price for ferminate in the option price for are the ferminated data for are the ferminated caroing for it the ferminated data for are the ferminated caroing for it the bour are the saturated caroing for it the bour are the saturated caroing for it the bour are the saturated caroing for it the Distributed II take for the hour are the headlance.

If the hour are the saturated caroing for it the formatic Undate in the form

is the current quarte for least Instruments

is the current quarte for least in the option price for least in the option price for current the stock prices for list the spice-volume into for in the flundsmental data for are the low-loss current black price with several severages. Represent on theil Street black are the stimelose sevanges for in the Stockman of the house concerning the company concerning the toppic of the house concerning the toppic of the flundsment least in the Mail Street Journal

Press: F10 to Sach Up F11 to Start Over SmiffT-F11 to Guit METURE to Select

is the correct quote for Texas Instruments for each quarter in 1982.

In the correct quote for in the option price for uses the spring price for the price/values take for are the Dun Jeans surreps happened as Well Furest Veck are the extinated earnings for Consolida Corp. Colono Instrument with the Mariness exchange of the Dunissure II info for are the extinated earnings for Consolida Corp. Colono Instrument Colono Instrum

(3e)

Photo 3: In this sequence, a question is constructed by selecting phrases from the various windows using the cursor. Here, the question "What were the stock prices for Texas Instruments for each quarter in 1982?" is being built. Note that as each phrase is selected, the cursor automatically moves to the next appropriate window. You cannot build invalid questions. After the last phrase is added (in photo 3e), you can execute the question or save it to disk using the F6 key.

Phrases can also be chosen by typing the first letter of a phrase. If more than one phrase begins with this letter, the cursor will move to the first entry with this letter. Typing the second letter of the phrase will move the cursor again, until you have identified a unique phrase. This procedure usually doesn't take more than two keystrokes.


After you have selected a phrase, the cursor will then move to the next appropriate window, depending on which phrase you have selected. In some cases, merely selecting a phrase from the first window will complete a query, such as "What happened on 'Wall Street Week'?" or "What movie reviews are available?" Sometimes additional windows will appear on the screen. The sequence of screens shown in photo 3 demonstrates how you can build a question using phrases from several windows.

After a question is complete, it can be saved by pressing the F6 key. Questions are stored individually at first but can be arranged in groups later from the main menu by selecting the Get Saved Questions option.

Most of the queries on Dow Jones will inevitably revolve around a selected group of companies listed on the various stock exchanges. Normally, this would involve having the codes for these companies handy. The Naturallink system allows you to build your own personalized group of stocks so that you can eliminate the constant necessity of looking up stock codes (remember, there are 6000 of them). The Create or Change Stock List option on the main menu takes you there. As with the rest of the Naturallink system, this operation is entirely menu driven with choices designated by the cursor. Besides creating a new group of stocks, an existing group can be modified. The stock group you create is eventually saved on disk and then appears in one of the windows of the Build Questions screen.

(3b)

(3c)



The winning move.


Hitachi's 3" floppy.

It's clear that the 3" floppy will become the new standard. Compact, easy to carry and mail, dust-proof and non-bendable, the 3" floppy has the powerful advantages that mean success.

To develop your share of the new 3" drive market, Hitachi's drives are the wise choice. Now double-sided and with LSI's, reduced access time and low power consumption, Hitachi's drives are better than ever.

Hitachi's resources and experience are your guarantee of quality. Over 200,000 drives will be rolling off our lines in 1983 alone. That's why choosing Hitachi is a profitable choice. No doubt about it: the format of the future is yours today with Hitachi's dependable drives.

Specifications: Storage capacity unformatted: 500 K bytes. Total no. of tracks: 80. Recording density: 9,830 bpi. Track density: 100 tpi. Transfer rate: 250 K bits/sec. Track-to-track positioning time: 3 ms/track. Dimensions $(W \times H \times D)$ mm: $90 \times 40 \times 150$. Wt.: 550a.







Call 1-800-851-8791

Illinois Res. Call 1-618-876-2155

We accept MasterCard or VISA

MICRO BEE **SOFTWARE**

The x Software Store

2549 CLEVELAND, GRANITE CITY, IL 62040

9 A.M. - 6 P.M. MON.-SAT.

Treeses Presses British Control of the Control of t

Manufacturing licences for the popular Australian designed Micro Bee computer have recently been granted to many companies throughout the world.

MYTEK Computing is the largest and most respected producer of software for the Micro Bee Computer.

MYTEK Computing invites dealers to sample its large and extensive range of Micro Bee Software.

Micro Bee users are also invited to request to be included on MYTEK Computing's free mailing list. Catalogues are air-mailed regularly to all parts of the world.



1 Kent Street, Bicton, 6157, Perth, Western Australia Telephone: (09) 330 7336

The User Interface

Though the entire Naturallink system could be viewed as a user interface to Dow Jones News/Retrieval, I will limit my discussion here to the way in which the Naturallink system itself operates. It is obvious that a lot of thought went into the design of this system, not only to create a useful tool for accessing information, but also to make it work in a way that is easy to use.

Naturallink, however, is not really a natural-language system. It does not interpret sentences you type in. Rather, TI has analyzed the Dow Jones system and established a finite group of phrases that, when strung together in permissible combinations, form English-like sentences that can be converted into the symbols understood by the Dow Jones system. These phrases, the decision tables associated with them that determine what combinations of phrases are valid, and the corresponding symbols understood by the database are stored in separate files on disk. There is every reason to believe that the kernel of this software package could be used with different phrase, decision-table, and symbol files to provide a similar interface to a variety of databases. This may be only the first in a series of Naturallink packages.

The software prevents you from choosing an inappropriate action: if a menu option doesn't make sense, it doesn't appear.

The developers of the Naturallink system have taken advantage of every feature of the TI Professional Computer. Naturallink is a large system, requiring 256K bytes of memory. A program such as this could exist only on a 16-bit computer. Also, color is used throughout to provide status information. For instance, the active window on the Build Questions screen has white type, while the inactive windows have green type. A gentle beep of the speaker warns of inappropriate actions. The TI PC's ability to mix text and graphics is used throughout to present information on the screen in an organized way through the use of windows. Function keys provide onestroke action on certain commands.

All this is achieved in a completely consistent way. The same keys perform the same functions no matter where you are in the system. Menu choices are selected by moving the cursor over the desired action and then pressing the Return key. The software prevents you from choosing an inappropriate action. You cannot, for example, ask for the weather on the New York stock exchange. Furthermore, the menus themselves are dynamic. If, for example, you haven't yet built a group of questions, then the Delete a Group of Questions option does not appear on any of the menus. In all cases, if a menu option doesn't make sense given a particular set of circumstances, it doesn't appear.

It is generally recognized that a menu-driven system



An Affordable IBM PC-Compatible OEM System

The EDGE complete family of boards is totally plug-compatible with the IBM PC system.

With the plug-in cards alone, you can expand the memory and I/O of your IBM PC. Or, you can put together your own PC-like performance computer, from start to finish, including enclosure and keyboard, easily and inexpensively. Take advantage of the limitless resources offered by IBM PC, the mainstream of the software/hardware world.

The perfect solution for industrial OEMers — a building block approach, modular, cost effective, and very flexible.

Available today: IBM-PC compatible

- System board
- Color/Graphics board
- 5¼" diskette adapter
- Multifunction card, 128K (with software)
- Keyboard
- Enclosure with power supply and wiring harness
- Boot PROM for PC DOS 2.0

EDGE MICRO SYSTEMS — dedicated to supporting industrial and OEM users with high technology systems, and service.

For more information, contact EDGE MICRO SYSTEMS, INC.



EDGE MICRO SYSTEMS, INC. 2350 Walsh Avenue Santa Clara, CA 95051 408 - 980-9866 is easy for the uninitiated to use but tends to slow down the more experienced user. As mentioned earlier, TI has taken this into consideration by allowing you to choose menu options by typing the first letter of that option. If more than one option begins with the same letter, then you have to keep typing until you have uniquely defined the option. Again, this usually requires no more than two keystrokes. Combined with the TI Professional's ability to buffer keyboard input, you could enter a series of commands rapidly while the system is fetching data from disk and it will catch up to you.

Anyone who has used the popular new generation of spreadsheet programs—for example, Lotus Development Corporation's 1-2-3 or Microsoft's Multiplan—is familiar with the use of the cursor I have just described and the keystroke option, too. Where Naturallink departs from these other programs is in its ability to use this method to also select from Dow Jones menus, menus that are not an integral part of the Naturallink software. For example, let's say you've just asked the database, "What are the headlines concerning the company IBM?" Dow Jones will then send you about five screens full of headlines (which change almost every day). If you want to read the text of the story, you normally have to enter one of the two-letter codes appearing next to each headline. Naturallink, however, provides you with a cursor to make your choice. All you have to do is scan the headlines with the cursor and press Return when you want to read a particular story. How TI does this is beyond me, but it makes the process of receiving stories extremely easy. After reading the story, you merely press F10 to bring you back to the list of headlines—at the same point where you left it—and continue to scan.

The Naturallink system, in essence, provides you with the same method of selecting information from Dow Jones as it does with its own menus. Manual selection of menu items by entering certain keystrokes is not supported directly, however, but it can be done by entering what is called "terminal" mode.

There are, however, a few places on Dow Jones where you cannot get all the information you want via cursor selection. For example, after you ask the question, "What weather data is available?" Dow Jones presents you with a short menu of selections, and Naturallink lets you choose the desired item by moving the cursor. Below this menu, though, is the instruction to enter N for national weather or F for foreign weather. These letters must be entered manually. Naturallink allows you to shift into "terminal" mode very easily, however. All you have to do is press F12. Then you just enter your choice manually. When the next menu appears, you're back in "automatic" mode and can again choose by using the cursor.

At present, Naturallink's cursor selection capability is not available for Dow Jones' encyclopedia database or for its free-text mode. These services must be accessed manually.

Setting Up

The Naturallink system is provided on a 5¼-inch copyprotected disk. TI rationalizes the use of copy protection by stating that it is for your own good, preventing unauthorized use of your Dow Jones account, thus acting as a key of sorts.

You are provided with two copies of the master disk and directed to make a working copy on another disk or transfer the files to a hard disk. When you subsequently start the program, one of the master disks must be in the A drive, but only until the main menu appears. I had some problems copying the files onto the hard disk, but eventually they all made it.

If a company wants to protect its software, fine, but it shouldn't try to convince us that it's for our own good. At least TI provides two copies of the master disk, and this disk is used for only the briefest moment during startup. Other companies force you to use the master as the working copy.

PortaPac[™] You'll Never Have To Leave Home Without Your Data Again!!

PortaPac[™] is a revolutionary new product that allows the transport and transfer of information without regards to software protocols nor disk formats. PortaPac[™] is small enough to fit inside a suit pocket, yet large enough in capacity to store up to 64,000 bytes of data (future versions up to 192K bytes). PortaPac[™] is light-weight, versatile, totally portable, and can retain its content for up to 1 full year without ever changing batteries!

Key features:

- Industry standard RS232C interface with RTS/CTS handshake
- Full-duplex with baud rate from 50-19,200 switch-selectable
- Word length, parity, start/stop bits switch-selectable
- Transparent in-line or stand-alone host/terminal mode
- Totally portable Can be used as a printer buffer Virtually maintenance free • Interfaces to IBM, Apple, Radio Schack

Typical Uses:

Transport of information - courier data pack • Exchange of information • Backup /copy • Demo of software programs/hardware devices • Printer buffer • External storage for portable computers • Data aquisition for sales people/sales demo • Diagnostic program pack for field service technicians • and more

pack for field service technicians • and more 16K, 32K, 64K versions available.

Ordering Information:

Send order and check, COD, VISA, MASTERCARD to Cryptronics, Inc.
11711 Coley River Cir, Suite 7

Fountain Valley, CA 92078 Tel. (714) 540-1174

Add \$8.00 for freight and handling. California residents add 64% sales tax. Allow 2-4 weeks for delivery.



Cryptronics, Inc.

PortaPac*is a trademark of Cryptronics, Inc. Disclaimer: Cryptronics, Inc. shall not be responsible for the use of its product for illicit purposes.

KNOWLEDGE SYSTEMS INC.

Information Processing Components,
Selected for Performance and Value.

NO SURCHARGE FOR MASTER CARD AND VISA

REPAID PRICES INCLUDE SHIPPING AND INSURANCE, UPS Ground Continental USA only.

Ashton Tate
Base II
ridays184
Software Arts
K Solver
olver Pac88
Sorcim
uper Calc III294
Micro Pro
Vordstar
Mail Merge131
pellstar 131
Il in one pack
MBSI
eal World GL
eal World AR
American Training
or most Programs: Call
Hayes
mart Com71
Micro Stuff
rosstalk134
emote100
Rose Soft
rokey60
TERMINALC
TERMINALS
Televideo
10533
25
50950
Teletex
000494
MODEMS
Hayes
00207
200
200B
1icro Modem II w/T242
US Robotics
assword
uto Dial 212A
Novation
ccess 1-2-3
pple Cat II
Promethius Products
200
200
Rixon
Rixon 12A

Leading Edge					
8510A					
F10-40					
F10-551415					
A10-18625					
We Know How to make your Prowriter IBM Compatible					
Okidata					
92A430					
93A					
92IBM					
2350					
2410					
Star Micronics					
Gemini 10X					
Gemini 15X444					
Delta 10					
NEC.					
3550					
7710 2095					
Brother					
HR1607					
HR25786					
Dynax					
15462					
Key Board					
IDS					
Prism 132 Color					
Prism 80 Color1419					
Transtar					
315 Color					
Silver Reed					
550599					
500431					
Juki					
6100					
Teletex					
1014					
IBM PC ACCESSORIES					
AST Research					
6-Pack 64K269					
Combo Plus 64K					
Mega Plus II					
Micro Graphics					
RGB, Monichrome, Printer398					
Plantronics					
Color Plus					

TERMINAL TTX 3000 - \$494 EMULATES TELEVIDEO 950 Leading Edge A10 - \$625 C. ITOH 18 CPS daisy wheel printer. Diablo Compatable 15" carriage. 8510SP - \$725 C. ITOH 180 CPS MATRIX Correspondence 120 CPS, Italics, True Sub Script & Super Scripts, 2 K Buffer, 13 Character Sets

SPECIALS

True Sub Script & Super Scripts, 2 K Buffer, 13 Character Sets				
MONITORS				
Amdek 300A 143 300G 133 310A 175				
Dynax 12" Green				
RGB III				
8112 Hi/Res195				
PI 2 12" Green				
PGS HX 12485				
RGBCall				
JB 1201				

alifornia Residents add 6.5% States Sales ox

hipping extra for outside USA, FPO and PO

lease include an address reachable by PS. no P.O. boxes, and your phone umber where you can be reached during the day.

(213) 344-4455

Knowledge Systems Inc. 19707 Ventura Blvd. Woodland Hills CA 91364

ORDERING TERMS

Prepaid: Money Orders, Cashier's Checks. Certified Checks. Bank Wire Transfers, Master Card, Visa, AMEX (add 3% for AMEX) and Personal Checks (allow 15 banking days for all personal checks). Please include Valid Driver's License # and Major Credit Card for Identification.

C a 479 og it ty cs ...




Photo 4: After logging onto Naturallink, you are presented with the Main Menu. From here you can perform the various functions listed. Only those functions that can be performed appear on the menu. For instance, the Get Saved Questions option appears on the menu only when there are questions to retrieve.

The next step is to set up your User Profile, i.e., information the system needs to establish your files. Here you give your data file a name and store your Dow Jones password. You also designate whether you want to log on automatically or manually. Automatic log on is available only for Tymnet and Telenet.

In order for the software to work properly with your system, you have to tell it what equipment you are using. Naturallink calls this process "Creating a Communications Profile." Here you can choose between internal and external modems, automatic and manual dialing, port selection, choice of network (Tymnet, Telenet, etc.), and phone number. I found it interesting that I had to manually designate the port used by my TI's internal modem. This requirement is strange because, in order to determine what port my internal modem occupied, I had to run TI's Diagnostics disk, which automatically determines the port. If the Diagnostics software can do this, why can't Naturallink?


Beginners are advised to use the excellent tutorial disk provided with the system. It demonstrates the questionbuilding process and provides a hands-on opportunity to use the system; helpful prompts even appear in one of the windows on the Build Questions screen. All in all, it provides a nonthreatening way to begin to use the software.

A Typical Session

After you've installed your user and communications profiles, a typical session with the Naturallink system begins with the construction of questions. After entering the appropriate user ID and password (different from the Dow Jones account password), you are presented with the main menu (see photo 4). If you haven't already done so, now is the time to create your own personalized group of stocks. But let's assume this has been done previously. The cursor is already over the Build Questions option, so all you have to do is press Return.



(5a)



(5b)

Photo 5: Questions that have previously been saved individually from the Build Questions screen can be organized into groups from this menu. Again, only those options that are relevant appear on the menu. By organizing questions in groups, you can eliminate the need to present each question individually. At any point you can display a question's contents by placing the cursor over its name after selecting the Display Question option, as shown in photo 5b.

The Build Questions screen, with its associated windows, appears after a couple of status messages tell you what is happening. Questions are constructed as described earlier and saved onto the disk.

One of the ways to use this system most efficiently is to arrange your questions into groups. From the main menu you select the Get Saved Questions option, which presents you with another menu. From this second menu you select the Build Question Group option. This allows you to view all the questions you saved using the Build Questions screen, arrange them in groups, give these groups names, and save them on disk. Photos 5a and 5b show this process.

Once the groups of questions have been stored, it is possible to execute a group. No, this doesn't mean lining them up and shooting them. Rather, executing a group of questions causes Naturallink to begin the process of automatically logging on to Dow Jones. First, diagnostics are performed on the the TI's asynchronous communications card or internal modem, depending on

Finally a data base management system that lets you do just that. Manage.

You probably know more about managing people than managing a data base. That's why we designed a system that's easy to use, yet so sophisticated it will increase the productivity of every person in your office.

INTRODUCING INFOSTAR+".

The data base management system with the added plus of StarBurst: a systems. building tool that integrates your software to

let you create your own custom applications.

feature that lets you simply design and draw your report on FROM THE DESK OF: HANCY THOS the screen to format, I SET UP THIS manipulate and merge SALES REPORTING information in count-SYSTEM TO SMOOTH less different ways. OUT THE PROBLEMS Plus a quick report feature that lets you gen-WE DISCUSSED. TAKE IT FROM HERE. erate a pre-formatted report in 60 seconds, or even less. All without


knowing a programming language or special code. Just English, or the language of your choice.

A GOOD MANAGER ALWAYS DELEGATES.


The StarBurst portion of InfoStar+ integrates all your MicroPro software products as well as other popular software. StarBurst lets you set up and delegate any sequence of data entry, sorting and reporting.

So see your computer dealer now, and ask about InfoStar+. The sooner you start using InfoStar+, the better.

For the dealer nearest you, call (800) 443-0100 ext. 948.



t things orts innes BMS. eport



which is being used. Next, assuming you have either the built-in modem or a programmable external one, the program dials the appropriate network, let's say Tymnet, and establishes connection. Naturallink then directs Tymnet to connect you to Dow Jones and uses your password to log you onto the system. While all this is going on, a series of status messages keeps you informed of the system's progress. After you are logged onto Dow Jones, your group of questions is presented to the system and the information you requested appears on your screen.

Instead of wasting costly connect time reading this data, however, you can simply press F6 to save the data on your disk and proceed to the next group of questions. After the last question is answered, you can disconnect and review your data file at your leisure.

An excellent tutorial disk demonstrates the question-building process and provides a hands-on opportunity to use the system.

At almost any time while connected to Dow Jones, you can call up the Build Questions screen to ask individual questions that may arise from the data you see coming in. You can also interact with the Dow Jones system manually, if you know the appropriate codes and have a masochistic streak.

Documentation

After viewing TI's new BASIC manual for the PC (see my review of the TI Professional Computer on page 286 of the December BYTE), I had high hopes for this manual. Unfortunately, this manual suffers from the same problems as most of TI's others. Although the argument could be made that the tutorial disk obviates the need for a good manual, the manual should at least be

a good reference. This manual isn't. In fact, in many places it reads like advertising copy. I think the section I liked the best was entitled "Using the Main Menu Effectively." Oh boy, I thought, here's a way to get the most out of the software—perhaps some sort of strategy. Instead I read about how the *program* uses the main menu effectively by limiting the user to valid choices.

Conclusions

Now, I'm not a financial wizard. I wouldn't know a price/earnings ratio from a gear ratio. But I do know that TI has produced a system that makes retrieving information easy. With this system you can

- prepare your database queries off line at great savings
 automatically dial and log onto Dow Jones News/ Retrieval
- save the data resulting from your queries for off-line review
- prepare a personalized stock list

Naturallink lets you do this with a series of menus and screens that allow even the novice to use it with ease. A tutorial provides most of the information you need to get started, and context-sensitive Help screens are available at all times.

By combining the central logic of this Naturallink package with other phrase, decision-table, and symbol files, it would seem possible for TI to develop a series of Naturallink packages for a variety of databases. To do so would mean that you could interact with a number of diverse data services through an interface that would always work in a familiar way. It could provide a "software bus" to on-line databases. Now that's something to ponder.


Mark Haas, a former managing editor of BYTE, is technical director of Osborne/McGraw-Hill (2600 Tenth St., Berkeley, CA 94710).

S15 PROGRAMS OVER 300 DEVICE TYPES MOS (8K - 256 K, SINGLE & 3 VOLTAGES) BIPOLAR PROMS, 40 PIN MICROS Stand Alone **BUV-IIA \$66.50** 256K Buffer (200 ns) Heavy duty integrated keypad Safety switch U **EPROM** simulation UV indicator Fast algorithm **BUV-IIB** \$95.50 Power down sockets Heavy duty S15F \$995 Temp compensated Timer Ref. voltages **OVER 26 FUNCTIONS** Safety switch 16 formats & 8 baud rates Auto-user friendly-mode Edit Delete 110/220 voltage CRC Check 16 Diagnostic OTHER COMPLETE SYSTEMS **Block Move Functions** S15R (remote) \$695 Over Program And More! S15P (4 key) \$795 (305) 994-3520 S15B (bipolar) \$895 S15G (gang) \$1095 4089 S.Rogers Circle #7, Boca Raton, FL 33431

For the Apple? Personal Computer Developed by Optimum Resource inc. for Weekly Reader Family Software, all 3 games are available to finer computer stores everywhere Or call foll-free 1 800-852 5000 Dept AC 18

Chryster to Michael Bride and Servicing Count West









Fat City"

Knock down buildings to your wrecker while dodging bricks. rocks, cans and tomatoes. 10 rounds Poster, stickers user's manual vinyl binder included Ages 8 and up. Only \$39.95

Old Ironsides"

Thrilling 2-player naval battle! Use the wind, cannons, compass to outwit aval ship Detailed graphics recreate true sailing experience Poster, log book, vinyl binder included. Ages & and up Only \$39.95

Chivalry"

The days of yore are recalled to this unique combination of board game and computer game. Rescue the king by playing 20 animated games of skill — journing, swordplay etc. 1 to 4 players. Smirdy colorful gameboard, playing pieces poster instructions. Agen 8 and up. Only \$49.95

A division of Xerox Education Publication Middletown CT (XAS)

DIGITAL BUILDS THE FINEST PERSONAL COMPUTERS YOU CAN BUY.

And after you buy them, nobody does more to make sure you'll be satisfied.

That's because Digital is the only major computer company that supports its promise of quality and commitment to customer satisfaction with a comprehensive investment protection plan.

This plan will minimize your risk. Relieve your concerns about owning a personal computer. And it's included when you pur-chase any one of Digital's Personal Computers,

participating Digital

Digital's Rainbow can run these five operating systems: MS™ -DOS, CP/M®-86/80, Concurrent CP M,* and p-System.** That means you'll have access to the broadest array of solutions for your business, today and tomorrow

The new Rainbow 100+. More storage and more main memory.

A wider choice of options and accessories, too.

With either Rainbow, you get a choice of monitors: white, green, amber, or high-resolution, full-color display. A choice of highquality printers. A graphics



graphs.

accesso-



With Digital's Rainbow, you can choose from hundreds of different software programs because only

perfect for most businesses. But if you need more power, Rainbow store the equivalent of 5,000 typewritten pages on a built-in 10 Mbyte hard disk. You'll also run the most advanced business programs faster and easier—thanks to 128 Kbytes of main memory, expandable to 896 Kbytes.


largest computer company gives you so much. But the second largest does. Digital Equipment Corporation.

*Concurrent CP/M is available from Digital Research, Inc.
*p-System is a trademark of SoFfech Microsystems, Inc.; available from Ticom, Inc.
Rainbow is a trademark of Digital Equipment Corporation.
1-2-3 and Lotus are trademarks of Lotus Development Corporation.
dBase II is a trademark of Ashton-Tate.
TK!Solver is a trademark of Software Arts, Inc.
Multiplan and MS-DOS are trademarks of Microsoft Corporation.
CP/M is a registered trademark of Digital Research, Inc.

© Digital Equipment Corporation 1983.

Circle 130 on inquiry card.

AND NOW YOU CAN BUY THEM VIRTUALLY RISK-FREE.






TK!SOLVER**

THE WORLD'S FIRST EQUATION PROCESSOR FOR PERSONAL COMPUTERS

The TK!Solver™ program is a professional tool that allows you to work easily with equations. Whether your problem is a simple formula or a model consisting of many equations, TK!Solver can help improve your productivity. Once the equations are written, enter the known values, press the! key, and TK!Solver gives you the answer.

Engineers, scientists, architects, financial analysts and planners, educators, researchers, and other professionals who use equations and mathematical models can work more creatively with TK!Solver.

TK!Solver provides you with:



your list. For example, if you want to know how different interest rates will affect monthly loan payments, enter a list of interest rates and let TK!Solver calculate the payment amount for each value.

UNIT CONVERSIONS

Any type of unit conversion –
Fahrenheit to Celsius, meters to
feet, dollars to deutschmarks,
newtons to dynes – can be made
without altering your equations.
Just define the numerical relationship between two units of measurement and the TK!Solver program
automatically converts the variable value to the unit you specify.

TABLES AND PLOTS

Quickly generate tables and plots of your results on your screen or printer.

If you can define a problem mathematically, the TK!Solver program can help you find the answer. It's a flexible problem-solving tool that you can apply easily to a variety of mathematical problems.

AVAILABLE NOW

You can run the TK!Solver program on the IBM® PC and XT and compatible machines, the Digital™ Professional™ 350, the Digital™ Rainbow™ 100, the Wang Professional Computer, Apple® //e, and on the following personal computers using MS™-DOS: TI Professional Computer, GRiD Compass Computer,™ Canon AS-100, Eagle® 1600, Toshiba T300, and the Zenith Z-100.™

BACKSOLVING

If the programs you use now require you to rewrite the same equation to solve for different unknowns, TK!Solver can dramatically improve your productivity. Enter your problem once and then solve for the unknowns no matter where they are in your equation.

ITERATIVE SOLVING

If TK!Solver can't solve an equation directly, take an educated guess at the answer. Type the ! key and the TK!Solver program starts with your guess and performs repeated approximations to converge on the answer.

LIST SOLVING

Given a list of input values, TK!Solver automatically calculates the equation for every value in

Software Arts

The creators of VisiCalc® and TK!Solver®

TK, TK!, TK!Solver, TK!SolverPack, The Problem Cruncher, the stylized! and the slogans "NOW YOU DON'T HAVE TO THINK LIKE A COMPUTER TO USE ONE!" and "THE WORLD'S FIRST EQUATION PROCESSOR FOR PERSONAL COMPUTERS" are trademarks or registered trademarks of Software Arts, Inc. TK!SaTN and DIF are trademarks of Software Arts Products Carp. Software Arts is a trademark of Software Arts, Inc. and Software Arts Products Carp. The TK!Saiver program and the TK!SaiverPack applications packages are products of Software Arts, Inc., which is solely responsible for their contents. VisiColc is a registered trademark of VisiCorp. GRiD Compass Computer is a trademark of GRiD Systems Corporation. Z-100 is a trademark of Zenith Data Systems. Eagle is a registered trademark of Eagle Computer, Inc. IBM is a registered trademark of International Business Machines Corporation. Wong is a registered trademark of Wang Laborataries Inc. Digital, Professional, and Rainbow are trademarks of Digital Equipment Corporation. Apple is a registered trademark of Apple Computer, Inc. MS is a trademark of Microsoft Corporation.

Hardware Review

The Vamp DVM-1 Computer/TV Interface Kit

Interface a computer's video and audio outputs directly into a TV for enhanced picture quality

by Richard F. Gillette

The DVM-1 kit can help you overcome the display degradation that often disappoints users of systems employing an RF (radio-frequency) modulator to interface a computer's video output to a standard color television. The DVM-1 lets the computer's output bypass the TV's RF section; it applies the computer's audio and video outputs directly to the TV's audio and video amplifiers, eliminating the need for an RF modulator.

Shortly after I had purchased a computer for text and graphics applications, I became disappointed with the display quality of my RF-modulator/color-TV combination. I had no right to expect better; after all, a color TV's tuner and IF (intermediate-frequency) stages pass only

a 4-MHz video signal to prevent interference among adjacent TV stations; even the cheapest black-andwhite monitor has twice this bandwidth. Although the 4-MHz bandwidth is fine for TV, most computer text and graphics applications require a wider bandwidth to take advantage of their higher resolution capabilities.

To solve this problem I thought I could simply bypass the TV's RF section and connect the computer signal directly into the TV's video amplifier. Right? Wrong. My TV, like most modern TVs, has its chassis connected directly to one side of the 110-V power line. TV manufacturers have eliminated the 60-Hz power transformer found on older models to make the new sets lighter and less costly. If I had input the computer's video directly into the TV, I would have burnt out the computer and given myself a potentially lethal electric shock. Obviously, safety considerations dictate isolation of some sort.

My solution at the time (the DVM-1 was not yet available) was to purchase a bulky 110-V, 60-Hz isolation transformer and wire it permanently into the TV's line cord. The transformer would not fit in the TV, and when

> it was close to the TV's picture tube, or CRT (cathoderay tube), it distorted the picture. I then added a jack (with an integral switch) to connect the microcomputer's video directly to the TV's video amplifier. The TV had a video test point with a composite video signal at the same level as the computer; thus, no bias was required, and unplugging the computer automatically switched the CRT back to TV. The results were spectacular. It looked almost as good as any of



Photo 1: The DVM-1 kit, including the instruction manual.




Photo 2: The assembled DVM-1 printed-circuit board, mounted in a TV. (All photos were taken by the author.)




Photo 3: The flyback-transformer pickup coil (the white twisted pair in the center of the photo) that derives power for the DVM-1 board.

the composite video monitors I saw at the computer store. It was just as spectacular when used with a videocassette recorder.

I decided to upgrade the computer monitor from a 9-inch TV to a 12-inch Sony KV-1207 TV (my daughter was planning to take the 9-inch set to college). The larger TV required a larger isolation transformer, and while looking for this transformer I found the Vamp DVM-1. This kit provides all the circuits necessary to interface both the computer or videocassette recorder and audio directly into the TV. The required isolation is provided by a pair of optoisolators, one for video and one for

audio. The conversion fits inside the TV and requires no bulky isolation transformer.

The optoisolator consists of a light-emitting diode (LED) coupled optically to a photo diode. The isolator can couple signals across a 3-kV potential difference, much more than is required for the TV set.

Another feature of the DVM-1 kit is that it uses the TV's flyback transformer to supply power for the optoisolator LEDs and their drivers, eliminating the need to take power from the computer (or videocassette recorder) or to provide a separate power supply.

The kit comes in a small box complete with all parts




Figure 1: The DVM-1 block diagram, showing interface wiring.




Photo 4: Video and audio connections to the TV.

and straightforward instructions (see photo 1). Only one printed-circuit board is involved; you just follow the parts list and insert the components into a well-marked board, solder, and trim the leads. You have to provide your own solder. The assembled printed-circuit board as mounted in my TV set is shown in photo 2.

Figure 1 shows the DVM-1 block diagram and the TV interface wiring. The combination of optoisolators and use of the TV's flyback transformer for the power supply to drive them provides complete isolation of the computer from the TV. The computer's video and audio signals are coupled across this interface (the dashed line on the block diagram in figure 1) by a light beam. No RF modulator is used, and thus cross-hatch interference due to modulator operation is eliminated from the other TVs in my home. The DVM-1 provides independent video and audio level settings and includes an adjustable bias supply for the TV's video; this feature allows an easy interface to TVs that have their video detector operating at a DC (direct current) voltage offset from ground. I needed this feature to use the DVM-1 with my Sony. (See "Add A Video Input to Your TV," Radio-Electronics, April 1983, for more technical details.)

Included with the kit are insulated jacks and a switch. The switch allows easy selection of either monitor or TV operation.

After the printed-circuit board is assembled, the next step is interfacing with the TV set. For this task, the DVM-1 manual provides a wealth of information. However, if you are not qualified to service your TV set, you will need help. If you are qualified or if you have a friend who is, you will have few, if any, electrical problems. The manual provides a good section on checking the kit. All parts are covered by warranty. Your challenge will be mechanical: where to mount the board, the input jacks, and the TV/monitor switch. The kit's small size enables it to fit inside any TV suitable for use as a monitor.

I am tempted to go into detail on the installation; however, each TV will pose unique requirements. My Sony KV-1207 installation is best described with pictures: photo 2 shows mounting details, and photo 3 shows the flyback-transformer pickup coil (the white twisted pair in the center of the photo) that derives the DVM-I's power. As you can see, installation was easy once I decided where to mount the hardware and route the wires. Photo 4 shows the video and audio wiring to the TV. You can see the cut video-printed circuit trace between the two coaxial cables (the audio trace that was cut cannot be seen in this photo).

After I installed the interface and adjusted the video and audio gain and the DC offset (simple procedures explained in the manual), I found that I wanted to touch

Listing 1: A color dot-generator program written in Applesoft.

```
COLOR DOT GENERATOR
    REM
11
    REM
          * TO EXIT TYPE *
12
          * CTRLC RETURN *
    REM
13
    REM
          * TEXT RETURN
14
    REM
           R.F.GILLETTE 9/25/83
20
    HGR2
30
    HCOLOR= 3
    FOR X = \emptyset TO 279 STEP
40
50
    FOR Y = \emptyset TO 191 STEP 8
60
    HPLOT X,Y
70
    NEXT Y
    NEXT X
80
90
    END
```

up the TV's convergence. I followed Sony's instructions using a software-programmed dot generator. The program for an Applesoft dot generator is provided in listing 1. At my wife's urging I adjusted the TV's color so the white would appear more green, as she finds green easier on her eyes. Color monitor owners may want to try this; all that is required is to turn down the red and blue CRT drive controls.

While giving the interface a thorough checkout, including a number of RF modulator to DVM-1 comparisons, I found horizontal instabilities on large-area graphics displays output from my Apple II. The top of the graphics display had a wave (horizontal displacement), as photo 5 shows. This large-area graphics display was generated using the program from listing 1, modified by changing the step size in lines 40 and 50 from 8 to 1. Close examination revealed that the wave could appear with either the RF modulator or the DVM-1. The AC (alternating current) coupled video signal from large-area graphics upsets the DC-restore circuits in some TV sets because the sync level (most negative level) is close to the level of the video signal preceding it. This small level difference can be seen on a scope, as photo 6 shows.




Photo 5: A horizontal instability accompanying a large-area graphics display.

At a Glance

Name

DVM-I kit

Converts a television set into a composite video (not red-greenblue) computer/videocassette record (CPU/VCR) monitor while retaining the TV function

Manufacturer

Vamp Inc.

POB 411

Los Angeles, CA 90028

Dimensions

2½ by 4 inches single-sided printed-circuit board

Complete kit: \$64.95 plus \$2.00 shipping (\$4.00 foreign)

Provides wide-band video and audio channels that are isolated from a hot TV chassis; uses two optoisolators

Tools Needed

Soldering iron, screwdriver, drills (10-, 7-, and 4-mm or 3/4-, 1/4-, and 1/4-inch), voltmeter, wire cutter, and schematic of TV set

Documentation

10-page manual

One solution to this problem involves a simple modification to the Apple II, and it works with both the RF modulator and the DVM-1. The video, sync, and colorburst signals are summed at the base of the Apple II's video-output transistor (Q3), which is connected as an emitter follower. Adding a fourth summing resistor (5.6KΩ, ¼W) from Q3's base to +5V increases the amplitude of the sync pulse, solving the instability. I called Apple and the person I spoke with stated that the change is not approved by Apple; hence, such modifications to your Apple will be at your own risk.

How well does the DVM-1 coupler work? Judge for





Photo 6: A scope photo showing a large-area-graphics video signal.

Files To Save:

Now you can save 50% off BYTE's regular newsstand price of \$42.00





NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

BUSINESS REPLY CARD

FIRST CLASS PERMIT NO. 39 MARTINSVILLE, NJ

POSTAGE WILL BE PAID BY ADDRESSEE

BUTE

Subscription Dept. P.O. Box 590 Martinsville, NJ 08836

Buy Hardware/Software at Wholesale, And Save On Software Rentals, As A NETWORK Member Only!

Save hundreds of dollars when you buy DIRECT from America's Number 1 Computer Buying Service at just 8% above DEALER WHOLE-SALE PRICES, plus shipping.

Members receive The Personal Computer NETWORK's Giant Catalog featuring thousands of products and the lowest prices on the widest selection of computer software and hardware in the nation!

RENT BEFORE YOU BUY — Members are eligible to join The NET-WORK's Business and Game Software Rental Libraries for a much smaller fee than other software rental services. And The NETWORK's rental charges are far less — just 20%-25% of the Member WHOLESALE PRICE!

Join The NETWORK today for as low as \$8 for one year (or \$15 for two years) and receive all these exclusive, money-saving benefits:

Low prices, fast home delivery andtwo software rental libraries are only the beginning! The NETWORK is your source for everything from memory chips to mainframes—and it's all just 8% above wholesale, plus shipping.

HARDWARE

Monitors (color and monochrome)
Printers
Complete Systems
Disk Drives (full/half height, add-on/add-in)
Multi-Function Boards
Graphics Boards
Modems
Local Area Networks
Memory Chips (all speeds available)
S-100 Components

SOFTWARE (rent or buy!)

Business Recreational Compilers Word Processors Scientific Data Bases Educational Graphics CP/M-MS/DOS

SUPPLIES & ACCESSORIES

Blank Diskettes (all formats) Paper Stock Ribbons Print Wheels Cables Choose hardware and software — from hundreds of manufacturers, including:

- Altos Amdek
- MicroPro
 Microsoft
- ApparatAST
- Morrow
- Ashton-Tate
- MotorolaNEC
- Atari
- Northstar
- · CDC
- OkidataPeach Tree
- · Coleco
- Princeton
- Columbia
 Commodore
- Quadram
- CoronaCromemco
- SanyoSierra On-Line
- DECDigital
- Software
 Bubliship
- Digital
 Research
- Publishing Softword
- Eagle
 Epson
- TandonTecmar
- Franklin
- TecmaTexas
- cettes (all formats)

Cables
And More!

Hayes InstrumentsIBM ToshibaIUS Visicorp

THE NETWORK · MEMBERSHIP APPLICATION

Lotus

Zenith

 REAL BUYING CLOUT—Buy at just 8% above DEALER WHOLESALE PRICES, plus shipping, (On credit card orders there is a 3% service charge.)

2. CONVENIENT SHOP-AT-HOME CATALOG

3. KNOWLEDGEABLE SERVICE CONSULTANTS

4. FULLY INSURED FAST HOME DELIVERY

5. OPTIONAL BUSINESS SOFTWARE RENTAL LIBRARY — Members join for just \$30 per year in addition to the basic membership lee. Rent business software at just 20%-25% of The NETWORK's low prices for a 7-day period (plus a 3-day grace period for return shipping). 100% of your rental fee applies towards purchase.

 OPTIONAL GAME SOFTWARE RENTAL LIBRARY — Members join for just \$10 per year in addition to the basic membership lee. All the same conditions apply as for benefit five.

 SPECIAL SAVINGS BULLETINS -Save even more on limited-quantity merchandise!

8. DISCOUNT COMPUTER BOOK LIBRARY—Save up to 50%!

 MEMBERSHIP SATISFACTION GUARANTEE—If you are not satisfied, notify us within 30 days to receive a 100% money-back refund.

 PRODUCT SATISFACTION GUARANTEE—If you are not satisfied with any hardware, return it within 15 days for a 100% money-back refund,

All items subject to availability, prices subject to change without notice Copyright @1983, PC NETWORK INC.

SAVE ON UPGRADES!

Two Tandon \$574/ \$350/
TM 50-2 Half pair pair*
Height DS/DD

Retail Wholesale 64K Chips \$11 each \$5.10 ea.*

*NETWORK Members pay just 8% over the wholesale price, plus shipping.

SPECIAL V.I.P. MEMBERSHIPS -

Available at \$15 per year or \$25 for two years. V.I.P. Members receive additional benefits:

BOTH SOFTWARE RENTAL LIBRARIES
FOR \$35 in addition to the V.I.P. membership fee.

2. EXTENDED 10-DAY SOFTWARE RENTAL PRIVILEGES (plus 3 days for return shipping).

3. ADVANCE NOTIFICATION OF SPECIAL SAVINGS BULLETINS.

1-800-621-S-A-V-E in Illinois call (312) 372-4488 Your Membership Validation Number: D777



Call now...Join the PC NETWORK and start saving today!
PC Network
180 N. Michigan Ave.

Chicago, IL 60601

YES! Please enroll me as a member in The NETWORK " and rush my catalog teaturing thousands of computer hardware and software products, all at just 8% above DEALER WHOLESALE PRICES. I will also receive all the other exclusive, money-saving se vir:es available to Members.					
I am under no obligation to buy anything. My complete satisfaction is guaranteed.					
Please check () all boxes that apply: Basic Membership					
☐ One-year membership for \$8					
☐ Two-year membership for \$15 (SAVE \$1)					
☐ Business Software Rental Library for \$30 add'l. per year—members only					
☐ Games Software Rental Library for \$10 add'l. per year—members only					
Special V.I.P. Membership 717					
☐ One-year membership for \$15					
☐ Two-year membership for \$25 (SAVE \$5)					
☐ BOTH Business and Game Software Rental Libraries for \$35 add'l, per year—V.I.P. members only					
☐ Bill my credit card: ☐ VISA					
☐ MasterCard ☐ American Evoress Exp.					
Account Number:					
☐ Check or money order enclosed for \$					
Name					
AddressApt. No					
CityStateZIP					
Telephone()					
My computer(s) is: ☐ IBM PC ☐ Apple II ☐ TRS-80					
☐ Atari ☐ Commodore Other					
Signature					




Photo 7a: Forty-column text displayed on a TV screen via an RF modulator.



Photo 8a: A color-graphics display interfaced to a TV via an RF modulator.

yourself. Photos 7a and 7b show 40-column text with the RF modulator and the DVM-1, respectively. The DVM-1 provides a bandwidth in excess of 8 MHz; mine extended past 10 MHz. These photos show the bandwidth/resolution improvement. Photo 8 shows high-resolution color graphics from the game Mad Rat (Phoenix Software), first via the RF modulator (photo 8a), then via the DVM-1 (photo 8b) (the TV was adjusted for as close a color balance as possible). The shadow mask on the screen of the color CRT reduces resolution, and TV video circuits can also reduce bandwidth. The Sony can almost, but not quite, let you use 80-column video with the DVM-1 adapter. (I tried a wider band video input and obtained the same results; the TV is the limitation.) Adding the DVM-1 to a black-and-white TV will allow 80-column operation. As you can see from the photos, my converted color TV set has the video quality of an



Photo 7b: Forty-column text displayed on a TV screen via the DVM-1.




Photo 8b: The same color-graphics display interfaced to a TV via the DVM-1.

expensive composite video monitor. The kit also provided me with an audio channel including volume control.

When considering the upgrade of a TV to a monitor, I recommend that you consult the TV's manual to make sure you understand the video and audio circuits before you invest in the DVM-1. If you do understand the circuits, then I wholeheartedly recommend this kit. One note of caution: the TV set's warranty may be voided by this monitor conversion. (My applause to Vamp, as it noted the warranty problem in its manual.) A letter to the TV manufacturer, however, may get you conversion approval. In any case, most warranties do run out.■

Richard F. Gillette (311 W. Daniels Rd., Palatine, IL 60067) is an engineering manager with Northrop Corporation's Defense Systems Division. He holds both a B.S.E.E. in communications and an M.B.A. in operations research.





1. Your personal computer.*

DOW JON

- 2 Up-to-date world and national news.
- 3. Current and historical stock market quotes.
- 4. Business and economic news from The Wall Street Journal, Barron's and the Dow Jones News Service.
- 5. Detailed financial information on over 3,000 companies and 170 industries.
- 6. Abstracts from SEC filings on more than 6,000 companies.
- 7. Articles from the Academic American Encyclopedia.
- 8. Sports and weather reports.
- 9. Movie reviews, summaries and ratings.
- 10. Dow Jones Software™—investment products for analysis and management of financial information from Dow Jones News/Retrieval® (available separately).*

The Dow Jones Connector™ gives you immediate access to all Dow Jones News/Retrieval data bases through your personal computer and a modem. Dow Jones News/Retrieval is the nation's leading online information service. When you purchase the Dow Jones Connector, you receive a value of over \$100: a free password, our user's guide—the Dow Jones News/Retrieval Fact Finder, an hour of free usage on Dow Jones News/Retrieval and a \$25 coupon good toward the purchase of an investment software product: the Dow Jones Market Analyzer™, Dow Jones Market Microscope™ or Dow Jones Market Manager™.



Available at selected computer stores. Suggested retail price: \$49.95.

*For compatibility, check with your local computer dealer.

Dow Jones Connector

Easy Access to Dow Jones News/Retrieval®

Circle 138 on inquiry card.

For more information on Dow Jones Connector, call 300-345-8500 ext. 48

(Alaska, Hawaii and foreign call 215-789-7008 ext. 48)



VISUAL 1050 Personal Computer System...



Complete Solution

The VISUAL 1050 is an advanced personal computer system designed especially for managers and professionals. It comes complete with toprated software and high-performance hardware ... all fully configured for easy set-up and simple operation. The VISUAL 1050 costs much less than other full-feature personal computers and comes with everything you need to tackle important professional jobs, right out of the box.

Words, Numbers and Graphics

The VISUAL 1050 solves more professional problems than any other computer in its class. Whether you work with words, numbers, or graphics, the VISUAL 1050 speaks your language. You get WordStar, MailMerge, Multiplan and Digital Research's DR Graph. Leading software packages for word processing, spreadsheet and graphics. And all have been specially adapted to share data and perform as an integrated software family.

VISUAL 1050	IBM~ PC	Apple~ lle	TRS-80" Model 12	DEC Rainbow*
\$2,695	\$2,750	\$2,390	\$3,999	\$3,495
STANDARD	\$119	\$195	2 STANDARD	2 STANDARD
2 STANDARD	\$119	\$180	2 STANDARD	STANDARD
STANDARD	\$240	STANDARD	\$499	\$845
STANDARD	\$200-\$500	\$200-\$500	\$399	\$200-\$500
STANDARD	\$200-\$300	\$200-\$300	\$299	\$200-\$300
STANDARD	\$200-\$400	\$200-\$400	\$200	\$200-\$400
STANDARD	\$100-\$200	\$100-\$200	\$100	STANDARD
\$2,695	\$3,928-\$4,628	\$3,465-\$4,165	\$5,496	\$4,940-\$5,540
800 KB	640 KB	280 KB	2.5 MB	800 KB
640 x 300	640 x 200	280 x 192	640 x 240	800 x 240
93	83	63	82	105
YES	YES	YES	YES	YES
YES	YES	YES	YES	YES
YES	NO	NO	NO	NO
	\$2,695 STANDARD 2 STANDARD STA	\$2,695 \$2,750 \$119 \$2 \$TANDARD \$119 \$ \$119 \$ \$240 \$ \$1ANDARD \$240 \$ \$200-\$500 \$ \$200-\$500 \$ \$200-\$300 \$ \$200-\$400 \$ \$100-\$200 \$ \$2,695 \$3,928-\$4,628 \$ \$640 x \$300 \$640 x \$200 \$ \$3 \$ \$YES \$YES \$ \$YES \$YES \$ \$NO	1050 IBM" PC Apple" IIe \$2,695 \$2,750 \$2,390 STANDARD \$119 \$195 2 STANDARD \$119 \$180 STANDARD \$240 STANDARD STANDARD \$200-\$500 \$200-\$500 STANDARD \$200-\$300 \$200-\$300 STANDARD \$200-\$400 \$200-\$400 STANDARD \$100-\$200 \$100-\$200 \$2,695 \$3,928-\$4,628 \$3,465-\$4,165 800 KB 640 KB 280 KB 640 x 300 640 x 200 280 x 192 93 83 63 YES YES YES YES YES YES YES NO NO	1050 IBM" PC Apple" IIe Model 12 \$2,695 \$2,750 \$2,390 \$3,999 STANDARD \$119 \$195 2 STANDARD 2 STANDARD \$119 \$180 2 STANDARD STANDARD \$240 STANDARD \$499 STANDARD \$200-\$500 \$399 STANDARD \$200-\$300 \$200-\$300 \$299 STANDARD \$200-\$400 \$200-\$400 \$200 STANDARD \$100-\$200 \$100 \$200 STANDARD \$100-\$200 \$100 \$200 STANDARD \$200-\$400 \$200 \$200 STANDARD \$100-\$200 \$100 \$200 STANDARD \$100-\$200 \$100 \$200 STANDARD \$200-\$400 \$200 \$200 STANDARD \$100-\$200 \$100 \$200 \$2,695 \$3,928-\$4,628 \$3,465-\$4,165 \$5,496 \$0 KB 640 KB 280 KB 2.5 MB 640 x 200 280 x 192

1—Includes CPU, 64K User Memory, Keyboard, Display, Two Disc Drives, and Operating System. Based on manufacturers' information available August, 1983. VISUAL 1050 includes 128K User Memory standard.

the complete professional solution at an unbeatable price.

Communications, BASIC and More...

You get Terminal Emulation software which turns your VISUAL 1050 into a powerful ASCII terminal for dial-up access to remote computer resources. And you get CBAS/C® for custom programming applications. CP/M Plus,® a new and improved release of CP/M, allows your VISUAL 1050 to support hundreds of popular third-party packages.



Unbeatable Value

\$2,695 is the total retail price for the VISUAL 1050. You get the best and most popular software packages, ready to run on hardware which offers the features and quality you should demand. Two high capacity disc drives. 128K memory standard, expandable to 256K. Fast, bit-mapped graphics. Full size green screen. Standard printer and communication ports. Rugged 93-key keyboard with special WordStar engravings. You can't buy a more complete hardware and software solution at anywhere near the price.



See for yourself

Visual Technology Incorporated 540 Main Street, Tewksbury, MA 01876 Telephone (617) 851-5000. Telex 951-539

Circle 477 on inquiry card.

We're "Customer Friendly

We're Sun Software. We're new and we're ready to start treating you like a valued customer—not just a voice on the telephone.

And we're convenient, too. Just call our toll-free number to

order any one of over 2000 titles and more than 90 formats. Plus we guarantee that our prices are absolutely the lowest you'll find anywhere.

We'll take your order and get it to you in 5 days or less -virtually anywhere in the world. And if you're in the U.S., you'll never pay for shipping. **S**o call us to access the most in service, the best in selection. We're going to make "customer-friendly"

state-of-the-art.

1185.00

Call 1-800-222-7393

PASCAL MT+

(in California call: 1-800-722-6284) **TELEX: 215604 PCS UR ATTN: Sunmicro**

By modem: (213) 458-9209

Your IBM PC Source

SUPERCALC 3

WORDSTAR

LOTUS 1-2-3

MULTIPLAN D-BASE TUTORIAL

BASIC-80

MOVE-IT QUICKCODE

dBASE II

5385.00

\$ 50.00

Sun Software 1344 Fourth Street. Santa Monica, CA 90401

TERMS: Shipping by UPS Surface, US Mail. Call for UPS Blue or next day delivery. C.O.D., Check, Master Card and Visa accepted. California residents add 6% tax. Los Angeles County residents add 6.5% tax.



@1983 Sunmicro Electronics, Inc.

Software Review

The Einstein Compiler

This Applesoft BASIC compiler also serves as a helpful programming tool

by Peter Callamaras

The Einstein compiler, one of several BASIC compilers for Apple computers, is both easy to use and effective. Although other compilers claim they can provide compiled programs that run 2 to 20 times faster than their Applesoft BASIC counterparts, they cannot reveal what they're doing during compilation, nor can they do anything other than compile programs.

The Einstein, however, is not only a BASIC compiler: it's a useful programming tool as well. It provides a great deal of statistical information about the programs it compiles, and, when you enable the line-trace mode, you can also use it to debug a program.

The major task of a BASIC compiler is to convert a program written in BASIC into an equivalent assembly-lanroutines in the Apple's monitor. By eliminating the need to interpret each line of program code, the compilation reduces program execution time.

guage program. Much of the conversion performed by

Applesoft compilers is based on a series of calls to

Size vs. Speed

Although compilation speeds program execution, it also increases the size of the original program. The Einstein compiler, however, uses a code-compression technique to limit this increase; nevertheless, its compiled versions may be twice as long as the BASIC programs it began with. If the program is very large or made up of a series of modules, then the modules can be compiled and chained as a set of integrated modules. Modular programs are useful if you wish to later enhance certain parts of the program: you need only compile new modules to replace the ones you want to change. The manual explains this feature well.

The code-compression feature can be disabled, but program size will then increase dramatically in some cases. In one workout I gave the compiler, the original program took 5 sectors, the compressed compiled program filled 12, and the uncompressed compiled version 20. I prefer to use the compressed version.

Many manufacturers claim that their compilers provide twentyfold speed increases, but you can reasonably expect a compiled program to run about five to six times faster than the original BASIC program. I realized an approximate fourfold increase in execution speed each time I used the Einstein compiler. To make your own comparison, load a program on a cassette tape into the computer and then load the same program from a disk. The difference in the time you saved using a disk drive is about the same as the time you'll save running a compiled version of your BASIC program.

At a Glance

The Einstein compiler

Applesoft BASIC compiler

Manufacturer

The Einstein Corporation 11340 W. Olympic Blvd. Los Angeles, CA 90064 (213) 477-4539

Price

Computer

Apple II/II Plus/IIe 48K bytes Apple III in emulation mode One 51/4-inch disk drive

514-inch DOS 3.3 disk Free backup disk upon return of warranty card

Novice or experienced Applesoft programmers interested in speeding up BASIC programs

Number of Primes Used	BASIC Program's Execution Time (seconds)	Compiled Program's Execution Time (seconds)		
55	63.95	11.21		
1006	132.7	28.07		
1437	210.09	42.91		

Table 1: This data compares execution times for an Applesoft BASIC program with a version compiled with the Einstein compiler. Data collected from three tests using the Sieve of Eratosthenes benchmark prime-number program show that the compiled program runs about five times faster than the original.

Ease of Use

To compile your first program, simply

- 1. Load the BASIC program into memory.
- 2. Insert and run the Einstein program.
- 3. Press "Y" (for yes) to accept the standard Einstein parameters.
- 4. Save the compiled program.

That's all there is to it. The compiled program can be listed, but you will see only one line of code: 1 Call 4864. This line will start the compiled program running.

To test the time savings and size differences between BASIC programs and their compiled versions, I first ran a program I use to predict winners in professional football games. I have always been frustrated by the length of time it takes the program to determine the point spread and predict a winner when the program already has information from the preceding four or five games on which to base a decision. I selected six teams and had the program predict winners of the three games.

A BASIC program averages 23 seconds to figure a winner and point spread. The compiled version of that program (the compilation took about 65 seconds) calculated the point spread and predicted the winner in 5.3 seconds. For calculations on 28 teams (14 games), the waiting time decreased from 322 to 74.2 seconds—a 77 percent time savings.

The second test I ran was based on the Sieve of Era-. tosthenes benchmark prime-number program (featured in January 1983 BYTE, page 283). I decided not to run the full 8192 prime numbers and instead ran three tests: one with 55 prime numbers, another with 1006, and a third with 1437. The time savings, shown in table 1, were substantial. The execution rate of the compiled version was about five to six times faster than that of the original. The program did, however, expand from 3 sectors in the original to 15 sectors in the compiled version.

Compiler Components

The Einstein compiler disk contains three separate binary programs. The first is the Einstein program itself, which compiles the programs. The second program, Remark Remover, is a utility program used to remove remarks from the BASIC program before it's compiled. Because a program is converted from Applesoft into assembly language, the compiled program does not need the extra code required by the Remark statements. The third program, Remake Compiler Disk, is a special utility used to reconstruct the Einstein compiler should it be "blown up" through a destructive error. You can "destroy" the compiler by accidentally putting a writeprotect tab on its disk and then attempting to use it, or by pressing the Reset key while the compiler is running.

If you damage the disk, contact the manufacturer for a replacement. When you send in the 90-day-warranty registration card, Einstein Corporation will send you a free backup disk. The compiler disk is copy-protected, not write-protected, because it constantly reads and writes to itself while compiling a program.

While you are compiling a program, various statistics concerning the compilation process appear on the video display. The compilation is carried out in several phases. In the analysis phase, variables are analyzed and stored, and the syntax of the program is checked. If a syntax error is detected, you can ignore it and continue the compilation or you can stop immediately. The Einstein software will compile a program with syntax errors in it. When I tried an "incorrect" program, it compiled and ran until the syntax error was encountered. After the analysis, the program stops and asks whether you wish to use any particular parameters.

The program then proceeds to the next phase, where the variables are defined in a symbol table, which you can examine for information about the assembly-language program being created. Specifically, the symbol table provides the name of each variable function in the original program, truncated to two characters. You also get a one-character display of the variable type. Real numbers are represented with a blank, integers with a percent sign, and strings with a dollar sign. A defined function is displayed as an asterisk. The hexadecimal address of the first byte of each variable (or variable array) is also provided. Next to the address, the length of the array, or variable, is expressed in hexadecimal units. Three special notes include 17-byte For . . . Next loops, defined functions of 8 bytes, and fixed-length strings that are 1 byte greater than their specified size. Information on dimensioned arrays is also included.

The program then proceeds into the compression analysis phase and creates a set of compression optimization tables. The final phase handles code generation, where the compiled code is generated and stored on the compiler disk. While the program prints each line number as it is compiled, a running tally of the percentage of source code compiled is reported. (You can compare this data with the compiled information in the symbol table.) Any address reference problems are then resolved, and the full compilation statistics are displayed on the screen.

The compilation statistics include information on the amount of space occupied by the compiled program, the area used by any global variables, the local area used by local variables, and the area reserved for use by dynamic strings (called the string pool). Other displayed information details additional facets of the compiled program. The compiler also creates a run-time library to get the compiled program up and running. The library consists of a set of machine-language routines the program uses when it runs. The amount of space saved by using the compression feature is also indicated.

The last phase of the compilation is the resolution of relocation information, of interest mainly to experienced programmers.

Once the compilation is finished, the program resides in memory, ready for you to run immediately or to save on disk. (I always save a program before running it.) Be sure you give the compiled program a different name than that of the original source program (I add the suffix .com), because once you overwrite the original BASIC source code, it is lost unless you have a backup copy. Some restrictions apply if you use relocatable code (these are covered in the user's manual).

A set of available compiler parameters covers the assignment of the printer slot, string information, addresses for the program, strings, different variable types, line tracing, code compression, reserved memory, loops, display addresses, and pause on errors.

The printer-slot parameter allows you to get a hard-copy printout of the compilation information for later use. You can select the other parameters depending on the program you are compiling and/or your use of the compiler for debugging purposes, such as enabling the line-trace mode. The manual details each of the parameters.

You can place certain embedded compiler directives inside the compiled program. They are a series of special annotated Remark statements that are not removed from the source code as are normal Remark statements. For instance, you could use one of the special Remark statements to call an uncompiled subroutine from within the compiled program. Other directives are available for the advanced programmer; these are thoroughly explained in the manual.

The manual is well-written and packed with information. It will be of help to both the novice and experienced programmer. The manual has a table of contents, an index, and an error-message section. It covers each compiler feature in separate task-oriented chapters. A set of sample tables illustrates the use of the symbol table and a set of sample programs permits practice compiling.

Conclusion

The Einstein compiler is an excellent program for converting Applesoft BASIC programs into assembly-language equivalents. It is easy to use, requiring only

three steps to compile a program (if the user does not take advantage of the special parameter settings available). This ease of use has prompted me to use this program to compile all my BASIC programs to obtain faster execution speeds.

The Einstein compiler is packed with features to support use by both experienced and novice programmers. The parameter settings, for example, should accommodate the needs of any programmer. In addition, a comprehensive set of compilation statistics provides details about the compiled program.

Programs compiled with the Einstein software exhibit speed increases five to six times over those of their Applesoft BASIC counterparts. The user's manual is well written. In fact, it would make a good model for documentation writers to follow.


This compiler can be useful for all owners of Apple computers, even those who don't do much programming. It can speed up their BASIC programs and it might even encourage them to start programming in BASIC. Thus, it gives users the best of both worlds, easy programming in BASIC combined with the speed that assembly language affords. ■

Peter Callamaras, an officer of the Air Force, can be reached at AFCC/EPPB, Scott AFB, IL 62225. The recipient of degrees in computer technology and biological sciences, he recently received his master's degree in systems management. He has been interested in computers since 1966 and used to be the service department manager of a computer store.



MASTER THE "NEW ELECTRONICS" WITH McGRAW-HILL'S

nien



Now you can meet the challenges of today's incredibly rapid changes in electronics quickly and easily. This professional level electronics learning series is as innovative as the circuitry it explains and as fascinating as the experiments you build and explore!

From digital logic to the latest 16-bit microprocessor, you master one subject at a time with McGraw-Hill Concept Modules sent to you one at a time, once a month, to make up the complete CONTEMPORARY ELECTRONICS SERIES. Each module of the fifteen in the Series is a unique blend of "hands-on" experience, interactive audio cassettes, and vividly illustrated printed support materials. Together

electronics revolution.

Understand Digital Logic... Microprocessors...Optoelectronics

Here's an extraordinary opportunity to update your understanding of today's most important technological changes in electronics. You can start from scratch or use the Series to update yourself. You cover the latest integrated circuits, including TTL, CMOS, and ECL digital circuits; op-amps; phase-locked loops; microprocessors; and opto devices such as LEDs and LCDs.

Perform Electronic Experiments

With your first module you'll use the latest digital integrated circuits to build an oscillator circuit that demonstrates digital signals—verified visually by the flash of light emitting diodes (LEDs).

You'll learn concepts applicable to all electronic circuits. With the first module, you will be able to identify the major passive components, like resistors, capacitors, inductors, diodes and transformers, and active components such as transistors and integrated circuits.


Electronics Series

Each Concept Module goes right to the heart of the matter. You waste no time on extraneous material or outdated history. It's a fast, efficient, and lively learning experience, a nontraditional approach to the most modern of subject matter.

Construct And Use New Explorer Design Lab

What's more, laboratory experiments you perform as you expand your Explorer Design Lab system reinforce every significant point. All projects are designed to enhance and support your interaction with the cassettes and special text materials.

This essential hands-on experience with actual electronic components gives you a clear and simplified understanding of contemporary electronics. Every module will include additional components that you mount on your expanding Explorer Lab system. You'll use your Lab throughout the Series and later to design, build, and test your own circuits.



With your first module you'll use this solderless breadboarding system. As you add additional boards to create your Explorer Design Lab you retain the ability to connect and build increasingly complex circuits easily and quickly.

When you have received Module 15, you also have a wide variety of contemporary components you can continue to use for your own design projects. The principles you will have mastered in your Series will apply to all contemporary electronic circuits, right up to tomorrow's latest VLSI's (Very Large Scale Integrated) circuitry.

Unique Interactive Instruction Makes Learning Easy

With each new module you will receive a McGraw-Hill Action-Audio Cassette, a remarkable technique of interactive instruction. Each tape creates a dynamic discussion that not only quickly communicates the facts, but makes you feel that you are participating in a lively dialogue with experts in contemporary electronics who provide you with first-hand information in a warm and provocative way.

Your ability to rapidly make this knowledge your own

is further aided by a strikingly original method using diagrams, explanations, illustrations, and schematics to drive home and reinforce the meaning of all important points. Carefully indexed binders contain this material as well as the instructions to guide you through your "hands-on" lab experiments. Finally, having completed the Series, you can

be awarded a
Certificate of
Achievement from
McGraw-Hill
upon passing
an optional
final examination.



Update Your

Knowledge of the New Electronics

This program is for anyone who has an interest in electronics. It's designed for you whether you are someone looking to find new directions in this wide open field...or the kind of person who wants to understand what's going on in the world around you...you could be a teacher who would benefit from a refresher course in contemporary circuits, components, and applications...a manager or supervisor in an electronics related business or industry...an engineer in another field who finds electronics playing an ever more important role in your work. It's even for the

YOU COVER EVERY SUBJECT IN CONTEMPORARY ELECTRONICS

- Digital logic
- Digital gates (TTL, CMOS, ECL, NMOS)
- Flip flops
- Counters and Registers
- Op-amps and Applications
- Combinational logic circuits (ROMs, PLAs, decoders, etc.)
- Circuit analysis. LCR networks
- Transistors (bipolar and FETs), diodes and thyristors
- Integrated circuits (linear and digital)
- Oscillators
- Optoelectronics
- Microprocessors
- Voltage Regulation
- Advanced Digital Concepts

electronics engineers and technicians, or people with similar backgrounds who feel their training is out-of-date.

McGraw-Hill's Contemporary Electronics Series offers you the quickest and probably least expensive learning method available today, and the only one with "hands-on" experience.

15-Day Trial

To order your first module under our 15-day trial examination, simply complete the card and send today! If card is missing, write us for ordering information.

McGraw-Hill Continuing Education Center 3939 Wisconsin Avenue Washington, DC 20016.



Circle 239 on inquiry card. BYTE January 1984 353

Hardware Review

The Basis 108

A sleek import from Germany combines CP/M Plus with Apple compatibility

by Seth P. Bates

Flexibility, low cost, and abundance of software are the qualities that have made the Apple II a success. Now these qualities are available in a machine that comes already equipped with a variety of upgrades as standards. As well as providing complete compatibility with Apple II software and peripherals, the Basis 108 offers serial and parallel interfaces, 128K bytes of RAM (random-access read/write memory), an 80-column display, an RGB (red, green, blue) monitor interface, and a Z80 processor card. The Basis 108 was designed to meet the needs of professionals rather than hobbyists, but it is flexible enough for both.

Basis

Since 1979, Basis ("Bah-zis") Microcomputer GmbH. of West Germany has been the exclusive Apple distributor for Western Europe. The company produced keyboard encoders for upgrading the Apple II and helped establish requirements for the European version of the computer. In addition to the 108, Basis also produces two more sophisticated systems for business applications: the Basis 208 and 216.

In 1982, however, Apple began to market its own products in West Germany. On learning of Apple's plans in 1981, Basis decided to develop a proprietary, low-cost microcomputer that was both hardware- and softwarecompatible with the Apple II. The result was the Basis 108, which was introduced to the European market in January 1982. It was an immediate success. A short time later it was introduced in the United States by Basis Inc. of Scotts Valley, California. Last summer the distribution rights to the computer were bought by Computer Systems Designs of Ridgefield, Connecticut, which is now selling the Basis 108 at a much reduced price: \$2595 for a complete system. It previously cost \$3500.

The Basis 108 System

The 108 is structurally similar to the IBM Personal Computer (PC) (see photo 1), with a detached keyboard and two 51/4-inch disk drives. It has a 50-watt power supply (the Apple II has a 35-watt supply), a motherboard (photo 2), and mounting planes for two 54-inch drives. The back panel (photo 3) provides DB-25 sockets for serial and parallel I/O (input/output) and has cutouts for as many as six connectors. It also has RGB, black-andwhite, and NTSC (National Television Standards Committee) video outputs; cassette I/O; a fuse socket; and power input. Two power outlets allow you to add a video display and printer that are switched on and off with the system.

The keyboard was designed to meet European ergonomic standards and is attached to the unit by a fivefoot coiled cable. The keyboard has an 18-key numeric keypad, a 9-key cursor control block, and 15 programmable function keys (photo 1). The layout is similar to that of an IBM Selectric. The cursor block provides four standard cursor controls as well as Home, four Apple control-code keys (for clear-to-end-of-line and clear-toend-of-page functions), and four directional codes. These keys allow single-keystroke cursor control in Apple software (standard in CP/M and Pascal), and they make a nice "bleep" when they are used.

Basis at one time offered a beautiful European-made, ergonomically designed high-resolution monitor with a 25-MHz bandwidth. This unit was quite expensive, however, and Basis discontinued it. I've found that the Electrohome 1302-2x monitor and Taxan's RGB Vision I monitor work well with the system, but the Electrohome cable needs a simple modification to work properly. The technical bulletin that explains this change is available from Basis. The latest word from the new distributor is that a monitor will now be bundled with the Basis 108 system.

The Motherboard

The Basis 108's motherboard (photo 2) is an economical design that has enabled Basis to manufacture it inexpensively, while offering standard features that would be costly to add to an Apple II. Both of the motherboard's microprocessors (a 6502 and a Z80) reside on the board, and both have direct access to the bus and address lines.

Apple Emulation

The 6502 mimics the operation of the Apple II processor, providing the same clock rate (1 MHz) and memory-mapping scheme. The monitor program for this processor resides in ROM (read-only memory) and fully supports both 40- and 80-column operation. The Z80 is dormant while the Basis is in 6502 mode.

At a Glance

Name

Basis 108

Manufacturer

Basis Microcomputer GmbH. Muenster, West Germany

American distributor

Computer Systems Designs 99 Danbury Rd. Ridgefield, CT 06877 (203) 431-4540

Standard system configuration

Basis 108 system unit with 128K bytes of RAM, two disk drives, monitor, keyboard, and power cables, CP/M Plus, Perfect Software packages, system disks, and operator's manual

Price

\$2595

Processors

6502 (1 MHz) and Z80 (2 MHz)

Memory

128K bytes of RAM installed; sockets for 12K bytes ROM- or EPROM-based software

Features

Text and graphics options. Black-and-white, NTSC, and RBG video outputs. Game-control socket with 3 TTL inputs and 1 TTL output. Cassette, serial, and parallel interfaces. Six Apple IL. compatible expansion slots. Detached keyboard with numeric keypad, 15 function keys, and a cursor-control block

Software included

CP/M Plus operating system; Perfect Writer, Perfect Calc, Perfect Filer, Perfect Speller; three disks of system utilities

Software options

\$175 Write Away word processor (by Midwest Software):

Hardware options

256K-byte RAM pseudodisk board: \$695 Basis green-phosphor monitor: \$995



Photo 1: The Basis ("Bah-zis") 108 is a microcomputer, configured like an Apple II, with Z80 and 6502 microprocessors and 128K bytes of RAM. The 108 comes with two Basis disk drives. The earlier model (shown here) has Micro-Sci drives. The keyboard provides all the features required of a business system.




Photo 2: The motherboard's expansion slots (similar to the Apple II's slots 2 through 7) are at the left. The character-set ROM chip is just above and to the right of the top expansion slot. Sockets for resident software in ROM are at bottom center, just below the Z80 processor. The 6502 chip is at right bottom, and the memory chips are just to the right of the center (shown here with only 64K bytes of memory).




Photo 3: The aluminum casting of the chassis is finned for strength at the rear. A cutout provided for a fan is not used (or needed). Six cutouts for DB-25 connectors are available, as are cassette, composite video, and RGB connectors. A flat-cable clamp can hold any loose wires and cables not using the connectors provided. Along with an easily accessible fuse, two switched outlets are provided in this European version. The U.S. version provides 110V outlets in their place.

Basis Users Groups

N.Y. B.U.G. William Cook, President 239 Demarest Ave. Closter, NJ 07624 (203) 729-1600, ext. 286 (201) 767-0176

California Basis Users Group Jim Fitch 35 National St. POB 3068 Salinas, CA 93912

Table 1: A list of users groups for the Basis 108. These users groups receive technical and customer-support mailings.

Hardware products tested

Apple Graphics Tablet Echo II voice synthesizer Grappler

Amlyn disk controller

Hayes Micromodem Applecat modem J-Cat 1200 bps modem

Table 3: Apple peripherals found to be compatible with the Basis

CP/M

The Z80 has a clock rate of 2 MHz, the rate used by Microsoft's Softcard for the Apple II. It runs under a customized version of CP/M Plus (or CP/M 3.0), which is standard with the machine. This version of CP/M makes full use of the machine's 128K bytes of RAM by using a bank-selection technique. That is, small parts of the 128K memory are automatically switched into and out of the 64K memory space of the Z80. Fortunately, this procedure is user transparent.

This version of CP/M furnishes several other features, including three levels of file protection (password-based), three modes of automatic date and time stamping (a clock board is not required), and a 44K-byte print spooler. [Editor's Note: According to Basis, two versions of CP/M Plus are offered. One has a printer spooler for the parallel port and a real-time clock. The other has a spooler for the serial port but no clock, because it handles the timing of the serial port. . . . R.M.]

When running under CP/M, the Z80 uses the 6502 as a high-speed processor for I/O. The 6502 acts as an interface between the Z80 and the keyboard and the parallel and serial ports. When you start CP/M operation, the 6502 loads the operating system from disk and then passes control to the Z80. The Z80 then accesses memory directly but uses the 6502 for I/O functions.

Processor timing is critical in this system; the 6502 is a dynamic processor and would "lose itself" if it were not refreshed periodically. The Basis version of CP/M includes instructions to ensure that the Z80 controls the 6502's refresh process.

Graphics modes

40 horizontal by 48 vertical - 15 colors 80 by 48 - 15 colors - 6 colors

280 by 192

Combined text/graphics modes

40 by 40 plus 4 lines of 40 characters 80 by 40 plus 4 lines of 80 characters 280 by 160 plus 4 lines of 40 characters 280 by 160 plus 4 lines of 80 characters

Table 2: The graphics and text modes for the Basis 108.

Software products tested

Wordstar (Apple version for Videoterm 80-column card)

Apple Visicalc

Word Handler

Magic Window

Educational software from Spinneker Software and

The Learning Company Cfox and Aztec games

(Frogger and Pie Writer do not work with the Basis 108.)

Table 4: Apple software found to be compatible with the Basis 108.

Text and Graphics

The Basis 108 provides four software-selectable character sets. They are programmed in a memory chip, a 2732 EPROM (erasable programmable read-only memory), which can be replaced or reconfigured by the user. In fact, Basis users groups (table 1) are developing some alternate character sets. The standard set includes the 64 Apple characters, the 128-character ASCII (American National Standard Code for Information Interchange) set, a full set of APL characters, and a special set of German characters. French, Spanish, Swedish, and Italian character sets are available from Basis in Europe.

The video-text-screen memory resides in static RAM chips, parallel to main memory, and is refreshed by highspeed interleaving. Video outputs are available for blackand-white, NTSC-color, and RGB monitors. The blackand-white mode provides a true gray scale for very professional-looking black-and-white graphics. Table 2 describes the various graphics and text modes.


Resident Software and RAM

In addition to the character sets in ROM, the Basis provides for up to 12K bytes of ROM-based software (or firmware). As mentioned above, the Basis 108 also comes with its own monitor program in ROM, which lets the user choose between a 40- or 80-column display. This selection may be made during initial system booting or any other time by pressing a certain key sequence. The owner's manual includes a complete listing of the monitor program code.

DBMS?

DBMS, n., A buzzword for Data Base Management System. A structure in which to collect information on a given subject in one or more files.

A software program enabling you to store, manipulate and retrieve your information contained in those files.



Probase®
Fully Relational Data Base Management System (DBMS)

Probase's Quick Gen "tells" your computer how to enter, find, sort, calculate, analyze and present information. Easily add, change, delete, or browse through your data. Probase's ability to combine and collect data on a given subject from many separate files allows you immediate access to all of your information – Bookkeeping, Cost Accounting, Inventory, Personnel, Portfolio Analysis, Sales, etc. Menu Gen joins files together in an easy-to-use selection list. Report Gen compiles virtually any comparative reports you need, including projections and forecasts. And prints them in any format you choose.

Probase®Requires No Training

Press a 'function' key for help. Concise documentation with samples on-screen assists you with your current task. And returns where you left off. Complete documentation includes a handy 2-part tutorial manual.

Easy Enough For Non-Technical Users


Probase's three program generators (Quick, Menu, Report) create data base management applications according to your direction—automatically. Enter your requests using simple selections and fill-inthe-blank menus. Inquire, generate a report, create or up-date your data bases, design entry screens... Programming and code entry are completely eliminated, so you don't need to be a programmer, or even have computer experience, to produce professional automated business reports.

Powerful Enough For Programmers

Access 3 different files at once and work with as many as you need within a single program. Combine your files in "one-to-many" or "many-to-one" relationships. When you program in Probase; all of your tools are immediately available: Macro Instruction Language, Subroutine Calls, Programmable Function Keys and more. Program, test and debug without an outside editor, assembler or compiler. Make changes and corrections instantly.

Free disk space... **Probase**; efficiently compresses screens and program tables onto your disks. And **Probase** need not be present on disk when you run your applications. Enjoy more disk storage capacity and faster throughput by eliminating extra program code.

Write or Call Today and Find Out How You Can Put Probase To Work For You.



Probase® Another Solution® from

Data Technology Industries™ 701 A Whitney Street San Leandro, CA 94577

800-258-7071

(415) 638-1206

The standard system comes with 128K bytes of RAM, which is handy because CP/M Plus takes up a sizable portion of the lower 64K bytes. Basis also offers a 256Kbyte RAM-disk board for \$695.

Bundled Software

The Basis 108 comes with a bundle of software from Perfect Software. This set includes Perfect Writer, Perfect Speller, Perfect Calc, and Perfect Filer.

Expansion Slots

The Basis 108 has six slots that accommodate Apple expansion boards. They are equivalent to slots 2 through 7 of the Apple II. Since the connections for these slots are supposed to be identical to the Apple's, the Basis 108 should be 100 percent compatible with Apple II boards. I tested these slots with several products (see table 3). Of course, any board that must go into slots that correspond to the Apple's 0 or 1 slots will not work; but since the Basis already has an extra 16K bytes of memory (which would go into slot 0) and a parallel printer port (slot 1 on the Apple II), this discrepancy in the number of slots should not be too much of a problem.

The system is configured to recognize the serial interface at logical slot 9. This interface provides two handshake circuits and transmission rates from 50 to 19.2K bps (bits per second). Several cards useful in an Apple

De Smet C

PCDOS - CP/M-86 - MPM-86 - CCP/M-86

 OUTSTANDING PRICE/PERFORMANCE "SIEVE" Benchmark

> 135 bytes compiled - 6144 bytes linked 65 sec. compile (disk) - 11.5 sec. run (10 iterations)

FULL DEVELOPMENT PACKAGE

C Compiler, Assembler, Linker, Librarian and Full Screen Editor • Native 2.0 Support

COMPLETE IMPLEMENTATION

FULL K & R - plus - STDIO LIBRARY Both 8087 and Software Floating Point

To order specify OS & DISK SIZE/FORMAT. Calif. residents add 6% sales tax.

970-4 West El Camino

Sunnyvale, CA 94087

(408) 736-6905

PCDOS Trademark IBM - CP/M Trademark Digital Research

II or IIe are not needed here because their functions are already provided. These cards include serial and parallel interfaces, a RAM card, and an 80-column uppercase/ lowercase text-display card. The six remaining slots should meet the needs of most users.

Optional Hardware and Disk Systems

Until the spring of 1983, the Basis 108 had been sold in versions with a choice of two disk drives, one, or none. It is now sold in only one version, which will provide two German-built Shugart-based disk drives offering 100 percent Apple compatibility and is controlled by a proprietary diagnostic controller card that automatically checks all system functions on power-up. This facility can be disabled or accessed at any time while the machine is on. The controller is built for Basis by Prometheus, which also developed the popular Appleshurance disk controller.

One slot of the 108 is taken up by this diagnostic disk controller, but since parallel and serial interfaces and a full 128K bytes of memory all reside on the motherboard, the five remaining slots are free for more exotic uses, such as modem cards and A/D (analog to digital) converters.

Eight-inch disk-drive controllers for the Apple will work with the 108, although such drives will not fit the 108's front-panel 54-inch cutouts. Basis uses 8-inch drives in its 208 and 216 models and might decide to offer an 8-inch modification kit for the 108 as an option.

Another interesting possibility would be to use two half-height 51/4-inch drives in one side of the 108 and a 5¼-inch hard disk in the other, thus providing a powerful, compact system. Davong, Xebec, and Corona harddisk drives should all work with the 108, but since CP/M Plus is new, no manufacturer has yet written the BIOS to interface its hard-disk drive to this operating system. Apple users who own the Microsoft Softcard (and hence have the old CP/M version 2.2) can use the hard-disk drives immediately. The Amlyn 8-megabyte removable minipak drive works beautifully with the system and has been popular.

For those seeking 16-bit computing compatibility, Metamorphic's 8088 card for the Apple works without problems. It provides MS-DOS, the 16-bit UCSD P-system, and CP/M-86 compatibility. With this card, the Basis contains three separate and independent processors—a 6502, a Z80, and an 8088. It would also be compatible with seven of the current predominant operating systems—Apple DOS 3.3, Apple Pascal, CP/M, Turbodos, MS-DOS, CP/M-86, and 16-bit Pascal.

Software

Besides the CP/M Plus disk, the 108 comes with three disks of system utilities. One, The Filer from C.P. Software contains three excellent disk-management utilities, an operating system compatible with Apple DOS 3.3, and an Apple-compatible floating-point BASIC interpreter. Unfortunately, this operating system and BASIC interpreter cannot be used apart from these utilities. Pur-

IBM® + GENIE = Solution

5.25" Fixed/Removable Winchester Cartridge Drive Systems For The IBM Personal Computer/Compatibles



- 10 MEGABYTES OF ON-LINE STORAGE
- FILE SIZES TO 5 MEGABYTES
- BACK-UP 5 MEGABYTES IN TWO MINUTES
- CARTRIDGE INTERCHANGEABILITY **GUARANTEED**



The Genie Cartridge Drive

A revolutionary new 10 Megabyte Hard Disk Drive that includes a 5 Megabyte removable hard disk cartridge. The cartridge drive system simply plugs into your computer, and includes all necessary software and hardware. Genie Drives tridge replaces over 30 double-density floppy disks.

5.25" Removable Cartridge

(Proposed ANSI Standard). Imagine, 5 Megabytes in the palm of your hand. These small Winchester cartridges are only .75 inches thick and 5.50 inches square. The disk itself is completely sealed from the outside and all its hezards by a sliding door that opens only once the cartridge is firmly seated inside the drive.

Genie's Solution To Personal Computer Mass Storage Problems

OMNUTES

Up until now, people with serious mass storage applications have had no realistic means of conveniently maintaining their large data bases due to the cost of storage media and the expense and inefficiencies of doing back-ups. The Genie systems approach solves such typical storage problems by allowing both high capacity Fixed Drives and 5 Megabyte Removable Cartridge Drives to be intermixed on the same computer system. This provides the ultimate storage solution because of the new ease of doing back-ups, along with ability to maintain several large data bases on removable cartridges, eliminating the need to tle up expensive disk drives over a single data base application. With Genie Drives, the combinations are unlimited. Flexibility and versatility were key design considerations. A user can configure up to eight of our Drive Products in any combination to derive a slorage solution for just about any application imaginable. With Genie, your personal computer can now take on tasks that had only been possible with mainframes.

SIMPLY **PLUGS INTO** YOUR I.B.M.











■ USER CAN BACK-UP TO MODELS 5+5 OR X5 REMOVABLE CARTRIDGE DRIVES OR DISKETTES.

> **5 MEGABYTES** 10 MEGABYTES

GENIE

15 MEGABYTES 20 MEGABYTES

Manufacturer's suggested retail price. Includes all required

Manufacturer's suggested retail price. Includes all required components.

CP/M-88 and Concurrent CP/M-86 is a registered trademark of Digital Research.

of Digital Research.

IBM is a registered trademark of IBM Corporation.

Dysan is a registered trademark of Dysan Corporation.

UCSD P System is a registered trademark of the Regents of the University of California San Diego.

QNX is a registered trademark of Quantum Software System, Inc.

Etherlink is a registered trademark of 3Com Corporation Ethernet is a registered trademark of Xerox Corporation.

- 3Com EthershareTM Compatible (Ethernel Standard) IBM XT Compatible

5 MEGABYTES

- Automatic Install (Genie Custom BIOS)
 Comprehensive menu driven utility package Intermix different operating systems on disk or cartridge

- Assign to any drive codes from A thru H
 Choice of volume sizes
 Give your virtual volumes 16 character
- Assign command allows you to assign 8 virtual drives on line at any one time
 Show command allows instantaneous
- viewing of all virtual drives on line Help command displays syntax for all
- User can back up to or from any model

File sizes 5-20 megabytes, dependent

MODEL

- File sizes 5-20 megabytes, dependent upon drive type.
 Automatic recovery system
 Easy back ups in minutes
 Cartridges can have 16 character names
 System status screen messages
 System expandable to eight drives using only one slot in your IBM PC
 Built-in error detection and correction
 No preventative maintenance required
- No preventative maintenance required
 Power-on self test
 Create turnkey systems
 Ultra hi-speed DMA data transfers

- Comes complete with all necessary software and hardware
- Operating systems supported;
 IBM DOS 1.1, 2.0, CONCURRENT CP/M 86°, CP/M 86°, UCSD P SYSTEM*, QNXTM

AVAILABLE AT YOUR LOCAL COMPUTER DEALER

GENIE COMPUTER CORPORATION

31131 Via Colinas #607 • Westlake Village, CA 91362 • (213) 991-6210 • TLX 658233 (GENIE USA)

Call Now TOL

AMPEX-INTERTEC-TEXAS INSTRUMENTS-GENERAL DATA COMM. ANDERSON JACOBSON . C. ITOH . QUME . BEEHIVE. DATASOUTH DIABLO CENTRO

DATASOUTH DIABLO CEN
MICROS
INTERTEC SUPERBRAIN II
64K DD*\$1874
64K OD*
64K QD* \$2249
64K SD* (96TPI)\$2689 *(Includes M/Soft BASIC)
(Includes M/Soft BASIC)
DYNABYTE 8/16 BIT Call
CALLAN 16/32 BIT Call
PRINTERS
NEC
7710 Ser \$1899
7715\$1949
7730 Par \$1899
7720 \$2449.
7725
7725 \$2496
Std. Tractor 77xx \$ 199
3510\$1364
3515\$1394
3530\$1390
3550 (IBM)\$1709
3550 (IBM)\$1709 DATASOUTH DS180 Call
DATASOUTH DS220 Call
DIABLO
620-SPI \$ 889
630-R-102/147 \$1949
630ECS\$2389
630-R155* \$1709
*(for IBM PC, Apple II, TRS-80)
630K104 (KSR) \$2265
QUME
Sprint 11/40-PLUS \$1355
Interface
Sprint 11/55 Call
Sprint 9/45 FP \$1794
Sprint 9/45 FP \$1794 Sprint 9/55 FP \$2080
Bi-Dir Forms Tractor \$ 199
CENTRONICS: 122 Par .\$ 689
351\$1673
BarCode\$ 98
TERMINALS
AMPEX
D80\$ 689
PHAZE (3270 Ex. Mem) . \$1589
BEEHIVE (SMART DISPLAY)
DM5A Call
DM83 (Burroughs) Call
DM3270 (3270 Emulator) Call
Protocol Converter Call
QUME
QVT-102\$ 549
QVT-108
C. ITOH
CIT 101\$1289
CIT 161 (64 Colors) Call
CIT 201 (Graphics for
TEK 4010/4014) Call

ONICS • NEC • PRENTICE
CIT 414 (Graphics
640 × 480 Res.) Call TEXAS INSTRUMENTS
745 Standard\$1172
745 Std. (Reconditioned) Call
765 Bbl M'my Call
785/787 Call 810 Basic \$1249
810 Package \$1439
820 Package RO \$1610
820 KSR Package Call
703 Std \$ 459
707 KSR \$ 549
850 Tractor Feed \$ 549
MODEMS
Prentice Star 300 Bd. \$ 124
U.S. Rob
Password AD (212A) \$ 347
US Rob TelPack\$ 69
Stat Muxes
Ventel 212 + 3E Call
Prentice24/9600 bd Call
DISC DRIVES
QUME
Data Trak 5 \$ 289 or 2 for \$ 549
Data Trak 8 \$ 519 or 2 for \$ 999
SOFTWARE
BISYNC-3780 \$ 569
WordStar \$ 279
DataStar, \$ 218
Mail Merge \$ 144
SpellStar \$ 144
Plan 80 \$ 249
d Base II\$ 489 CalcStar\$ 119
CalcStar\$ 119 SuperSort\$ 144
SuperSort
InfoStar \$ 279
InfoStar \$ 279 InfoStar (8") Special \$ 249
CIS Cobol\$ 689
Forms II
Forms II
"C" Compiler \$ 239
WordStar Professional
(WS, SS, MM, S1) \$ 399
ReportStar\$ 199
Starindex \$ 129
PlanStar Call
StarBurst Call
InfoStar Plus , Call
IBM PC
256K RAM Bd \$ 256 256K RAM Bd Full Parity . \$ 305
ZOOK HAM BO Full Parity \$ 305
BabyBlue \$ 600
BabyTex\$ 600 BabyTalk 3270 BISYNC \$ 895
8" Disk Controller\$ 395

We also make EIA RS 232 or RS 449 cables to your order, can supply you with ribbons, printer stands, print wheels, thimbles for all printers listed. Plus many, many more items. Most items in stock. CALL NOW.

All items shipped freight collect either motor freight or UPS unless otherwise specified. All prices already include 3% cash discount. Purchase with credit card does not include discount. Virginia residents, add 4% Sales Tax. For fastest delivery send certified check, money order or bank-wire transfer. Sorry, no C.O.D. orders. All equipment is in factory cartons with manufacturers warranty (honored at our depot). Prices subject to change without notice.

Terminals Terrific, Inc., P.O. Box 216, Merrifield, VA 22116 Phone: 800-368-3404 (In VA, Call Collect 703-237-8695)

chasers wishing to use Applesoft BASIC for programming must purchase the software on disk or in ROM chips. A ROM chip set is available from Computer Discount Products (860 South Winchester Blvd., San Jose, CA 95128) for about \$125. The Apple UCSD Pascal can be purchased on disk as well, for about \$230.

Another disk that is provided, the System Booter, can reconfigure a 40-column Apple BASIC interpreter to a 40/80-column selectable version for the Basis system. Most users, however, will want the dealer to take care of this reconfiguration because the booter runs only under Pascal. But if you own Pascal, you can do your own configuration.

The remaining disk is the Basis utility disk, which modifies the Apple UCSD Pascal operating system to recognize special features of the 108. Also, this utility will modify Apple DOS 3.3 to recognize the serial port at logical slot 9 and to allow the saving and retrieving of upper- and lowercase-text files.

Advanced users will probably want to turn their modified Applesoft BASIC interpreter into an EPROM chip set and thus end up with a system that strongly resembles an Apple II Plus.

A software deal that is offered by Basis is Perfect Software's CP/M-based products, including Perfect Writer, Perfect Speller, Perfect Filer, and Perfect Calc as a package with the 108 for \$275. Basis users should stay in touch with the company (or dealers) because more software is being optimized for the systems.

Dealer Support

Basis is establishing a dealer network and is most interested in dealers who will provide full-service system support. The former distributor maintained a commitment to its dealers to provide parts replacements within 24 hours of a request.

Conclusions

The Basis 108 is a beautifully designed and constructed product that offers Apple II and CP/M compatibility in addition to features that both writers and businessmen need. Some users will be disappointed by the system's size and weight (it's a bit larger than an Apple II). But professionals and hobbyists will appreciate the quality of its construction, and both its structural and electronic design. The system is also ideal for school and university applications.

The quality of the video section is excellent, and the 40-character Apple-like screen is stunning. The chassis cutouts allow the disk drives to be installed inside, resulting in a clean, attractive appearance. The detached keyboard, in addition to being well thought out, is a major improvement on any Apple II upgrade. The Basis 108 may indeed provide more built-in flexibility than any other computer on the market.

Seth Bates (Division of Technology, San Jose State University San Jose, CA 95014) is a doctor of industrial technology. His interests include programming, trout fishing, and reading science fiction.

Introducing ULTRAFRAME, the multitasking, multiuser system designed for system integrators & OEM's.

Mainframe-like Chassis
Engineering Attractive
aluminum chassis offers
continuous-duty dapability
plus all the flexibility you'll
need in one desktop system.
Tailor a package to your
unique needs. Even put your
name on the front.




Integral 5" & 8" Floppy
Drives Your choice of 5" or 8" half-height drives — up to 1.2 MB capacity.

TOP VIEW - SHOWING INTERIOR

Both 8 and 16 Bit Capability Our system is designed to accommodate both 8 and 16 bit Slavenet processors at the same time. Gives you access to the widest range of software with upward mobility in the same chassis.

Low Cost Per User Give your customer high performance and lower cost per user than any micro network. They get true multiuser, multitasking operation plus shared resources — and you get a customer for life.

High Capacity Power Supply Engineered to support max. load under continuous operation with two-level filtration. Easy 110/220V, 50/60 cycle switching. Solid state circuitry for max. reliability. Power regulation heat sunk to chassis.




Up to 32 Users — in Parallel Our multiprocessor system uses up to 16 Slavenet™ processor boards — each a complete Z80 computer with 64K RAM per user — to maintain fast, multi-user performance as you add users or tasks. Both 12 and 20 slot S-100 models available.

Fast, High-Capacity Hard
Disks Full range of fast 5" &
8" Winchester drives from
10 to 120 MB (formatted),
including new high-capacity
5" models. Most 5" models
have provision for adding a
second drive later on Also,
14 drive models from 145
MB to 1,160 MB.

Fast, Multiprocessor Operating Systems We offer IBS p-NET^M and TurboDOS^M — proven multiprocessor operating systems for fast, multitasking applications. Access to all UC\$D-Pascal^M and CI/M^M software.

BACK VIEW

BACKSTOP™ — Video Archiving Plug in any standard video recorder to archive up to 100 MB of data. Fast, low-cost backup system for hard disks (optional).



Dual Whisperfan Cooling
Two high-capacity fans assure adequate cooling for
around the-clock operation.
Maximum air flow around
all drives and critical
components.

UCSD-Pascal* is a trademark of the Regents of U. of C.
CP/M-is a trademark of Digital Research. Inc.
TURBODOS is a trademark of Software 2000.
IBS is a trademark of IBS, Inc.

Three-Year Warranty IBS gives you the clincher — a premium warranty to back a premium product. At a competitive price. Ask about our dealer support program.



INDEPENDENT BUSINESS SYSTEMS
Call collect (415) 443-3131 TWX. 910-386-6003 IBSNET

5915 Graham Court Livermore, CA 94550

Bubbles on the S-100 Bus

Part 1: The Hardware

Build a fast-access 128K-byte bubble-memory board for your S-100 system

by Louis Wheeler

Before beginning work on this article, I checked back issues of BYTE for any previous articles on the subject of bubble memories. It was a short list—the loneliest number of all. A. I. Halsema's "Bubble Memories: A Short Tutorial" (June 1979, page 166) contains a lot of good information on how bubble memories work.

There was an earlier mention of

bubble memory in BYTE. The July 1977 issue contained an editorial by Carl Helmers, entitled "This Elephant Never Forgets." In it he discussed the then-new Texas Instruments TBM0103 bubble-memory chip. The editorial wound up by calling for some "technologically enterprising reader" to "purchase the early sample versions of the bubble mem-

ory chips along with documentation, and design a homebrew computer interface which we can publish for the benefit of all BYTE readers." Apparently, no one ever answered the call. Perhaps that early version was either too expensive or the circuit requirements too complicated. Anyway, here's (perhaps) the article he requested.

In part 1 I'll provide some basic information on bubble memory in general. Using Intel's BPK 72 Bubble-Memory Prototype Kit (see photo 1), I'll show you how to build a 128Kbyte bubble-memory board for your S-100-bus system. Part 2 will cover the software testing and modifications necessary to realize the potential of the bubble-memory system. The completed project will function as either a floppy-disk replacement (or augmentation) or a cache memory.

Since the 1979 article and 1977 editorial were written, Texas Instruments has dropped out of the bubble-memory business. However, in 1979 Intel introduced its first bubblememory system and, fortunately, has kept the concept alive. The Intel Magnetics Inc. version, the 7110 Megabit Bubble Memory, stores 1,048,576 bits (128K bytes) of data and has a transfer rate of 100,000 bits per



Photo 1: The Intel Magnetics Inc. BPK 72 Bubble-Memory Prototype Kit comes complete with a 4- by 4-inch PC board, all components, and extensive documentation. A simple interface and some software are all you need to build an S-100 disk emulator.

Want to hook IBM?

Terminals. Personal Computers. ASCII devices. Hook them all into the IBM world with the new AVATA R™ PA1000 Protocol Converter.

The PA1000 provides low-cost IBM 3278/2 terminal emulation and coaxial connection to an IBM 3274/3276 cluster controller. Then, a single keystroke switches you back into the asynchronous world through an auxiliary RS-232-C port to access other computer systems, public information services or copy a screen to a printer.

Our microprocessor-based unit provides user-selectable rates up to 9600 baud, terminal keyboard configu-

rations, screen management and local or remote print functions. And, you can hook the PA1000 to a modem for remote dial-in access.

Simple, economical access to the world of IBM, just when you thought there was no answer. At \$995, getting hooked has never been so affordable. For more information on our AVATAR PA1000 Protocol Converter, contact

3R Computers, 18 Lyman St., Westboro, MA 01581. Or call us at (617) 366-5300. TWX 710-390-0375.





second (bps). That's a lot of data to store in one small component. It has more than 10 times the capacity and twice the speed of the earlier TI bubble memory. Although bubble memories have been slow in coming for a number of reasons, including difficulties in fabrication and the cost of manufacture, it appears that they have finally arrived.

What Will It Cost?

Recently, several ads for diskemulator, disk-simulator, cache-memory systems have appeared in computer magazines. The prices of these systems range from \$900 to several thousand dollars. Since March of 1983, I have seen two ads for bubble-memory boards: one for the Apple and one for S-100 systems. The Apple board, Bubdisk, from MPC Peripherals, lists at \$875 and was reviewed in the July 1983 BYTE on page 226. When I called the company advertising the S-100 board, I was informed that lack of interest in the board had caused the company

to discontinue marketing it.

How do these prices compare with this project? The latest price I have for the Intel BPK 72 Bubble-Memory Prototype Kit is \$550. The S-100 prototype board and other components will cost about \$50. The approximate total cost of \$600 compares favorably with the disk emulators and bubblememory boards now available.

The bubble-memory board is piggybacked onto the S-100 wire-wrap board.

Inside the Bubble

Bubble-memory technology is a highly compact, reliable, nonvolatile storage medium. It is more properly called magnetic-bubble memory because it stores data in the form of movable magnetic domains on a thin film of magnetic material divided into tiny magnets. The word "bubble" comes from the fact that viewed under a microscope these magnetic

domains resemble tiny bubbles (Don Ho, take note). The bubbles are moved about under the influence of an external rotating magnetic field. The small internal magnets themselves do not rotate, only the magnetic field, which is created by phasing currents through two coils surrounding the film of magnetic material. This nonmechanical aspect of bubble memory is what makes it so reliable when compared to other high-capacity storage media such as the floppy disk.

For many applications, bubble memories afford a number of advantages over both floppy disks and cache memories. Bubble memories are two to four times faster than floppy-disk drives. They are also many times more reliable because there are no heads to load and move or disks to turn and, therefore, nothing to wear out. A bubble-memory system's compactness lets it easily fit inside a computer enclosure without the usual boxes and cables that can clutter up your desk. Both floppy disks and bubble memories

Diskette Users...


When you've heard from all the animals in the diskette zoo, but you need fast delivery and high quality diskettes...



Call Communications Electronics

Diskette order desk 800-521-4414

In Canada 800-265-4828



Product Description SSD IBM Comosible 128 lb/s, 28 5s SSD Shugar Compatible, 32 hard S SSD IBM Compatible 128 lb/s, 26 Sec OSDD Soft Sector (Uniformated, OSDD Soft Sector (Uniformated, OSDD Soft Sector (12 lb/s, 15 Sector DSDD Soft Sector (12 lb/s, 15 Sector DSDD Soft Sector (12 lb/s, 15 Sector SSD Soft Sector (14 lb/s, 15 Sector

For more information about this brand call:



Wabash

diskettes == \$1.29 each CE quent. 100 price per disk (8)

800-323-9868

UITRA

diskettes: \$1,39 each 100 price 408-728-7777




800-328-9438




		.	
	CE quant. 100 price or disk (II)	Memorex Part #	CE quant. 100 price per disk (8)
10	1.94	3062	1.94
-32	1.94	3015	1,94
ID	2.49	3090	2.49
D	3.14	3102	3.14
_	****		
			$\overline{}$
1024	2.14	2144	3.14
_	_		
_	_		_
-			-
-	4.00		_
	1.64	2000	1.04
_			
	1.00		
HRO	1.94		
16RH	1.94		
·HH	2.89	3491	2 00
_			
IORH	2.69		_
HRB	2.59		
MRH	2,79	-	-
HRBS	3.74	2004	3.74
-FW	4.34	_	_
time w	errenty	8 year ;	verranty
ore into	on3Mcetl	Formore Into	on Me Mares car

800-538-8080



Computer Products Division E10 Photons II the 1003 II den Arjes blejtegen 65105 tj S.A. Carl Pitta-Pittit Bill-Sch-date er namme tj S.A. (r.)-673-5900



urroughs skettes== .09 each		Dy diske \$2.99	
	CE quant, 100 price per disk (8)	Dysan Parl #	CE quent 100 price per disk (s
-101	2.09	800801	2.99
-105	2.09	80081 (E	2.99
108	2.64	800008	3.89
108	3.29	400003	4.50
-110	3.29		
-111	3.29		-
1112	3.29	4620434	4.59
	_	801184	2.99
-	_	801188	2.99
		601185	2.99
9-11	E-00	801187	3.19
•			
	-		_
D-11	2.09	801014	3.19
D-13	2.09	BO1186	3.19
D-14	2.84	MIC2(100)	3.68
	_		-
D-15	2.84	802062	3.89
D-18	2.84	802081	389
D-30	2.94	800439	3.89
D-23	3.69	802087	4.49
_	-		_
1 pears		1 year	worranty

800-448-1422 800-552-221

A portable computer needs a portable surge suppressor. The PC Saver line cord.





The beauty of your portable computer is that it goes everywhere you go.

Unfortunately, it meets power line problems all along the way.

In a recent PC Magazine cover story, it is estimated that 70-90% of all microcomputer malfunctions can be traced to power line problems. Problems that are magnified with a portable, since you never know what situation awaits you.

With the PC Saver, power line problems are no problem.

No matter where you plug in your portable computer, the PC Saver immediately acts to suppress surges, spikes and line noise. This prevents damage and allows your computer to function at its maximum efficiency.

The PC Saver clips surges and spikes to a safe 133 Volts RMS/175 Volts DC level in less than 50 nano seconds. An 'L' type filter attenuates common and transverse mode noise by a minimum of 20dB from 600 kHz to 30 mHz with a maximum attenuation of 50dB. All the circuitry conforms to standards established by the IEEE (Institute of Electrical and Electronics Engineers) and UL (Underwriters Laboratories).

The PC Saver is as portable as your portable.

The PC Saver is so light and compact it will fit right into your briefcase. We've put all the protective circuitry right into a power cord. Touse, simply replace your factory supplied cord with the PC Saver line cord.

Will PC Saver fit *your* computer? The chances are it will. Almost all portable computers, Compaq,™ Kaypro,™ Eagle,™ Corona,™ Hyperion,™ Columbia Data Systems,™ and others use the standard style power cord.

A ffordable protection

\$49.95 is a small investment for keeping your portable at top efficiency.

You'll find the PC Saver line cord at computer stores everywhere. Or order direct from Kensington Microware Ltd., 251 Park Avenue South, New York, N.Y. 10010, Phone: (212) 486-7707, Telex: 236200 KEN UR. For phone or mail orders please include \$2.50 shipping and handling. New York State residents add sales tax. Visa and MasterCard accepted.



Why it's worth every nickel.



If you laid every nickel this terminal cost end to end, it would lead to a real bargain.

Because if you're the kind of professional who buys an Ann Arbor terminal, you put the emphasis on what you get out of it. Not what it costs to get into it.

The best way to explain that is by telling you about one of our best-selling terminals: the Ann Arbor AmbassadorTM.

The Ambassador offers incredible value for the money.

Starting with a full 15-inch screen, portrait or landscape. A 60-line display with vertical zoom. (You won't find that anywhere else.) A hard-working keyboard with dozens of programmable keys.

Then there's the fully buffered peripheral port with separate, user-settable baud rate. ANSI-standard coding. Multiple page and window capability. Pause and Meta functions. Tilt-swivel or rack mounted frame. And dozens of other ergonomic features that have made the Ambassador a favorite among

value-minded professionals nationwide.

Now that you know all that, take another look at the nickels on this page and ask yourself this:

Is it really true that money can't buy happiness?

For more information about the Ambassador and our other fine terminals, write Ann Arbor Terminals, Inc. at 6175 Jackson Road, Ann Arbor, Michigan 48103. Or call us at 313/663-8000. You'll find it worthwhile.

ANN ARBOR

TERMINALS

Once you've worked with them, you won't work without them.




Figure 1: A block diagram of the BPK 72 Bubble-Memory Prototype Kit.

offer nonvolatile storage, which isn't true with most of the cache-memory systems now on the market. Because cache-memory systems use standard RAM (random-access read/write memory) chips, when the power fails, the data is lost. To overcome this problem, some cache-memory systems rely on bulky batteries that suffer the need for periodic replacement. Of course, all three storage systems have advantages; a library of bubble memories is still too expensive for most of us, and although they are fast, nothing is faster than RAM.

If you want to know more, obtain a copy of A Primer on Magnetic Bubble Memory from Intel, which is well worth reading. And even if you do not yet thoroughly understand bubble memory, don't let that stop you from enjoying this project. After all, learning is a major part of what building it yourself is all about.

The Bubble-Memory Kit

Bubble-memory chips and the required support circuitry are quite complex. Not only are they complex, but sensitive, low-level signals and stringent layout requirements probably preclude the use of wire-wrap techniques. However, thanks to Intel, the BPK 72 Bubble-Memory Prototype Kit solves most of these design

Intel Magnetics' prototyping kit includes ICs, resistors, capacitors, test hardware, and documentation.

and construction problems. A word of caution, though: this is not a Heathkit-type kit. Rather, it is an evaluation kit intended for engineers. Therefore, the user's manual is heavy on theory and light on assembly instructions.

The kit comes complete with a PC (printed-circuit) board, all resistors and capacitors, a test module, a sub-assembly to "reseed" the bubble

memory (should this be necessary), and lots of documentation. Figure 1 is a block diagram of the complete BPK 72 circuit. It lacks only an interface, clock, and power supply. Adding these three items is not very difficult, as you will see. The completed bubble-memory system illustrated in photo 2 is made up of the following active components: a single 128Kbyte 7110 MBM (Megabit Bubble Memory), one transistor, and seven ICs (integrated circuits): one 7220 BMC (Bubble-Memory Controller), one 7250 Coil Predriver, two 7254 Quad Drive Transistor Packs, one 7230 Current-Pulse Generator, one 7242 FSA (Formatter/Sense Amplifier), and one IN75463 OR gate.

The extensive documentation accompanying the kit details the operation of the 7110 MBM and the function of each support component. Much of the documentation is oriented toward the design of a complete bubble-memory system, including PC-board layout. However, because this project treats the BPK 72




Photo 2: The assembled BPK 72 with the 7110 Megabit Bubble Memory installed. The seed module (bottom left) is used to restore missing seed bubbles. The dummy module (bottom right), an electrical equivalent of the bubblememory chip, is used for tests.

kit as though it were a single component, we are primarily concerned with only the 7110 MBM and the 7220 BMC.

For the sake of completeness, the following is a brief description of how it works. The subject is covered thoroughly in the documentation accompanying the kit. Refer to figure 1.

Data flowing in and out of the bubble memory passes through the 7242 FSA. Two channels connect the FSA with the 7110 bubble memory (actually, the bubble memory is divided into two sections). The FSA amplifies the weak signals from the bubble memory and also masks out the defective or unused (spare) data loops according to the bit pattern stored in the boot-loop registers. Although 320 data loops are available, only 272 are actually used. The extra loops provide a greater production yield during the manufacturing process. This is a common practice in the manufacture of memory components. (Normally, users are usually unaware of it, and this is of little or no concern. However, this is not so with bubble memories, for even though the selection process is done at the factory and recorded in the bubble memory, we have access to the boot-loop mask and can change it if necessary.) The FSA also performs automatic error detection and correction, a userselected option that eliminates the need for things such as software checksums.

From the FSA, the data is fed into a FIFO (first-in/first-out) buffer in the BMC. The FIFO buffer holds up to 40 bytes of data. Its primary purpose is to alleviate timing differences among the user interface, the BMC, and the FSA. All communication with the bubble memory occurs through the BMC, which is addressed as two I/O (input/output) ports. One port (hexadecimal E1 in the schematic and software listings) is for command and status, and the other (E0) is for data transfer to/from the FIFO buffer. The command port has two functions: one to initiate BMC functions such as READ and WRITE and the other to set up a starting address to one of six parametric registers.

I had no difficulty completing the assembly after studying the schematic and parts list.


The parametric registers are akin to a disk's parameter block. They determine the number of FSA channels to be used and block length (pages of 64 bytes to be transferred); enable automatic error correction, DMA (direct memory access) operation (requires DMA controller), interrupt conditions, and data-transfer rate read); and select which bubblememory chip to address in multibank systems and the starting page (64-byte record) address within the selected bubble memory. The setting up of the parametric registers is accomplished in the SNDREG subroutine in the driver package to be discussed in part 2. Normally, bubble-memory read/write operations proceed as follows. The parametric registers are set up with the required information, then the desired function (READ, WRITE, etc.) is selected by sending a BMC command. When the status indicates that the FIFO buffer is ready to receive data or has data waiting, data is then transferred to/from the FIFO buffer.

Although I read all the literature very carefully, I still found it difficult to picture what is actually going on in the bubble memory. With 272 data loops, boot loops, seeds, input tracks, output tracks, and a lot more, it all became a bit confusing. I thus simplified things by looking at it this way: the 7110 chip has a capacity of 1,048,576 bits. Changing bits to bytes, the storage capacity is exactly 131,072 bytes (usually expressed as 128K bytes). The smallest block of data that can be accessed (read/written) is 64 bytes, so what we really have is a device that can store 2048 (64-byte) physical records (Intel uses the word "page"). However, it is possible to extend the block size in multiples of 64 bytes, allowing us to effectively have records ranging from 128 bytes to 131,072 bytes. Therefore, for systems employing a physical-record size of 128 bytes (e.g., CP/M), the block size is two, with a total of 1024 records. For systems with a physical-record size of 256 bytes, the block size is four, and the number of records is correspondingly reduced to 512.

Assembling the BPK 72 Kit

Because the BPK 72 kit is intended for engineers, so, too, is the documentation. A fair knowledge of digital electronics and some previous experience in electronic kit building would be useful, as assembly instructions are almost nonexistent. Basically, the manual says that this kit includes a printed-circuit board on which the components supplied are to be mounted. Assemble the board, referring to the assembly drawing, schematic, and parts list. Attach a suitable user interface as detailed in another section. And that's it. Although the BPK 72 Bubble Memory Prototype Kit User's Manual contains about 40 pages, a single paragraph covers actual assembly. The remainder of the manual is taken up with interface requirements, operating information, support components, and service information.

However, the PC board is small, 4 by 4 inches, with only eight ICs, one





transistor, and a few other components, and I had no difficulty completing the assembly after studying the schematic and parts list. If you have assembled one of the larger Heathkit kits, you should have no difficulty in assembling this small PC board. The only tools required are a low-wattage soldering iron, side cutters, a small Phillips screwdriver, and a magnifying glass to inspect for solder bridges. An ohmmeter and a 10-MHz, or higher, oscilloscope will be needed for the preliminary testing discussed later.


I suggest assembling the kit as fol-

- 1. Locate and mount all the IC sockets. The 7110 bubble-memory socket must be oriented with the two Phillips-head screws on the side of the card opposite the edge-connector pins (toward the top in photo 2).
- 2. Install the transistor.
- 3. Install all the resistors and diodes. The locations are marked on the PC board, and the values are indicated on the schematic and parts
- 4. Similarly, install all the capacitors.
- 5. To complete the assembly, install all the ICs except the 7110 bubblememory element itself; install the dummy module instead. Preliminary testing requires this dummy module.

The S-100 Interface

Before we can test the bubblememory system, we will need an interface, a clock, and a power supply. The interface requirements of the kit are such that we can look at it as though it were a single component. The 44-pin edge connector, the P1 block in the schematic (figure 2), then represents the bubble memory and all the associated support circuitry. The rest of the process is really quite simple. The address-decoder circuit (ICs 2 and 4) consists of two 8205 (74LS138) 3- to 8-line decoders. As wired, the port addresses are hexadecimal E0 and E1; however, this can easily be changed by selecting other output pins on one or both of the decoder ICs. ICs 8 and 9 split the

MAKING THE TOUGH **DECISIO**



A budget-management report from United Way

At United Way, volunteers carefully review the budgets, operating patterns and track record of agencies asking to become part of the United Way organization.

They scrutinize the various functions performed by the agency, look at the kinds of people it helps, and evaluate its success in delivering its services.

But what happens when a new service agency wants to become a United Way organization—especially when there may be two or more equally qualified organizations equally in need of United Way support? Who chooses? And on what basis?

The answer to this question is often complex. And sometimes it can be an agonizing decision to admit one agency instead of another.

The people decide

But the bottom line is that volunteers do make the decisions after carefully weighing all the pros and cons. It's sometimes a hard process, but it's as fair as we know how to make it.

Volunteers work free of charge doing everything from collecting money to deciding how it will be used, so administrative costs are kept low.

And that's how United Way works so well. And why.



Thanks to you, it works. for all of us.



• CPM®

• IBM®

• APPLE®

DIRECTSOFTWARE

CPM[®]

• IBM®

DISCOUNT DIGEST • APPLE®

TO ORDER CALL (415) 459-1282 • TOLL FREE (800) 533-3012 CA (800) 533-3011 USA

Direct Software[®] Discount Prices Save \$\$ and Make Sense to Smart Buyers Who Know What They Want!!

DIRECT SOFTWARE: MAKES PRIME PROD-UCTS SO AFFORDABLE THAT THOSE IN-THE-KNOW WILL FIND IT UNWISE TO RE-SIST. OUR PRODUCTS ARE BACKED BY SUPPORT AND SERVICE, WITH SAME-DAY SHIPMENT ON MOST ORDERS, COMPARE OUR PRICES AND SAVE:

OUR PRICES AND SAVE.		
	List	Sale
ALPHA SOFTWARE		
Apple-IBM Connection	250	169
Data Base Manager	145	119
Data Base Manager II	295	249
Question	45	39
Typeface	125	79
ANDERSON — BELL		
ABSTAT	395	319
ASHTON-TATE		
dBASE II	700	398
Financial Planner	700	459
Friday	295	199
ASPENSOFTWARE		
Grammatik	75	56
Proof Reader	50	38
A.T.I.		
Training WordStar	75	65
Training dBASE II	75	65
Training Multiplan	75	65
CDEX		
MYB-Lotus 1-2-3	70	60
MYB-Visicalc	_ 70	60

ACCOUNTING	G M.B.S	
	List	Sale
Account Payable	650	459
Account Receivable	650	459
Payroll	650	459
Order Entry-		
Inventory Control	650	459
General Ledger	650	459
Sales Analysis	325	279
RM Cobol		169
I.U.S		
General Ledger	595	359
Account Receivable	595	359
Account Payable	595	359
Order Entry	595	359
Inventory Control	595	359
Payroll	745	359
1		

DIGITAL MARKETING		
Milestone	295	249
Datebook II	295	249
Footnote	129	109
Bibliography	125	109
Notebook	150	119
MICROLINK II	89	79

	List	Sale
DIGITAL RESEARCH		_
Concurrent CP/M 86	350	249
CB 80 Compiler	500	369
CBASIC	150	94
SID	75	63
FOX & GELLER		_
Quickcode	295	175
dGraph	295	175
dUtil	99	58
GKE		
Condor 3	650	369
CROSSDATA	99	89
HUMANSOFT		
DBPlus	125	89
IUS		_
Easy Filer	400	229
Easy Planner	250	179
Easy Writer II	350	199
Easy Speller	125	99.
Easy Speller II	225	129
		-

SPECIALS				
	List	Sale		
DBASE II + Quickcode	995	525		
DBASE II + dUtil	799	429		
DBASE II + DGraph	999	539		
DBASE II + ABSTAT	1095	717		
DBASE II + DBASE Windo	ow 949	599		
DBASE II + WordStar	1195	629		
WORDSTAR \$248				
MULTIPLAN \$159	LOTUS	\$319		

LEXISOFT		
Spellbinder	495	229
LIFETREE		
Volkswriter	195	125
LOTUS		
1-2-3	495	319
METASOFT		
Benchmark Word Processor	499	279
Benchmark Mail List	250	179
MICROPRO		
WordStar	495	248
WordStar/MailMerge	645	347
WordStar/SpellStar	645	347
Professional Pak	845	395
InfoStar	495	258
InfoStar CP/M Card	695	399
WordStar CP/M Card	695	399
MailMerge	250	129
SpellStar	250	128
CalcStar	145	88

The state of the s	List	Sale
MICROSOFT		
Multiplan	250	159
BASIC Interpreter	350	249
BASIC Compiler	395	285
Softcard	345	248 38
Flight Simulator Word/Mouth	50 475	399
MICROSTUFF	4,3	000
Crosstalk	195	117
OASIS		
The Word Plus	150	105
Punctuation & Style	150	99
PERFECT SOFTWARE		
Perfect Writer	489	249
Perfect Speller	289	159
Perfect Filer	589	249
Perfect Writer/Speller	695	359
PETER NORTON		
Norton Utilities	80	58
SELECT Information Syste	ems	_
Select Word Processor	495	259
SORCIM		
SuperCalc	195	129
SuperCalc II	295	169
SuperSpellguard	195	125
SuperCalc III	395	319
TYLOG		
dBase Window	249	189
dBase Door	149	119
VISICORP		
Visicalc	250	169
Visicalc IV	250	169
Visicalc Advance	400	295
WOLF SYSTEMS		
Move it (IBM)	150	98
Move it (CPM)	125	89

- Purchase orders accepted
- Prompt UPS service
 Dealer and institutional discounts
- Quantity discounts available
 Call for charges and return policy;
 Prices may change

TO ORDER CALL (415) 459-1282

TOLL FREE (800) 533-3012 CA (800) 533-3011 USA

850 College Ave., Suite #3 Kentfield, CA 94904




Figure 2: A schematic of an S-100 interface and clock circuit for the BPK 72. The kit is used as though it were a single component. Only the edge connector is shown in this figure. The schematic placement of the edge-connector pins matches that of the actual physical component. The completed project functions as either a disk emulator or a cache memory system.

SAVE 50%*



					7
United States	☐ One Year \$21	□ 2 Years \$38	☐ 3 Years \$55	Name	
Canada/Mexico	□ One Year U.S. \$23	☐ 2 Years U.S. \$42	☐ 3 Years U.S. \$61	Address	
Europe	🗆 \$53 (air delivery), U.	S. Funds enclosed		_	
Elsewhere	☐ \$37 (surface mail), U	.S. Funds enclosed		City/State/Zip	
☐ BILL ME. If	I'm not completely sat	isfied with my first co	DV.	Card #	Expires
I'll simply write	"cancel" across your in will be cancelled.			Signature	
Check Enclo	osed 🗆 Bill VISA	☐ Bill Masterci	ard		
Please allow 6-8	weeks for processing you	r subscription.		*off newsstand price of \$42.00	

SAVE 50%*



				Pourfeius Compress	a
	•				4214
United States	☐ One Year \$21	□ 2 Years \$38	☐ 3 Years \$55	Name	
Canada/Mexico	☐ One Year U.S. \$23	☐ 2 Years U.S. \$42	☐ 3 Years U.S. \$61	Address	
Еигоре	🗆 \$53 (air delivery), U.	.S. Funds enclosed			
Elsewhere	□ \$37 (surface mail), U	J.S. Funds enclosed		City/State/Zip	
□ BILL ME. I	I'm not completely sat	tisfied with my first co	py.	Card #	Expires
I'll simply write	"cancel" across your in			Signature	
	n will be cancelled.	□ D:!! M ·			W/42
☐ Check Enclosed ☐ Bill VISA ☐ Bill Mastercard		off newsstand price of \$42.00	2/1		
riease allow 6-8	weeks for processing you	r subscription.		-,,	



BUSINESS REPLY CARD

FIRST CLASS PERMIT NO. 39 MARTINSVILLE, NJ

POSTAGE WILL BE PAID BY ADDRESSEE



Subscription Dept. P.O. Box 590 Martinsville, NJ 08836 NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES



BUSINESS REPLY CARD

FIRST CLASS PERMIT NO. 39 MARTINSVILLE, NJ

POSTAGE WILL BE PAID BY ADDRESSEE



Subscription Dept. P.O. Box 590 Martinsville, NJ 08836 NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES multiplexed data bus into separate input and output buses according to S-100 conventions.

The 4-MHz clock circuit, ICs 1 and 3 (oscillator/divider, respectively), is the circuit suggested in the application note supplied with the kit. It should be constructed with care, keeping the leads as short as possible. Note that the crystal is an 8-MHz series-resonant type, 0.1 percent tolerance, and should be a high-quality component. The clock frequency must be stable and within the narrow range of 3.996 to 4.004 MHz to assure that the bubble-memory rotationalfield specification is met. This is more stringent than many digital-circuit clocks. The application note also calls for the use of a 74H04 inverter (IC1). Unable to obtain a 74H04, I tried a 74LS04, which did not work and resulted in a large number of read/ write errors, plus an occasional timing error. However, when I substituted a 7404, everything worked

Several signals appearing on the BPK 72 edge connector (table 1) are not used in this project. Some of these signals, 7242 CS for example, are intended for use in systems employing more than one 7110 bubble memory. Others are intended for special applications. Two of these, DACK and DRQ, are for use in systems employing DMA. In small single-user systems such as mine, there is little or no advantage to using DMA (considering the added cost and complexity). If, on the other hand, you want to use the bubble memory for real-time data acquisition, DMA would become a necessity. As for interrupts, floppy-disk operating systems generally disable. interrupts during disk-access operations. Therefore, no provision has been made for them. The software presented here also disables interrupts during read/write operations. If you want to use the interrupt system, it will be necessary to add an opencollector-type inverter, such as a 74LS05, connected between pin N of the edge connector and one of the S-100-bus interrupt lines.

It might appear that the RESET.OUT signal, pin H, should be

Pin Number	Signal Name	Description
1	GND	Ground (one of five).
2	_	Not used.
3 4	CLK	Not used. Clock input for BMC and FSAs. Frequency should be 4.000 MHz +/- 0.1 percent with a duty cycle of 50
		percent +/- 1 percent to assure that the bubble- memory rotational-field specifications are met.
5	_	Not used.
6 7	ERI IG	Not used.
,	ENI LG	A signal generated by the FSA to inform the BMC of an error condition. Used in multibank systems.
8	WAIT	A bidirectional signal used in systems with multiple BMCs, allowing them to inform each other of an error condition.
9	BUS.RD	Input/output mode signal used between BMC and FSA.
10	AO	An address bit that selects which BMC register is involved. If A0 is a "1," the command, status, or register address counter is selected. If A0 is a "0," the parametric
11	D0	registers are being addressed.
**	DU	Bidirectional data bus carrying data between the user's system and the BMC.
12	D1	Data bus.
13 14	D2 D3	Data bus. Data bus.
15	D4	Data bus.
16	D5	Data bus.
17 18	D6 D7	Data bus. Data bus.
19	D8	Parity bit for the data bus. The BMC checks D8 for odd
		parity coming from the user's system and generates odd
20		parity for data transferred from the bubble memory. Not used.
21	_	Not used.
22	GND	Ground.
A B	GND + 12V	Ground. + 12-volt supply (one of two).
Č	ENABLE.B	The same as ENABLE.A, a signal used to select the 7230 Current-Pulse Generator and the 7250 Coil Predriver. Not used.
D	SELECT.OUT	Used in multibank systems to select the next 7240 FSA in the FSA daisy chain.
E	7242 CS	Used in multibank systems as the chip-select signal for FSA bank select. In single-bank systems, it should be tied low.
F	+5V	+ 5-volt supply.
Н	RESET.OUT	Initiates the Reset sequence to the BMC and support circuitry. After a Reset sequence is completed, the next BMC command must be an INITIALIZE or ABORT
j		followed by an MBM PURGE command. Input signal to indicate to the BMC that the user wishes
К	_	to read one of the user-accessible registers. Input signal to indicate to the BMC that the user wishes
	DAOI/	to write to one of the user-accessible registers.
L	DACK	DMA acknowledge signal; indicates to the BMC that the next memory cycle is available for data transfer. If not used, it must be pulled up to V _{cc} with a 5.1K-ohm
M	DRQ	resistor: The data-transfer request signal; it indicates to the user system that the BMC is ready to transfer 1 byte of data to/from the user system when in the DMA mode;
N	INT	otherwise, it indicates that 22 bytes can be transferred. Interrupt line from the BMC to the user system. It indicates a change in the BMC status and requires service.
Ė	GND	Ground.
R through W	- 4044	Not used.
Ϋ́Υ	<u>+ 12V</u> 7220 CS	+ 12-volt supply. The BMC chip-select signal. Except during DMA operations, a high disables the BMC. When disabled,
Z	GND	only RESET.OUT affects the BMC. Ground.
		nals for the bubble-memory card. Note the missing letters

Table 1: Pin locations and signals for the bubble-memory card. Note the missing letters in the Pin Number column. This is the standard numbering sequence for 44-pin cards. Many of the signals are not used in this S-100 bubble-memory project.




Figure 3: The S-100 bubble-memory board parts layout shown here minimizes the length of signal lines.




Figure 4: This top view of the DIP header wiring diagram includes all the resistors and capacitors (except power-supply bypass capacitors) shown in the figure 2 schematic. All resistors are 1/4 watt.

tied to the computer's Reset line. This is not the case. The RESET.OUT signal is an output signal from the on-board power-fail circuit, and, therefore, it should be left floating. To tie it directly to the computer's Reset line causes the on-board power-fail circuit to malfunction. Proper operation of the power-fail circuit is essential to the bubble memory's retention of data should the power fail and during the normal power-down sequence. It provides for an orderly

shutdown of the bubble-memory system.

Parts Layout

Physical placement of the BPK 72 circuit board and interface components, figure 3, is designed to minimize the length of the signal lines. Looking at the component side of the S-100 wire-wrap board, most of the S-100-bus signals appear on the right-hand side of the signal pins. Therefore, to keep signal lines short,

the S-100 interface circuit was located on the right and the BPK 72 PC card on the left. For the same reason, 74LS244 bus buffers (ICs 7, 8, and 9) were located at the bottom of the board closest to the signal pins. Because the oscillator has no off-board connections, it was located at the top of the S-100 board. All resistors and capacitors, except bypass capacitors, are mounted on a DIP (dual-inline package) header (figure 4).

S-100 Board Construction

The BPK 72 PC card is piggybacked onto the S-100 wire-wrap board (photo 3). To prevent shorting out of the foil side, I used a Vector Electronics wire-wrap board without foil pads or bus lines (VC8801-1). The 44-pin edge connector for the bubblememory card presented the greatest problem in construction. I was unable to locate an edge connector with wire-wrap pins long enough to be bent at right angles, pass through the holes in the S-100 wire-wrap board, and still have sufficient length to accommodate two layers of wirewrap. I solved the problem by using an edge connector with solder tails

How to make your Apple run $3\frac{1}{2}$ times faster.



and watch your Apple® II or II Plus take off.

Imagine running VisiCalc,® DB Master,® Applesoft, Apple Fortran or Pascal without long delays. With the Titan Accelerator II, your Apple II or II Plus runs these programs a true $3\frac{1}{2}$ times faster. The Accelerator II also runs your Franklin, Basis and other Apple II compatibles $3\frac{1}{2}$ times faster. This faster computer response time means less waiting for you and an increase in your productivity.

This Titan exclusive has its own fast 6502 processor, 64K of high-speed memory, and built-in fast language card. It is transparent to your software and is hardware compatible with most standard peripherals. And you can turn if off from the keyboard to run your Apple at regular speed.

Find out how to run faster and increase your productivity without breathing hard. For information on the Accelerator II and other Titan microcomputer products, see your computer dealer or contact: Titan Technologies, Inc., P.O. Box 8050, 3990 Varsity Dr., Ann Arbor, MI 48107; Telephone (313) 662-8542.

Attention dealers. Ask us about our special demonstrator unit offer.

Sales and marketing by The MARKETING RESOURCE GROUP, Costa Mesa, CA.

Apple is a registered trademark of Apple Computer, Inc. VisiCalc is a registered trademark of VisiCorp, Inc. DB Master is a registered trademark of Stoneware, Inc.

Circle 358 on inquiry card.

BYTE January 1984 375




Photo 3: The completed S-100 bubble-memory board's component side with the BPK 72 installed (see figure 4 for the parts layout).




Figure 5: A detailed view of the edge-connector fabrication using wire-wrap posts. Alternatively, the wiring could be brought up through the S-100 plug-board holes. See the text for details.

and then bending wire-wrap posts (Vector Electronics T46-2-9), inserting them in the plug-board holes and soldering them to the solder tails on the edge connector, as shown in figure 5. Alternatively, an edge connector with wire-wrap pins can be used by passing the wires up through the holes in the S-100 wirewrap board. I chose the first method, and the results are not as neat as I would have liked.

The 44-pin edge connector and all the IC sockets were attached to the S-100 wire-wrap board using one of the super glues. This type of adhesive has the advantage of being quick-setting and is strong enough for the task, yet it can be broken loose with moderate pressure applied with a screwdriver, in case of error or a change in design.

In order to provide additional mechanical stability for the BPK 72 card, I secured it to the S-100 board as follows: looking at the component side of the BPK 72 card positioned with the pins at the bottom, a small hole is in the clear area at the top lefthand corner. I enlarged the hole and drilled a matching hole in the S-100 wire-wrap board. After inserting the BPK 72 card in the edge connector, I secured the card to the S-100 board using a 6-32 screw and two nuts, with one nut between the two boards to serve as a spacer.

The power supply presented no special problems. The use of a heat sink for the two regulators is optional. I used red, yellow, and green insulated wire to indicate +5 volts (V), +12 V, and ground (GND), respectively, and white for signals (see photo 4). It makes tracing the wiring a little easier. Only two bypass capacitors are shown in the schematic, but more may be required, as discussed later. If your computer's power supply is small and/or heavily loaded, you may find it necessary to increase the value of the two 33-microfarad (μ F) capacitors, as it is essential for correct operation of the power-fail circuit that the supply voltages not drop at too rapid a rate when either the computer is turned off or the power fails.

Preliminary Testing

Before installing the BPK 72 card in the edge connector or any of the interface ICs, install the S-100 board in the computer (an extender board is useful in making the following checks). Using an oscilloscope, check the output of the +5- and +12-V regulators for the correct voltage and any sign of noise. Also check for +5 V on edge-connector pins 8, F, and L, and +12 V on pins B and X. Remove the S-100 board from the computer and use an ohmmeter to check the edgeconnector pins 1, 22, A, E, P, and Z for ground.

Next, install all the ICs—but not the BPK 72 card yet. Reinstall the S-100 board in the computer and then check the power-supply voltages again. If any noise is evident, bypass capacitors should be added to clean things up. Try 0.1 or 0.01 μ F, if needed.

How to make your IBM run $2\frac{1}{2}$ to 4 times faster.



Just plug in the Accelerator PC™ and watch your IBM* PC or XT take off.

Yes, Titan's done it again. The innovators who speeded up the Apple® now bring similar performance advantages to IBM users. Imagine running Lotus® 1-2-3 $^{\text{TM}}$, VisiCalc®, or Multiplan $^{\text{TM}}$ without long delays. With the Titan Accelerator PC, your IBM PC or XT can run all your software faster. Data bases, word processors, spreadsheets, graphics, and much more will speed up by a factor of $2\frac{1}{2}$ to 4 (average around 3).

The Accelerator PC has a 10 MHz 8086 processor and 128K of high-speed RAM, expandable to 640K with the memory upgrade piggyback option. It's compatible with your present hardware and software, and designed to be ready for future enhancements.

Get your work done in a third of the usual time. See your computer dealer today or contact: Titan Technologies, Inc., P.O. Box 8050, Ann Arbor, MI 48107; Telephone (313) 662-8542.



Sales and Marketing by The MARKETING RESOURCE GROUP, Fountain Valley, CA.

IBM is a registered trademark of International Business Machines Corporation. Lotus and 1-2-3 are trademarks of Lotus Development Corporation. Multiplan is a trademark of Microsoft Corporation. Apple is a registered trademark of Apple Computer Inc. VisiCalc is a registered trademark of VisiCorp, Inc. Accelerator PC is a trademark of Titan Technologies, Inc.

Circle 359 on inquiry card.

BYTE January 1984 377




Photo 4: The wiring side of the S-100 bubble-memory board. The following color code applies: red = +5 volts, yellow = +12 volts, green = ground, and white = signal.

Using a 10-MHz, or higher, bandwidth oscilloscope, observe the 8-MHz oscillator output, pin 6 of IC1. The signal should be a reasonably clean square wave. If a frequency counter is available, measure the frequency; it should be between 7.992 and 8.008 MHz. Next, observe the clock signal on pin 4 of the edge connector. Without a load, some ringing may be evident; the frequency should be one-half the oscillator frequency.

If you haven't already done so, install the dummy module in the 7110 bubble-memory socket. The dummy module is an electrical equivalent of the 7110 bubble memory. It is intended to prevent accidental burnout of the 7110 bubble-memory chip during testing. Like the bubble-memory chip itself, it is keyed and can be installed only one way; the resistors should be visible once it is in place. A table of pin-to-pin resistances is in the users manual to check the module.

Turn off the power and insert the BPK 72 card in the edge connector and the S-100 board in the computer. At this point, a series of tests detailed in an application note (AP-119 supplied with the kit) should be conducted. The first test ascertains whether the power-fail circuit is functioning correctly by observing the RESET.OUT signal, pin 2 of the 7220 BMC. If there's a problem, you should not proceed with the remain-

ing tests until the problem has been corrected.

The remaining tests call for the use of a program to condition the 7220 BMC and to determine its status. The software presented in the application note is written in 8088/8086 assembly language. However, the microprocessor I used is a Z80, and considerable differences exist between the two assembly languages. Rather than spend time translating routines that would only be used for the tests

A seed is a permanent bubble from which other bubbles are generated to represent binary ones.

and then discarded, I decided to use BASIC INP and OUT commands. The idea worked just fine. In fact, I found that all bubble-memory operations can be performed using BASIC, except the actual transfer of data to/from the bubble memory. The reason that data cannot be transferred is that a BASIC interpreter is just not fast enough to keep up with a data-transfer rate of 100,000 bps, and this results in timing errors. The BASIC program in listing 1 is a collection of subroutines that I used for these tests. All that is required to use the program is to change the series

of GOSUBs (lines 1070 through 1100) to select the desired functions for each test. Details of the tests themselves, along with the expected results, are spelled out in the application note, so I won't repeat them here.

All the BASIC programs presented in this article were written for Micropolis BASIC, which uses a slightly different form of INP and OUT commands. The following examples demonstrate how the instructions appear in Micropolis BASIC along with the more general form used in other BASICs (assume "P" is the I/O port to be addressed and "D" is the data to be written/read):

Other BASICs Micropolis BASIC OUT(P) = DOUT P.D D = IN(P)D = INP(P)

Non-Micropolis BASIC users will have to revise the programs accordingly.

The last three tests in the series call for a program to cause certain signals to be generated. This can also be accomplished using the simple BASIC program in listing 2. The signal waveforms (as shown in the application note) are to be observed on various pins of the 7110 bubble-memory socket, which presented a problem because the solder side of the BPK 72 card is inaccessible when mounted on the S-100 board. Fortunately, all the test points can be found on the face of the dummy module. Location of the test points is easily determined from the schematic of the dummy module found in the users manual.

Final Testing

After successfully completing the preliminary tests, the next step is to install the 7110 bubble-memory chip. Power down and remove the dummy module, then install the 7110 bubblememory chip. When power is reapplied, again monitor the RESET.OUT signal on pin 2 of the 7220 BMC. It should perform exactly as it did with the dummy module installed.

Before placing the bubble-memory system in operation, one final test is to be performed. Again using the test program in listing 1, load (write) the


Listing 1: A collection of BASIC subroutines for preliminary testing of the BPK 72 Bubble-Memory Prototype Kit. The GOSUBs (lines 1070 through 1100) must be changed for each test.

1000 REM ======= BPK-72 TEST ========

```
1010 REM
1020 D=224
          :REM Data Port address
1030 S=225 : REM Status Port address
1040 REM -----
1050 GOSUB 1130 :REM Write parametric registers.
1060 GOSUB 1200 :REM Display status.
1070 REM
1080 REM Insert additional GOSUB's to select the
1090 REM desired function and function order.
1100 REM
1110 STOP: END
1120 REM
1130 REM ---- WRITE REGISTERS
1140 REM
1150 OUT(S)≔11 :REM Select 'B' register.
1160 DATA 01,10,08,00,00
1170 FOR I=1 TO 5: READ D1: OUT(D)=D1: NEXT I
1180 RETURN
1190 REM
1200 REM ---- DISPLAY STATUS [ IN HEX ]
1210 REM
1220 S0=IN(S) : REM Input status.
1230 GOSUB 1270
1240 PRINT "STATUS = ";CHAR$(S1);CHAR$(S2)
1250 RETURN
1260 REM ---- CONVER DEC TO HEX
1270 S1=INT(S0/16)+48
1280 IF S1>57 THEN S1=S1+7
1290 S2=(S0 AND 15)+48
1300 IF S2>57 THEN S2=52+7
1310 RETURN
1320 REM
1330 REM -
1340 REM
1350 FOR N=1 TO 40: OUT(D)=N: NEXT N
1360 RETURN
1370 REM
1380 REM ---- READ 7220 FIFO
1390 REM
1400 FOR I=1 TO 42
1410 S0=IN(D)
              REM Get a bute from FIFO
1420 GOSUB 1270 : REM Convert to Hex
1430 PRINT CHAR$(S1);CHAR$(S2);" ";
1440 NEXT I
1450 PRINT
1460 RETURN
1470 REM
1480 REM ---- 7220 CONTROLLER COMMANDS
1490 REM
1500 INPUT "ENTER COMMAND (IN HEX): "; C$
1510 C=0: IF LEN(C$)<>2 THEN STOP
1520 T=ASC(LEFT$(C$,1)): GOSUB 1560
1530 C=C*16
1540 T=ASC(RIGHT$(C$,1)): GOSUB 1560
1550 RETURN
1560 IF T=>48 AND T<=57 THEN C=C+(T AND 15)
1570 IF T=>65 AND T<=70 THEM C=C+((T AND 15)+9)
```

Listing 2: A simple BASIC program to generate the signals required for testing the BPK 72.

1000 REM ===== 1010 REM	- COIL	DRIVE SIGNAL	GEHERATOR	er and in the first Special and the production for the edges of the special and the special an
1020 D=224 :F	REM Data	Port address		



Exclusive six-function card expands workspace, increases speed, and boosts memory up to 576K.

The TITAN™ is the only expansion card that gives your IBM PC or XT both hard disk SASI interface and a parallel printer port. This advanced package also includes a pair of RS-232C serial ports, real-time clock/calendar with battery back-up, plus a choice of memory expansions. And everything slips into a single slot!



Pick a TITAN with parity-checked dynamic RAM from 64K to 576K. Each comes ready to run, complete with four super software selections. PSEUDO-DISK™ makes the RAM act like an exceptionally fast disk drive. PSEUDO-PRINT™ print spooler lets your computer calculate while the printer is running. WHATIME™ keeps track of date and time so you don't have to enter them at each system restart. HARDISK™ makes a 10MB Winchester addition plug-in easy.

Yes, it's a lot for one slot. And it's available now to add new utility to your IBM system.

Let us help you expand your IBM's productivity. For information on our multi-function boards and other Titan microcomputer products, see your computer dealer or contact: Titan Technologies, Inc., P.O. Box 8050, Ann Arbor, MI 48107; Telephone (313) 662-8542.

Sales and Marketing by The MARKETING RESOURCE GROUP, Costa Mesa, CA.



IBM PC and XT are registered trademarks of International Business Machines Corp. TITAN, PSEUDO-DISK, PSEUDO-PRINT, WHATIME, and HARDISK are trademarks of Titan Technologies, Inc.

1580 RETURN

WICAT System 140



- Motorola 68000
- 512KB memory
- 10MB Winchester
- 616KB floppy
- MCS Operating System
- Language

A powerful but low-cost single-user multitasking computer, the WICAT 140 is an excellent general-purpose system especially suited for heavy calculation.

FOR WICAT USERS now available:

- LEX68™ word processing, works with all terminals (available in 8 languages)
- cSTAT™ full statistical tools for researchers
- cACCOUNT™ accounting software (GL, AR, AP, PŘ, OE), no programming needed to tailor system
- TOTALCARE™ complete medical office system

Call or write for our newsletter describing software and hardware available through Concurrent

Concurrent COTPOTATION 1870 Madison Road Cincinnati Ohio 45206

(513) 281-2000 • TELEX 701492 MICE MACRO COMPLITERS FOR SCIENCE AND

LEX68 is a trademark of ACE Microsystems, Ltd.; cSTAT, cACCOUNT, intergral, and MenuSystem are trademarks of Concurrent Corporation

Listing 2 continued:

	S=225 :REM Status Port address REM
1.656	THENT "GENERATE READ OR WRITE SIGNALS (W/R): ":C#
	OUT(5)=25: OUT(5)=30: OUT(5)=29 :REM Clear 7220
	REM
1080	REM WRITE REGISTERS
1090	REM
	OUT(S)=11 :REM Select 'B' register.
1105	RESTORE
1110	DATA 01,16,08,00,00
1120	FOR I=1 TO 5: READ D1: OUT(D)-D1: NEXT I
1130	REM
1140	IF C≄="W" GOTO 1230
1150	REM
	REM GENERATE READ SIGNAL
1170	REM
1180	OUT(S)=18 :REM Send read command (12 Hex)
1190	K=IN(D)
1 200	IF $(IN(S) AND(32) = 0 GOTO 1190$
1210	GOTO 1130
1220	REM
1230	REM GENERATE WRITE SIGNAL
1240	REM
1250	OUT(S)=19 :REM Send write command (13 Hex)
1260	OUT(D)=255
1270	IF (IN(S) AND 128) <> 0 GOTO 1260
	GOTO 1100

parametric registers and display the status. You should obtain a status of 40 hexadecimal, indicating that operation is complete. The test program can then be modified by changing the DATA statement and GOSUBs to permit checking the seeds, as described in the application note. A seed is a permanent bubble in the magnetic-bubble memory, from which other bubbles are generated to represent binary ones. Checking the seeds also checks the boot loop written into the bubble memory at the factory and listed on top of the 7110 bubble-memory chip. As I explained earlier, the boot loop maps defective and unused data loops. Should there be an error in the boot loot, a simple procedure in the users manual shows how to rewrite it. If one of the seeds is missing, things become a bit more complicated. Missing seeds can be restored, but a special hardware subassembly, supplied with the kit, must be used. This procedure is also explained in the users manual. I did not experience any difficulty with either the boot loop or the seeds.

Next Month

This concludes part 1 of this article. Next month, we'll go beyond the construction and preliminary testing into the software requirements needed to make the magnetic-bubble-memory board work with Micropolis MDOS and CP/M.■

[Editor's Note: As this article went to press, Intel announced a change in the configuration of its BPK 72 Bubble-Memory Prototype Kit. Now labeled the BPK 72A, this kit comes assembled and tested, but you still must add an edge connector, an S-100 bus interface, and power-supply circuitry as described here. A different testing procedure is required, but it, too, is documented in the new kit. The current chip uses a socketed leadless package, but a chip with leads (no socket) and clock should be available in January.

The BPK 72A kit is available for use in three temperature ranges: Standard, BPK 72A-1 (0-75°C), Commercial, BPK 72A-4 (10-55°C), and Military, BPK 72A-5, (-2-+85°C). As a promotional item, Intel is offering the Commercial kit for \$199 through any local Intel distributor. If your computer environment holds within the 50-131°F temperature range, the Commercial kit could provide 128K bytes of nonvolatile memory at considerable savings.]

Louis Wheeler is a retired federal government employee. He spent 14 years as a programmer, teacher, and manager of minicomputer systems. His special interest is data processing, in which he has an associate degree. He can be contacted at 1323 Tamera Dr., Oceano, CA 93445.

WHY PAY MORE FOR LESS?

SUNOL SYSTEMS announces Winchester storage break-through



Totally Corvus Compatible

Over 20 Host Adapters Available

S-100 Apple II, III IBM P.C. North Star Altos Victor

DEC TRS-80 Models I, II, III
Osborne Zenith Z89/90/100
Xerox 820 Texas Instruments
Atari 800 NEC PC-8000

00 NEC FC-8000

Plus Many More

Up to 60% More Useable Storage

Using Run Length Limited Coding 8, 16, 25, 35, and 51 Megabytes/Drive of useable storage capacity (up to 4 drives per controller for a total of 204 Megabytes.)

- Local Area Network
 - Omninet_{TM} Compatible
- Multiplexer

Up to 64 users

Integral Removable Back-Up

Optional 32 Megabtye Removable Tape Cartridge

High Reliability

Error Correction Code and Off-Line Diagnostics.

Comprehensive Display

Dynamic display of the Drive, Status, Track, Head, Sector and much more

High Performance

50% Faster data transfer Rate 7.5 Megabits/Second

Large 16K Byte Data Buffer

Major Pricing Break-through, starting at \$1,995.
Visit your local dealer for complete information or call or write. Dealer inquiries welcome.

Sunol Systems, 1072 Serpentine Lane, P.O. Box 1777, Pleasanton, CA, 94566, (415) 484-3322.

International Distributors: HONG KONG: Convergent Microsystems Unit 713 Hunghom Com. Ctr. TW.A. Ma Tau Wei Rd. Kowloon. Hong Kong Telephone: (3) 636397

CANADA: McKenzie Brown Ltd. 267 Richmond St. West Toronto, Ontario M5V1W9 Telephone: (416) 593-6880

BELGIUM: Ditex Diffusion Rue Grisar 46 1070 Brussels Telephone: 524-01-53 Apple is a registered trademark of Apple Computers Inc.: IBM is a registered trademark of International Business Machines Corp. Xerox is a registered trademark and Xerox 820-II are trademarks of the Xerox Corp. Atan is a registered trademark and Atan 800 is a trademark of Atan Inc. Osborne is a trademark of Motor Soborne Corp. North Star is a trademark of Motor Soborne Corp. North Star is a trademark of Motor Soborne Corp. North Star is a trademark of Motor Soborne Corp. So

IIAM RETURMC

	.s
910	\$519.00
910 Plus	S599.00
914	\$569.00
924	\$689.00
925	. \$739.00
950	
970	\$1039.00
	ITEDE

W/ V	,,,
	JTERS
Teleport Portable	CALL
800Å	
802.	\$2699.00
803	, 11949.00
802H	i4695.00
806/20	14999.00
816/40.	39199.00
1602	3399.00
1603	

♦ TeleVideo



	Spirit	S3999 00
	HE-1.	\$1369.00
	IIE-2	
	IIE-3	\$2399.00
		\$3199.00
	PC-E	\$1579.00
	PC-1	
	PC-2	\$2799.00
	PC-XL	\$3599.00
	1620 ,	\$3599.00
١.	1630	
9		\$6499.00
	Cyma Sc	

SANYO

MDC-330 PG	CALL
MBC-555 PC	CALL
MBC 1100	99.00
MBC 1150	99.00
MBC 1200	99.00
MBC 1250	99.00
*DD 3200-320K Drive\$3	99.00
FDD 6400-64K DriveS4	99.00
PR 5500 Printer	99.00

MONITORS



MODEMS

\$119.99
\$249.99
. \$88.9
. \$95.99
\$109.99
\$149.99
\$159.99
\$299.99
\$429.9
\$499.99

GII	ADRAM
Quadchrome	\$499.99
	AXAN
12" Green	\$119.00
12" Amber	\$129.00
Taxan 1 RGB.	\$279.00
	USI
Pi 1, 9" Green	
Pi 2. 12" Gree	n
Pi 3. 12" Amb	er\$149.99

Pi 2. 12" Green
Pi 3. 12" Amber\$149.99
Pi 4, 9" Amber
1400 Color \$269.99
ZENITH
ZVM 122 Amber \$99.99
ZVM 123 Green

ANCHOR	
Mark I (RS-232)	\$79.00
Mark II (Atari)	., \$79.00
Mark III (TI-99)	\$109.00
Mark IV (CBM/PE1 .	\$125.00
Mark V (Osborne)	. \$95.00
Mark VI (IBM-PC)	.\$169.00
Mark VII (Auto Ans/Auto Dial).	\$119.00
Mark XII (1200 Baud)	.\$299.00
TRS-80 Color Computer	\$99.00
9 Volt Power Supply	\$9.00
HAYES	

Smartmodem 300	\$219.00
Smartmodem 1200	\$509.00
Smartmodem 1200B	\$459.00
Micromodem II	\$265.00
Micromodem II Plus	\$299.00
Micromodem IIE	\$269.00
Micromodem 100	\$299.00
Smart Com II	. \$89.00
Chronograph	\$199.00
NOVATION	
1000711011	

J-Cat	
SmartCat	
SmartCat	\$399.00
AutoCat	\$219.00
212 AutoCat	\$549.00
Apple Cat II	\$249.00
212 Apple Ca .	
Apple Cat 212 L	lpgrade\$309.00
Cat	\$139.99
D-Cat	S149.00
	\$339.00
	IITH
7T.1	\$369.00

APPLE INTERFACE

CARDS & BUFFERS	
Choose from PKASO, Orange Mid	ro
MPC, MicroMax, Tymac, Quadrai	m 8
Practical Peripherals Co	114

97.699.00 PERCOM/TANDON

ORIVES		
5¼" 320K Floppy \$249.00		
5 Meg Hard w/Controller\$1399.00		
10 Meg Hard w/Controller\$1699.00		
15 Meg Hard w/Controller\$2095.00		
20 Meg Hard w/Controller \$2399.00		
AMDEK		
310 A Amber Monitor \$169.00		
DXV 100 Plotter \$500 00		

DA. 1001 lottel
Color II
AST RESEARCH, INC.
Six Pak Plusfrom\$279.00
Combo Plus 11from \$279.00
Mega Plusfrom\$309.00
I/O Plus IIfrom\$139.00
QUADRAM

Quadlink
Quadboardas low as\$289.00
Quad 512 Plusas iowas \$249.00
Quadcoloras low as\$219.00
Chronograph \$89.00
Parallel Interface Board\$89.00
64K RAM Chips Kit \$59.00
MICDO DDO

MICROPA	10
WordStar/Mail Merge	\$369.00
InfoStar	\$299.00
SpellStar	\$159.00
CalcStar	\$99.00
MICROSTI	JF
Crosstalk	\$105.00

Multiplan	, 9	159.00	
pfs	•		
	APPLE	IBM	
Write:	79.00	89.00	
Graph:	79.00	89.00	
Report:	79 00	79.00	
File:	79.00	89.00	
Solutions*: as low as	16 00	16.00	

AVIORA



GRASE II	2389.00
EasyWriter II	\$189.00
EasySpeller	\$119.00
EasyFiler	.,\$229.00
CONTINENTAL	SOFTWARE
1st Class Mail/Form L	etter \$79.00
The Home Accountant	
File Manager	
1.2.3	
PROFESSIONAL	SOFTWARE
PC Plus/The Boss	\$379,00
VISICO)PP
	IBMAPPLE
VisiCalc	159.00
VisiCalc 4	159.00
VisiCalc-Advanced	269 00

	IBM.	APPLE
VisiCalc		159.00
VisiCalc 4	159.00	
VisiCalc-Advanced		269 00
VisiWord/Spell	249.00	
Visitrend/Plot	199.00	199.00
VisiLink		169.00
VisiFile	199.00	169.00
VisiSchedule	199.00	199.00
Visidex		159.00
VisiPlot		135.00
VisiTerm		75.00
Desktop Plan	199.00	
Bus. Forecast Model	75.00	75.00
Stretch Calc	75.00	75.00
VisiTutor Calc	59.00	59.00
VisiTutor-Advanced	75.00	
VisiTutor Word	59.00	59.00
Vision Calc	249.00	
Vision Graph	129.00	
Vision Mouse	159.00	
Vision Host	319 00	

PRINTERS

Call On Titles

AVIDIA	
AT-100 Atari Interface \$249.00	8023
CD-100 CBM 64/VIC 20\$249.00	8025
GP-100 Parallel Interface\$199.00	2050
BMC	3510
401 Letter Quality \$589.00	3530
BX-80 Dot Matrix \$269.00	3550
CENTR NICS	7710
122 Parallel \$499.00	
739-1 Parallel	82.83
739-3 Serial\$449.00	
CITOH	
Gorilla Banana\$209.00	TP-2
	Tract
Prowriter 8510P \$379.00	. I BCL

C.11 OF		
Gorilla Banana\$209.00		
Prowriter 8510P		
Prowriter 1550P\$679.00		
A10 (18 cps)569.00		
F1 0-40		
F10-55\$1499.00		
COMREX		
ComWriter II Letter Quality \$549.00		
DIABLO		

DIABLO
620 Letter Quality\$949.00
630 Letter Quality\$1749.00
DAISYWRITER
2000 \$999.00

2000	999.00
2500	CALL
Tractor Feed	109.00
EPSON	
MX-80FT, MX-100, RX-80, RX	X-80FT.
FX-80, FX-100	CALL

1 V. DO. 1 V. 100
IOS
Prism 80For ConfigurationsCALL
Prism 32For Configurations CALL
MANNESMAN TALLY
160L\$589.00
1801 5700 00

\$309.00

N	
8023 Dot Matrix.	\$379.00
8025 Dot Matrix	\$669.00
2050 Letter Quality,	.,.\$999.00
351 O Serial/Letter Quality	\$1449.00
3530 Parallel/Letter Quality	\$1499.00
3550 IBM/Letter Quality.	.\$1699.00
7710/7730 Serial/Parallel,	\$1949.00

3530 Parallel/Letter Quality \$1499.00		
3550 IBM/Letter Quality \$1699.00		
7710/7730 Serial/Parallel,\$1949.00		
DKIDATA		
82.83.84.92.93.2350.2410 CALL		
SMITH CORONA		
TP-2\$449.00		

BC(0) CCU
SILVER REED
00 Letter Quality\$469.00
50 Letter Quality \$699.00

STAH	
Gemini 10X	\$299.00
Gemini P15	\$449.00
Delta 10	\$559.00
Serial Board	\$75.00
TOSHIBA	CALL
TRANSTAR	CALL

PRINTER CABLES

Available for Atari, Commodore, IBM. Apple. Epson. Kaypro. Televideo. Franklin. Eagle. Sanyo. Osborne. NEC. Zenith and many others. We supply all your computer needs!

PAPER SUPPLIES 1000 shis. 8½x11 Trector Paper...19,98 1000 shts.141/x11Tractor Paper..\$24.99 1 or 2" Address Labels \$9.99

VISA

No risk no deposit on C.O.D. orders. Pre-paid orders receive free shipping within the UPS continental United States with no waiting period for certified checks or money orders. Add 3% (minimum \$5.00) shipping and handling on all C.O.D. and credit card orders. Larger shipments may require additional charges. NV and PA issuents add sales tax. All items subject to availability and price change. We stock manufacturer's and third party software for most all computers on the market. Call today for our catalog.

DMPUTER MAIL ORDER.



ACE 1000 Color Computer ..., CALL ACE Family Pack System CALL ACE PRO PLUS System CALL ACE 1200Office Mgmt. System ... CALL

NOT HE EXPENSIVE

APPLE/FRANKLIN DISK DRIVES MICRO-SCI

A2\$219.00 A40\$299.00 C47 Controller\$89.00

HANA Elite 1\$279.00 Elite 2\$389.00 Elite 3\$569.00

APPLE He STARTER PACK 64K Apple Ile. Disk Drive& Controller. 80 Column Card. Monitor II & DOS 3.3 COMPLETE \$1499.00



HOME COMPUTERS

600XL.....\$189 800XL..... \$299 1200XL CALL 1400XL CALL

Commodore CBM CBM 4032.\$599.00 8032 CBM 8096 \$869.00

CBM 9000......\$999.00 B128-80.....\$769.00 CBM 64K Memory Board...\$269.00 8032 to 9000 Upgrade\$269.00 2031 LP Disk Drive \$299.00 8050 Disk Drive\$949.00 8250 Disk Drive\$1199.00 4023 Printer......\$379.00 8023 Printer......\$569.00 6400 Printer\$1399.00 Z-RAM.... \$499.00 Silicon Office\$699.00 The Manager.....\$199.00 Soft ROM...... \$1 25.00 VisiCatc \$159.00

PROFESSIONAL SOFTWARE

Word Pro 2 Plus......\$159.00 InfoPro \$179.00



VIC 20 CALL C1541 Disk Drive \$249.00 C1530 Datasette\$69.00 C1520Color Printer/Plotter...\$169.00 C1525 Dot Matrix/Parallel. .. \$219.00 C1526 Dot Matrix/Serial\$279.00 C1702 Color Monitor\$249.00 C1311 Joystick \$4.99 C1650 Auto Modem......\$89.00 Word Pro 64 Plus......\$59.00 Parallel Printer Interface....\$69.00 Codewriter 64\$75.00 Quick Brown Fox.......\$49.00 Word Pro 64 Plus......\$59.00

We stock a full inventory of software for Commodore, such as: Artworx, Broderbund, Commercial Data, Creative Software, Epyx. HES. MicroSpec. Nufekop. Romox. Sirius. Synapse. Thorn EMI. Tronix, UMI. Victory, Spinnaker, Rainbow & Timeworks! CALL FOR DETAILS!

HANDHELD COMPUTERS



NEC PC-8201 Personal Computer...\$599.00 PC-8221A Thermal Printer...\$149.00 PC-8281A Data Recorder \$99.00 PC-8201-068K RAM Chips... \$105.00 PC-8206A 32K RAM Cartridge...\$329.00



PC-1500A...\$165.99 PC-1250A....\$88.99

CE-125 Printer/Cassette....\$128.99 CE-150 Color Printer/Cassette ..\$171.99

TIMEX/SINCLAIR

1000		
Timex/Sinclair 1000 \$	35	.98
16K Memory \$	29	.99
2040 Printer\$	99	. 91
VuCalc\$	17	91
Mindware Printer	99	.91

1020 Color Printer......\$249.00 1025 Dot Matrix Printer....\$449.00 1027 Letter Quality\$299.00 1030 Direct Connect Modem ... CALL 1050 Disk Drive.....\$379.00 CX30 Paddle\$12.00 CX40 Joystick.....each...\$8.00 CX77 Touch Tablet\$64.00 CX80 Trak Ball\$48.00 CX85 Keypad\$105.00 4003 Assorted Education....\$47.00 4011 Star Raiders \$33.00 4012 Missile Command\$29.00 4013 Asteroids\$29.00 5049 VisiCalc\$159.00 7097 Logo...\$79.00 7101 Entertainer... ...\$69.00 7102 Arcade Champ\$75.00 8026 Dig Dug\$33.00 8030 E.T. Phone Home....\$33.00 8031 Donkey Kong......\$39.00 8043 Ms. PacMan \$39.00 8044 Joust\$39.00

DISKETTES

MAXELL 51/4" MD-1..\$29.00 8" FD-2 (DS/DD).....\$49.00

VERBATIM 5½° SS/DD\$26.99 5½° DS/DD\$36.99 ELEPHANT 51/4" SS/DD \$22.99

51/4" DS/DD......\$28.99 HEAD 51/4" Disk Head Cleaner \$14.99

DISK HOLDERS INNOVATIVE CONCEPTS

Flip-n-File(400/800ROM)Holder. \$17.99

JK ENTERPRISES

Atari Letter Perfect-Disk(40/80)...\$79.99 Atari Letter Perfect-ROM(40 col)...\$79.99 Atari Letter Perfect+ROM(80 col)....\$79.99 Atari Data Perfect-ROM(80 col)....\$79.99 Atari Spell Perfect-DISK .. . \$59.99 Atari Utility/MailMerge \$21.00 Apple Letter Perfect......\$99.00 Apple Data Perfect.....\$75.00 Apple LJK Utility\$21.00 Apple LowerCase Generator ... \$19.00

PERCOM

AT 88-S1 \$329.00			
AT 88-A2\$259.00			
AT 88-S2\$529.00			
AT 88-S1PD\$429.00			
AT 88-DDA\$119.00			
RFD 40-S1\$449.00			
RFD 40-A1\$269.00			
RFD 40·S2\$699.00			
RFD 44-S1 \$539.00			
RFD 44-S2\$869.00			
TEXAS INSTRUMENTS			
TX 99-S1\$279.00			
BANA			
1000\$319.00			
TRAK			
AT D2 6280 00			

AT-D2 \$389.00
MEMORY BOARDS
Axion 32K\$59.00
xion 48K\$99.00
Axion 128K \$299.00
ntec 32K \$59.00
In tec 48K \$85.00
ntec 64K \$99.00
Inter Real Time Clock \$29.00

ALIEN VOICE BOX

Apple			
KOALA PAD			
Atari	\$75.00		
Apple	\$85.00		

IBM \$95.00 CBM 64. \$75.00

CONTROLLERS & JOYSTICKS WICD

Joystick	S21.5	99
3-way Joystick	.S22.	99
Famous Red Ball	.\$23.	99
Power Grip	. \$21.	99
BOSS Joystick	S17.	99
ATARI/VIC Trak Ball	534	99
Apple Trak Ball	.S54.	99
Apple Adapter	S15.	99
Apple Analog	537	99
KRAFT		

Joystick\$41.99
Atari Single Fire\$12.99
Atari Switch Hitter\$15.99
Apple Paddles
1BM Paddles\$34.99
IBM Joystick \$46.99
00000

~,,,,,,,	
3100 Single	\$13.99
3101 Pair	\$19.99
Joyboard ,	\$37.99
TG	3

Apple Joystick\$47.99

WEST= = CA 00.648.3311 800.268

NV call (702)588-5654. Dept. 0101

Mississauga: Ontario. Canada L5L1T1

CANADIAN ORDERS: All prices are subject to shipping, tax and currency fluctuations. Call for exact pricing in Canada.
INTERNATIONAL ORDERS: All shipments outside the continental United States must be pre-paid by certified check only. Include 3% (minimum \$5.00) shipping and handling. EDUCATIONAL DISCOUNTS: Additional discounts are available to qualified Educational Institutions.

Circle 94 on Inquiry card.

Mockingbird: A Composer's Amanuensis

This display-oriented music-notation editor can help composers capture their ideas

by John Turner Maxwell III and Severo M. Ornstein

The Xerox Mockingbird is a composer's amanuensis, a computer program designed to aid a composer in capturing, editing, and printing musical ideas. The purpose of Mockingbird is not to invent new music or to suggest variations to the composer, but simply to aid him in recording his own ideas by speeding up the notation process. Mockingbird is not a publisher's aid, although it does print music, nor is it a performer's aid, although it can play; it is strictly focused on the composer's need for a powerful scribe.

Mockingbird is an interactive music-notation editor. It knows nothing about the rhythmic, harmonic, or melodic aspects of music except as they are represented in common music notation. To narrow the scope of Mockingbird, we at Xerox concentrated on handling piano music. The program presently cannot handle orchestral scores or music for instruments that require their own notational devices.

Mockingbird was written in 1980, and we find it surprising that no one had previously built such a system. We believe there are two principal reasons: first, we had at our disposal an unusually powerful set of hardware and software facilities with excellent graphics capabilities, and second, we made a number of key decisions, discussed later, that allowed us

This article originally appeared, in somewhat different form, in a Xerox report of the same to bypass some difficult problems.

Overview

Mockingbird is written in Mesa (see references 1 and 2), an experimental language developed at the Xerox Palo Alto Research Center (PARC). Mocking bird runs on a general-purpose computer called the Dorado (see reference 3), a powerful, experimental, single-user machine also developed at PARC. (The Dorado is now officially known as the Xerox 1132.) It has a 60-nanosecond instruction cycle, a large memory (typically 2 to 8 megabytes of RAM), and an 80megabyte disk. It also includes a large, high-resolution bit-map display, a keyboard, and a mouse. Mockingbird presents a picture of a score on the display. The mouse provides the mechanism by which the user can point to locations within the score or to particular items, such as notes, to which some action is to be addressed. It has three programreadable push buttons on its top that are used for issuing commands to the program (sometimes in conjunction with keyboard keys).

The graphics facilities, high speed, and large memory make the Dorado a particularly suitable tool for music editing. The only special hardware we provided for Mockingbird was an interface to a Yamaha CP-30 electronic synthesizer. The Dorado can sense key positions and simulate key strokes on the synthesizer. Thus, the synthesizer can be used to "play in" music and to let the computer "play

back" music without having to synthesize the sound waveforms by program. The setup is shown in photo 1. Not shown is an experimental high-resolution, computer-driven, raster-scan laser printer that Mockingbird uses to make hard-copy pictures. The information for these pictures is sent over an Ethernet (see reference 4) connection from the Dorado. (Figures 1 and 2 illustrate Mockingbird's hard-copy output.)

In addition to these hardware resources, Mockingbird relies heavily on a general-purpose graphics software package (see reference 5) that provides simple commands for displaying characters and drawing both lines and curves. It also provides a common interface for both displaying material on the screen and printing high-resolution hard copy.

Mockingbird is designed to handle standard piano-music notation. It knows how to deal with notes, rests, accidentals, beams, chords, ties, grace notes, n-tuplets, time signatures, key signatures, clef indications, ottava, and a variety of different kinds of measure lines, embellishments (mordents, etc.), and sheet layouts (see the glossary on page 401 for definitions of these and other musical terms). Mockingbird deals with these elements not only in the graphics but, where appropriate, in the playing as well. Mockingbird understands about the key of a piece and will propagate and properly suppress accidentals.

Despite its sophistication, the



Photo 1: The Mockingbird user's setup.

Mockingbird editor is only a research prototype. Many features are still missing and, in general, we did only enough to demonstrate feasibility. For example, there are numerous notational devices that we never incorporated in the program, such as rolled chords, staccato markings, fermata, and so on. Furthermore, although Mockingbird can handle ties, it cannot handle the more general slurs, nor can it display text such as lyrics or tempo markings. We do not feel that the addition of further features would present any insurmountable problems or violate the premises from which we proceeded.

Important Decisions

We feel that Mockingbird's success is largely dependent on the decisions we made in the following five critical


Scribe vs. Automatic Transcriber-We decided not to try writing a program that converted synthesizer keystrokes directly into a score. We made this decision for a number of reasons. First, we weren't sure that it could be done for the class of music we were interested in. Rather than pursue that question, we wanted to produce a tool that worked. Second, we knew that an editor would be needed anyway, both to correct mistakes and to satisfy the composer who did not want to use the synthesizer keyboard to enter material. So, instead of a recognizer, we built an amanuensis, or scribe, that provides a human transcriber with powerful editing tools. Our strategy was to build the editing tools first and then work on automatic heuristics to augment the editing process. The editing tools can assist either in performing the conversion from played input to score or in entering scores graphically.

Data Structure—We believe that one of the most important decisions we made was the choice of data structure. Mockingbird treats music simply as a sequence of events. This allows us to simultaneously handle raw ("played in") material and more finished ("structured") material. Furthermore, it is convenient for presenting the material in its various external manifestations—displayed, printed, and played.

User Interface—In Mockingbird, rather than doing a lot of typing on the computer's keyboard, the user operates directly on the picture of the music that appears on the screen. To do this, he makes heavy use of the mouse. This approach is facilitated by a strong correlation between the internal representation of the music and its visual display (as well as how it is played). All of the elements of the data structure are displayed, and everything shown on the screen corresponds to some part of the data structure. If the user moves something on the screen, the data structure is immediately updated to reflect it; if the data structure is changed, the screen is immediately repainted. Not only is the picture faithful to the data structure, but so is the synthesizer "performance." For example, if the user puts a trill marking on a note, Mockingbird will trill when playing it.

Piano-Music notation is extensive and nonuniform-instruments present individual requirements and employ special notational devices. By choosing to focus our attention specifically on piano music, we limited the scope of our ambitions to a manageable size. The piano was an obvious choice as it is an instrument frequently used by composers in trying out their ideas. Furthermore, because of its keyboard structure, it lends itself naturally to connection as an I/O (input/output) device to a computer.

Voices—Music is broken "vertically"



Send for your FREE monthly copy of Syncom® INFOSCAN,™ the guide to magazine articles on microcomputing.

Syncom INFOSCAN helps you get more out of computing — both personally and professionally — by making it easier for you to stay well informed.

Every month, INFOSCAN indexes the articles appearing in microcomputing magazines. Just look beneath the topic headings that interest you

most to find the articles you definitely want to read.

INFOSCAN can help you save money, too. From the 400+ articles it indexes each month you can find out how to make smart buying decisions on new equipment and software, as well as how to make your present system work better and harder.

For your free monthly copy of INFOSCAN, just call toll-free, 1-800-843-9862. (In South Dakota, 605-996-8200.) Please call weekdays 8 to 5, Central time.

INFOSCAN is a trademark of Syncom, Division of Schwan's Sales Enterprises, 1000 Syncom Drive, Mitchell, SD 57301.



The Personal Diskette Manufacturer

into separate parts or voices. Such partitioning is obvious in multipleinstrument music, but it is also an essential structural feature in piano scores. The recognition of this fact, and its explicit representation in Mockingbird, greatly facilitates the editing and formatting of scores. This topic is discussed later.

The Editor

Mockingbird consists of a number of functionally distinct parts integrated into one editor. The editor allows the user to record, edit, play, and print a single piece of music. Commands are issued by making selections and typing characters. Some commands are invoked by pointing the mouse at an object on the screen and clicking a button. When the user has finished with the piece of music, he can name it and file it away in the Dorado's filing system. Later it can be retrieved by its name.

As it appears on the display, a score looks like a piece of sheet music (see photo 2). There are usually four to six staff sets (lines), each composed of two to four staves. At the left of each staff is a clefsign and an appropriate key signature. Scattered over the staves are notes, chords, beams, measure lines, and other symbols commonly found in music.

Only about a page of the score can appear on the screen at a time, so there are commands that allow the user to look at different sections. Scrolling causes the current section of the score to be moved up or down so that neighboring lines can appear. The user can scroll as little as a single line or as much as an entire page. Thumbing allows the user to jump to an arbitrary point in the score. To thumb, the user specifies approximately how far into the score he would like to be, and the program moves the display to that point. Both thumbing and scrolling are accomplished by moving the cursor into a special "scroll bar" area at the left of the score and clicking one of the mouse buttons.

The score can be edited with Mockingbird just as documents are edited with word processors. The usual




Photo 2: A computer running the Mockingbird program.

paradigm for making an edit is to "select" some portion of the music and then to issue a command. The command will apply only to the selected portion. The display is updated immediately to reflect the changes.

Selection

A user may select either a contiguous section of the score or an arbitrary collection of individual notes. Both types of selections are made by moving the mouse over the desired objects while holding down a mouse button.

If the user selects a section of the score, Mockingbird indicates that section by displaying it in reverse video (white on black instead of black on white). The section may be as small as a portion of the measure or as large as the entire score. It encompasses all of the notation that appears on all of the staves. Section selection is typically used for coarse editing operations such as copying and deleting. However, it may also be used to apply a function to all of the notes in a particular region, such as designating them all to be sixteenth notes.

Mockingbird indicates individual note selections by painting the selected note heads gray. An individual note may be selected by pointing at it with the mouse and clicking the left mouse button. Notes may be collected into a selected set for combined action either by a series of individual mouse clicks or by sweeping the mouse over the note heads while holding down the mouse button.

Because selection persists after execution of a command, it is possible, with a single selection, to issue a succession of commands that all apply to the same material.

Voices

To play notes at the proper time and to place them correctly within the score, it is necessary to know where they occur within the rhythmic structure of the piece. Measure lines provide reference points from which rhythmic position is measured. For music that has only one voice, you start at the beginning of the measure and count forward through the various note and rest values until arriving at the note of interest. Its position in the measure's rhythmic structure is then given by the sum of the time values of these preceding items. If the music has several parallel voices with differing time values, you must know which



Figure 1a: A segment of a piano score.



Figure 1b: The same segment showing only voice one.



Figure 1c: The same segment showing only voice two.



Figure 1d: The same segment showing only voice three.

notes belong to which voice in order to count forward properly. Voicing thus provides a lateral indication of what goes with what.

Figure 1a shows a section of a full piano score, whereas figures 1b-1d show its separate voices. To find out when the Coctave occurs in the second measure of figure 1b, add the prior eighth chord and sixteenth rest and conclude that the octave comes three-sixteenths into the measure. Now consider the situation in the third measure of figure 1d. Here a voice commences within the measure rather than at its beginning, so there is no way to count forward to it. Instead, its rhythmic position is determined by its synchrony with an element of another voice, in this case, the octave in voice one. (To enhance visual clarity, the chords are slightly separated in the full score shown in figure 1a. However, they are, in fact, rhythmically synchronous.)

In that same measure, consider the effect of erroneously placing, say, the

sixth note of voice two in voice three. The effect would be significant: first, the note would be incorrectly located (played) at the midpoint of the measure (i.e., one-eighth after the chord in voice three), and second, due to the omission in voice two, all the ensuing notes of that voice (up to the next reference point) would be located slightly earlier than they should. Mockingbird contains a mechanism to assist the user in finding such errors. Upon request, the program will check to see whether the rhythmic "time" of every measure is properly filled by the notes and rests of the voices it contains (with due allowance for parallelism of voices). Measures that don't "add up" correctly will be marked with a stipple pattern on the display.

The voicing of a piece of music is hence an important part of its underlying structure, which is revealed by the way in which the score is drawn. Thus, voicing in a piano score is indicated by such clues as shared

beaming, chording, stem direction, and staving. The reader uses these clues, together with vertical alignment within the score, in determining how to play the music, i.e., when to play the notes, which hand to use, etc.

In Mockingbird, the problem is the converse one of determining what the finished score should look like, starting from raw notes that have neither explicit voicing nor any of the structural clues of a completed score. Everything must be determined from scratch: note values, chords, staving, beaming, rests, ties, etc. One of our earliest insights was that if we could first determine the voicing of a piece, it would greatly facilitate determination of all of these other features. In studying existing piano scores, we saw no general way to infer voicing automatically, and so instead decided to give the user explicit control over its definition. Hence, Mockingbird includes commands for assigning notes and rests to voices and for indicating synchrony between the elements of different voices.

Once a piece has been voiced, the user can designate a particular voice for viewing, in which case the notes of that voice appear in black on the display while the rest of the score appears in a light gray for reference. In this mode, the user can access only items within the designated voice (i.e., area selection will select only the notes in that voice, and individual notes in other voices cannot be selected). Any editing commands issued when viewing a single voice will thus affect only that voice; the part displayed in gray is not affected.

Editing Commands

Mockingbird's editing commands include assigning note values, assigning notes to voices, transposing notes, changing their stem direction, changing their spelling, and changing the staff on which they appear. In addition, various elements of the score, such as notes, measure lines, and time, key, and clef signatures, can be individually deleted or picked up and moved to a new location with the mouse. There are also commands that group notes together with beams,

CompuPro...

for Performance, Quality and Reliability

Anyone can sell you a box full of hardware. But is it too much computer? Too little? Will it run the appropriate software? What about service? If you need the right answers both before and after the sale, call your nearest **Full Service CompuPro System Center**. For product information, see pg. **277**

ALABAMA

Birmingham Cost Plus Computers (205) 879-5976

ARIZONA

Scottsdale S-100 (800) 528-3138

CALIFORNIA

Bakersfield

Creative Computing Serv. (805) 835-1118

Berkeley American Computers & Engineers

(415) 849-0177 Track Computer Center

(415) 845-6366 Burlingame

Mentzer Computer Systems (415) 340-9363

Canyon Country Creative Computing Serv. (805) 251-9877

Carmichael Logic Systems

(916) 971-3133
Chatsworth
Priority One Electro

Priority One Electronics (213) 709-6789

Hayward Best Computers Hayward (415) 886-4732

Irvine Priority One Electronics (714) 660-1411

Los Angeles American Computers & Engineers (213) 477-6751 Gifford Computer System

Gifford Computer Systems (213) 477-3921 Mountain View

ACC (415) 969-4969 **Dakland**

Track Computer Center (415) 444-8725

Pacific Palisades System Interface Consultants (213) 454-2100

Pasadena Omni Unlimited (213) 795-6664

Petatuma Advanced Information Mgmt. (707) 763-7283 Pleasanton

Best Computers Stoneridge (415) 463-2233

Sacramento Logic Systems (916) 922-3377

San Francisco Gifford Computer Systems (415) 391-4570

San Leandro Gifford Computer Systems (415) 895-0798

San Rafael Computer House (415) 453-0865

Santa Barbara Data Bank (805) 962-8489

Santa Maria Data Bank (805) 922-1333

Santa Rosa Matrix Computers (707) 542-0571

Sunnyvale Pragmatic Designs Inc. (408) 736-8670

COLORADO

Lakewood Rocky Mountain Microsystems (303) 232-4545

FLORIDA

Brandon/Tampa Micro Computer Technology (813) 685-7659

Orlando Data/Office (305) 629-6776

Satellite Beach Binary Magic, Inc. (305) 777-7080

HAWAII

Kahutui Maui Capacity Plus Computers (808) 877-3496 **ILLINOIS**

Athens Computers Plus (217) 636-8491

La Grange Park Small Business Systems Inc. (312) 579-3311

Skokie Lillipute Computer Mart Inc.

(312) 674-1383 MARYLAND

Bethesda JR Systems (301) 657-3598

MASSACHUSETTS

Boston New England Electronic Exch. (617) 491-3000

Chestnut Hill Key Micro Systems (617) 738-7306

NEW YORK

Amherst Gifford Computer Systems

(716) 833-4758

Deer Park

Datapro Systems, Inc. (516) 595-1311

Staten Island

Staten Island John D. Owens Assoc. (212) 448-6283

NORTH CAROLINA

Greensboro General Semantics Computers (919) 378-1500

OREGON

Portland Microwest Computer Products (503) 238-6274

PENNSYLVANIA

Philadelphia Information Network Systems (215) 364-8220

RHODE ISLAND

Coventry Key Micro Systems (401) 828-7270

TEXAS

Austin CPA Systems, Inc. (512) 458-9281

Dallas Dator Systems (214) 521-0915

Houston Gifford Computer Systems (713) 877-1212

Seguin CPA Systems, Inc. (512) 379-0660

VIRGINIA

Woodbridge ONETCO (703) 590-5464

WASHINGTON

Seattle American Computers & Engineers (206) 583-0130

WISCONSIN

Greenfield Byte Shop of Milwaukee (414) 281-7004

Madison Beam International (608) 255-2325

AUSTRALIA

Bankstown Automation Statham Pty., Ltd. (02) 709-4144

CANADA

Coquitlam, B.C. CSC System Center Ltd. (604) 941-0622

Vancouver, B.C. Dynacomp Business Computers Ltd. (604) 872-7737

THE PHILIPPINES

Quezon City
Corona International Inc.
78-34-71

UNITED KINGDOM

Swansea Comcen Technology Ltd (0792) 796000

CompuPro

A GODBOUT COMPANY

3506 Breakwater Court, Hayward, CA 94545

©1983 CompuPro

If you're like most knowledgeable computer enthusiasts, people are bound

to ask you how much they should spend for a small business computer.

You have, of course, a ready answer: As little as possible and still get a serious business system that provides all the

functions they need. In short, a complete computer. Standing in the way of that goal is how most small computers are sold today. By the piece.

The first-time buyer may see a low advertised price for a basic starter system. But once inside the store, he or she will

SPECIFICATIONS

Z-80 Operating System CP/M 2.7 User Memory Disk Drives: Z drives, 400K. Interfaces I Parallel Keyboard Detached, 63-key with numeric keypad ftware included:

Perfect Writer

word processing Perfect Speller

Microprocessor

Perfect Filer Perfect Calc spreadsheet Wordstar word processing The Word Plus Profit Plan spreadsheet M-Basic 12 Games Uniform — allows computer to 'read' and 'write' TRS-80, Osborne, Xerox disks Dimensions Height: 8 inches Width: 18 inches Depth: 151/2 inches Weight: 26 lbs. (portable)

learn about the extra-cost hardware and software that make the machine do meanoptions': A mon-

ingful work. The essentials called itor, disk drives, communication and printer interfaces, not to men-

tion the application programs. So the computer can end up costing two or three times more than the shopper thought it would. And you're asked for

more advice.

Next time, tell them that Kaypro includes all those so-called optional extras as standard features. On our

Kaypro II, it all comes complete for \$1,595. It's the least expensive

serious business system we know of on the market today. Off the

shelf, it comes complete with 64K RAM, Z-80 CPU. A 9" built-in green monitor. Two built-in disk drives with 400K total capacity. A detached, Selectric-type keyboard with numeric keypad. Interfaces for both a printer and communications. And a complete software package for Word Processing/Spelling, Data Base Management, Financial Spreadsheeting, and more.

As the \$1,595 computer that sells for \$1,595, Kaypro II is the complete answer for the first-time buyer. And perhaps the best answer for your next computer.

The Complete Business Computer.

Call 800-447-4700 for the dealer near you, or call Kaypro: 619-481-4318. Circle 207 on inquiry card. Registered Trademarks: CP/M - Digital Research, Inc.; Z-80 - Zilog; M-Basic - Microsoft, Inc.; Wordstar - Micro Pro; Profit Plan - Chang Laboratories; Uniform - Micro Solutions, Inc.; The Word Plus - Oasis Systems; Perfect Writer, Perfect Speller, Perfect Filer, Perfect Calc - Perfect Software; Osborne - Osborne Computer Corp.; S-Basic - Topaz Programming; TRS-80 - Tandy Corp.; Xerox - Xerox Corp.; Selectric - IBM Corporation. © 1983 Kaypro Corporation.

chords, or slurs. Many of these commands work with either note or section selection. For instance, the user may transpose a single note down an octave or an entire voice up a fifth. The first of these actions would be accomplished by selecting the note and issuing the Transpose command. The second would be accomplished by designating the desired voice, selecting the entire score, and issuing the command.

The user may also rearrange large sections of the score in a "cut and paste" manner. To replace one section of the score with another, the user selects the section to be replaced (the primary selection), then the section to be copied (the secondary selection), and issues the Replace command. The primary selection does not have to be the same size as the secondary one. If there is no secondary selection, the resulting operation is a deletion. If the primary selection merely points at "empty space" in the score, the resulting operation amounts to an insertion.

In addition to changing the structure of the music, the user can change the way it appears on the sheet. For instance, the number of staves for each line can be changed on a line-by-line basis. The user can switch a staff's clef in the middle of a measure or designate a section to be displayed in ottava notation. Changes in key and time signatures can also be inserted within the score wherever necessary.

The user can add new material to the score by picking up items from a pop-up menu that can be made to appear under the cursor (see photo 3). The menu includes a number of small symbols (called icons) representing various elements of the score. There are icons for a note, a rest, bass and treble clefs, several kinds of measure lines, and a variety of markings such as trills, accidentals, etc. As the cursor is moved over the menu, its shape changes to correspond to the icon immediately beneath it. When the mouse button is released. the cursor retains the last shape. The user can then insert instances of that icon by pointing to a place in the score and clicking another mouse

OTAL CONT

FORTH: FOR Z-80°, 8086, 68000, and IBM° PC

GRAPHICS • GAMES • COMMUNICATIONS • ROBOTICS DATA ACQUISITION • PROCESS CONTROL

- FORTH programs are instantly portable across the four most popular microprocessors.
- FORTH is interactive and conversational, but 20 times faster than BASIC.
- FORTH programs are highly structured, modular, easy to maintain.
- FORTH affords direct control over all interrupts, memory locations, and i/o ports.
- FORTH allows full access to DOS files and functions.
- FORTH application programs can be compiled into turnkey COM files and distributed with no license fee.
- FORTH Cross Compilers are available for ROM'ed or disk based applications on most microprocessors. Trademarks IBM, International Business Machines Corp.: CP/M. Digital Research Inc., PC/Forth + and PC/GEN. Laboratory Microsystems. Inc

FORTH Application Development Systems include interpreter/compiler with virtual memory management and multi-tasking, assembler, full screen editor, decompiler, utilities, and 130 + page manual. Standard random access files used for screen storage, extensions provided for access to all operating system functions.

Z-80 FORTH for CP/M® 2.2 or MP/M II, \$50.00; 8080 FORTH for CP/M 2.2 or MP/M II, \$50.00; 8086 FORTH for CP/M-86 or MS-DOS, \$100.00; PC/FORTH for PC-DOS, CP/M-86, or CCPM, \$100.00: 68000 FORTH for CP/M-68K, \$250.00.

FORTH + Systems are 32 bit implementations that allow creation of programs as large as 1 megabyte. The entire memory address space of the 68000 or 8086/88 is supported directly.

8086 FORTH +for CP/M-86 or MS-DOS \$250.00 68000 FORTH + for CP/M-68K \$400.00

Extension Packages available include: software floating point, cross compilers, INTEL 8087 support, AMD 9511 support, advanced color graphics, custom character sets, symbolic debugger, telecommunications, cross reference utility, B-tree file manager. Write for brochure.





Laboratory Microsystems Incorporated 4147 Beethoven Street, Los Angeles, CA 90066 Phone credit card orders to (213) 306-7412



Business as Usual?

Business as usual these days means a computer that's up and "humming." But if your computer were stolen or damaged, you wouldn't have business as usual.

YOU'D HAVE TROUBLE!

You can get fast replacement for your entire system and be back in business in a hurry by protecting your computer with SAFEWARE Personal Computer Insurance. It's the only coverage designed specifically for personal computers used for business in your office, shop or home.


SAFEWARE protects ALL hardware, ALL purchased software and ALL media against theft, damage or any other kind of loss, regardless of use, after a low \$50 deductible

(Not without your computer it wouldn't be.) Fast, courteous claims handling prevents your losing valuable business computing time.

Find the premium price for the coverage you need listed in the table below, available for as low as \$35 per year. Fill in the coupon today. Your coverage will begin as soon as your coupon application is received. Or for even faster coverage, call our toll free

1-800 848-3469

(In Ohio call 1-614/262-0559) Phones open 8 a.m. to 8 p.m., Monday through Saturday



Total Hardware, Media & Software System Value	Annual Premium
Up to \$ 2,000	\$ 35
\$ 2.001-\$ 5,000	\$ 60
\$ 5,001-\$ 8,000	\$ 75
\$ 8.001-\$11.000	\$ 90

\$11,001-\$14,000 \$105 Call toll-free for rates on higher coverage. Coverage differs in Texas.

It is an underwriting requirement that you insure your system for its full value.

Mail to: SAFEWARE, P.O. Box 02211, Columbus, OH 43202.

Before I'm out of business,

please issue my SAFEWARE Insurance Coverage.

System value \$__ □Check Enclosed □VISA □Master and Card #.

BYT



Photo 3: A photo of the display screen showing the pop-up menu.

button. (Mockingbird automatically selects the inserted note or rest for the user's convenience. Thus, the user may immediately issue commands that affect the note.)

The Synthesizer

The synthesizer is both an input and an output device. As an output device it can be used to listen to music stored by Mockingbird. This is especially helpful in proofreading scores. Mockingbird "reads" the score and plays it by simulating key strokes on the synthesizer. As the synthesizer plays the notes, a pointer tracks the performance on the displayed score. Mockingbird's rendition handles polyphonic music correctly, taking into account such things as grace notes, n-tuplets, trills, ottava, and metronome markings. Thus, the composer may listen to what he has written. Although the performance sounds a little mechanical, it is sufficient for catching erroneous note values and pitches. Moreover, the music can be played at double speed for rapid scanning or half speed for careful listening.

As an input device, the synthesizer is used to capture music played by the composer. As the user plays, Mockingbird "watches" the keys and records when every note was struck. Music in this form is displayed as a note-head time plot, which we call a "piano roll," illustrated in figure 2a. Mockingbird chooses default staffing and spelling. Figure 2h shows the final score for this same section of

When playing music, the composer isn't restricted to a single melodic line, nor must he follow a metronome; he may play whatever he wants as freely as he wishes. Mockingbird captures his idea in a rough form that, although a far cry from a standard score, nonetheless contains enough information to reconstruct his original intent. At this point, the composer may go on to capture more music or start transforming the piano roll into a score by editing it.

Raw piano-roll material can be mixed in freely with standard music notation, both on a measure-bymeasure basis and within a single measure, as shown in figure 2c. All of the commands that apply to standard music notation can also be applied to the piano roll or to mixed sections. Thus, the composer can rearrange material, put notes into different voices, specify the durations of the notes, and add structural elements such as beams and chords. The ability to mix piano-roll and standard music notation gives the user a lot of freedom; he can work on the score in whatever order pleases him. Mockingbird even plays correctly across the boundaries of mixed sections of piano roll and standard music notation.

Another feature of Mockingbird is that it is possible to "play against" previously entered material. While Mockingbird plays, the user can play 'along with it on the synthesizer. The combined product is heard as Mockingbird records the new notes, simultaneously merging them with what it is playing. This allows the composer to build a piece one voice at a time or to lay in new material over an existing score. It also allows him to construct music that cannot be played by one person on a standard instrument.

Converting Piano Rolls

Figure 2a shows some source material recorded by Mockingbird directly from the synthesizer. Such raw piano rolls are hard for humans to read; there are no key or time signatures, no measures, chords, or beams to group things, nor have the notes been separated into voices. Because part of the composition process includes specifying such syntactic structuring, it was necessary for Mockingbird to go beyond piano-roll notation. The process of converting from piano-roll to standard music notation is not handled automatically, but rather involves the user. However, Mockingbird does provide a number of heuristics that assist in the transformation.

Figure 2 shows a typical succession of steps for turning some piano-roll input into a final section of score. At any point, the composer can use the mouse and menu to add material, because Mockingbird allows pianoroll and standard music notation to coexist.

The first step in converting piano rolls is alignment. To remove the inevitable imprecision in playing notes



Figure 2a: The piano roll input directly from the synthesizer keyboard.



Figure 2b: The piano roll after alignment.



Figure 2c: The piano roll with key and time signatures, voicing, measure lines, some time values, beams, etc., added by the user.



Figure 2d: The results of timing and beaming heuristics.




Figure 2e: The piano roll justified with too low density.



Figure 2f: The piano roll with a more suitable density.




Figure 2g: The piano roll after correction by the user.




Figure 2h: The piano roll after final "hand" touch-up by the user.

that should be simultaneous, the user can apply a heuristic that runs through the piano roll and aligns the notes that occur close to the same time. Figure 2b shows the results of that step.

Typically, the user provides key and time signatures in the next step, then he might enter measure lines. He can do this by picking up a measure-line icon from the pop-up menu and depositing copies at suitable places into the piano roll. Alternatively, the user can tell Mockingbird to play the piano roll back on the synthesizer, and as it does so, he can "beat in" measure lines simply by striking the keyboard's space bar on the first beat of each measure. Errors can easily be corrected by moving, deleting, or inserting measure lines as appropriate.

Next, the user would normally assign notes to different voices. An individual note is assigned to a voice when the user selects the note and then indicates to which voice it belongs. More typically, collections of notes are simultaneously voiced by selecting them together and then issuing a single voicing command.

At this point, the user can go through the score, manually assigning time values to the notes and designating chords and beams. Figure 2c shows this process partially completed. However, Mockingbird has a number of heuristics to help with these tasks. After the user assigns notes to their proper voices and gives a time signature, he may ask Mockingbird to guess the time values of the notes, group them into chords, and assign beams. Although the heuristics used are only about 80 percent accurate, they save the user a lot of work. In addition, what remains is easier for the user to deal with, because it is in a more familiar form. Figure 2d shows the result of the heuristics. Mistakes made by the heuristics can be found by inspecting the score or listening to it through the synthesizer. The user then fixes the mistakes and adds more structure. Figure 2g shows the resulting score. The combination of simple heuristics and easy editing is as central to the



Figure 3a: Two voices improperly aligned.

Figure 3b: The same two voices after correction by the justifier.

concept of Mockingbird as an amanuensis.

By the time these steps are completed, the piano roll has become a score containing all the basic information. The only thing that remains to be done is some tidying up.

Justification

A particularly powerful command is the one that justifies a sequence of measures within the score. (The user selects some area of the score, and the justifier locates the nearest measure lines.) Justification involves several things: making the voices consistent relative to one another, laying out the graphical elements of the score in an aesthetic arrangement, and making sure that each line of the score contains complete measures. Justification is concerned only with the horizontal placement of objects; details such as the height and tilt of the beams are outside of its domain. Furthermore, it doesn't disturb structural elements such as stem directions and staffing.

The justifier starts by going through each measure and making sure that all of the voices are consistently ordered relative to one another. Two voices are inconsistent if each adds up to the time signature, but when taken together, allowing for alignments and spacing, they appear to add up to more than the time signature. Figure 3a shows an example of such a situation. The justifier moves notes around to correct matters, as shown in figure 3b.

Next, the justifier redetermines the horizontal placement of the graphical elements of the score. The horizontal spacing is based on the types of elements (measure line, note, clef sign, accidental, etc.), the voicing, and the need to keep things from overlapping. The user can also give a parameter that determines how "dense" the justification should be. The justifier then squeezes things together as close as possible based on these constraints.

Finally, the justifier stretches out the spacing in the material to make an integral number of measures fit on each line. The user can justify various sections of a piece with different densities as appropriate (see figures 2e and 2f).

If at any point the user is dissatisfied with the results of justification, he can manually move items around in the score to improve the appearance. However, the justifier produces a surprisingly good layout, so that usually the only things left for the user to do are adjustments that en-



Now get high resolution touch screen capabilities for your Appleolle or Appleoll + with CTA's Soft-Touch™ bezel and interface. It attaches easily to any Apple® Monitor III and comes with all the hardware and software you need to install and operate it.

Use CTA's Soft-Touch™ as a training device or to replace joysticks or keyboard game commands. Use it for spreadsheet programs, too.

Ask your Apple® dealer for CTA's Soft-Touch™ — and put the touch on your Apple®!

Now Available! "SOFT-TOUCH"TM for IBM-PC

Computer Technology Associates

New Products Division 1704 Moon, N.E. Albuquerque, New Mexico (505) 298-0942

Apple® is a registered trademark of Apple® Computer, Inc. Soft-Touch is a trademark of Computer Technology Associates

In Less Than 3 Minutes


Your IBM Model 50, 60, 65, 75, or 85 **Electronic Typewriter** can be an RS232C PRINTER or TERMINAL



CALIFORNIA MICRO COMPUTER Models 5060 and 5061 can be installed easily and require NO modifications to the typewriter.

For additional information contact:

CALIFORNIA MICRO COMPUTER 17791 Jamestown Lane Huntington Beach, CA 92647 (714) 848-3947



KING OF THE **S-100** JUNGLE

You'll reign supreme when your S-100 system is equipped with Macrotech's high performance products. Our full megabyte high speed dynamic RAM and 16 channel intelligent DMA I/O boards provide the edge you need in today's competitive jungle.

Our one slot MAX dynamic RAM is field expandable from 256K to one megabyte. You get far more than just the low price per kilobyte of \$2.39. You get:

- IEEE 696 full parity detection Virtual disk support in all popular Digital Research operating systems • High Speed Z80, 8085-6 MHZ; 8086, 8088, 68,000—8 MHZ No Wait States
- On-board refresh 16-24 bit Memory Mapped Addressing option
- DMA fully supported in strict compliance with IEEE 696

Our ADIT 16-channel serial I/O board is no pussycat either. An on-board 6 MHZ Z80B provides intelligence for a large array of commands. Plus important things like:

- Resident virtual disk interface Memory to memory DMA
- 24-bit DMA addressing Field expandable from 4 to 16 channels Full compliance with IEEE 696

Macrotech makes every slot in your computer really count! To get the rest of our story on the ADIT or the MAX, write or call us. In the S-100 jungle Macrotech products can be your key to success.



MACROTECH INTERNATIONAL CORP.

9551 Irondale Ave., Chatsworth, CA 91311, (213) 700-1501

Dealer/Distributors: Priority Dne Electronics (800) 423-5922, (213) 709-5111 Soft Machines (217) 351-7199; In England: Fulcrum (Europe) (0621) 828-763

hance readability (such as grouping and tilting beams, adding clef switches, etc.). In fact, given the power of the justifier, one common style of use is to enter music one voice at a time, not worrying at all about the spacing between notes. Each time a line of material has been entered, the user justifies that and then goes on to the next line. The justifier takes care of aligning the voices properly and producing a suitable layout.

The justifier is also helpful in deter-

mining page layout and page breaks. The user can indicate that specific measures are to fall at the end of a line. The justifier takes this into account when deciding how many measures to put on a line. With this feature, the user can control how many pages the score will fill and can assure that the end of the score falls at the end of a page.

Data Structures

Our first design was a hierarchical data structure that closely matched

the formal structure we saw in music. But we ran into numerous problems with it because it didn't match the needs of an editor. After much discussion, we settled on a sequential data structure. This surprised us, because in the beginning we had thought that the hierarchical design was the obvious choice. However, experience has convinced us that the sequential design is vastly superior.

There are three considerations in designing a data structure: representational power, programming convenience, and performance. Representational power concerns how much of the domain is covered by the data structure and how easy it is to represent different aspects of the domain in the structure. Programming convenience concerns how easy it is to write algorithms that deal with the data structure. This depends a great deal on what the algorithms do. In Mockingbird we are mostly concerned with playing, editing, and displaying the score (as opposed to structural analysis or automatic composition). Performance concerns how rapidly the data may be accessed. Even if a data structure is convenient, it may not be efficient. Sometimes there is a trade-off between structural complexity, memory utilization, and speed. In Mockingbird, memory was plentiful and speed was critical; for an editor to be useful, the display must respond crisply to user actions.

There are many possible hierarchical data structures that might be used to represent music. We use the term loosely to describe a class of data structures that implicitly incorporate musical structure in the design. Thus you might imagine a data structure that had a separate part for each measure or for each voice. A "sequential" data structure, on the other hand, is simply a sequence of undifferentiated entities. No attempt is made to incorporate musical structure into the design. Instead, it is up to the algorithms to determine the structure from the entities.

On the surface, the hierarchical design seems better. If the musical structure is built into the data structure, then you can guarantee a uniform interpretation over all of the

The MICROWRITER** Daisy Wheel Printer.



Price \$480

Features:

 Microwriter parallel interface mounted internally in the Olivetti Praxis machine
 Built in self test Portable...comes with deluxe carry case
 Low noise level
 Slim modern styling
 Print quality is identical to the finest office typewriters on the market • Can tab • Rule single lines both vertically and horizontally • Underline • Print at 10, 12, or 15 characters per inch (switch selectable) • Ten character memory automatic error correction, with lift-off carbon film correction ribbon (for typewriter use) ● Automatic or programmable page formats ● Handles letter, legal size sheet and fanfold paper in widths up to 12 inches wide ● 165 character/12 inch print width ● Wide selection of 21 interchangeable daisy print wheels available ● Ribbon cassettes just drop in ● Switch selectable European keyboard ● Centronics compatible parallel cables are currently available from stock With the Microwriter you will never again have to send an important letter or a simple correspondence that doesn't look impressive. Why settle for just any printer when you can have a MICROWRITER ... a fine letter quality typewriter for you and your computer. For more information, see your local computer dealer or contact Ammicro directly.





(212) 254-3030



Professional Software for the **Software Professional**

DMA products operate on the full range of Z80, 8086, 8088 processors, including the IBM-PC

Here's what you can do!

Application Creation

FORMULA II™

The Application Creator

The first and only Application Creator—a do-it-yourself concept for office automation. FORMULA II lets you define your files, forms, menus, and reports—FORMULA I then creates your program. FORMULA II includes a Database manager with an English Query language and

Communications ASCOM™

ASCOM™ is the most versatile asynchronous communication package for microcomputers on the market. It features interactive, menu-driven, and batch operations; supports auto-answer and auto-dial modems; includes most popular protocols; provides network simulation; and many other options. Xerox Corporation, NCR, Monroe Systems for Business, and the big 8 accounting firms use ASCOM™.

SYNC/COMTM-A

and includes a flexible interface to the operating system. 2780/3780/3270 protocols available on microcomputers with appropriate hardware.

TERMCOM™—A configurable terminal emulator allowing any personal computer to emulate most conversational and selected block mode terminals with asynchronous communications. Available December 1983

Utilities

EM80/86TM

This software emulator lets you use eight bit software on sixteen bit microcomputers without hardware modifications

The 8086 O.S. Converter™

CP to MS—Permits execution of Digital Research's CP/M-86 programs under Microsoft's MSDOS (or PCDOS).

MS to CP-Permits execution of MSDOS programs under CP/M-86.

UT-86™

This package of user-friendly utilities for the IBM Personal Computer and similar systems includes copying, directory sorting, patching, and a general purpose file orint utility.

Coming Soon

DMA."C"TM—A "C" language compiler which will generate either Z80 or 8086 assembly language code. Due o a unique optimization routine which is based upon a unctional "P-code" model, the efficiency of DMA."C will far exceed that of existing compilers.



WE SPEAK YOUR LANGUAGE WE SPEAK YO

DYNAMIC MICROPROCESSOR ASSOCIATES, INC. 545 FIFTH AVENUE, NY, NY 10017 Dealer Inquiries only • (212) 687-7115 algorithms. Not only that, but algorithms won't have to derive the builtin information.

Unfortunately, basing the data structure on the musical structure was too constraining. We wanted a uniform representation for both common music notation and piano rolls so that the user could mix both types of music freely. Although it might be possible to keep a separate data structure for piano rolls, it would make the algorithms for editing, displaying, playing, and justifying much more difficult. All of these algorithms need to know what things are near one another. A simple example is redisplaying the score after a small edit has been made. For efficiency, we would like to redisplay as little of the score as possible. But that requires knowing what objects are near the entity that was edited. In the hierarchical design, an entity that is close physically may be logically far away. It might be in another measure, voice, or chord, or on a different staff. Enumerating all of the possibilities is inconvenient and time-consuming.

In addition to all this, there is the problem of exceptions. Many of the rules of notation that are presumably inviolable turn out to be violated when the composer finds the notation too constraining. A design that has fixed rules about the structure of music built into it won't be able to handle such exceptions. Even if the exceptions were ruled out, you would still have problems with the inconsistent structures that arise temporarily during editing. We wanted our design to be tolerant of such exceptions and inconsistencies.

A sequential design doesn't have these problems. It allows piano rolls to be mixed with standard music notation because both are represented as ordered sequences. Finding things that are nearby is easy, because things that are near one another on the screen are near one another in the data structure. And finally, because the data structure is so unstructured, it is flexible enough to handle a wide range of exceptions.

Mockingbird's "sequential" data structure is simply a sequence of events ordered by time. An event might be a measure line, a collection of notes, a time signature, a clef change, or a change in the number of staves per line. The events that contain notes are called "syncs" because they synchronize all of the notes in the event. (That is, all of the notes in the sync are played or displayed together.) The notes may belong to different voices or chords, but they all have the same "time." The editor automatically synchronizes notes that are very close to simultaneous whenever notes are entered or moved. Occasionally this will introduce an error, which can be fixed by the user.

Syncs are important because they keep simultaneous notes together while the score is being edited. Usually, if the composer plays several notes at the same time, he wants them to stay together unless he explicitly says otherwise. Inserting a note before a sync shouldn't break up the sync, even if one of the notes in the sync belongs to the same voice as the inserted note. If any of the notes

1982

\$3.70

\$3.70

\$3.70

\$3,70

\$3.70

\$3.70

1983

\$4.25

\$4.25

\$4.25

\$4.25

\$4.25 \$4.25

back issues for sale

										1977	1978	1979	1980	1981	Ī
Jan.					\$3.25		\$3.70	July	\$ 2.C	\$2.00	\$2.75	\$2.75	\$3.25	\$3.25	Ī
Feb.		\$2.75	\$2.75	53.∠	\$3.25	\$3.70	\$3.70	Aug.		\$2.00	\$2.75	\$2.75		\$3.25	[
March		\$2.75	\$2.75	\$3.2	\$3.25	\$3.70	\$3.70	Sept.		\$2.75	\$2.75	\$2.75	\$3.25		
April		\$2.75	\$2.75	\$3.2	\$3.25	\$3.70	\$3.70	Oct.			\$2.75	\$2.75	\$3.25	\$3.25	
May	\$2.00	\$2.75	\$2.75	\$3.2	\$3.25	\$3.70	\$3.70	Nov.				\$3.25		\$3.25	
June	\$2.00	\$2.75	\$2.75	\$3.2	\$3.25	\$3.70	\$3.70	Dec.		\$2.75	\$2.75	\$3.25	\$3.25	\$3.25	-

Circle and send requests with payment to: **BYTE Back Issues** P.O. Box 328 Hancock, NH 03449

Please allow 4 weeks for domestic delivery and 8 weeks for foreign delivery.

name _____ address ______ city.

____ zip _

The above prices include postage in the US. Please add \$.50 per copy for Canada and Mexico; and \$2.00 per copy to foreign countries.

☐ Check enclosed

Signature _

Payments from foreign countries must be made in US funds payable at a US bank.

□ VISA	☐ Master Card
ard #	Exp

in a sync move, they should all move. (The justifier sometimes violates this rule, but only when it is obvious that the notes have been incorrectly synchronized.)

There are three ways of measuring the "time" of an event: as seconds from the start of play, as beats from the start of the score, and as inches from the first measure line. Although these notions of time are very different, they coexist nicely because the order of one is usually the order of the other. Thus, if note A is displayed to the left of note B, it is most likely played before note B. In general, we can use the order of the notes as they appear on the display to determine the order in which they should be played. There are a few exceptions that must be handled properly-embellishments such as trills and grace notes are not always played in the order in which they are displayed. Conversely, notes that are logically simultaneous may be separated slightly on the display in the interest of visual clarity.

Beams and chords are ancillary to the main data structure, because they act as horizontal and vertical parentheses grouping notes together; they are visual aids for the human performer and aren't otherwise crucial to the score. Removing all of the beams and chords from a score would affect its readability but not its playing. In Mockingbird, each beam and chord knows what notes belong to it, and each note knows what beam and chord it belongs to. In addition, chords have a stem direction and beams have a tilt and vertical position.

The linear data structure we have been discussing treats a score as a single, long sequence of measures, but because music is printed on rectangular sheets of paper, this sequence must be broken up into a succession of lines. Rather than complicate the main data structure, we use a separate data structure to map between the one-dimensional score and the two-dimensional sheet of paper. This sheet data structure keeps track of how long each line is, how many lines fit on each page, how much of the line must be de-

voted to a key signature, and which section of the score goes on which line. Only the displayer and the justifier need to make use of this representation of the sheet; all of the other algorithms manipulate the sequential data structure directly.

Automatic Recognition


We decided not to try to write a program that would attempt to deduce the score automatically from piano-roll input because we thought that job exceedingly difficult. Why? It has been done for some simple pieces; can it not be done more generally? We believe that the relevant question is: can it be done for polyphonic piano music where the voicing is not known in advance?

To produce a proper score you must, among other things, determine the time value of all notes. Although we traditionally think of "holding a note," say, for a quarter, we don't mean literally holding the key down. What is meant is that the next note (or rest) in that voice is to commence

one quarter after the beginning of the note in question. Time values thus measure intervals rather than durations. (Although often the two are almost the same, in staccato playing it is not at all the case.) So, before you can assign time values to notes, you must first understand how the music is separated into its component voices. Voicing is partly dependent on thematic and harmonic relationships within the piece, but it may also be used by a composer simply to indicate how he wishes the music to be parsed by the reader, for emphasis or for division between the hands. Sometimes a single note may participate in two different voices, possibly even with two different time values. Rests and ties further complicate the problem, as they are elements that appear in the score to help complete rhythmic structuring, but they are absent from the actual playing.

The assignment of notes to staves forms a further structuring element in piano music. This assignment is a

dBEST.



Doctors and lawyers, accountants and salespeople, stockbrokers and students, big business and small—over 150,000 users around the world are all managing their data better with dBASE II.

Books have already been written about it. Hundreds of independent businesses are based on it. And other microcomputer programs measure themselves against dBASE II.



For the name of your nearest dBASE II dealer, contact Ashton-Tate, 10150 West Jefferson Boulevard, Culver City, CA 90230. (800) 437-4329 ext. 212. In Colorado, (303) 799-4900. In the U.K., (0908) 568866.


ASHTON ·TATE ■™

©Ashton-Tate 1983.
dBASE II is a registered trademark of Ashton-Tate.
dBASE II has a suggested retail price of \$700.





What will counteract NDC 74-0054-60?



Gary: The pedigrees for next week's auction are as follows...



Sold 1000 shares at 33 for net profit of 6000. Richard.

Wouldn't it be great if you could use your IBM®PC to tap into vast resource libraries across the country? To transfer files to your partner, upstate? Or from your broker, down the street?

It's possible. All you need is a modem, to connect your computer to others. Down the hall. Or thousands of miles away.

Distriction in the second seco

Hayes Smartmodem. Think of it as your computer's telephone. Hayes Smartmodem 300,™ and the faster Smartmodem 1200,™ allow you to communicate over ordinary phone lines.

But any modem will send and receive data. Smartmodems also

dial, answer and disconnect calls. Automatically. And without going through the telephone receiver, making them far superior to acoustic coupler modems.

Choose your speed; choose your price. The lower-priced Smartmodem 300 is ideal for local data swaps and communicates at 300 bps. For longer distance and larger volumes, Smartmodem 1200 operates at baud rates of 300 or 1200, with a built-in selector that automatically detects transmis sion speeds.

Both work with rotary dials, Touch-Tone® and key-set systems: connect to most timesharing systems; and feature an audio speaker.

Smartmodem 1200B™ is also available as a plug-in board. Developed specifically for the PC, it comes packaged with Hayes' own communications software, Smartcom II™

Smartcom II. We spent a lot of time developing it, so you can spend less time using it. Smartcom II prompts you in the simple steps required to create, send, receive, display, list, name and re-name files. It even receives data completely unattended—especially helpful when you're sending work from home to the office, or vice versa

If you need it, there's always "help." This feature explains prompts, mes sages, etc. to make communicating extra easy.

With Smartcom II, it is. Case in point: Before you communicate with another system, you need to "set up" your computer to match the way the remote system transmits data. With Smartcom II, you do this only once. After that, parameters for 25 different remote systems are stored in a directory on Smartcom II.

Calling or answering a system listed in the directory requires just a few

quick keystroke

Hayes You can store lengthy log-on sequences the same way. Press

one key, and Smartcom II automatically connects you to a utility or information service.

Smartmodem 300. 1200 and 1200B are FCC approved in the U.S. and DOC approved in Canada. All require an IBM PC with minimum 96K bytes of memory; IBM DOS 1.10 or 1.00: one disk drive; and 80-column display.

Smartmodem I200B. (Includes telephone cable. No serial card or separate power source is needed.)



Smartcom II communications software.

NOTE: Smartmodem 1200B may also be installed in the IBM Personal Computer XT or the Expansion Unit. In those units. another board installed in the slot to the immediate right of the Smartmodem 1200B may not clear the modem: also, the brackets may not fit properly. If this occurs, the slot to the right of the modem should be left empty.

And, in addition to the IBM PC, Smartcom II is also available for the DEC Rainbow™ 100, Xerox 820-II,™ and Kaypro II™ personal computers.

Backed by the experience and reputation of Hayes. A solid leader in the microcomputer industry, Hayes provides excellent documentation for all products. A limited two-year warranty on all hardware. And full support from us to your dealer.

So see him today. Break out of isolation. Get a telephone for your personal computer. From Hayes.

Hayes Microcomputer Products, Inc., 5923 Peachtree Industrial Blvd., Norcross, GA 30092. 404/441-1617.

Smartmodem 300, Smartmodem 1200, Smartmodem 1200B and Smartcom II are trademarks of Hayes Microcomputer Products. Inc. IBM is a registered trademark of International Business Machines. Corp. Touch-Tone is a registered service mark of American Telephone and Telegraph. Rainbow is a trademark of Digital Equipment Corporation. Xerox 820-II is a trademark of Xerox Corporation. Kaypro II is a registered trademark of Non-Linear Systems. Inc.

©1983 Hayes Microcomputer Products. Inc.

Circle 181 on inquiry card.

complex function of voicing, fingering, division between hands, and aesthetic judgment. There are many other problems: identifying complex n-tuplets, distinguishing grace notes, determining rhythm and detecting rhythmic changes, identifying measure lines, determining how many staves to use, how to combine notes into beams, when to switch clefs or use ottava, and, in short, determining all of the complex structural-notational devices that composers use to render their music readable.

Conclusion

Our intention in presenting this material is to encourage others to pursue similar endeavors. Music editing is already being done on home computers and, while it will be some years before machines as powerful as a Dorado are found in every living room, useful tools will become feasible soon—even on home machines of modest cost. It would seem that a display of reasonable resolution and a mouse (or some similarly convenient pointing device) are prerequisites. But if you avoid the temptation to make "pretty" scores and stick to providing a simple "cut and paste" editor of piano-roll material, then a reasonable composing tool should soon become practical. The problem of storage and retrieval of snatches of material and full pieces would have to be addressed, but this seems tractable.■

References

- Geschke, C. M., J. H. Morris, and E. H. Satterthwaite. "Early Experience with Mesa." Report CSL-76-6. Palo Alto, CA: Xerox PARC, October 1976.
- Mitchell, J. G., W. Maybury, and R. E. Sweet. "Mesa Language Manual," version 5.0. Report CSL-79-3. Palo Alto, CA: Xerox PARC, April 1979.
- Lampson, B. W., K. P. Pier, S. M. Ornstein, and G. McDaniel. "The Dorado: A High-Performance Personal Computer" (three papers). Report CSL-81-1. Palo Alto, CA: Xerox PARC, January 1981
- Metcalfe, R. M., D. R. Boggs, R. C. Crane, E. A. Taft, J. F. Shoch, and J. A. Hupp. "The Ethernet Local Network" (three papers). Report CSL-80-2. Palo Alto, CA: Xerox PARC, February 1980.

 Warnock, J. and D. Wyatt. "A Device-Independent Graphics Imaging Model For Use With Raster Devices." *Computer Graphics*. July 1982, pages 313-320. (Siggraph 1982).

Glossary

accidental - the prefix sign indicating a note that is foreign to the current key

beam - a bar (or bars) joining the stems of a set of notes that together form a rhythmic unit; the number of bars also indicates the time values of the notes so joined

chord - a group of notes played simultaneously clef - (e.g., treble or bass) a sign placed at the beginning of a musical staff to determine the positions of the notes

fermata - a sign indicating that a note should be held past its normal value

grace note - a quick, light note attached to another note

metronome - a machine that clicks at a steady beat and can be adjusted to desired speed mordent - a single rapid alteration of a principal note with an auxiliary a half-step below n-tuplets - n notes, played in one beat

ottava - a notation for designating a section of music to be played an octave above or below where it is written

rest - a sign indicating silence of the same duration as the note for which it stands

staccato - indicates a note played crisply, in a detached manner

time signature - numbers at left of staff that indicate the number of beats to a measure and the note value of each beat

trill - an ornament produced by the rapid alterations of two notes, a half-tone or a tone apart

Acknowledgments

Mockingbird was made possible by a fortuitous convergence of people, interests, and facilities. The environment at Xerox PARC in general, and within the Computer Science Laboratory (CSL) in particular, provided a hospitable environment for this work. The existence of, and access to, a Dorado was absolutely essential. Robert W. Taylor, director of CSL, provided us with this and all other necessary facilities and support. Will Crowther worked closely with us on the initial design and helped us get started. John Warnock and Doug Wyatt provided us with the Cedar Graphics software package that Mockingbird uses. Gene McDaniel wrote special Dorado microcode for handling the synthesizer, and Mike Overton built the hardware interface. Last, and most gratifying of all, has been the enthusiastic support that we received from our colleagues, whose vicarious pleasure in seeing Mockingbird come to life cheered us along the

John Turner Maxwell III and Severo M. Ornstein can be reached at the Palo Alto Research Center, 3333 Coyote Hill Rd., Palo Alto, CA 94304.



Smart Cable-

The VU68K Single-Board Computer

A 68000-based system for only \$200

by Edward M. Carter and A. B. Bonds

As more and more 16-bit microprocessors appear on the market, the question of which one to base a development or hobbyist system on becomes more difficult. Ideally, most hobbyists and students would base their decision on thorough hands-on experience, but getting hold of inexpensive trainers is almost impossible. There is relief, however—the VU68K, a complete 68000-based single-board computer that can be constructed for under \$200. The VU68K is not a toy but a powerful dual-ported computing engine that is limited only by its small memory, which can easily be expanded.

Hardware Description

We set out to design a simple and low-cost 16-bit microprocessor system that would offer maximum utility in both tutorial and development applications. Of the 16-bit processors that we examined, our overwhelming choice was the 68000, which offers both simplicity and substantial processing power. This power is evident in its comprehensive instruction set, which supports two processing modes and a powerful interruptprocessing facility (also called exception processing). A secondary,

yet significant, benefit is the 68000's sales leadership. The VU68K system thus provides the user with marketable and timely knowledge. Additional reasons for selecting the 68000 include proven reliability and a commitment on the part of Motorola to maintain compatibility between its new chips and the 68000.

The 68000 uses "words" (the name

for the instructions or data that the microprocessor operates on) of 16 bits or 2 bytes in "width." (Recall that an 8-bit microprocessor uses words of 8 bits in width.) We decided to include 2K words of ROM (read-only memory) with the VU68K for a monitor, and 2K words of RAM (randomaccess read/write memory) for developing and testing user programs. This gives the VU68K a total memory of 4K words in "length" and 16 bits in "width." In addition, we added two RS-232C-compatible serial ports

We were able to include these features at very low cost. The parts list in table 1 shows prices from a major retail supplier of electronics parts. All of the parts are readily available and can be obtained from many sources. The prices shown are from a single

for connection to a modem, a printer,

or what have you.

catalog-a little bargain hunting would probably yield a much less expensive system. Note that the total cost of \$190.22 is for a complete system built from scratch. It includes the costs of resistors, capacitors, wire, circuit board, etc. The cost of upgrading from an 8-bit computer to a VU68K configuration will be much less, assuming that the memories, circuit board, crystals, etc., from the old system can be retained.

Photo 1 and the schematic in figure 1 show how simple our design is. Only 15 ICs (integrated circuits) are required for the entire VU68K system. The functions of these 15 ICs can be divided into six categories: asynchronous bus operation, synchronous bus operation, interrupt handling, address decoding, communications interface, and miscellaneous support.

Asynchronous Bus Operation

The 68000 (IC2) is designed to communicate asynchronously on the system bus; that is, without a timing signal and with any amount of time between data bytes or words. To indicate when data has been received or sent, the device with which the 68000 is communicating sends an acknowledgment signal to the 68000. This way, the device and the 68000 can operate at different rates and still communicate with each other, because one waits for the other to finish reading or writing. (See the Motorola MC68000 16-Bit Microprocessor User's Manual for the details on 68000 asynchronous bus communication.)

In the VU68K, only the RAM (IC9, IC10) and ROM (IC7, IC8) communicate asynchronously on the data bus. Since the memories don't themselves have an acknowledgment signal, we synthesized one with a synchronous 4-bit counter (IC4) driven by a simple oscillator circuit and 5-MHz crystal. When the address strobe signal, AS, goes low to signal a valid address on the address bus, an initial count of 1100 is loaded into the counter. After four clock ticks, the high-order output bit, connected to the acknowledge pin DTACK (data transfer acknowledge) goes low. The transition signals that the data requested by the processor is available

Text continued on page 411

IC	Part Number	Description	Cost (\$)
1	7400	Quad 2-input NAND Gate	.19
2	68000G8	MPU 16-bit (8 MHz)	69.95
3	7404	Hex Inverter	.25
4	74161	Synchronous 4-bit Counter	.69
5	74154	4-to-16 Decoder	1.25
6	7432	Quad 2-input OR Gate	.29
6 7	2716	16K EPROM 450ns	4.95
8 9	2716	16K EPROM 450ns	4.95
9	6116-P4	Static RAM 200ns 16K CMOS	6.95
10	6116-P4	Static RAM 200ns 16K CMOS	6.95
11	6850	Async. Comm. Int. Adapter	4.9
2	6850	Async. Comm. Int. Adapter	4.9
13	14411	Bit-rate Freq. Generator	11.9
14	1488	Quad Line Driver	.6
15	1489	Quad Line Receiver	.6
_	8800V	Vector Board	24.9
_	7812	12-volt Positive Regulator	.79
_	7912	12-volt Negative Regulator	.89
_	_	5 MHz Crystal	2.95
_	_	1.8432 MHz Crystal	4.9
_	_	Capacitors, Resistors, Wire	4.2
_	_	Pushbutton Switch	1.98
_	_	8-position DIP Switch	1.49
_	_	14-pin Wire-wrap Socket	5 @ .4
_	_	16-pin Wire-wrap Socket	
_	_	24-pin Wire-wrap Socket	2 @ .69 8 @ 1.29
_	_	64-pin Wire-wrap Socket	14.4




Photo 1: The VU68K board.

PRICES AND AVAILABILITY SUBJECT TO CHANGE WITHOUT NOTICE ALL RETURNED MERCHANDISE SUBJECT TO A 20% RESTOCKING FEE. ADD 10% FOR NET TERMS

PRICES GOOD IN U.S. ONLY.

DRICES DEEL ECTED IN TUIS

SECTION ARE LOWER THAN FRANCHISE STORES.

WE TEST EVI

AST RESEARCH		
10 Plus-Parallel &	Serial Po	ort, Clock
Calendar W/Bat.	back-up.	Superdrive.
Superspool		\$ 199.00
		'ort, Clock
		perdrive

<u>Superspool</u> \$499.00 Mega Plus-512K, Parallel & Serial Port, Clock Calendar W/Bat. back-up \$999.00

QUADRAM

Quad Board - 256K, Parallel Port, Serial VO Clock Calendar with battery backup \$599.00 512K Ram with Serial I/O \$799.00 CONOGRAPHIC

HERCULES GRAPHICS CARD

This card gives you 720×350 graphics \$499.00 MAYNARD SANDST :S
Multifunction Cont Multifunction Card \$95.00 Floppy Disk Controller \$225.00 Memory Card \$189.00

MONITORS AMDEK

300A ... \$199.00 1..... \$349.00 II. ... \$699.00 300G ., \$169.00 III \$399.00 310A . . . \$199.00

PRINCETON GI High Res. Color \$499

YSTEMS



LOPPY	DISK	DRIVES

SHUGART	
;A400 SS/SD .	 \$169.00

FANDON \$340 \$399

SIEMENS FDD 100-5 \$159.00

DISK DRIVES or IBM PC

Tandon 100-2 CALL 320KB DS/DD Disk Drive for IBM PC \$199.00 Add On Drive For PC Jr®

PRINTERS

BROTHER	brother	
HR-1 A parallel	***** *- *	\$769.00
HR-1 A serial		\$869.00
DX-15 ,,		

ISTEM BEFOI E WE SHIP IT!



PERSONAL COMPUTER

Special of the Month!

IBM PC°COMPLETE LINE

IBM PC

64K, Two 320KB Disk Drives, Floppy Disk Controller, Video Card and High Res Monitor_____\$2599.00



SPECIAL OF THE MONTH !

TAVA PC

Desk Top IBM PC® Compatible Computer, 128K

RAM, Two 320KB Disk Drives, Floppy Disk Controller, Video Adapter and Monitor, One Parallel Port, Two Serial Ports. System runs DOS 1.1. 2.0, and CP/M86® . \$1995.00

APPRICOT an IBM PC® Compatible Computer W/Two Drives & Monitor W/\$1250 worth of Software-Complete System \$2999.00

LOTUS 1-2-3 SOFTWARE \$459

HARD DISK SYSTEM FOR IBM PC

256K IBM PC, 360KB Disk Drive, FDC, 10 MB Hard Disk w/controller. Cabinet controller & software, Color Card, Monitor \$3999.00

Hard Disk Sub-System for IBM PC By TAVA CORP \$1275.00


PRINTERS

OKIE
82A \$429.00
83A \$699.00
84AP parallel
84AS serial \$1099.00
92A , \$525.00
93A \$899.00

Daisywriter Daisywheel

.. \$1175.00 Printer

SPINWRITER NEC



APPLE IIE	:	1-1	
Computer S	ystem Cor	troller, Two	Disk Drives,
Monitor			\$1699
			_

apple.

ROMAR II Apple compatible Computer W/Z-Card Controller, Two Disk Drives and a Monitor for \$1195.00

OTHER PRODUCTS FOR APPLE

Special of the Month! \$179



TAVA CORP. DATA DRIVE

100% Compatible Disk drive for APPLE II+ and APPLE IIe. Runs DOS, CPM®. Pascal software. SLIMLINE DRIVE \$199.00

HAYES MICROCOMPUTER **PRODUCTS**

Micromodem	300 baud	 \$299.95
Smartmodem	1200 baud	 \$529.95

THE UNIQUE FRANCHISING **CONCEPT WITH THE FOLLOWING FEATURES:**

PRIVATE LABEL PRODUCTS WITH NO ROYALTIES. DISCOUNT PRICES, FULL SERVICE & SUPPORT, COURTESY AND MORE.

Circle 85 on inquiry card.

*APPLE is a registered trademark of John Corporation

*APPLE is a registered trademark of Apple Computers. Inc

*CP/M and CP/M86 are registered trademarks of Digital Research. Inc RANCHISE ÎNQUIRIES WELCOME

PRODUCTS AND PRICES NOT AVAILABLE

ALL ELOPPIES REPAIRED OLIICKLY AT LOW/ COST

CALL FOR STORE LOCATION





Figure 1: The VU68K schematic.







Now the excitement of original reade graphics and sound effects omes home to your computer:

Introducing ATARISOFT.™ A new

ource for computer software.

If you own a Commodore VIC 20
r 64, a Texas Instruments 99/4A, an

r 64, a Texas Instruments 99/4A, an 3M or an Apple II, you can play the riginal arcade hits.

DONKEY KONG by Nintendo, ¡ENTIPEDE™ PAC-MAN, DEFENDER, ¡OBOTRON: 2084, STARGATE and)IG DUG. (On the TI 99/4A you can Iso play Protector II, Shamus, Picnic ¹aranoia and Super Storm.)

So, start playing the original hits n your computer:

Only from ATARISOFT.

lolec games tellin

ATAR ISOFT"

Now your computer fits the arcade hits.

ONKEY KONG, Mario and NINTENDO are trademarks and © intendo 1981, 1983. PAC-MAN and characters are trademarks '8 ally Midway Mfg. Co. sublicensed to Atari, Inc. by Namcomerica, Inc. DEFÉNDER is a trademark of Williams Electronics, c., manufactured under license from Williams Electronics, Inc. DBOTRON: 2084 is a trademark and © of Williams 1982, manufactured under license from Williams 1981, manufactured under license om Williams Electronics, Inc. STARGATE a trademark and © of Williams 1981, manufactured under license om Williams Electronics, Inc. OIG OUG is created and designed / Namco Ltd. manufactured under license by Atari, Inc. Tradearks and © Namco 1982. PROTECTOR II is a trademark of Synase Software Corporation, anufactured under license by Atari, Inc. PICNIC PARANOIA is a ademark of Synapse Software Corporation, manufactured by tari, Inc. SUPER STORM is engineered and designed by Synapse of tware Corporation, manufactured by Atari, Inc. Crouse on the above referenced machines and are not made. Ilcensed or approved by the manufacturers of these machines. COMMODORE 4, VIC 20, TEXAS INSTRUMENTS 99/4A, IBM. APPLE. CDLE-DVISION and INTELLIVISION are respectively trademarks of modore Electronics Limited, Texas Instruments, International siness Machines Comp.. Apple Computer Inc. Coleco Industries, c. and Mattel, Inc. All rights reserved.


Complete this coupon and we'll keep you up to date on the newest hits from ATARISOFT."					
Name	_				
Address	•				
City Stat	e Zip				
Telephone					
PRODUCT DWNEO: (Check	one)				
1 TI-99/4A	5 Commodore Vic 20				
2 IBM PC	6 Intellivision				
3 Commodore 64	7 Apple II				
4 ColecoVision	8				
Mail to: Atari, Inc., P.O. Box 294 So. San Francisco, CA 9					


DISCOVER THE DYSAN DIFFERENCE

2 /) san

Four Reasons
Why The
Dysan
Difference
is Worth
Paving For









100% Surface Tested

Only Dysan provides fully usable diskette surfaces that are truly 100% error-free across the entire face of the diskette. An exclusive on-and-between the track testing procedure guarantees error-free performance regardless of temperature and humidity distortions or slight head misalignments.

Advanced
Burnishing
Techniques

Dysan's advanced polishing methods create a smoother, more uniform diskette surface. This results in better signal quality on each track, less wear on drive heads and reliable access to data after millions of head passes.

3. DYIOTM Lubricant

Dysan's proprietary DY¹⁰ lubricant complements the advanced burnishing process. Both maximize errorfree performance while minimizing headwear. Optimal signal presence is maintained between the head and diskette surface during millions of write/read interfaces.

DY¹⁰ is a trademark of Dysan Corporation

Auto-Load Certification

Dysan's unique quality control methods reflect technological leadership in designing, producing and testing precision magnetic media. Each diskette is unerringly certified by Dysanbuilt, automated and microprocessor controlled certifiers. Your system and data base will benefit from Dysan's diskette reliability and unsurpassed quality.

Select from a complete line of premium 8" and 51/4" diskettes, in single or double densities, certified on one or both sides.



Corporate Headquarters: 5201 Patrick Henry Drive Santa Clara, CA 95050 (800) 551-9000

Text continued from page 404:

on the bus. With a clock speed of 5 MHz, this provides 800 nanoseconds (ns) for the transfer to occur.

Synchronous Bus Operation

In the design of the 68000, Motorola recognized that a large number of 8-bit synchronous peripherals are available and familiar to many people. These devices depend on the timing signals generated by the 6800 family of processors for data communication. To provide compatibility, the 68000 can also generate a synchronous timing signal.

When the \overline{AS} line is asserted (low), the synchronous peripherals must pull the VPA (valid peripheral address) processor pin low to generate the synchronous timing signals VMA (valid memory address) and E (enable). In the VU68K, the only set of devices that uses synchronous transfers is the Asynchronous Communications Interface Adapters or ACIAs (IC11, IC12), which drive the two serial ports (note that the term asynchronous here refers to the RS-232C standard and not the bus protocol). These two ports may be accessed at addresses \$A00000-\$A00002 and \$C00000-\$C00002. (For the remainder of this article, the prefix "\$" will denote a hexadecimal address.) Address line A23 is tied to the processor's VPA pin through an inverter (IC3). When either ACIA is selected, A23 must be high, which pulls VPA low and initiates the synchronous data transfer. After the transfer is complete, the processor automatically resumes asynchronous operation. This scheme limits addresses using A23 to synchronous devices only.

Interrupt Handling

The 68000 has two modes of interrupt processing: normal and alternate. In the normal mode, the processor responds to an interrupt request by placing the level number of the interrupt on bits A1-A3 of the address bus and driving the function code lines FC0-FC2 high. The interrupting device then must place a vector number on the data bus and pull DTACK low to signal the 68000 that the vector number is available. The

Address	Device
\$000000-\$000FFF	ROM
\$001000-\$001FFF \$A00000-\$A00002	RAM Terminal
\$C00000-\$C00002	Serial Port

Table 2: The address map.

68000 uses this vector number to acquire the service-routine address from the vector table in low memory. In the alternate mode, known as auto-vectoring, the processor again places the level number of the interrupt on A1-A3 and drives FC0-FC2 high. Then, instead of placing a vector number on the data bus, the interrupting device pulls the VPA processor pin low. This causes the processor to acquire the service-routine address from the position in the vector table that corresponds to the interrupt level. Therefore, in autovector mode, there are seven interrupt vectors, each of which is associated with one level of interrupt.

The VU68K uses the auto-vector mode for interrupts. When the 68000 responds to an interrupt, all address bus lines except A1-A3 are driven high. Since A23 is connected to VPA through an inverter to support synchronous transfers, the processor is forced into the auto-vector mode for all interrupts.

The VU68K acknowledges only two levels of interrupt: level 1 for keyboard serial-port interrupts and level 2 for communication serial-port interrupts. Interrupts are signaled by lines IPLO and IPL1. IPL2 is always maintained high. This interrupt structure enables the keyboard and communication serial ports to be used simultaneously.

Address Decoding

The VU68K's memory is divided into 2K-word by 16-bit memory blocks, with a total potential of 32K words. The reason for this arrangement is that the VU68K uses only 11 of the 68000's address bits for word selection and another 4 address bits for memory-block selection. The 11 bits select one of 2K words, while the other 4 bits select one of sixteen 2Kword blocks. Since each block contains 2K words, the total memory capacity is 2K by 16 or 32K words.

The word-selection bits, A1-A11, go directly to each of the ROM and RAM ICs. The block-selection bits, A12-A15, go to a 4-to-16 decoder (IC5). The decoder, through the IC6 OR gates, pulls the output enable (OE) lines of the selected 2K-word block low to activate that block. Since the data bus on the 68000 is 16 bits wide and the memory ICs used in the VU68K are each 8 bits wide, we had to use two memory ICs for each 16-bit-wide memory block. One of the memory ICs is assigned to the high-order 8 bits of the data bus, while the other is assigned to the low-order 8 bits.

The VU68K uses the 68000's $\overline{\text{UDS}}$ and LDS lines to control the method by which data is transferred to or from memory. If both lines are low, then data transfers occur in 16-bit words. If only one of the lines is low, then transfers occur one byte at a time. Note that two memory chips are active for a 16-bit transfer, while only one chip is selected for an 8-bit transfer. To select the correct device for a memory transfer, the output of the decoder is combined through an OR gate with the UDS and LDS signal to generate four signals—RAME, RAMO, ROME, ROMO-for selecting the correct memory device. The address map is shown in table 2.

To add memory or other asynchronous devices to the VU68K, all we have to do is select an address in the lower 64K bytes of memory. The high-order 4 bits of this new address cause one pin of the address decoder to be driven low. The output from this pin can then be used with additional decoding logic for selecting the new device. Adding a new asynchronous peripheral is even easier. Just select an address that sets address bit A23 and is not used by any other device. Addresses that set bit A23 are in the range \$800000-\$FFFFF.

Let's assume that we wish to add another 2K-word block. We'll place two 6116 static RAM chips, 2K by 8 bits each, at addresses \$002000-\$002FFF. From the address map in table 2 we can see that these locations are not currently used. The new RAM select line will be pin 3 of the address decoder output. Two additional OR gates will be required to ensure that the device assigned to the upper and lower portion of the bus is addressed only when dictated by the appropriate setting of UDS and LDS. The address map in table 3 represents the new configuration.

If we want to add a new synchronous device, the address extension is even simpler. Let's assume that we wish to add another serial port. The Motorola 6850 we used earlier is a serial port chip that requires three chip selects, two in the high state and one in the low state. If we tie one of these to a high state and then use the other two select lines, we can safely use addresses \$900000-\$900002 for the device's control/status and data registers, respectively. This address avoids conflict with the other two synchronous devices and allows us to drive the device select lines without additional logic. The high select line will be address line A20, and the low select line will be address line A21. Table 4 is an address map that includes the new memory and serial port.

To enhance the interrupt structure so that not all interrupts are handled in the auto-vector mode, make sure that the synchronous mode-select line is still driven high when the terminal and serial ports are addressed. Discrete logic can easily remedy this problem.

Communications Interface

The basis of the VU68K's communication facility is the ACIA. This 8-bit device communicates synchronously on the data bus and asynchronously on the external RS-232C line. Both ACIA devices in the VU68K are initialized by the monitor software to handle full-duplex RS-232C lines with two stop bits and no parity. You can change these characteristics by moving new values to the terminal and serial port control registers at locations \$A00000 and \$C00000, respectively. The values to be loaded there can be determined from the Motorola 6850 data sheet.

Address	Device
\$000000-\$000FFF \$001000-\$001FFF \$002000-\$002FFF \$A00000-\$A00002 \$C00000-\$C00002	ROM RAM New RAM Terminal Serial Port

Table 3: The extended address map.

Address	Device
\$000000-\$000FFF	ROM
\$001000-\$001FFF	RAM
\$002000-\$002FFF	New RAM
\$900000-\$900002	New Serial Port
\$A00000-\$A00002	Terminal
\$C000000-\$C000002	Serial Port

Table 4: The extended address map with a serial port added.

Vector Address	Interrupt
\$1000 \$1004 \$1008 \$1000 \$1010 \$1014 \$1018 \$1010 \$1020 \$1024 \$1028 \$1020 \$1030 \$1034 \$1038	User Trap-vector B User Trap-vector C User Trap-vector D User Trap-vector E User Interrupt-vector 1 User Interrupt-vector 2 User Interrupt-vector 3 User Interrupt-vector 4 User Interrupt-vector 5 Auto-vector Level 3 Auto-vector Level 5 Auto-vector Level 6 Auto-vector Level 7

Table 5: User interrupt-vectors.

We added two line conditioners after the ACIAs to provide RS-232C logic levels to the external lines. We used 1488 and 1489 quad line-drivers/ receivers (IC14, IC15) for this purpose. A 14411 bit-rate frequency generator (IC13) and a 1.8432-MHz crystal tell the ACIAs at what data rate they may transmit and receive on the RS-232C lines. Data rates are switch selectable through a dual inline package (DIP) switch and may be selected independently for either the terminal or communication serial port. The allowable data rates are 300, 1200, 2400, and 9600 bps. You can use other data rates by connecting the DIP switch to the proper pins on the 14411. All interrupts generated by the

terminal or communication serial port are handled by the interruptservice routines in the monitor, which we will describe later.

Miscellaneous Support

The only devices we haven't yet covered are the reset and clock circuits. The reset circuit is simply a debounced switch that pulls both the RESET and HALT pins of the processor low. These pins must be held low for at least 100 milliseconds for the reset operation to function correctly. In the VU68K, we used a push-on/push-off switch to do this. You can use a conventional momentary contact switch if you ensure that the switch is off for at least 100 milliseconds.

The clock circuit is an oscillator circuit driven by a 5-MHz crystal. The resulting signal, CLK, drives both the processor clock and the counter used in asynchronous accesses.

A Monitor Program

To support the hardware of the VU68K, we developed a comprehensive monitor program called VUBUG. VUBUG provides a set of program-development support services that includes I/O (input/output) buffering, program-development commands, trap handlers, and errorhandling utilities.

VUBUG provides buffered I/O for both the terminal and communication serial port. Separate interrupthandling routines for these devices located at level 1 and level 2 of the interrupt structure, respectively, provide a complete set of facilities for implementing concurrent buffered I/O. When a port generates an interrupt, VUBUG causes the processor to read the port and place the data in a buffer that can store 16 bytes. A trap instruction, which we will discuss later, retrieves the data. Interrupts from the terminal keyboard cause the character read to be echoed immediately as well as buffered.

The VUBUG interrupt structure includes five auto-vectors, the first five user interrupt-vectors, and five user trap-vectors, which are loaded by the monitor to point to the locations shown in table 5. At each of these





The personal, portable daisywheel printer.

Only \$599.

For the first time, your letter-quality printer can be used almost anywhere! Bring the new Transtar 120 with you to work, to school, and home again! Conveniently weighing in at less than 19 pounds, it generates unrivaled print quality and is the size of a standard briefcase. The new 120 is so light, so small, that you can take it with you!

Remarkably, the new \$599 Transtar 120 is "plug and go" compatible with the best-selling word processing programs. Just plug the 120 into your personal computer and watch this precision printer purr along at 14 cps Shannon text speed producing superscript, subscript, underlining and a true boldface. Even using letterhead is now a breeze with the 120's automatic single sheet loading!

Don't worry about durability: it's a tough little machine. It joins the highly reliable family of Transtar printers with a failure rate that's the envy of the industry: less than 1%. Should your 120 ever need repair, a nation-wide network of authorized service centers stands ready for speedy repair on your sixmonth end-user warranty.

Just think of it: everything you want in a letter-quality printer...anywhere you want it. Only \$599.

Transtar

P.O. Box C-96975, Bellevue, Washington 98009

Circle 363 on inquiry card.

locations, you may assemble a branch instruction to an exception handler that you provide. The 4 bytes set aside for each vector allows for a branch with a 16-bit displacement. Be careful to terminate these exception handlers with an RTE instruction to ensure proper return from the exception handler.

VUBUG supports a set of com-

mands that we've selected to support the goal of simplicity. Table 6 summarizes the available commands and subcommands. Perhaps the most powerful command for program development is a combination of the Trace (t+) and Breakpoint (b+) commands. Trace is an instruction-byinstruction trace of the value of the user program counter; it shows the

Command	Action
m <cr></cr>	Start memory mode
m xxxx	Start memory mode at xxxx
.xxxx	Set pointer to xxxx
= xx	Store value xx at address in pointer
,xx	Increment pointer and store xx
+	Increment pointer and display value
-	Decrement pointer and display value
<cr></cr>	Start program load
I xxxx	Start program load and offset each block by xxxx bytes
d <cr></cr>	Display the next 80 bytes from memory pointer
d xxxx <cr></cr>	Display 80 bytes starting at address xxxx
d xxxx,yyyy	Display all data between locations xxxx and yyyy inclusive
t+	Start trace
t –	Stop trace
S+	Start single step
s –	Stop single step
е	Start terminal emulator mode
g xxxx	Start program at address xxxx
g <cr></cr>	Start user program from address in user PC
<cr></cr>	Same as g <cr></cr>
b+xxxx	Insert a breakpoint at address xxxx
b – xxxx	Remove a breakpoint at address xxxx
b <cr></cr>	Show all breakpoints
b#	Remove all breakpoints
L <cl></cl>	Start register mode
r xx	Start register mode at register xx where xx is:
1 ^^	SR/sr status register
	PC/pc program counter
	D0/d0 -D7/d7 data registers
	A0/a0 - A7/a7 address registers
.XX	Set register pointer to register xx
= XXXXXXXX	Store value in register at pointer for SR value is xxxx
<cr></cr>	Print values in all registers
рх уууу	Associate with px the program starting at address yyyy; where x is
Dv AAAA	1, 2, or 3
px <cr></cr>	Execute command px where x is 1, 2, or 3
c xxxx = yyyy,zzzz	Copy from location yyyy through location zzzz to locations starting at xxxx and increasing

Function	Place Argument in Register	Return Argument is Placed in Register
Exit	None	None
Get byte	None	D0
Get word	None	D0
Get long	None	D0
Write byte	DO	None
Write word	D0	None
Write long	D0	None
Get character	None	D0
Write string	AO	None
Write character	D0	None
Write cr-lf	None	None
	Exit Get byte Get word Get long Write byte Write word Write long Get character Write string Write character	Function in Register Exit None Get byte None Get word None Get long None Write byte D0 Write word D0 Write long D0 Get character None Write string A0 Write character D0

ERG/68000 **MINI-SYSTEMS**

☐ Full IEEE 696/S100 Compatibility

HARDWARE OPTIONS

- 8MHz, 10 MHz, or 12 MHz 68000/68010 CPU **68451 Memory Management Hardware Floating Point** Multiple Port Intelligent I/0 64K/128K Static RAM (70 nsec) 256K/512K/1MB Dynamic RAM (150
 - **Graphics-Digital Graphics CAT-16000**
 - **DMA** Disk Interface **SMD Disk Interface**
 - **Tape Streamer Backup** 51/4" or 8" Floppy Disk Drives
- 5MB-474MB Hard Disk Drives 7/10/20 Slot Back Plane
- 20 or 30A Power Supply Desk Top or Rack Mount Encl.

SOFTWARE OPTIONS

- 68KFORTH¹ Systems Language CP/M-68K2O/S with C, 68K-BASIC1, 68KFORTH¹, FORTRAN 77, Z80 Emulator, Whitesmiths' C
- ☐ IDRIS³ O/S with C, PASCAL, FORTRAN 77, 68K-BASIC1, CIS COBOL⁴, INFORMIX⁵ Relational **DBMS**
- UNIX SYS III O/S with C, PASCAL, FORTRAN 77, BASIC, RM COBOL7, ADA⁸, INFORMIX⁵, Relational DBMS
- **VED 68K Screen Editor** Motorola's MACSBUG and FFP
- Package

Trademark 'ERG, 'Digital Research, Whitesmiths, Micro Focus, RDS, Inc., Bell Labs, Ryan McFarland. ⁶U.S. DoD

30 Day Delivery - OEM Discounts



since 1974

Empirical Research Group, Inc. P.O. Box 1176 Milton, WA 98354 206-631-4855

program's execution path. Breakpoint stops the program at the address you select. With these two commands, a user may see the instructions leading to a breakpoint and then use the other commands available in VUBUG to examine registers and memory to determine why that path was taken or to modify the path that will be taken after the breakpoint.

The VUBUG monitor provides 11 traps for servicing user-program requests. These traps are called simply by executing the appropriate trap instruction with the appropriate argument, as shown in table 7. In addition to these trap handlers, you can use traps B through F with the vectors at locations shown in table 5.

Error handling, or exception processing, for processor-detected errors, is also provided by VUBUG. Error handling involves intercepting the interrupt and reporting the error on the terminal. In addition, the register values are copied into the register save area and are accessible via the r command. The errors trapped include address/bus errors, illegal instruction errors, privilege violations, and a class of generic errors that share a single error handler. The errors in this class are zero divide, CHK and TRAPV, and spurious interrupts.

Rounding Out

For a complete development system, you'll need an RS-232C terminal, a power supply that provides +5 volts at 0.5 amperes, and +12 and -12 volts at 0.1 amperes, and a host computer.

Development software on the host should include a disassembler, highlevel language processors, cross-reference builders, machine simulators, and so forth. The only additional software required is a simple program to send the object program to the serial port for loading. Only your imagination and the capabilities of the host limit its use.

This system is currently running at Vanderbilt University and is proving to be an easy method for designing and testing software to run on the VU68K. Readers who desire more information on the VU68K and VUBUG can, for a nominal fee, order a copy of Vanderbilt University Computer Science Technical Report CS-83-01 from the following address:

> POB 1679 Station B Vanderbilt University Nashville, TN 37235

The authors would like to thank the Computer Science and Electrical Engineering departments of Vanderbilt University for their support in VU68K system design and realization. Special thanks to Motorola Corporation for its assistance in the hardware design.

Edward M. Carter teaches computer science at the U.S. Air Force Academy. This work was completed while he was doing graduate work at Vanderbilt University in Nashville. He has a B.S. from the U.S. Air Force Academy, an M.S. from U.C.L.A., and a Ph.D. from Vanderbilt. He can be reached at USAFA/DFCS, USAFA CO 80840.

A. B. Bonds teaches electrical engineering at Vanderbilt. He holds a Ph.D. in electrical engineering and is currently studying models of information processing in mammalian visual systems. He also likes "to mess with antique autos." He can be reached at Vanderbilt University, POB 1824B, Nashville, TN 37235.

SEATTLE GIVES YOU AN EDGE IN S-100 SYSTEM DESIGNS

You can unlock new system capabilities with high-performance S-100 boards from Seattle Computer. All are IEEE-696 compatible. But, for innovative systems that demand performance beyond the limits of conventional S-100 boards, you'll want to know more about these Seattle Computer products. For example, with our 8 MHz 8086 CPU, you'll be able to build systems that run faster and consume less power than before. Take a closer look:

8086 CPU Set: 8 MHz 8086 CPU • CPU Support board includes a console serial port, a second serial port, Centronics parallel port, vectored interrupt controller, four 16-bit timers and EPROM monitor for 8086 • MS-DOS 2.0 plus development utilities

8087 numeric coprocessor is optional

Single Qty: \$595.00

64k Static RAM Fully static design makes interfacing easy . Compatible with a variety of CPU and DMA devices • High-speed (85 ns) RAMs operate to 10 MHz with no wait states • 16k, 32k, and 48k OEM versions are available

Single Oty: \$495.00 (64k)

Disk Master ** Controls as many as four 8" and four 5.25" floppy disk drives simultaneously, in any combination • Uses 1793 disk controller chip . Can be used with 10 MHz CPUs · Single Qty: \$325.00

Multi-Port Serial Card 2- and 4-port versions are available • These RS-232 ports operate as either "data sets" or "data terminals" • 36" cables included

 Single Qty: \$280.00 (4-port) \$210.00 (2-port)

For the whole story on high-performance Seattle Computer S-100 boards, call:

1-800-426-8936

Dealer and OEM inquires are invited.



1114 Industry Drive Seattle, WA 98188

Translating the SAS Language into BASIC

Use of a preprocessor program lets you run SAS-like syntax on microcomputers

by Jeff Bass

This article examines issues that arose when I implemented a preprocessor program to translate SAS-like program statements to statements in version 5 of Microsoft BASIC. It is easier to use a preprocessor program than to write a true SAS compiler for a microcomputer because the source and object languages of Microsoft BASIC's version 5 used with a preprocessor are more similar to each other than to those a compiler would utilize. An overview of SAS appears in the text box on page 433 and provides an introduction to the language.

Special SAS Features

Unlike SAS, traditional programming languages require the development of a data structure for each file as well as a data structure for all program variables and algorithms for manipulating these elements. SAS syntax, however, allows a programmer to take advantage of an invisible data file structure (the SAS data set) and a means of relating that structure to the program variables. In SAS programs that deal with a data set, all variables are referred to by an eightcharacter name, without regard to such factors as column positions. SAS also provides a large library of programs that interact directly with this standard data structure. These features, which make SAS popular for use on mainframes, also make its syntax attractive for use on microcomputers; the size of its program library has thus far, however, prohibited the language's use on microcomputers.

The most commonly used language for microcomputers is BASIC. It's a primitive language compared to full SAS syntax, but small and easy enough to implement as an interpreter. Thus, it is almost universally used on microcomputers, where it's stored in ROM and therefore easily accessible. Kernighan and Plaugher Software Tools (Reading, MA: Addison-Wesley, 1976) demonstrate how to deal with the problem of working with a less-than-optimum yet readily available language, such as BASIC, when you would prefer to work with another (SAS, for example). They show how to use a program called a preprocessor to translate RATFOR program statements, which they like to use, into a program composed of FORTRAN statements, which would be usable on their machine.

I have written a preprocessor program that similarly translates SASlike program statements into equivalent BASIC statements and thus permits SAS-like programs to run on a microcomputer. The preprocessor approach, combined with the interpretive nature of BASIC, makes the resultant programs run slowly, but it has nevertheless proved practical for small programs and data sets. Researchers should find such a preprocessor useful with a relatively small data set-for instance, one with 200 to 300 observations of 30 variables. Such a preprocessor also could be used in teaching computer skills with microcomputers.

The remainder of this article examines the choice of a SAS-syntax subset, the strong and weak points of the BASIC dialect used, the method chosen for representing data, and preprocessor techniques employed. It concludes with a suggestion for an area to explore in the future.

SAS Syntax Features

The SAS syntax is very similar to that of PL/I in format and scope. Therefore, writing a preprocessor program that would implement the entire language on a microcomputer seemed impossible. I had to make



The essential new catalog of the business computer forms and supplies you need most!

It's quick • convenient • easy-to-use.



Now Deluxe Computer Forms, a division of Deluxe Check Printers, gives you the software-compatible checks, invoices, statements and word processing stationery you've been searching for. And accessories too.

And we can ship them all to you in as few as 3 working days!

Deluxe delivers your order in record time because we know how much you depend on it to make your office run smoothly. And we deliver it to your precise specifications. That means customization for your unique program needs, or personalization of any of our 200 standard forms for popular software programs. And you order only what you need—as few as 500 forms.

See what we've got to offer your business. Then see just how fast we can deliver it.

Send for your FREE catalog today!

DELUXE 530 N WHEELERST PO BOX43046 ST PAU, MINNESOTA 55164-004		
- In-1604 07 64 44 11 6-4	Eq PRINTERS INC	
catalog of cor	th me your comp nputer forms an	olete, new id essentials.
My Name	Title	
Company Name		
Address		_
City	State	Zip
City ()	State	Zip

1-800-328-0304

(In Minnesota, call 1-612-483-7300.)

some difficult choices: what was too important to leave out, and which processes were too long to keep? SAS processes, abbreviated as procs, operate as subroutines, although they are actually primitives of the language. A few candidates were eliminated: Proc Matrix, which requires that all matrices be held in memory, and Proc Sysreg, which requires that large sigma matrices be stored in memory. In addition, Proc BMDP (biomedical data processing) was eliminated because it wasn't available for use on microcomputers, and Proc Convert was not used because the types of data sets it converts would not be found on a microcomputer. Operating-system utilities that would not be useful on a microcomputer were also left out.

Even with these processes omitted, far too many remained for one person to code in a reasonable amount of time, so I decided to concentrate on the 10 I use most frequently: SORT, PRINT, CONTENTS, COPY, CORR, DELETE, MEANS, FREQ, GLM (general linear models procedure), and PLOT. Any two SAS users would probably argue about the wisdom of these choices, but these procs did provide a reasonable place to begin.

Each process would become a BASIC program, chained (executed in sequence) from the preceding BASIC program corresponding to a process or data step. Subsetting the data step proved difficult; however, one goal was sufficiently important to dominate the procedure: MAS (microcomputer analysis system) should be a true subset of the commonly accepted SAS syntax, thus making it unnecessary for users to learn another syntax. To be a true subset, it would have to maintain the original SAS syntax and spelling; deletion of features would be the only acceptable change.

This decision made it easy to drop features of the data step that would be the most difficult to implement on a microcomputer, such as those formats usable on mainframes. Because data sets used on a microcomputer are likely to have been typed in by the user (or to be sufficiently small to permit a user to type them), a pro-

fusion of formats for dealing with widely varied data is less useful on a microcomputer than it would be on a mainframe. Therefore, I decided to limit raw data input to list input and to eliminate formats from raw data as well. Also, because of their implementation and limited usefulness in small data sets, the ARRAY statement and its associated DO OVER statement were also left out. Most of the remaining data-step statements were implemented.

Special Features of BASIC Version 5

Using even a complex preprocessor to translate SAS syntax to an ordinary or standard dialect of BASIC was extremely difficult. I chose the most common version of BASIC used on microcomputers, Microsoft, which is used on many 8- and 16-bit machines. Versions of Microsoft BASIC are also the built-in language of Apple, IBM, and other popular

SAS's syntax resembles that of PL/I in scope and format.

microcomputers. In addition, BASIC is available for computers that run CP/M-86.

The current release from Microsoft. version 5, is more than an extended dialect of BASIC, however. It is nearly a complete operating system, performing many of the functions that JCL (job control language) provides for the mainframe SAS package, including creating, deleting, and renaming disk data sets and chaining programs. This release also allows common variables and files between such chained programs. In addition, Microsoft BASIC permits IF. . .THEN . . . ELSE constructs and such structured control statements as WHILE . . .WEND (equivalent to SAS 82's DO. . . WHILE. . . END statement). Moreover, it permits double-precision calculations, 40-character variable names, and character variables with as many as 255 characters. Version 5's most important feature, however, is its ability to write BASIC program text to a disk file and then execute that

HAPPY NEW YEAR, DARLING!



1984 is going to be his year, and he's ready. Each day holds opportunity: The right man in the right place, and always prepared. This is the year he'll do it all.

1984 is her chance to shift from "promising" to valuable. Her skills and attitudes are right. With a little savy, this is the year she'll have it all.

Their secret is ARIS, the Action Resource Information System. The final element for success.

Now Ted's performance is really getting noticed. ARIS organizes his needs, manages his priorities, keeps track of his busy schedule. ARIS eases his work load by placing his calls, outlining his reports, and updating his client records-automatically. And, the built-in word processor has all the features he wants. Ted's getting more work done, faster, more effectively. With ARIS, Ted achieves the real management results he needs.

Susan threw out her old organizer. ARIS prints her action lists, confirms her meetings, even updates her pocket diary. She loves the simplicity of a single program managing her work and her computer. ARIS reveals the true value of total software integration. Now when Susan changes her database, the right information appears instantly in her client files, in her correspondence—everywhere she needs it. ARIS deals with the big issues and the little details, so Susan can focus on her goals.

The Action Resource Information System is their total professional support system. ARIS brings out their very best: excellence in everything.

Now, what's your New Year's resolution?



655 Redwood Highway * Suite 311 * Mill Valley, CA 94941

Ask your Dealer to demonstrate the entire EXCEL SYSTEMS line for you.

Circle 459 on inquiry card.

BYTE January 1984 419



HEROISM IN THE **MODERNAGE**

THE ROLE-PLAYING GAME OF TODAY



SYSTEM REQUIREMENTS:
IBM PC* with one double-sided or two singlesided disk drives, an 80-column monitor, and 64K RAM (96K for DOS 2.0). Color graphics/adaptor optional.

*IBM PC is a trademark of International Business Machines Corp.

A sophisticated simulation of modern life and human psychology.

Includes: BASIC MODULE create and guide characters through their lives ...

PROJECT CONTACT (Scenario #1) save the U.S.A. from a mad scientist and terrorist plot... you have only 60 hours to complete your mission...

HEROISM IN THE MODERN AGE is expandable to other modules and exciting

At your computer store.



10850 Wilshire Blvd., Suite 800 Los Angeles, C·A 90024 U.S.A.

file-exactly what is needed for a SAS syntax processor.


But this version of BASIC presents problems as well as solutions. For example, it permits only as many as 15 files to be opened at one time. And because five files are required for such functions as keeping an event log and printing output, only 10 data sets remain accessible to processes and data steps. Moreover, because Microsoft BASIC is an interpreted language, each line of BASIC code is translated every time it is encountered during program execution. This can make programs run much more slowly than programs compiled into native machine code. And although Microsoft does offer a BASIC compiler that uses a language similar to the one its interpreter offers, it would be difficult to use in the preprocessor arrangement described here because it loses the ability to dynamically dimension arrays and loses some of the chaining capability provided by the interpreted BASIC.

Despite these drawbacks, however, BASIC provides features that make it a good choice for SAS syntax translation. First, it provides many functions that are identical or very similar to those used in SAS data-step programs; table 1 lists some examples. Second, like SAS, it computes the result of a logical comparison as a numeric quantity that can then be used in subsequent calculations. Consequently, an expression that categorizes variables, such as

 $CAT_AGE (AGE < 16)*1 +$ (AGE > = 16 AND AGE < 65) *2 +(AGE < = 65)*3

will work in a BASIC program just as it does in a SAS program, with the following exception. In BASIC programs, the result of a logical comparison is equal to -1 if true and 0 if false; in SAS programs, those results would be +1 if true and 0 if false. The preprocessor could include code to reverse the sign of all relational expressions. In the current version, however, I chose not to include it. BASIC also uses fairly understandable error messages, such as "file not found" or "attempt to divide by 0,"

Some of the best brains in the computer business are gathering in Reno to give you a piece of their minds.



For 3 days in February, Sage Faire '84 gives you an opportunity to learn where high performance supermicro computer technology is going.

Some of the finest minds in the computer business will tell you what's happening, and more important, what is about to happen.

A series of meetings, discussions and exhibits will teach you what's going on in software development, microprocessor technology, new and improved operating systems, the supermicros, and sales and marketing.

Exhibitors will include: Digital Research, Ryan McFarland, Softech Micro Systems, State Of The Art, Timberline Systems and Whitesmiths.

It all takes place in the fun and excitement of the MGM Grand Hotel/Casino in Reno, Nevada.

Make plans to attend Sage Faire 84, February 3-5. It's your chance for a meeting of the minds with the best brains in the computer business. And a chance to win a Sage II Computer with software, valued at \$5790, just for attending the Faire.*

For more information and a registration packet including travel and lodging discounts, write:

Sage Faire '84

4905 Energy Way, Reno, Nevada 89502 or call Laura Smith at (702) 322-6868.

*Sage Faire exhibitors and speakers, employees of Sage Computer and their families are not eligible.



Please send information and a requal packet for Sage Faire '84.	gistration
NAME	
TITLE	
COMPANY	
ADDRESS	
CITY/STATE/ZIP	
SAGE FAIRE '84 4905 Energy Way Reno, Nevada 89502	



3M Scotch® Diskettes

are boxed in 10's with labels, envelopes and reinforced hubs on 51/4" diskettes.

ea. 51/4" SSDD (744)

5¼" DSDD (745)

51/4" SSQD-96TPI (746) \$2.89 ea. 51/4" DSQD-96TPI (747) \$3.95 ea. 8" SSSD (740) \$2.07 ea. 8" SSDD (741) **\$2.54** ea. 8" DSDD (743) **\$3.30** ea.

SYNCOM Diskettes

are a great bargain. Packed in LIFETIME WARRANTY!

polybags of 10 with envelopes, labels and reinforced hubs. 51/4" SSDD **\$1.39** ea. 51/4" DSDD **\$1.85** ea.



Disk Caddies

ne original flip-up disk holder for 10 diskettes. Beige or grey only.

51/4" \$165 ea.

8" \$229 ea



FLIP 'N FILE

—Redesigned for better appearance and greater ease of use. FLIP 'N FILE 25 holds 25 5 1/4" diskettes; FLIP 'N FILE 50 holds 50 51/4" diskettes.

FLIP 'N FILE 25 Retail \$29.95 ...DW Price

FLIP 'N FILE 50 Retail \$39.95 ...DW Price

\$1750 + \$4.00 Shpng.

\$2350

+ \$5.00 Shpng.

Minimum Order: \$35.00

Shipping: Diskettes Only: \$3.00 per 200 diskettes or fraction. Other Items: As shown in addition to diskette shipping charges. Payment: VISA, MASTERCARD, check or C.O.D. (C.O.D. customers please add \$1.65.) Taxes: Illinois customers add 7%

WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE!

Nationwide: 1-800-621-6827 Illinois: 1-312-944-2788

DISK WORLD!

Suite 4806 - 30 East Huron Street - Chicago, Illinois 60611

Authorized Distributor Information Processing Products



SAS function becomes Microsoft BASIC function

SUBSTR(charvar,startpos,len)

INPUT(charvar,fmt)

PUT(charvar,fmt) LENGTH(charvar)

ABS(numvar)

FLOOR(numvar)

INT(numvar)

SQRT(numvar)

SIN(numvar)

ATAN(numvar) ARSIN(numvar)

COSH(numvar)

EXP(numvar)

LOG(numvar) ROUND(numvar,places)

SIGN(numvar) UNIFORM(numvar) MID\$(charvar,startpos,len)

VAL(charvar)

STR\$(charvar)

LEN(charvar) ABS(numvar)

INT(numvar)

FIX(numvar)

SQR(numvar) SIN(numvar)

ATN(numvar)

FNARSIN(numvar)

with DEF FNARSIN(x) = ATN(x/SQR(1-x*x))

FNCOSH(numvar)

with DEF FNCOSH(x)=(EXP(x)+EXP(-x))/2

EXP(numvar)

LOG(numvar)

FNROUND(numvar,places)

with DEF FNROUND(x,y)=FIX(x/y+.5)*ySGN(numvar)

RND

with RANDOMIZE(numvar)

Note: A BASIC statement following the word "with" is executed one time during program initialization.

Table 1: Because SAS and BASIC functions are similar, translating between the two languages is simple, as these examples illustrate.

and allows a programmer to trap errors, handle them, and resume program execution. Thus, a SAS syntax preprocessor can rely heavily on the error-trapping capability of the interpreter, greatly simplifying its design.

In addition, this version of BASIC allows the dynamic loading of machine-code programs and permits calling them as subroutines. Thus, many operations, such as sorting or inverting a matrix, which suffer from the interpreter's slowness, can be compiled into machine-code subroutines that are loaded and called as needed by the preprocessed SAS program-from an interpretive BASIC environment.

File Structure and Treatment of Missing Values

Before the processor was designed, two important system features had to be carefully specified: the file structure for system data sets residing on the microcomputer disk and the representation of missing values. Both


greatly affect the code to be generated by the preprocessor. A question of compatibility immediately aroseshould the MAS file structure be designed to imitate the SAS data set structure? And should its missing value representation be the same? Careful study of these questions led to an answer of "no" to both.

SAS system files will never be transferable between mainframes and microcomputers using a BASIC preprocessor approach, because the two systems use drastically different methods for internal binary representation of numbers. Moreover, IBM mainframes use a coding scheme for text, EBCDIC (extended binarycoded-decimal interchange code), that differs from the one most commonly used on microcomputers, ASCII (American National Standard Code for Information Interchange).

After direct compatibility was ruled out, a clean slate remained for file design. The file design chosen was arbitrary, and virtually any one would work, provided it had been

MEMORIES

512KB TO 2 MB EDC SINGLE BOARD MULTIBUS MEMORY



- Pin to Pin MULTIBUS compatibility for both 8 bit and 16 bit systems.
- Addressable up to 16 megabytes.
- On board parity with selectable interrupt on parity ERROR.

OR

Error Detecting and Correcting (EDC).

SINGLE QTY. PRICE:

512KB 2MB Without/EDC \$ 895.00 \$5995.00

\$1495.00 \$6495.00 NEW

NEW

2MB Q-BUS EDC 512KB TO 2MB QUAD Q-BUS MEMORY

WITH ERROR DETECTION AND CORRECTION

UNBELIEVABLE LOW PRICE!

Call for details!

256KB TO 1 MB SINGLE BORAD LSI 11 MEMORY



- Control Status Register (CSR)
- On board parity generator checker.
- Battery back-up mode.

SINGLE QTY. PRICE: 256KB \$525.00

DISK SYSTEMS COMPUTERS

2MB FLOPPY

Dual drive, double density, double sided 2MB floppy (8") with controller and bootstrap. Also reads single sided, single density!

CI-1220 TF \$2695.00



42MB, 70MB, 140MB formatted Winchester (8") disk system w/controller and 2MB floppy (8") backup w/controller.

CI-1240-WF: 42MBWinchester \$6995.00 CI-1270-WF: 70MB Winchester \$7495.00 CI-1340-WF: 140MB Winchester \$9995.00

10MB WINCHESTER OR 20MB WINCHESTER

RI.02 compatible Winchester subsystems. 2MB floppy single dual controller and bootstrap is supplied with each purchase.

CI-820: 10MB Winchester 2MB floppy (8") \$4495.00 20MB version add \$500.00

CI-11/23AC: LSI 11/23CPU, 256KB, 4 x 8 backplane, power supply and chassis (excluding rack slides) \$26 CI-11/23AF: LSI 11/23 + CPU, 1 MB, 4 x 8 backplane, power supply and chassis (excluding rack slides) \$41

\$2675.00 \$4125.00

"OFFERING QUALITY WITH AFFORDABLE PRICING"



Chrislin Industries, Inc.

31352 Via Colinas • Westlake Village, CA 91362 Telephone: 213-991-2254 • TWX 910-494-1253 CHRISLIN WKVG

Multibus is a Trademark of Intel Corporation. QBUS, LSI, is a Trademark of Digital Equipment Corporation.



A Run-Time Library for Whitesmiths' C 2.1

- Fast execution
- ROMable
- No royalties
- Fully reentrant machine support
- CP/M file support
- Error checking
- Usable with our AMX Multitasking Executive

Real-Time C \$ 95 \$ 25 manual only source code \$950

Intel mnemonic \$ 50 to A-Natural converter

Benchmarks

- 1. Int to ASCII conv.
- Long to ASCII conv.
- 3. Long random number generator
- 4. Double 20 x 20 matrix multiply

5. File copy (16kb)

■ with Real-Time C □ without

4 Mhz Z80, 8" SD diskette. Times may vary with processor, disks, etc.

AMX and Real-Time C are trademarks of KADAK Products Ltd. A-Natural is TM of Whitesmiths Ltd. CP/M is TM of Digital Research Corp. Z80 is TM of Zilog Corp.

KADAK Products Ltd.



206-1847 W. Broadway Avenue Vancouver; B.C., Canada V6J 1Y5 Telephone: (604) 734-2796 Telex: 04-55670

Protect and Organize

YOUR FLOPPY DISKS WITH MINI-EASEL **BINDERS AND PAGES..** and save 23%!

Scratched or damaged floppies can erase hours—even days-of carefully stored documents. Now there's no need to worry. you can protect all your disks in clear vinyl pages and organize them for fingertip access! This compact binder comes with 20 protective pages bilder comes with 20 processes pages to hold 51/4" disks. Each page has an extra pocket with a file card for disk identification. The binder opens to become a self-standing easel to hold disks and 3-hole punched 5½"x8½" sheets at an easy-to-view angle.

Closed, it stores compactly on a shelf or in a drawer

SAVE 23%! Mini-easel binder with 20 pages and cards. Color: Black Stock #SFDRM...A \$20.25 value





STATIC RESISTANT Specially fornulated vinyl pages have tiny iir pockets to nsulate disks rom damaging

NEW!

CALL TOLL FREE 1-800-421-4662 Monday-Friday, 6:00 a.m.-5:00 p.m. P S.T California residents, call (213) 731-0900. (Credit card orders only.)

YES! I want the convenience and safety of the Mini-Easel Floppy Disk Binder!

Please send me (quantity) #SFDRM Mini-Fioppy Disk Kit(s) at \$15.50 each. (Please include applicable tax and \$1.95 ea. postage and handling.) Total \$______

☐ Check enclosed

Mail and make payable to:

CENTURY PLASTICS INC

Box 30022 Angeles, CA 90030

CHARGE MY VISA [] MasterCard

consistently implemented in the data step and all proc steps, which call on a SAS procedure to perform a particular task on specified variables in a SAS data set. Because microcomputer files cannot easily span multiple disks, the disk was regarded as part of a microcomputer's, similar to the operating-system data set on a mainframe. One disk would correspond to one MAS database.

In the interest of simplicity, only one-part data-set names were implemented; responsibility for disk management was left to the user. Each named MAS data set generates two microcomputer disk files, which are also identified by their MAS data-set name. One file has the suffix .HDR (for header) and contains file-header information such as filenames and variable names, types, lengths, and labels. The other file has the suffix .DAT (for data) and holds the data-

I performed timing tests to determine whether numeric data should be represented in binary or ASCII form. Although Microsoft BASIC permits both types, the ASCII form is much simpler to program. The tests showed that the binary form was worth the extra effort, however, because it permits files, especially those with noninteger numbers, to be read in half the time that the ASCII form does. The .DAT files therefore store numeric variables in internal binary form and character strings in ASCII representation. Block size is determined by the disk-sector size of the microcomputer used.

Missing values also presented complex choices. In the SAS package for use on mainframes, missing values behave in comparisons as though they had a value of negative infinity, and if they are used on the righthand side of a numeric expression, they propagate to the left-hand side. Furthermore, if an illegal mathematical operation is performed, a missing value is also assigned to the lefthand side. In a microcomputer emulation, therefore, the method of representing missing values chosen should be easily recognized and also have these properties. I decided to use the 8-byte binary representation

The Micromint Collection

Micromint. Supporting the varied projects that appear in Steve Ciarcia's monthly article in BYTE magazine, "Ciarcia's Circuit Cellar." Offering a wide range of computers and peripherals supporting the needs of the hobbyist as well as worldwide corporate clients.

MPX-16 MICROCOMPUTER BM PC COMPATIBLE



he MPX-16 is Steve Ciarcia's most ambitious project date. The computer runs all application software witten for the IBM PC and is IBM PC bus compatible. an be used with video monitor & IBM keyboard with ntional adapter.

buy the MPX-16 in the form that best meets your sudget. As a bare board, as a wave-soldered board hat contains all components less the IC's, as an ssembled and tested circuit board or as a complete

is featured on the cover of "BYTE" magazine. Also eatured in "Ciarcia's Circuit Cellar" November, December 1982 & January 1983.

- Runs all application programs written for the IBM PC (simply boot up the system and slip in a disk
- formatted for the IBM PC).
 IBM PC bus compatible + 9 expansion slots.
 Intel 808816-bit microprocessor.
- Optional Intel 8087 math coprocessor.
- 256K bytes on-board memory.
- Up to one megabyte of system memory
- Up to 64K bytes of system ROM/EPROM.
- Two RS-232C serial I/O ports.
- Three parallel I/O ports.

 Disk controller for 5/4" or 8" drives.
- Sixteen levels of vectored interrupts.

MPX-16 Microcomputer circuit board assembled w/64K RAM, CP/M-86 or PC-DOS BIOS \$1,200. MPX-16 as above with 256K RAM 1,395. IPX-16 Semi-Kit (wave soldered circuit

board w/all components) less IC's 595. Complete kit of IC's w/256K RAM 595. MPX-15 Unpopulated (bare) pc board 300. MPX-15 Technical Reference Manual 50. BM PC Keyboard Interface Adapter 100.

Shipping and handling additional on MPX-16 orders

8 BASIC SYSTEM ONTROLLER

NEW!!!

places Z8 Basic Computer Controller



As featured in Ciarcia's Circuit Cellar. BYTE magazine, July & August 1981.

- Uses Zilog Z8671 single chip microcomputer.
- On board tiny BASIC interpreter.
- 2 parallel ports plus serial I/O port.
 Just connect a CRT terminal and write control programs in BASIC.
- 2K bytes of RAM, up to 4K bytes of ROM. Baud rates 110-9600 BPS.
- Data and address buses available for 124K memory and I/O expansion
- Consumes only 1.5 watts at +5, +12 & -12.
 Cross Assemblers for various computers.
- BCC11 Assembled & Tested \$149. **New Low Price**

BM PC is a trademark of International Business Machines. Inc. P:M86 is a trademark of Digital Research Inc IS-DOS is a trademark of Microsott Inc 8 is a trademark of Zillog inc.

Z8 MEMORY, I/O EXPANSION, CASSETTE INTERFACE



- Add up to 8K of memory plus 3 parallel ports.
- Z8 ANALOG TO DIGITAL CONVERTER NEW!!!




- Uses Analog Devices 7581 8 channel 8 bit IC.
- Adds Process Control capability to the Z8.
- 1000 samples per second.
- BCC13 Assembled & Tested \$140.

Z8 EPROM PROGRAMMER



- Transfer BASIC or Assembly Language application programs from RAM to 2716 or 2732 FPROM.
- Requires Z8 Expansion Board for operation. BCC07 Assembled & Tested \$145.

Z8 SERIAL EXPANSION BOARD



- · Adds additional RS 232C and opto-isolated 20 ma current loop serial port to the Z8.
- Runs at 75 to 19,200 baud in all protocols. BCCOB Assembled & Tested \$160.

Z8 16K MEMORY EXPANSION **NEW!!!**

 Add 16K of additional memory, RAM or EPROM, to your 28 System Controller in any multiple. Uses 2016, 6116, 2716 or 2732 memory types BCC14 w/8K Assembled & Tested \$120.

Z8 FIVE SLOT MOTHER BOARD



MB02 Assembled & Tested \$69.

Z8 CROSS ASSEMBLERS

From Allen Ashley	
TRS-80 Model i or ill	175.
CP/M 2.2 8" or Northstar 51/4"	
From Micro Resources	
CP/M 2.2 8" or APPLE 514"	75.

SPEECH SYNTHESIZERS

MICROVOX TEXT-TO-SPEECH SYNTHESIZER



As featured in Ciarcia's Circuit Cellar BYTE Magazine September, October 1982.

Microvox is a second generation professional voice quality text-to-speech synthesizer that is easily interfaced to any computer, modern, RS-232C serial or parallel output device and provides speech of unbelievable clarity.

- Untimited vocabulary.
- 64 programmable inflection levels.
 6K text-to-speech algorithm.
- Full ASCII character set recognition and echo.
- RS232C and parallel output.
- 1000 character buffer, 3000 optional.
- Adjustable baud rates (75-9600).
- Spelling output mode.
- 7 octave music and sound effects.
- · On hoard audio amplifier & power supply.
- X-On/X-Off handshaking.

 MVD1 Assembled with 1K buffer \$299.

SWEET-TALKER VOICE Synthesizer





As leafured in Ciarcia's Circuit Cellar BYTE Magazine, September 1981

The Sweet-Talker Voice Synthesizer allows you to add speech of unlimited vocabulary to your Apple II or any computer with a parallel printer port at very low cost.

- Utilizes Votrax SC-01A speech synthesizer.
- Unlimited vocabulary.
 Text-to-Speech Algorithm on disk for Apple 11.
- · Contains 64 phonemes accessed by 6-bit code.
- Four levels of programmable inflection.
 On board audio amplifier & volume control,
- ST02 Apple | plug-in, Assembled & Tested with Text-to-Speech Algorithm on 3.3 disk . \$99. NEW LOW PRICE!!!

STD1 Parallel Port Version, Assembled 99. New Low Price

VOTRAX SC-01A PHONETIC SPEECH SYNTHESIZER

The SC-01A Speech Synthesizer is a completely selfcontained solid state device that phonetically synthesizes continuous speech of unlimited vocabulary. Used in Microvox and Sweet-Talker.

SC01A Quantity 1-99 ... \$44. ea. 100 + 32. ea. 1000 + 24. ea.

E-Z COLOR GRAPHICS INTERFACE



As featured in Ciarcia's Circuit Cellar BYTE Magazine, August 1982

Add color graphics, animation & 3-D effects to your S-100, TRS-80 Model I and III & Apple II at low cost The Super Editor software package includes a pattern editor, sprite editor, slide show, and demo scenes all in BASIC. Can be used with Color Monitor or TV set and rf modulator.

- Resolution—256 X 192 Pixels.
- 16 colors including Black & Transparent.
- 16K Bytes on board I/O mapped video memory.
 Advanced TI TMS9918A Color Video Processor.
- 32 SPRITES facilitates 3-D effect.
- Composite Video output.

 Krell & Terrapin have LOGO software packages to support the E-Z Color Boards.

Apple II E-Z Color plug-in board

with Super Editor on 3.3 disk. EZO1 Assembled & Tested\$119. E202 Complete Kit 105. NEW!! S-100 E-Z Color Graphics board with sound generator, Atari type joy stick interface, plus MBasic

CP/M Super Editor Software on 8" disk. EZ04 Assembled & Tested \$289.

TRS-80 Model I or Model III E-Z Color w/ Super Editor software, power supply and enclosure.

300 BAUD ANSWER/ ORIGINATE MODEM KIT NEWILL



As leatured in Clarcia's Circuit Cellar BYTE Magazine, March 1983

The newest item to Micromint's growing list of products is this 300 Baud Modern. It is crystal controlled, uses the TI TMS 99532 IC, contains just 25 parts and can be used with an acoustic coupler or in a direct connect mode.

ACO1 Acoustic Coupler Kit , \$20.

TRIPLE VOLTAGE **POWER SUPPLIES**

+5v @ 300 ma. +/- 12v @ 25 ma. UPS01 Assembled & Tested \$35.

MICROMINT INC. 561 Willow Avenue, Cedarhurst, NY 11516

To Order: Call Toll Free 1-800-645-3479 For Information Call: 1-516-374-6793



425

of negative infinity for the MAS missing value, with the least significant byte replaced by the ASCII representation of the "." character. This value is easily recognized and propagates as the SAS missing value does in comparisons. The preprocessor adds appropriate code in front of all assignment statements to check for missing values and propagate them as necessary.

Program Line-Parsing TechniquesThe preprocessor program for han-

dling SAS syntax reads the file containing the user's SAS-like source code, translating it into BASIC source code on a line-by-line basis. The ASCII BASIC code is written to several files, with one program file for each SAS step. Each of these program files has a chain instruction as its last executable step, so that the next program is executed in turn. The chain is started by the preprocessor, whose last executable instruction is a chain instruction that executes the first BASIC program. Shared variables are

communicated with Microsoft BASIC's COMMON statement.

The proc steps were fairly easy to implement. For each proc, a core procedure that actually performs the work was written in BASIC, using ordinary statistical and computing algorithms. For each proc step encountered, the preprocessor writes code that stores variable names and other needed information in standard places, copies this code onto the BASIC source file, copies the core procedure onto the BASIC source file, and adds closing and chaining code to the end of the BASIC source file. The resulting BASIC program will then behave as if it were the appropriate SAS procedure with its supplied procedure information state-

Implementing the data step, however, proved more difficult. Pseudocode is an arbitrary code, independent of system hardware, which must be translated into computer code. A SAS data step must have the ability to do the following: perform nonexecutable statements; initialize variables; open MAS files named in DATA statements for output; open files named in INFILE, SET, or MERGE statements for input; WHILE (observations, or obs, left on any input file and obs limit not exceeded); initialize user variables not in RETAIN to missing; perform executable statements; WEND; close iles; chain to next BASIC program.

The preprocessor's job is to read the user's SAS-like code for the data step and generate a BASIC program in the pseudocode format. BASIC has another feature that eases the translation task: its program statements can be written in ASCII to a file in any order, but when loading or chaining the program, it places the statements in ascending order. As a result, the preprocessor need not save the code for forward references and write it out to the program file at the proper time. Instead, it can write code to the file as it must be generated. If, for example, the preprocessor is generating linear BASIC code at line 10000 inside a loop, and it needs to generate a subroutine outside the loop in the line-20000 range,

BB-STAT

A POWERFUL NEW SET OF STATISTICS PROGRAMS FOR CP/M 80 - ALL FORMATS


Compare **B-STAT's** features:

- Data base up to 192 variables
- Computations in double precision
- Storage of data on disk
- full editing and update
- Print-out raw data
- Data skipping flag feature
- Minimum 64K
- One or multiple drives
- Compatible with other data bases
- Unlimited number of cases
- Analyze up to 65 variables
- Data transformations
- Any subset of data selectable
- Raw or intermediate data entry
- Totally menu driven
- All MBASIC code (modifiable)
- Data coded 1.0 permitted
- Operational with hard disk.

B-STAT is a set of seven program modules sold separately or as a package:

RNY SIX PROGRAM MODULES \$245 RLL SEVEN PROGRAM MODULES \$295

For Technical Support Robert R. Belanger, Ph.D. (213) 969-4112 For Purchases and Literature



CP/M is a trademark of Digital Research, Inc. MBRSIC is a product of Microsoft Corp.

Nevada makes it easy and economical to get the software you want and need. Need a better BASIC? We've got it. Is BASIC not solving your business or engineering problems? Nevada COBOL or FORTRAN will. The media praises Nevada, and it's priced right: just \$39.95-about 1/10 what comparable quality costs. For about half the price of one competitive package, you can own the entire Nevada Software library! So don't wait; order one or two or all of our bargains-today.

Finally, a better BASIC. This straightforward language lets beginners write useful programs without limiting them to simple programs. New Nevada BASIC's interpreter has Prof. Starkweather's great built-in full-screen text editor. You can define single- and multi-line functions. Plus there are

full-matrix operations, Random Access and Sequential files, program execution with a simple command, BCD Math-no round-off errors. With Nevada BASIC, micros can run like minis costing thousands more.

> Whether you do business computing or learn computing for business, COBOL is the language; more business application software is in COBOL than in all other languages combined. Based on ANSI-74 standards. Nevada COBOL offers many

advanced features: Random Access

and Sequential files, debugging capability, COPY statement, character string, 16 bit binary and decimal data types. Colleges use the fine documentation as class room texts. It's fieldproven by 10,000+ worldwide business, government and education users. Join them.

COBOL Application Package-Book I. Superior user documentation that saves even experienced programmers many hours.

"If you want to learn or teach someone FORTRAN. this is the package to buy." ACCESS, March/April 1983. For learning and teaching, for scientists and engineers, Nevada is the perfect FORTRAN. Based on ANSI-66 standards (FORTRAN IV), its advanced features include IF...THEN...ELSE COMMON, TRACE style debugging, and 150 verbal

constructs, COPY statement, CHAINing with error messages. And you can intermix in-line FORTRAN and Assembly Language statements for special micro needs. Requires 48K RAM. If you're shopping for FORTRAN, look no further.

Perfect for training, testing, virtually all programmed instruction, and word puzzles. It's the ideal companion language for BASIC, COBOL, and FORTRAN application packages, because it so quickly solves training and documentation problems. Nevada PILOT meets all

PILOT-73 standards and has many new features including a built-in full-screen text editor. Prof. Starkweather's

documentation is exceptional; the manual comes with 10 free programs. See MICROCOMPUTING review, January 1983, and you'll

be convinced.

"A well-thought-out product with excellent documentation and an astoundingly low price." MICRO-COMPUTING, May 1983. Now, high-quality text editing

for micros. A character-oriented full-screen display editor, Nevada

EDIT is great for program editing as it's specifically designed to create COBOL, BASIC, and FORTRAN programs. Simple to configure, you customize tab stops, default file

CRT by menu selection. Nevada EDIT may pay off better than any software purchase you've made.

type, keyboard layout, and

Money back quarantee: you must be completely satisfied, or return the packages(s)-in good condition

with the sealed diskette(s) unopened-within 30 days, and we'll gladly refund your money.

CP/M is a registered trademark of Digital Research, Inc. TRS-80 is a registered trademark of Tandy Corp. Apple II is a trademark of Apple Computer, Inc. Osborne is a registered trademark of Osborne Computer Corp. Xerox 820 is a trademark of Xerox Corp. Kaypro is a trademark of Non-linear Systeath/Zenith is a trademark of Heath Corp. IBM is a trademark of International Business Machines, Corp. Nevada BASIC, Nevada COBOL, Nevada FORTRAN, Nevada PLOT: Nevada EOTI. and Ellis Computing are trademarks of Ellis Computing, Inc. © 1983 Ellis Computing, Inc.



41	
الح	
51	
Ш	

ELLIS COMPUTING, INC.

3917 Noriega Street San Francisco, CA 94122

Phone 415/753-0186

Please send me: Software Packages

□ BASIC □ COBOL □ FORTRAN □ PILOT □ EDIT

Disk Format □ 8" SSSD (Standard CP/M IBM 3740)

51/4" Diskette for:

□ Access ☐ Apple CP/M

□ DEC VT 180 ☐ Epson QX-10

☐ Heath Hard Sector (Z-89) ☐ Heath Soft Sector (Z-90)

□ IBM-PC (Baby blue or big blue card) ☐ Kaypro Double Density

☐ Micropolis Mod II (Vector Graphic)☐ NEC PC 8001

Northstar Double Density Northstar Single Density


Osborne (Single Density Disk) Sanvo Superbrain DD, DOS 3.X (512 byte sec)

☐ Televideo
☐ TRS-80 Model I (Relocated to 4200 hex)
☐ Xerox 820 (Single Density)

Send my order for packages €€ \$39.95 €	each Total
COBOL Application package (ii \$9.95 e	each Total
California residents add 61/2% Sales Tax.	Sales Tax
Outside North America, add \$6 per package for shipping. (Postage paid within North America.) Checks must be in U.S. dollars and drawn on a U.S. bank.	Shipping
☐ Check enclosed ☐ Mastercard ☐ VISA	TOTAL
Card #Exp.	Date
Signature	
Ship to: Name	
Street	
City/State/Zip	

are required. Note: Double Density drives can read Single Density diskettes.

DATA EXCHANGE/64K SPOOLER



The ADS-8212 DATA EXCHANGE/64K is a computer independent interface converter and print spooler. It can be installed between virtually any computer and any peripheral.

Data can be input in either serial or parallel, stored in its 64K bytes of RAM, and output serial or parallel. Serial ports support baud rates from 50 to 19 200 and both hardware and software handshaking. The input and output ports are completely independent; input data with one protocol and baud rate and output it with a different protocol and baud rate. Selections are dip switch selectable.

A unique feature is its ability to make unlimited numbers of copies. Hitting the copy button will send another copy to the printer. When done making copies, hit the reset button to clear the memory.

Included with the DATA EXCHANGE/64K are two 4 foot output cables, one parallel cable with standard Centronics type connector and one serial cable with standard DB 25 connector.


Standard plugs are supplied for RDY/BSY (DT)

Suggested list price: \$339.00

Dealer inquiries welcome.

input ports.

RS-232 HANDSHAKING: RDY/BSY (DTR) Xon/Xoff ETX/ACK



Available at your local dealer or contact:




it can do so. The code written to the program file will be line-10000 code, followed by the line-20000 range subroutine, followed by the rest of the line-10000-range code. The BASIC interpreter can thus dynamically alter the line numbers, then put them into their proper order when the program file is loaded.

Let's look carefully at each line of the pseudocode outline:

- 1. Perform most nonexecutable statements. While most SAS code used in the DATA step is executable code performed once for each observation in the output data set, this is not true of all SAS statements. DROP, KEEP, and RE-NAME affect the code that controls what variables and variable names will be stored on the output file, but do not affect each observation. The LABEL statement, for example, generates code that writes labels for the variables to the .HDR file for the data set but has no effect on the observations. No matter where these statements appear in the SAS data step, they generate code that acts once per DATA step rather than once per observation.
- 2. Initialize variables. Many counting and control variables, such as _N_, _ERROR_, and input line counters must be initialized before the observations loop.
- 3. Open MAS files named in DATA step for output. For every data set named in the DATA statement, the .HDR and .DAT files must be created and opened; then the data set name, label, time, and date of creation can be written to the .HDR file.
- 4. Open files named in INFILE, SET, or MERGE statements for input. For "raw input" files named in INFILE statements (which specify the input used to create a SAS data set), a sequential open is performed. For MAS data sets named in SET or MERGE statements, the .HDR file is opened to gain information about the data set, then the .HDR file is closed and the .DAT file is opened to permit direct input.

ANNOUNCING THE INSIDE STORY ON DATA SPEC CABLES.



Take a look at the picture above. The shielding under the RS232 connector hood of DATA SPEC™ cables is different from anything you've seen before. No flimsy foil. Or painted hood. Instead, DATA SPEC™ gives you an extra heavy gauge shield under the normal hood which ensures that the cables exceeds the FCC requirements on emission standards.

And, if you look further inside, under the shield, you'll see the advent of PDT™* Technology. DATA SPEC™ cables are the first to employ this technique outside of aerospace applications. PDT Technology ensures that you will never have to solder a broken joint or even open the hood.

However, the biggest news is actually the littlest part of the story. The price.

You can find out about it at your dealer who carries DATA SPEC™ products. Modern manufacturing techniques have made DATA SPEC™ cables priced lower than lesser quality shielded cables.

DATA SPEC™ cables. There's more to it than meets the eye.

*PDT (Poly-vinyl doping technique) involves the injection of poly-vinyl under the shield to fuse the conductors and pins together, thus ensuring reliability under the most adverse conditions. PDT is a registered trademark of Advanced Tool Technology Inc.

THE FAMILY OF HIGH INTEGRITY COMPUTER SUPPORT PRODUCTS.

18215 Parthenia Street, Northridge, 91326 CA (213) 701-5848

5. WHILE (obs left on any input file and obs limit not exceeded). This WHILE. . . WEND loop does the real work of the DATA step. Until all of the input observations have been read, or until the user-set observation limit is reached, all statements within the loop are executed once per observation.

6. Initialize user variables not in the RETAIN statement to missing. At the beginning of each observation loop, all user variables are normally set to missing unless they have been named in the RETAIN statement. If they have been named in a RETAIN statement, they retain their values from the previous observation.

7. Perform executable statements. Here is where most of the work of the DATA step is performed. Each statement that affects the value of user variables (such as assignment or sum statements) or the way the observation is handled (such as subsetting IF, DELETE, LIST, IF. . .THEN. . .ELSE, or DO. . . WHILE. . . END) is translated into a BASIC statement or a subroutine. Standard subroutines are set up for such things as DELETE, LIST, and subsetting IF. Assignment statements are left almost unchanged, except for preceding each one with a trap for missing values so they will be correctly propagated. In the absence of explicit OUTPUT statements, an implicit output statement is placed at the end of the observations loop. It puts the current observation in all the output data sets named in the DATA statement.

8. Close files. All the open files are closed, and the observation count and appropriate statistics are written to the log file.

9. Chain to the next BASIC program. After completion of the DATA step, all control variables are saved in a COMMON area and the next BASIC program, which may correspond to a DATA or proc step, is executed.

Listing 1 shows a simple program written in SAS syntax and the printout that resulted when this program was run.

Listing 1: A simple SAS program run on an IBM Personal Computer (PC) and the resulting printout.

The Source Code,

```
DATA TESTRUNS(LABEL = TEST RUNS FOR 5 NUMERIC VARIABLES):
   INPUT NOBS COMPILE DATA PRINT MEANS;
   CARDS:
    1 1.30 5 1.30
                 .10 .08
                              . 22
   10 1.30
                              . 28
                .32 .23 .42
.79 .49 .86
1.57 .93 1.57
   20 1.30
                              . 42
 50 1.30
100 1.32
               1.57
 500 1.40
               7.76 4.50 7.31
1000 1.49 15.51 8.97 14.48
AVGDATA=DATA/NOBS;
   AVGPRINT=PRINT/NOBS;
AVGMEANS=MEANS/NOBS;
PROC PRINT DATA=TESTRUNS;
   TITLE EXAMPLE MAS PROGRAM RUN TIMES IN MINUTES;
   TITLE2 TIMES ARE FOR COMPILE, DATA STEP, PROC PRINT AND PROC MEANS;
TITLE3 EXAMPLE WAS DATA STEP WITH CARDS, THEN PROC PRINT, PROC MEANS;
TITLE4 DATASET HAD 5 NUMERIC VARIABLES STORED IN DOUBLE PRECISION;
TITLES LISTING OF TIMES FOR VARIOUS QUANTITIES OF INPUT OBSERVATIONS;
VAR NOBS COMPILE DATA PRINT MEANS;
PROC PRINT DATA=TESTRUNS;
TITLEA LISTING OF TIMES FOR VARIOUS QUANTITIES OF INPUT OBSERVATIONS;
TITLEA LISTING OF T
TITLES LISTING OF COMPUTED 'PER OBSERVATION' TIMES;
VAR NOES AVGDATA AVGPRINT AVGMEANS;
PROC MEANS DATA=TESTRUNS MAXDEC=2 N MEAN STD;
TITLES AVERAGES OF 'PER OBSERVATION' TIMES;
VAR AVGDATA AVGPRINT AVGMEANS;
The Resulting Printout.
  1 MICROCOMPUTER ANALYSIS SYSTEM 01-10-1983 20:23
 NOTE: THE JOB TESTRUNS. MAS HAS BEEN RUN UNDER RELEASE 82.7 OF MAS.
         DATA TESTRUNS(LABEL=TEST RUNS FOR 5 NUMERIC VARIABLES);
           INPUT NOBS COMPILE DATA PRINT MEANS;
           CARDS:
           AVGDATA=DATA/NOBS;
  13
           AVGPRINT=PRINT/NOBS;
           AVGMEANS=MEANS/NORS:
  14
 NOTE: DATA SET TESTRUNS HAS 8 OBSERVATIONS AND 8 VARIABLES. 54 OBS/TRK. NOTE: THE DATA STATEMENT USED .2 MINUTES AND 20K.
        PROC PRINT DATA=TESTRUNS:
           TITLE EXAMPLE MAS PROGRAM RUN TIMES IN MINUTES;
TITLE2 TIMES ARE FOR COMPILE, DATA STEP, PROC PRINT AND PROC MEANS;
TITLE3 EXAMPLE WAS DATA STEP WITH CARDS, THEN PROC PRINT, PROC MEANS;
TITLE4 DATASET HAD 5 NUMERIC VARIABLES STORED IN DOUBLE PRECISION;
  16
17
  18
  20
            TITLES LISTING OF TIMES FOR VARIOUS QUANTITIES OF INPUT OBSERVATIONS;
           VAR NOBS COMPILE DATA PRINT MEANS;
  NOTE: THE PROCEDURE PRINT USED .13 MINUTES AND 22K AND PRINTED PAGE 1.
         PROC PRINT DATA=TESTRUNS;
TITLES LISTING OF COMPUTED 'PER OBSERVATION' TIMES;
            VAR NORS AVGDATA AVGPRINT AVGMEANS;
  NOTE: THE PROCEDURE PRINT USED .15 MINUTES AND 21K AND PRINTED PAGE 2.
         PROC MEANS DATA=TESTRUNS MAXDEC=2 N MEAN STD;
  27
            TITLE6 AVERAGES OF 'PER OBSERVATION' TIMES;
           VAR AVGDATA AVGPRINT AVGMEANS;
  NOTE: THE PROCEDURE MEANS USED .17 MINUTES AND 25K AND PRINTED PAGE 3.
  NOTE: MAS USED 1.17 MINUTES AND 25K.
  NOTE: BASS CYBERNETIC LABS
               1, BOX 124-B
          PITTSBORO, NC 27312
 EXAMPLE MAS PROGRAM RUN TIMES IN MINUTES 01-10-1983 20:23
TIMES ARE FOR COMPILE, DATA STEP, PROC PRINT AND PROC MEANS
EXAMPLE WAS DATA STEP WITH CARDS, THEN PROC PRINT, PROC MEANS
DATASET HAD 5 NUMERIC VARIABLES STORED IN DOUBLE PRECISION
```

LISTING OF TIMES FOR VARIOUS QUANTITIES OF INPUT OBSERVATIONS

MEANS	PRINT	DATA	COMPILE	NOP-S	OP-S
. 15	, 05	.03	1.3	1	1
.22	.08	. 1	1.3	5	2
.28	.13	.17	1.3	10	3
. 42	. 23	.32	1.3	20	4
Licting 1					

Listing 1 continued on page 432

AMERICAN EXPRESS CARDMEMBERS NO LONGER HAVE ANY **EXCUSE FOR RUNNING** OUT OF GAS.

NOW TEXACO WELCOMES THE CARD.

Now you can use the American Express* Card at thousands of participating Texaco retail facilities across the country. Just pull in at the

Texaco star and look for the

sign welcoming the American Express Card. You'll see it at all participating stations.

Use the Card for motor fuel and all

of Texaco's products and car services.

Now there's no excuse for running out of gasoline. You've got the Card.

Don't leave home without it.®

© American Express Travel Related Services Company, Inc. 1983

5	50	1.3	.79	. 49	.86
6	100	1.32	1.57	.93	1.57
7	500	1.4	7.75	4.5	7.31
Ω	1000	1.49	15.51	8.97	14.48

01-10-1983 20:23 DATASET HAD 5 NUMERIC VARIABLES STORED IN DOUBLE PRECISION

LISTING OF COMPUTED 'PER OBSERVATION' TIMES

DBS	NORS	AVGDATA	AVGPRINT	AVGMEANS
1	1	.03	. Ø5	.15
2	5	.02	.016	. 044
3	10	.017	.013	.028
4	20	.016	.0115	.021
5	50	.0158	.0098	.0172
6	100	.0157	.0093	.0157
7	500	.01552	.007	.01462
8	1000	.01551	.00897	.01448

EXAMPLE MAS PROGRAM RUN TIMES IN MINUTES 01-10-10
TIMES ARE FOR COMPILE, DATA STEP, PROC PRINT AND PROC MEANS
EXAMPLE WAS DATA STEP WITH CARDS, THEN PROC PRINT, PROC MEANS
DATASET HAD 5 NUMERIC VARIABLES STORED IN DOUBLE PRECISION 01-10-1983 20:23

AVERAGES OF 'PER OBSERVATION' TIMES


VARIABLE	N	MEAN	STD. DEV.
AVGDÁTA	8	.01819	.005
AVGPRINT	8	.01595	.01397
AVGMEANS	8	.03813	.04529

One final issue affects the translation of SAS statements to BASIC statements. Microsoft BASIC, like most BASICs, does not allow keywords to be used as variable names. Yet rather than restrict SAS variable names in this fashion. I added an extra letter to the beginning of all user variables that would appear in the BASIC program. Since neither Y nor Z is the beginning letter of any BASIC keyword, I used Y as the beginning letter of all numeric variables and Z as the first letter of all character variables. Thus the SAS user variable ABC becomes YABC in the BASIC program. The user never sees these

The preprocessor reads pseudocode for the data step and generates a BASIC program.

names, however, since the BASIC program is never visible unless it is deliberately listed. This coding scheme also allows all the variables in the BASIC program beginning with Y to be set to double precision as well as all variables beginning with Z to be set to character-string type, using BASIC's DEFDBL and DEFSTR statements.

Give Personal BASIC™a try. And win Hawaii!




Because you might become the winner of a trip to Hawaii for two-featuring airfare, hotel accommodations, a rental car and \$500 spending money.

Other prizes include a \$ 500 shopping spree and five \$100 shopping sprees—to be spent in those stores where the winners purchased Personal BASIC, the world's easiest-to-learn BASIC language.

Call toll free for the participating dealer nearest you: (800) 227-1617, ext. 420. In California call: (800) 772-3545, ext. 420. But hurry, contest ends January 31,1984. RESEAR

The Digital Research logo and products are either trademarks or registered trademarks of Digital Research Inc. @1983 Digital Research Inc.



Now, X-shell™ brings Unix™ capability to your PC for an amazingly low \$225

Computers. You know at least two things about them: One, they should be a tool for solving your problems. Not creating them. Two, you want to spend as little time as possible on one.

X-shell Software Tools Package

That's why Standard DataCom, Inc. developed X-shell, a command interpreter software tools package for IBM PCs and MS-DOS/PC-DOS operating systems.

X-shell helps your computer solve your problems faster. Makes the time you spend on the computer more efficient. Squeezes more out of your computer investment.

Proven Unix Features

X-shell gives you Unix capability by providing these proven Unix features:

- Support for pipelines and filters
- 2. Input & output redirection
- 3. Variable substitutions
- 4. Command substitutions
- 5. Filename expansion
- 6. Nested command files
- Structured flow control: if/then/else, while/do/done, until/do/done, case/esac, for/do/done

Unix is a trade mark of Bell Laboratories
X-shell is a trademark of Standard DataCom, Inc.

Hardware Requirements (where you can save hard cash)

IBM PC or XT (or compatible)
256K bytes of RAM
2 Disk Drives—Hard or Floppy
Since X-shell can be run using floppy
disk drives, you can save a bundle of
money on your hardware. Hard disks
are expensive. Floppies aren't. It's
that simple.

Software Requirements

PC-DOS version 1.1 or 2.0 Software Disk Emulator

Since X-shell runs on PC-DOS, it supports existing PC-DOS software.

Over 40 Commands Utilities

X-shell's commands include:

basenam	e -stripextensionfrom	num	-number lines
	filename	pr	-format files for printing
cat	-concatenate files	print	-pr directed to printer
cd	-change directory	pwd	-print working directory
clear	-clear monitor screen	rm.	-remove files (delete)
cmp	-compare files	sh	-shell (command
mmas	-output lines common		interpreter)
	to two files	8 Z E	-sizeof objectcode
Ср	-copy files	sort	-sort numerically or
cpla	-lite backup/archival		alphabetically
date	-getor setdate and time	sum	-checksum file
echa	-echo argumentsto stdout	tall	-output lastlines offile
expand	-expand tabs into spaces	tee	-pipe fitting
expr	-string and arithmetic evaluation	lest	-test file's or string's characteristics
false	-do nothing, unswccessfully	time	 determinetimeto executo a command
tind	-produce list of selected files	tr	 translate or delete characters
grep	-searchfiles for specified pattern	true	-de nothing, successfully
hd	-hex file dumper	unexpand	-replace spaces with tabs
head	-output 1st lines of tile	uniq	-remove duplicate lines
1s	-sorted directorylist	WC	-count chars, words
more	-copy files to display		and lines
mv	-move files(rename)	words	-outputfile 1 wordper line

Dealer Inquiries Invited

What You Get For \$225

- 1. Complete Documentation, including: Installation, Tutorial and Reference Manuals.
- 2. Complete X-shell Software Tools Package on two diskettes.
- 3. A more efficient use of your computer time.
- 4. More effective use of your PC.

How To Order X-shell

Get the software package that gives you Unix capability for an amazingly low \$225.

Call Standard DataCom, Inc. 415-775-8882 with your Visa or MasterCard order, or for more information.

Or mail in the coupon below.

Or ask your dealer.

Standard DataCom, Inc. Ask us about X.25

Enclosed is my check or money order for \$225.00°. Please send me X-shell™ the Software Tools Package that helps my PC solve my problems.

Name	Tide
Company	
Address	Phone
City	
State	Ži _p
PC brand, amount of California residents add	
Mail check or mo	ney order to:
Standard DataC	
1550 California	Street #6195.
San Francisco, C	

What Is SAS?

SAS stands for Statistical-Analysis System, a mainframe data-processing and statistical language, and series of software packages. It was developed at North Carolina State University in the late 1960s with grants from the National Institutes of Health and the U.S. Department of Agriculture for the purpose of providing an alternative to existing computer languages for statistical applications.

In 1972 the first statistical-analysis system made available to the public contained a data-neanagement language and permitted a user to perform about 25 statistical procedures. It required users to write a simple program in a PL/I-like syntax that can take raw data from cards or tape and convert it into a standard SAS data set with a fixed internal form. The statistical procedures it offered required data in the form of SAS data sets and produced printed reports (and optionally, new SAS data sets) of such operations as linear and nonlinear regressions. Because the system demands a standard form for all data (the SAS data set), it frees the user from specifying data structures. In addition, the statistical procedures contained in SAS provide most commonly needed algorithms, so a SAS user can concentrate on statistical analysis rather than on coding algorithms. Listing 2 is a SAS program written in current SAS suntax.

A Simple Yet Useful Language

The first group of statements make up a data step. The data step in listing 2 creates a SAS-style data set with four variables and as many observations as there are records on the tape. The variables can be picked off from any position on the record without the need for any COBOLlike fillers, and multiple records of any observation are easily handled. The next two groups of statements are PROC steps, which perform specified statistical procedures on the SAS data set that has been

Listing 2: Written in the syntax of the latest version of SAS, this program can read four variables from a survey tape, create a SAS data set, calculate the variables' means and standard deviations, and use them to perform a linear regression.

```
/* Example program with imaginary data set
    - demonstrates SAS syntax, not good statistics . . .
                                                                                 */
                        /* SAS comments can be enclosed like this . . .
DATA INCOME:
                        /* Name of SAS data set to be created
                                                                                 */
 INFILE TAPE1455;
                               /* Data Definition Name of the Tape
                                                                                 */
                              /* Income is at the 15th column of each record on
                                                                                 */
 INPUT @15 INCOME
                                                                                 */
                               /* Age in years is at col 22
                                                                                 */
      @22 AGE
                                                                                 */
      @27 HEIGHT
                               /* Height in inches is at column 27
      @94 WEIGHT
                               /* Weight in pounds is at column 94
PROC MEANS DATA = INCOME MEAN STD
                                              /* Printed report will contain means */
                                              /* and std devs for all the variables */
PROC SYSREG DATA = INCOME:
                                              /* A simple regression
  MODEL INCOME = AGE HEIGHT WEIGHT
                                              / of income on age, height and 1/
```

created. In this example, the data set is a temporary one, but it could just as easily be specified as a permanent data set.

The example in listing 2 would have required hundreds or even thousands of lines in such other languages as BASIC, FOR-TRAN, and Pascal. Thus, an advantage of SAS is that for many statistical and datamanagement tasks, it requires less programmer effort than do other languages. Yet SAS contains all the elements of a complete programming language (such as DO...WHILE...END and IF...THEN... ELSE statements and arrays) and can be used for complex nonstatistical programming tasks as well as statistical ones.

This useful language rapidly grew popular, first at universities and later in the business world. The maintenance of the package was transferred from the Institute of Statistics of North Carolina State University to a private firm, the SAS Institute, in July 1976. Expanded versions were released in 1976, 1979, and 1982, and

all of them retained the concept of a standard SAS data set and a powerful, problemoriented language to manipulate the data in them. Graphics, time-series, and operations-research procedures were offered as optional add-on packages, but all of the packages required a large IBM 370 mainframe computer or equivalent machine until 1982, when a new portable SAS was announced for some of the 32-bit super-minicomputers, such as Digital Equipment Corporation's VAX computers. At the time of this writing, these products were still in testing stages; however, the SAS Institute maintained that it had no plans for moving SAS to microcomputers. At a SAS conference in 1982, a suggestion was made in a microcomputer users' specialinterest group that it might be possible to emulate a SAS-like syntax on a microcomputer, and that suggestion led to this article. The author has no connections with SAS Institute Inc.

Conclusion

We've examined some of the steps involved in implementing a SAS syntax preprocessor for Microsoft BASIC. Some characteristics of BASIC made the task easier than writing a true SAS compiler for a microcomputer. The main drawback of this type of solution, however, is

the slow speed of the result. Compiling the resulting BASIC code instead of interpreting it should be possible, but since chaining and statement ordering are handled differently by the compiler and the interpreter, this solution has not been tried. It would be an excellent area for further work with this preprocessor. The exercise

did show that a substantial portion of the SAS syntax can be implemented on a microcomputer, however, and that for small data sets, this subset can be used effectively.■

Jeff Bass is a senior analyst at Bass Cybernetic Labs (Rte. 1, Box 124B, Pittsboro, NC 27312).

The IBM Personal Computer Work Station. It's optional. (But essential.)

Now, we could hard-sell you on its features. Or we could soft-sell you on its virtues. Instead, we're going to level with you.

You don't have to buy it.

But we have a hunch that the more you know

about the IBM Synergetix® PC Work Station the more you'll wonder how your business ever managed without it.

Necessity was

surely the mother of this invention.



businesses come to rely on the personal computer, new and extraordinary demands are being placed on the work environment itself.

The IBM PC Work Station was specifically developed to meet the challenges of today's technology. And scientifically designed to satisfy the various needs of the people who use it.

It's not just another pretty desk.

First and foremost, the IBM PC Work Station provides a convenient and compact work space that instantly opens up to expand your work


In addition, the IBM PC Work Station offers added mobility for your personal computer. So you get more mileage out of your invest-

ment as it moves from office to office, person to person, solving problem after problem.

And since your personal computers are as vulnerable as they are valuable, the IBM PC Work Station also functions as a security device.

It deters pilferage by providing a self-contained lockable storage compartment for your CPU, software, keyboard, printer, program books and diskettes.

It also protects valuable information, prohibiting unauthorized access to confidential computer data by keeping it all secure under lock and key.



people are, the more productive they can be

There's one more important feature to our PC Work Station. It comes equipped with the added assurance of IBM quality. But then, that comes standard on all IBM products.

If all this hasn't convinced you that our PC



Work Station is as essential as it is exceptional, we're sure the price tag will. And IBM's quantity discounts make it absolutely irresistible.

The IBM Personal

Computer Work Station—business people are finding it's one of those luxuries they just can't live without.

You can order from IBM Product Centers and ComputerLand® stores. Or call IBM Direct toll free at 1800 IBM-2468 Ext. 40.

New model available for larger printers.





For more information IBM Corporation, A	OMPUTER WORK STATION on, mail to: uttn: <i>IBM Direct</i> , ayton, New Jersey 08810	40
NAME	TITLE	
COMPANY	TELEPHONE	
ADDRESS		
CITY	STATEZIP	

People who know computers talk about why The Accounting Partner is a giant step forward.

Star's new sophisticated accounting package is helping the small businessman out of the Stone Age and into the Computer Age for an incredibly low \$395.

More and more, the people who know computers best are recommending The Accounting Partner™over overpriced outmoded software.

Here's what just a few are saying:

EASE OF USE...Lynn Abbott, Epson America, Inc. – Torrance, California. "The system is completely menudriven with common accounting terminology instead of computer words. On a scale of 1 to 10, this user manual rates at least a "9."

SOPHISTICATION...Vivian Bourne, Computerland—Greenville, Mississippi. "We have a major accounting f rm buying The Accounting Partner for their customers' private use. Farmers are buying it instead of the farm management packages available. And with the price, Star just knocks everyone out of the market."

SUPERIOR PRODUCT... John Hanna, Softwaire Centre International—Palo Alto and Sunnyvale, California. "We recommend The Accounting Partner over other comparably priced packages. The client gets it all—General Ledger, Accounts Receivable, Invoicing, Accounts Payable, Purchase Orders, and Payroll—<u>all</u> for \$395."

HIGHLY COMPATIBLE... Steve Cockrell,

Computer Solutions—Raleigh, North Carolina. "One good selling point is that The Accounting Partner can run on several different computers from a Kaypro, Epson, IBM PC..."

PHENOMENAL SALES...Max Alvarez, Programs Unlimited – Miami, Florida. "We are selling more Accounting Partners than any other accounting software."

VALUE... Michael Edry, Next Generation Software—Torrance, California. "What you get for your money is outrageous! It's a tried and true package and has been thoroughly tested—it works. It has substantially increased our accounting software business."

INCREASED PRODUCTIVITY... Ken Capps, System Evaluation, Inc.—Thousand Oaks, California. "At \$395, it's an unbelievable value! It has reduced our payroll computation from three days to 45 minutes. It's amazing!"

The Accounting Partner is a new breed of software perfect for a growing business with annual sales up to \$5 million.* And for the revolutionary low price of \$395 for all six modules: General Ledger, Accounts Receivable, Invoicing, Accounts Payable, Purchase Orders and

Ít is truly state-of-the-art software, compatible with any CP/M,* CP/M-86,* and MS-DOS™ or PC-DOS® computer (8-bit or 16-bit).** Call Star Software Systems at (213) 538-2511.

General Ledger, Accounts Receivable, Invoicing, Accounts Payable, Purchase Orders, and Payroll STAR SOFTWARE SYSTEMS™ 20600 Gramercy Place, Torrance, California 90501 · (213) 538-2511

*Handles totals up to \$999,999,999.99.
**CP/M* and CP/M-88* are registered trademarks of Digital Research, Inc. MS-DOS' is a trademark of Microsoft. Inc. PC-DOS' is a registered trademark of IBM.
Requires a minimum 56K RAM; two disk drives or hard disk; a 24 x 80 video display with cursor addressing and a printer with 132 columns; 16 bit systems require128K RAM.

A Software Review Method That Really Works

The detailed group walk-through approach involves "playing computer"

by Andrew Citron

Programming errors create major time and money problems for the computer industry, not to mention the frustration felt by the end user. As a result, an effective method of eliminating errors is crucial to the software designer. One successful method you can use is the group walk-through. Reviewing software design and code this way ensures a low error rate and catches errors often missed in testing. Other benefits include improved documentation and software that is integrated more smoothly into the system.

The Method

The walk-through review is fundamentally a process of "playing computer." The participants emulate what the computer does with the input data by actually walking through, from start to finish, a maximum of 5000 lines of code. With careful definition of the participants' roles, standardized written preparation, and several shortcuts, the walk-through provides a workable means of correcting programming problems. In addition, a group review reduces the risk of individual errors by allowing for cross-checking between participants.

Design documents or code are reviewed, but in either case the method remains basically the same. The design document may be in the form of PDL (programming design language, or structured English), structure trees, Nasi-Schneiderman diagrams, flowcharts, or even HIPO (hierarchy plus input, process, output) diagrams. Reviewers must be concerned with both the details and

Group review reduces the risk of individual errors by allowing for cross-checking between participants.

clarity of the design. Code, on the other hand, is rarely ambiguous.

Test cases are run throughout the review; these form a series of inputs to the software and test the program's major requirements. All program statements should be tested at least once. Usually it is impossible to test all paths through the code because that number increases so quickly. By going through every statement at least once with all the main requirements included, the review partici-

pants test an adequate number of paths.

The Roles of the Participants

The review participants include the designer/coder and at least two other interested and motivated reviewers. Three seems to be the right number of people; four works, but the payoff does not increase proportionally.

Each participant has a specific role. The designer/coder remains passive while the other two reviewers are active. The designer/coder's role is to be alert for bugs and errors, answer questions, take notes on problems that need correcting, and provide the documentation and test cases for the walk-through. He does not "play computer." The designer is intensely involved with the program, and it is this involvement that increases the likelihood of repeating mistakes. Therefore, the other two reviewers are active. They remain impartial and follow the design exactly, rather than try to interpret what the designer meant. One reviewer acts as the central processor by reading the next instruction to be executed. The other writes down the variable's values for the others to see. The designer watches the two reviewers following the design or code blindly and immediately recognizes when something is wrong.

The Process

The reviewer emulating the central processor reads the statements one at a time, marking each one as it is read. If reviewers use a different color magic marker for each test case, they get a feel for the number of paths that have been tested.

The reviewer tracking storage and registers notes modified variables in a visible place. A blackboard, an

overhead projector, or even paper glued to the walls enables all the reviewers to see the current values.

To walk through a test case, you follow the path the machine takes. When an IF statement is encountered, the storage and register tracker checks the variable being tested and chooses one path. Each case should be taken independently because a detailed understanding of the control flow is necessary to determine if the software functions properly. When the program calls a subroutine, you walk through it also, not bothering with external routines.

In the design review, macro interface parameters are specified and checked. In the code review, you check the coded parameters against the design and walk through the expanded macro code. This catches interface errors when existing macros are called. It also catches coding errors in new macro code. It's important that you pay close attention to macro parameters and generated code because interface errors are a major source of program problems.

When a problem is found in either the design or code review, you shouldn't make any attempt to solve it unless it's trivial. The designer's role is to note the error and fix it later. If the problems are many or serious, you walk through the program again after fixing it. The addition of many new conditional statements indicates serious program problems. After a number of insertions, changes occur in paths already reviewed, and you must plan to review the program again.

Shortcuts

Once it has been asserted that a subroutine works, walking through it again and again is avoided. Making this assertion applies a technique used in formal program proving: given a precondition (the input) and a process (the program), the postcondition (the output) is true.

Three conditions must be met to make such an assertion. First, you should prepare a detailed input statement. You must state which variables are input and where they can be found. Second, a detailed output specification should be created spelling out any variables the reviewers modify and the conditions under which they've changed them, also stating any side effects such as modified registers or static control blocks. Third, you must completely walk through the routine once. When you prove a program path works, you don't need to walk through it again but must simply verify that the input conditions have been met to assume that the output conditions are true. When the input and output statements are complete and correct and

New Home and Professional Computer Books.



How to Feel at Home with a Home Computer.

Finally-a book that answers the most asked questions about a Home Computer-what it is, what it does and what it can do for you. A "must read" for anyone who owns one or is thinking of buying,

You'll see that a Home Computer is useful, practical, educational, fascinating, and fun . . . For the whole family. This book tells you how. And why.

Personal/Professional Computers. How can they help you?

Here, in one clearly-written, fullyillustrated, easy-to-understand book is an in-depth look at computers and what they can do for you. It's a practical guide for using computers in your business. You'll learn enough about how computers work to effectively evaluate their utility. It's a book that managers in every business need-in every business big or small.

Two New Computer Books . . . available now at leading bookstores and computer retailers.

Or, if you choose to order direct, send check or money order, \$12.95 each book (plus state sales tax and \$1.25 handling), to: Texas Instruments, Dept. CB-22, P.O. Box 3640 M/S 54, Dallas, Texas 75265.



Creating useful products and services for you.



all the reviewers agree that the subroutine functions correctly, the reviewer in charge of tracking variables updates the blackboard.

Another shortcut, stacking the machine state, helps you avoid walking through the same paths repeatedly. When you encounter an IF statement, write down the values of the variables and registers, note the point where the code diverges, and continue walking through the current test case. When you finish that case, you return to the machine state found at the IF statement, change the variable, and continue the walk-through.

With practice, you learn to design, code, and document programs so that review productivity improves. Input and output statements are then specified more fully, designed more simply, and use fewer variables.

Advantages of Walk-Throughs

The main advantage of walk-throughs is that reviewers find bugs earlier. And the sooner you find a problem, the cheaper it is to fix. The bugs found in reviews are often those that slip through testing: timing conditions, reentrancy problems, accidental storage modification. If you check only the testing output, you miss the side effects. Don't underestimate the value of finding and fixing these problems.

Another advantage is better documentation. Since the designer does not lead the walk-through, the two reviewers need comprehensive documentation. If documentation is incomplete, the reviewers know that something is unclear and needs fixing. You must spell out any design or code restrictions carefully. Documentation enhancements from reviews make the code more modifiable and maintainable.

Shortcomings of Walk-Throughs

While a walk-through doesn't produce a well-structured design, it guards against a bad one. If the review uncovers error after error, an experienced programmer throws the design out rather than repeatedly fixing and patching it. The major objection to walk-throughs, the time required, is not valid. Actually, a walk-

WHOLESALE RIBBONS

Save up to 50%

		-	12
Apple DMP	5.55 ea.	5.4º ea.	4.49 ea.
C. Itoh Prowriter (all models)	5.º ea.	5.49 ea.	4.49 ea.
C. Itoh F10 40/55 Multi-Strike	5.95 ea.	4.99 ea.	3.9 ea.
Diablo Hytype II Multi-Strike	5.º5 ea.	4.00 ea.	3.™ ea.
Epson MX-80,	5.99 ea.	4.90 ea.	4,15 ea.
Epson MX-100	9.85 ea.	8.45 ea.	6.™ ea.
Gemini 10/10X/15/15X	2.95 ea.	2.75 ea.	2.25 ea.
IBM P. C. (MX-80)	5.95 ea.	4.º ea.	4.ºº ea.
IBM P. C. (MX-100)	9.95 ea.	8.º ea	6.™ ea.
NEC 3500 Multi-Strike	7.% ea.	6.∞ ea.	5.83 ea.
Okidata 80/82/83/92/93	2.95 ea.	2.75 ea.	2.25 ea.
Other Ribbons	_	_	CALL
Shipping + Handling lor USA .	3.00	Free	Free

Guaranteed | Min. order 3. Call 1-(801) 298-0872

Rush Check or Money Order To: C. R. E. Wholesale Products

P. O. Box 361 N.S.L., Ut. 84054

Circle 487 on inquiry card.

QUALITY PRODUCTS FOR IBM PC RAMS

4164 64K 200 nsec DRAMS\$5.25 ea, 4164 64K 150 nsec DRAMS ... SCALL CALL FOR QUANTITY PURCHASE!

DISK DRIVES

Slimline 320KB	\$199
Teac 558	\$229
Shugart SA400L	\$169
Shugart SA455B	\$239

COMPLETE SYSTEM

The NEW TAVA PC 12BK, 2-320 floppy disk drives, controller, video card, and monitor, runs IBM DOS 1.1, 2.0, and CP/M B6. List Price...\$2395 DUR PRICE...\$1995

ROMAR II - Apple compatible computer, disk drive, Z card, controller and monitor OUR PRICE... ONLY \$999

CALL FOR IBM PC AND OTHER PRODUCTS

ANI - 17752 SKYPARK CIRCLE. STE. 210 IRVINE, CA 92714

714/261-6226 • 714/261-6227

Circle 488 on Inquiry card.



monitor ANY 2 other RS-232 signals, via jumpers (included).

Determines GENDER directly, at a glance.

Connects in series with ANY RS-232 interface for testing or pennanent use: REQUIRES NO POWER.

FREE "Guide To Testing RS-232 Interfaces" included.

ORDER NOW! Only \$29.95 + \$1.50 post. & handl.
Conley Graphics Corporation
P.O. Box 60657, Palo Alto, CA 94306
California Residents Add 6 1/2 % Sales Tax.

AFFORDABLE M-68000 COMPUTER SYSTEM

Circle 489 on inquiry card.

Contractor

Accounting & Management

JOB COSTING With Bonding Reports



Multi-state/multi-union variable-rate payroll with certified reports, subcontract management, accounts payable, equipment costing, accounts receivable, general ledger, estimating and critical path. Fully integrated, excellent audit trail, source code supplied, Mature installed 5½ years nationwide. Multi-user available.



Written for CP/M 80, CP/M 86 and MS DOS

1610 South Main • Dept. HB Bountiful, Utah 84010 801-298-0052

Circle 490 on inquiry card.



FLOPPY DISK DRIVES **SALES & SERVICE**

SPECIALIZING IN FDD'S

H & M Disk Drive Services is a leader in the repair/refurbishment of 8-inch flexible disk drives. We service and repair 5% inch flexible disk drives from all manufacturers. Work is guaranteed!

- all 8 inch single-sided = \$45 plus parts
- · all 8 inch dual-sided = \$55 plus parts
- all 51/4 inch single-sided = \$30 plus parts
- all 51/4 inch dual-sided = \$40 plus parts

(prices include bench and system tests plus alignments; all testing performed with state-of-the-art equipment)

NEW FDD'S FOR SALE

- 5¼ inch—Apple[™] compatible ½-height. Enclosure & cable included. Controller not provided. High-performance, direct-drive motor MTBF in
- 5¼ inch—Panasonic™ ½-height D/S D/D Direct Drive. Compatible with Shugart™ SA-455
- 5¼ inch--HiTech™ 1/2-height, 8" emulator. This 5¼" half-height drive replaces STD 8" drive. Software compatible. Will operate from existing hardware. Requires only +5v and +12v DC power. No AC. D/SD/D (1.6 M \$335
- 8 inch Seimens FDD100-8 S/S D/D _

\$179

Seimens FDD200-8 D/S D/D.


\$229

Other FDD's available. Call for prices & availability. All drives include 90-day warranty; extended, 2-year warranty at a nominal fee

Mail Order Add \$7 Shipping California residents add 6% sales tax

Disk Drive Services 689 L South State College Blvd Fullerton, CA 92631 (714) 526-1992

RS-232 Transfer Switch lets you switch your computer between printers, modems, terminals, any RS-232 peripherals. No plugging and unplugging cables. Like having extra ports. Choice of 8 models.



LEOs monitors data lines • Data lines spike/surge protected

Switch reverses transmit-receive lines

These multi-function RS-232 transfer switches let you switch between peripherals, test for data and line failure, protect data lines and use as null modem for less cost than a switch alone.

Switches 10 lines (2, 3, 4, 5, 6, 8, 11, 15, 17, 20). LED data/line indicators monitor lines 2, 3, 4, 5, 6, 8, 20. Metal oxide varistors protect data lines 2, 3, 7 from voltage spikes and surges. Push button reverses transmit-receive lines. PC board eliminates wiring, crosstalk, line interference.
CHOOSE FROM 8 MODELS

- MFJ-1240, \$79.95, 1 input 2 outputs. MFJ-1241, \$99.95, 2 inputs 2 outputs.
- MFJ-1242, \$119.95, 2 inputs 3 outputs.
- MFJ-1243, \$119.95, 1 input 4 outputs.
- MFJ-1244, \$139.95, 3 inputs 3 outputs. MFJ-1245, \$169.95, 3 inputs - 5 outputs

- MFJ-1246, \$199.95, 5 inputs 5 outputs.
 MFJ-1247, \$99.95, 1 in-2 out (switches 20 lines) Order from MFJ and try it. If not delighted, return within 30 days for refund (less shipping). One year conditional guarantee.

Order yours today. Call toll free 800-647-1800. Charge VISA, MC or mail check, money order for amount indicated plus \$4.00 each shipping

CALL TOLL FREE ... 800-647-1800

Call 601-323-5869 in Miss., outside continenta USA, tech/repair info. Telex 53-4590 MFJ STKV.

Write or Call for FREE Catalog

ENTERPRISES INCORPORATED

921 Louisville Rd., Starkville, MS 39759

through reduces time spent on future maintenance, testing, and integration.

Despite the completeness of walkthroughs, some errors still occur. The code must be tested; fortunately, it takes less time and effort to correct errors the second time around.

A Word on Attitude

Attitude makes the review work. New software has errors, and it's more constructive to find bugs in a review and in testing than later in production or in integration testing. Late error detection is time consuming and more difficult to correct. The proper ratio is to find many problems during the review, fewer in testing, and none when you integrate the code into the system. Error-free output from the walk-through is the reviewers' responsibility as much as the designer's.

Summary

Group walk-throughs of code and design ensure that software meets requirements, performs as intended, and has proper documentation. Welldefined reviewer roles, a proper structure, and a cooperative attitude produce an extremely effective group walk-through.■

Acknowledgments

The author gratefully acknowledges the contributions made by his colleagues at IBM, especially J. C. O'Quin, J. R. McLean, and S. Eames, who helped with the content and the style of this article.

References

- 1. Schneiderman, B. Software Psychology. Winthrop, MA: Winthrop Publishers Inc., 1980.
- 2. Wegner, P. (editor). Research Directions in Software Technology. Cambridge, MA: MIT Press, 1979.
- 3. Weinberg, G. The Psychology of Computer Programming. New York: Van Nostrand Reinhold, 1971.
- 4. Yourdon, E. Structured Walk-throughs. Englewood Cliffs, NJ: Prentice-Hall Inc., 1979.

Andrew Citron (POB 12195, Research Triangle Park, NC 27709) has an M.S. in computer systems from SUNY at Binghamton and a B.A. in psychology from Northeastern University. He is currently with the SNA Architecture Group for the IBM 5520 Administrative System. For the previous five years he was in operating-system software development for the 5520. Any walk-through he has participated in has found lots of problems—whether he was the designer or a reviewer.

Pictured:

7x2x6 in.

MFJ-1240 1 in-2 out

There are a lot of powerful reasons to write software for HP systems.



You're looking at two of them.

An enhanced UNIX" operating system. And the cash bonuses you'll earn when you sell your UNIX-compatible applications with an HP system.

Those are compelling reasons to participate in HP's special program for software companies.

We have a whole range of products that can run UNIX, from our popular line of MC 68000-based machines to our powerful 32-bit systems. And we'll be expanding that range all the time.

While we're giving you a wider choice of products for your programs, we're also making it even easier for you to write them.

We've developed an especially powerful version of the industry standard UNIX, called HP-UX. Its enhancements provide for graphics, data base management and networking, to name just a few.

When you team up with HP, you have our full service organization behind you. Our factory and field support teams are dedicated to problemsolving. So, if you or your customers have any questions about HP-UX, just give us a call. We're ready to help.

And we're ready to make your efforts very rewarding. When your customer buys an HP system because of your application, we'll give you a cash bonus of 30% of your software's sales price—up to 6% of the net HP system's price. Our only restriction is that, to qualify for the bonus, your software must sell for at least \$10,000.

There are lots of other good reasons to write HP-compatible software for UNIX or any of our other operating systems. To find out all about them, write to Hewlett-Packard, Attn: Gwen Miller, Dept. 57190,19447 Pruneridge Avenue, Cupertino, CA 95014. In Europe, contact Henk van Lammeren, Hewlett-Packard Nederlands B.V., Dept. 57190, P.O. Box 529, 1180 AM Amstelveen, The Netherlands.



UNIX is a trademark of Bell Laboratories

BD02315

Real-Time Clocks and PC-DOS 2.0

Understanding the clock/device-driver interface

by David K. Broadwell

Almost every multifunction board sold for the IBM PC includes a clock, each sold with its own proprietary software. Recognizing that these realtime add-on clocks are extremely popular, IBM and Microsoft made specific provisions in the PC-DOS version 2.0 to legitimize the clocks' existence and handle their functions in a uniform way. The mechanism for this is a provision for device drivers assembly-language (.COM) programs that can supplement or replace existing system software for doing the I/O (input/output) to a specific logical device. In this article I will provide a brief introduction to device drivers and discuss and demonstrate a character device-driver program for the clock chip on a typical multifunction board. In addition to being a nifty utility, the program demonstrates several features of 8088 code and the macroassembler.

By now, nearly all of us who bought PC-DOS 2.0 have thumbed through its accompanying volume at least once. Of all the additions inspired by Unix, perhaps the most important new feature is its powerful device-driver capability. Without using "dirty tricks" or mucking about in the system software, you can now integrate new devices into the oper-

CLOCK.COM requirements: IBM PC 64K bytes of RAM one floppy-disk drive PC-DOS 2.0 Any AST Research Inc. (2372 Morse Ave., Irvine, CA 92714, 714-540-1333) Multifunction board with National Semiconductor MM58167A

Real-Time Clock chip.

ating environment quickly and in a manner compatible with current and, presumably, future versions of PC-DOS. Manufacturers of add-on boards, peripherals, and other hardware can now develop standardized software to interface their products to the IBM PC. System integrity is maintained no matter how many bells, whistles, and real-time gadgets are added.

PC-DOS 2.0 recognizes two types of devices: character and block. [Editor's Note: For a detailed discussion of device drivers and the IBM PC, refer to "Installable Device Drivers for PC-DOS 2.0" by Tim Field, November 1983 BYTE, page 188.] As the name implies, character devices do serial I/O on characters and include a system's PRN (printer), AUX (auxiliary), and CON (console) logical devices. The newly defined system device CLOCK\$ falls into this category. Block devices, on the other hand, include hard and floppy disks and do random I/O in chunks that usually correspond to a physical sector size for efficiency.

As an example of device-driver operations, assume you already have a device driver that simulates a floppy disk in RAM (random-access read/write memory). (You can use the device driver in the DOS 2.0 manual.) When PC-DOS 2.0 is booted up, it looks for a file named CONFIG.SYS, which contains information on how the system is to be initialized. Among other things, this file can contain a number of statements of the form DEVICE = filename. If our RAM disk-driver example is called VDISK.COM, we put it into our CONFIG.SYS file for DEVICE = VDISK.COM. This driver is loaded and left resident as a permanent and transparent part of the system. Any I/O calls to the virtual RAM disk are handled through regular channels, without altering the 8088's interrupt vector table that the DOS sets up. This is why a virtualdisk program that worked under DOS 1.1 bombs out under version 2.0.

The logical device we are replacing is the system CLOCK\$. A device driver named CLOCK.COM is installed instead of the system's default software, and it is loaded by a DEVICE = CLOCK.COM statement in CONFIG.SYS—at start-up time. Each time a call is made to read or set the date and/or time, CLOCK.COM does it. This includes the DOS commands for DATE, TIME, and pertinent DOS INT (hexadecimal) 21 file-management function calls. My clock-driver program reads and sets the National Semiconductor MM58167A Real Time Clock chip on an AST Research Inc. Combo board, but the general principles for any clock driver are represented as well as what PC-DOS 2.0 requires of a character device.

What PC-DOS 2.0 expects from a device-driver program and how they communicate are explained in the PC-DOS 2.0 manual. As previously mentioned, the RAM disk example is a handy block-device driver. Character devices, however, are quite different, and the CLOCK\$ device is also a rather special subset. Both devices use drivers structured the same way, but each is asked to do different functions by the DOS. The system creates a structure called a Request Header and passes its address

Figure 1: A Request Header and block format for read/write to system CLOCK\$.

so not really used

pointer to the driver program in the extra segment (ES) register and general register (BX). All function requests, data transfers, and status checks occur through this mechanism. Following the 13-byte Request Header is an area whose length depends on what is appropriate for that particular operation. It might contain a data buffer address, initialization data, or specific device parameters the system needs to know. The format for a Request Header and the accompanying data block for our clock driver are shown in figure 1.

Word

To continue, we'll first look at the requirements of an installable driver and then how it works within the operating system by referring to listing 1. The general format of IBM's example program is followed for easier comparison between block and character logic.

Device-Driver Structure

A device driver is a .COM file, but because it doesn't use a program-segment prefix when it's run, the code must start at 0. There is no ORG hexadecimal 100 statement as in other .COM files.

The special device header appears after all the MACROS, STRUCTURES, and EQUATES are defined. It is the logical beginning of the program and identifies the device's attributes (which are set here for character type and current clock device), its name, and pointers to crucial parts of the program. The first double word is set to -1 unless more than one

driver is in that particular .COM file.

number of bytes/sectors transferred—always six for the clock,

Device Strategy (page 447) is an area of the program that saves a pointer passed to it in ES:BX. This is the address of the Request Header that PC-DOS 2.0 uses to pass data back and forth to the driver. A driver is called at this entry point to prioritize the system's request.

Device Interrupt Handler (page 448) is an area of the program called (with no parameters) directly after Device Strategy concludes. It retrieves the Request Header address, saves the registers, and services the system's request. (Interestingly, the IBM example failed to retrieve the Request Header's address. Apparently, ES:BX doesn't change at present, but CLOCK.COM follows the protocol anyway.) Both the Strategy and Interrupt addresses are stored in the device header.

A Command Code byte is passed in the Request Header, indicating the function desired of the device. The driver must decode and service this request. All drivers have an initialization call when the system is booted. As written, many other functions are possible, including nondata I/O control of the device (IOCTL). CLOCK does only simple input (read clock) and output (set clock). A call to do anything else results in the status word going back to the DOS coded as "unknown command."

It is the driver's responsibility to save the machine state, and there seems to be enough room on the DOS stack to do this as well as use PUSH and POP a few extra times.

Text continued on page 449

Super Savings
10-50%
OFF LIST

ANADEX	\$1295
CITOH	\$ 595
DAISYWRITERS	\$1495
DIABLO	\$1195
DYNAX	\$ 589
EPSON	\$ 499
GEMINI	\$ 399
GE	\$1930
IDS	\$ 799
NEC	\$1915
QANTEX	\$1495
QUME	\$19 95
SILVER REED	\$ 599
TALLY	\$ 399
TOSHIBA	\$2195

PRICES SO LOW— WE CAN'T LIST THEM!

ADDS:	\$ 650
AMPEX	\$ 679
COMREX	\$ 149
ESPRIT	\$ 595
LEAR SIEGLER	\$ 595

All equipment is in factory cartons with manufacturers' warranty. Prices subject to change without notice. Most items in stock or shipped as received.

NATIONWIDE SERVICE MOST PRODUCTS SUPER WAREHOUSE

PO BOX 373 WALLINGFORD, CONNECTICUT 06492 ORDER LINE ORDER HOURS

203-265-1223

ORDER HOURS
9.00 AM - 5 00 PM-EST
MONDAY-FRIDAY

PHONE ORDERS FREE (ONE DOLLAR CREDIT FOR PHONE ORDERS)

We've been selling these industrial-quality assemblers to the development system market since 1978. They are now available for the CP/M market.

FEATURES:

- · Fully relocatable
- · Separate code, data, stack, memory segments
- Linker included
- Generates appropriate HEX formatted object files
- Macro capability
- Conditional assembly
- Cross reference
- · Supports manufacturer's mneumonics
- · Expanded list of directives
- 1 year free update

Assemblers now available include:

Chip	Price	Chip	Price
1802/1805	\$495	NSC800	\$495
8051	495	F8,3870	495
6500/01/02	495	Z8	495
6800/01/02	495	Z80	395
6805	495	9900/9995	595
6809	495	Z8000	695
8085	495	68000	695

Take advantage of leading-edge technology. Get your own Relms assembler today. Use your Mastercharge, Visa or American Express, and order by phone: (408) 729-3011

Relational Memory Systems, Inc. 1650-B Berryessa Road, San Jose, CA 95133

All software shipped on a 8" single density floppy disk. A signed object Code License Agreement required prior to shipping. Prices subject to change without notice.



Listing 1: A replacement system clock/device driver based on the IBM PC macroassembler.

```
TITLE Replacement system clock driver for AST Board
COMMENT* This is an installable device driver to access the battery
driven clock on AST combo Board & I/O port 200 + IF *
COMMENT* Author: David K. Broadwell -- July 1983 *
                                                                                                             ĆSE 6
                                                                                                                                     SEBMENT PARA PUBLIC 'CODE'
 0000
                                                                                                                                         MACROS
                                                                                                              STATUS MACRO
                                                                                                                                                                    STATE, ERR, RC
(STATE), (BONE)
ES: NORD PTR SRH_STA_FLD(BY], 0100H
                                                                                                                                          ifidn
OR
                                                                                                                                          OR
endif
ifidn
OR
endif
ifidn
                                                                                                                                                                     (STATE),(BUSY)
ES:WORD PTR SRH_STA_FLD(BX),0200H
                                                                                                                                                                     (ERR),(ERROR)
ES:MORD PTR SRH STA FLD(BX],1000H
                                                                                                                                          endif
ifnb
                                                                                                                                          CR
endif
                                                                                                                                                                     ES: WORD PTR SRH_STA_FLD(BX),RC
                                                                                                             1
                                                                                                                                          EQUATES
                                                                                                               SRH
                                                                                                                                                                                                                                                            STATIC REQUEST HEADER START
                                                                                                                                                                                                                                                                                                                                             STAKI
LENSTH
FIELD
 = 0000
= 0000
                                                                                                              SRH LEN
SRH LEN FLD
SRH UCD FLD
SRH CCD FLD
SRH STA FLD
SRH RES FLD
                                                                                                                                                                     EQU
EQU
EQU
EQU
EQU
 = 0001
= 0002
= 0003
= 0005
                                                                                                                                                                                                                                                             ; SRH UNIT CODE FIELD
;SRH COMMANO CODE FIELD
;SRH STATUS FIELD
;SRH RESERVED AREA FIELD
                                                                                                                    INPUT OR OUTPUT
                                                                                                                                                                                                                                                            (OFFSET INTO THE REQ BLOCK OF DATA(BUFFER) TRANSFER ADDRESS (BUF LENGTH
   = 000E
= 0004
                                                                                                                                                                        EQU
                                                                                                               BUF LEN
                                                                                                                INT
 = 000E
= 0010
= 0004
                                                                                                               BR ADDR 0
BR ADDR 1
                                                                                                                                                                                                                                                             CHARACTER DEVICE USUALLY ONLY SETS ENDING ADDR AND RETURNS
                                                                                                                                                                                                    BR_ADDR_0+2
                                                                                                               BR ADDR LEN
                                                                                                                    OFFSETS FROM CLOCK BASE PORT
                                                                                                                                                                                                                                                           | OFFSET OF MONTH
| " OF DAY OF MONTH
| " OF VALIDATION CODE IN RAM
| " OF HONTH CHECKER IN RAM
| " OF LEAP BK RAM ON CHIP
| " OF RESTYRAR RESET IS ONE UP AT 13H)
| OFFSET TO STATUS BYTE--80=UNRELIABLE READ,00=DK
       0007
0006
0008
0009
0008
                                                                                                                                                                         EQU
                                                                                                               VALSO
HDN CHEK
                                                                                                                                                                        EQU
                                                                                                                                                                                                    0BH
12H
14H
                                                                                                               SMITCH
                                                                                                               COUNTER RESET
STATUS BIT
 = 0012
                                                                                                                    MISC
                                                                                                                                                                                                                                                           ; DAYS PER USUAL YEAR

JYES CODE FOR LEAP YEAR BOOKEEPING

IND CODE FOR SAME

IVALIDATE CHIP CODE

; DAYS UP TO AND INCLUDING FEB 29TH/FOR LEAP YEARS ONLY)
= 0150
= 0002
= 0001
= 0010
                                                                                                              DAYS YR
                                                                                                                                                                     EQU
EQU
EQU
EQU
                                                                                                               YES CODE
NO CODE
VALID CODE
DAYS_FEB29
      0030
                                                                                                                   STRUCTURES
                                                                                                              ČLOCK
 = 02C0
                                                                                                                    LOCK EQU 2COH ;BASE PORT
                                                                                                              CLOCK: PORTS
TEN_THOUS
                                                                                                                                                                      STRUC
                                                                                                                                                                                                                                                            ;1/10000s of seconds(who cares?);hundredths
9000
0001
0002
0003
0004
0005
0006
0007
0008
0009
9504
(00)k
                    HUND'S
SECS
                                                                                                                                                                                                                                                          iseconds
| Hainutes
| Hours
| Iday of week
| Iday of week
| Iday of annth
| Inonth
| Inonth
| Inonth | Inonth | Inonth
| If All with annth of last chip access
| If All with annth of last chip access
| If All with annth of last chip access
| If All with annth of last chip access
| Iday | Iday | Iday | Iday | Iday | Iday | Iday | | | | | | | | | | | |
| Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday |
| Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday |
| Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday |
| Iday | Iday | Iday | Iday | Iday | Iday | Iday |
| Iday | Iday | Iday | Iday | Iday | Iday | Iday |
| Iday | Iday | Iday | Iday | Iday | Iday | Iday |
| Iday | Iday | Iday | Iday | Iday | Iday | Iday |
| Iday | Iday | Iday | Iday | Iday | Iday | Iday |
| Iday | Iday | Iday | Iday | Iday | Iday | Iday |
| Iday | Iday | Iday | Iday | Iday | Iday | Iday |
| Iday | Iday | Iday | Iday | Iday | Iday | Iday |
| Iday | Iday | Iday | Iday | Iday | Iday | Iday |
| Iday | Iday | Iday | Iday | Iday | Iday | Iday |
| Iday | Iday | Iday | Iday | Iday | Iday |
| Iday | Iday | Iday | Iday | Iday | Iday |
| Iday | Iday | Iday | Iday | Iday | Iday |
| Iday | Iday | Iday | Iday | Iday | Iday |
| Iday | Iday | Iday | Iday | Iday | Iday |
| Iday | Iday | Iday | Iday | Iday | Iday |
| Iday | Iday | Iday | Iday | Iday | Iday | Iday |
| Iday | Iday | Iday | Iday | Iday | Iday | Iday |
| Iday | Iday | Iday | Iday | Iday | Iday | Iday |
| Iday | Iday | Iday | Iday | Iday | Iday | Iday |
| Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday |
| Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday |
| Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday |
| Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Iday | Ida
                                                                                                                                                                                                                                                             seconds
                                                                                                               HINS
                                                                                                              HRS
WEY DAY
DAY
                                                                                                              MO
VERIFY
                                                                                                             HON CHK
                                                                                                              LEAP_BK
                                                                                                               CLOCK_PORTS
 0000
                                                                                                                                                                     ENDS
                                                                                                              1
 14X
                                                                                                                                         ASSUME CS:CSEG, ES:CSEE, DS:CSEG
                                                                                                              BEGIN: S F E E I A
MENT DEV BI
ATTRIBUTE DI
 0000
                                                                                                                                                                                      DEVICE NEADER

BOOM 1000MER TO METISENCE

BOOM 1000MER TO METISENCE

OUV STANTEST 1000MER TO METISENCE

OUV STANTEST 1000MER TO MITTER AND METISENCE

OUDCOM 1000MER TO MITTER AND METISENCE

CODEN:
 0000 FF 8
                     be be ab te
                                                                                                                                                                     BREEKS.
                    029A R
40 45 4
                                                                                                               STRATEGY
INTERRUFT
DEV_NAME
                                45 4F 47 48 24
92 1
                                                                                                              rm gef
fy se6
user_haf
                                                                                                                                                                                                                                                            TREQUEST HEADER OFFSET IR HOR SEGMENT
                                                                                                                                                                                                                                                             SUSER TRANSFER ADDRESS (BUFFER)
                                                                                                                             FUNCTION TABLE
001A
001A
001C 02BD P
001E 02BD R
0020 02BD R
0022 02B2 R
0024 02BD R
0028 02ED R
0028 02ED R
0028 02ED R
                                                                                                                                                                     BYTE
INIT
MEDIA_CHECK
BUILD_BPB
IOCTL_IN
INPUT
                                                                                                                                         LABEL
                                                                                                                                                                                                                              INSTITUTION -USED FIRST TIME DEVICE IS CALLED (MOLOCK ONLY) -WOT USED -WOT USED (INFUT MEAN ONLY) -WOT USED (INFUT MEAN ONLY) -WOT USED (ICHAR ONLY) -WOT USED
                                                                                                                                                                     INPUT
ND_INPUT
IN_STAT
IN_FLUSH
CUTPUT
OUT VERIFY
```

002E 0930 9032	0280 R 9280 R 6280 R	; 1	DW DW	OUT "STAT OUT" FLUSH TOCTL_OUT	;C.O. ;C.O. ;IOCTL OUTPUT	-NOT USED -NOT USED -NOT USED
		:	LOCAL	DATA BLOCK IN DOS	2.0 FORMAT	
0034	1997	CLK_TBL	LABEL	BYTE	LOAVE CINCE 1-1-D	٨
0036 0037	77		DB DB	1	:OAYS SINCE 1-1-B :HINS :HRS	U
0039	33		DR DB	7	:1/100THS SEC	
		ł	HONTH	TABLE	1200	
003A	***	MON_TBL	LABEL	BYTE		
003A	0000 001F		DM.	31	JAN JEEB	
003E 0040 0042	0038 005A 007B		DM DM DM	59 90	IAPR	
0044	0097 0085		DW DW	120 151 181	: MAY ; JUNE ; JULY	
004B 004A	00D4 00F3		DW DW	212	; AUG ; SEPT	
004C 004E	0111 0130		DW	243 273 304	INCT	
0050 0052	014E 016D		DA	334 365	334 DAYS UP TO D DAYS UP TO JAN I	EC 1 , next yr
		ļ.	TABLE (OF CURRENT CLOCK		
0054	?? ? ?	ÜHR	CLOCK	PORTS ()	;Allocates accord	ing to predefined STRUC
0055 0056 0057 0058 0059 005A 005C 005C 005D 005F	7					
			VARIABL	ES FOR TRACKING	THOSE PESKY LEAP Y	EARS
0060 1600	00 ??	LEAP ST	AT	DB 0	110H MEANS CURREN NUMBER OF LEAP Y	T YR IS A LEAP
		į L	0 C A L	PROCEDUR	E S	
00a2 0062	2A: 88 47 0F	IN_SAVE	PRDC	NEAR	BUF(BX) ;SAVE CAL	FP'S BUFFER AND
0056 A600	26: 88 47 0E 2E: A3 0016 R 26: 88 47 10		YON	CS:USER BUF,AX AX,ES:WORD PTR	BUF+2(B1)	
006E 0072	2E: A3 0018 R C3		MDV Ret	CS:USER_BUF+2,A	X	
0073		IN_SAVE				
0073	0E	READ_CL	PUSH	PROC MEAR CS ES	" ;SET UP TI	READ CHIP AND STORE IT
0074	07 BD 3E 0054 R	RETRY:	POP LEA	DI,UHR		
0079 007A 007C	FC 2B CO B9 000C		CLD SUB MDV	AX,AX		
907F 00B2	BA 02C0 EC	LOADIT:	KOV	CX, 12 DX, CLOCK AL, DX	; ADDRESS (OF CHIP BASE PORT
00B3 00B4	42 51	20112	INC PUSH	CX		
00B5 00BB	EB 0132 R AA		CALL	DEC_HEX		BCD TO HEX
00B9 00BA	59 E2 F6		POP LOOP	CX LOADIT	;RESTORE (COUNTER
		Che	ck for	counter rollover	during read(STATUS	BYTE=BON)
	BA 02D4 EC	•	HOV In	DX,CLOCK+STATUS AL,DX	BIT	
	B4 C0		TEST	AL AL RETRY		
		Rou			r transfer to DOS	
0094	EB 0110 R	1	CALL	NEW_YEAR	CHECK TO	SEE IF IT'S A NEW YEAR
0097 009A	EB OOED R		CALL	DAYS TIME		F DAYS SINCE 1/1/80 TIME IN HEX
009D 00A2	2E: BE 06 001B R 2E: BB 3E 0016 R	į.	MBV MOV	ES, CS: USER_BUF+ DI,CS: USER_BUF	2 ;SET DEST ;CALLER'S	INATION (ES:DI) TO POINT TO
00A7 00AB	0E 1F		PUSH POP	CS DS	ESTABLIS	H SOURCE
9A00	B9 0006	050	MOV	CX,6	16 BYTES	DY HAS CLK_TBL ADDRESS
OOAC OOAE OOAF	F3/ A4 C3	READ_CL Ti	MOVSB RET OCK	ENDP	;SENU INF	D TO BUFFER FOR "READ"
00AF 00AF	28 CO	DAYS	PROC	NEAR		
00B1 00B4	AO 005E R BB 0160		MOV MOV	AX,AX AL,UHR.YR BX,DAYS_YR	; YEAR-19B	0
00B7 00B9	F7 E3 28 C9		MUL	CY.CY	HUL FOR	DAYS
00BB 00BF	BA 0E 005B R EB 0104 R		MOV	CL,UHR.MO DAYS MONTH AX, MORD PTR(BX)	;LOAD MON ; CALL RO	TH IN CL AND UTINE TO ACCESS MONTH TABLE YEAR'S DAYS(XCEPT CUR MO)
00C2 00C4	03 07 32 FF		ADD XOR	ви,ви		
6300 A300 3300	BA 1E 005A R 03 E3 50		MOV AOD PUSK	BL,UHR.DAY AX,BX	GET DAY DAYS SIN	OF MON CE 1-1-80, EXCEPT LEAP DAYS
0000	AO 005E R EB 0151 R		HOV CALL	AX AL,UHR.YR LEAP_CHK	; CHECK TH	OSE TOO
0003	5B		POP	AX _CIIK	, = (r = 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	

Listing 1 continued on page 446


CALL FREE 1-800-841-2748

1-800-841-2748						
COMPUTERS						
ALTOS 580-10						
TELEVIDEO 803 \$1779 1603 \$2019 TETETOTE I \$1219 NORTHSTAR						
ADVANTAGE\$2150						
B.M.C. BX80 \$299						
BROTHER HRI						
OKIDATA\$CALL SMITHCORONA\$499 CITOH						
8510 \$345						
NEC 3510 \$1364 7710 \$1899 3550 \$1705 2010 \$785						
TERMINALS						
ADDS VIEWPOINT A1 \$485 ALTOS II						
MONITORS						
AMDEK 300G . \$130 AMDEK 300A . \$145 AMDEK 310A . \$209 AMDEK COLOR I . \$270 B.M.C. GREEN . \$89 B.M.C. COLOR . \$230 NEC JB1201 . \$159 TAXAN GREEN . \$129						
DISK DRIVES						
TANDON 100-2D \$240 MICRO SCI A2 \$229 RANA 1000 \$375 RANA ELITE \$249 ATARI 1050 \$365						
MODEMS						
HAYS SMART MODEM						

COMPUTER SYSTEMS 13422 N. CAVECREEK RD.

PHOENIX, AZ. 85022 OTHER INFORMATION: 602-867-9897





Excellent growth opportunity. Possible equity. Full relocation program.

Resumes, in strict confidence, to: Director of Human Resources, Dept. Byte.

1450 Broadway NY, NY 10018

An Equal Opportunity Employer M.F.

New **EMPLOYMENT OPPORTUNITIES** Section

BYTE will feature a special section for recruitment advertising in all future issues.

BYTE is the perfect place to look for those High Technology professionals you need—over 400,000 paid subscribers.

Or, if you're looking for a new position, this is the place to feature a **Position** Wanted ad.

The cost for any display ad in this new EMPLOYMENT OPPORTUNITIES section is only \$356 per inch. For quotes on all **EMPLOYMENT** OPPORTUNITIES ads, or any additional information on recruitment advertising, call our special recruitment telephone sales at 212/512-2556.

Or send in your order to: BYTE **Recruitment Advertising** Center P.O. Box 900 New York, NY 10020

Listing 1 continued:

00D4 2B D2 00D6 8B 16 0061 R 00D8 03 C2 09DC F6 06 0060 R 10 00E1 74 03 00E3 EB 0173 R 00E6 8B 36 0034 R 00E6 C3 00EB 8P 04	SUB MOV ADD TEST JZ CALL D1: LEA MOV RET DAYS ENDP	DY, DY DI, MUM_LEAPS AX, DX LEAP_STAT, 10H DI LEAP_ADJ SI, CLK TBL WORD PTR [SI], AX	;ADD IN OLD LEAP DAYS ;CURRENT YEAR A LEAP? ;JHP OH MO ;YES -60 FIX THINGS ;SAVE RESULT
00ED 8D 3E 0036 R 00F3 AO 0057 R 00F6 AA 0058 R 00F8 AO 0055 R 00F8 AO 0056 R 00F	TIME PROC LEA TOR HOV STOSB HOV STOSB HOV STOSB HOV STOSB RET TIME ENDP	N, SEC, 1/100THS SEC MEAR O1, CLK_TBL (2) AH, AH AL, UHR. HINS AL, UHR. HRS AL, UHR. HUNDS AL, UHR. SECS	;SET UP TO LOAD DATA LOCALLY IN RIGHT ORDER
0104 0104 B0 E9 01 0107 D0 C1 0107 BD 1E 003A R 010D 03 D9 010F C3 0110	DAYS_MONTH SUB ROL Lea Add Ret Days_month ;	PROC MEAR CL, I CL, I 8%, MON_TEL 8%, CX ENDP	IMONTH ARRIVES HERE IN CL JADJUST TO BET THE CORRECT JOFFSET INTO THE TABLE JECT ADOR OF MONTH TABLE JHON WORD PTRIBIJ HAS NUM OF DAYS UP TO CURRENT MO
0110	THE MENT AND A CHE THE THE MENT AND A CHE THE THE MENT AND A CHE THE THE THE THE THE THE THE THE THE T	MEAR AL, UHR. MON_CHK NEW NEW UPDATE UHR.YR AL, UHR. YR HEX DEC DY, TLOCK+10 DY, AL AL, UHR.MO DY, CLOCK+9 OY, AL OY, AL	CHECK FOR A "NEW YEAR" AND/OR UPDATE MOM_CHK CUMRENT MONTH STORED ON CHIP THE LAST "MONTH" ME READ IT 1/1/2 S OF IT'S A NEW YEAR 1/1/3 A NEW MONTH - 60 BACK 1/1/3 A NEW MONTH - 60 BACK 1/1/3 TEAR - 1/980, +1 MAKE IT BCD LIKE EVERYTHING ELSE 1/3 RAM ADDR FOR YR UPDATE MOM_CHK OM RAM
0132 50 0133 81 04 0135 02 E8 0137 58 0137 58 0138 87 0A 0138 65 7 013C 80 65 0F 013F 02 C3 0141 C3 0142	DEC_HEX PROC PUSH HOV SHR POP MOV HUL AND RET DEC_HEX ENDP	NEAR AX AL, CL BI, BH, 10 BH BL, OFH AL, BL	;CONVERTS SMALL PACKED BCD TO HEX
0142 2A E4 0144 B3 0A 0144 B3 0A 0146 F6 F3 0148 B1 04 014A B2 E0 014C B6 C4 014E 0A C4 0155 C3 0151	HEX_DEC PROC SUB MOV DIV MOV SHL ICHG OR RET HEX_DEC ENOP	MEAR AH,AH BL,10 BL CL,04 AL,CL AL,AH AL,AH	;CONVERTS HEX NUMBERS UP TO 63H(=99) TO BCD ;HEX NUMBER PASSED IN AL ;BCD IN AL
0151 JC 00 0153 74 10 0153 74 10 0155 32 E4 0157 FE C8 0159 83 04 0158 F6 F3 0150 80 FC 03 0160 73 08 0162 80 05 0060 R 10 0167 E8 06 90	IEAP_CHK PROC CNP JE TOR DEC MOV DIV CHP JNE OR JMP MOT_LEAP: MOV	MEAR AL,0 AH,AH AL BL,4 BL,4 AH,5 MOT LEAP LEAP_STAT,10H LEAP_STAT,0	;SETS NUMBER OF LEAP YEARS PAST & STATUS BYTE ;IS IT 1980? ;YES - FORGET THE REST ;PUT YEAR-1980 IN AL BEFORE CALL ;SET LEAP STATUS BIT ON(CURR YR IS A LEAP)
0172 C3 0173 C3 0173 80 3E 005F R 02 0178 74 48 0178 B4 1E 005B R 017E B4 1E 005A R 0182 81 FB 0301 0186 7E 3B	LI: MOV L2: RET LEAP_CHA: ENDP TEAP_ADJ CMP JE MOV CMP CMP JE	PROC NEAR UHR.LEAP_BK, YES_CODE DONE! BH_UHR.DAY BY,0301H OOME2	; NUMBER OF LEAP DAYS SINCE 1980 [ADJUSTS CHIP AND/OR DAYS COUNT DURING LEAPS !HAVE ME ALREADY DONE THE BOOKEEPING? JUMP OH YES ITS IT BEFORE/AT FEB29?(CHIP THINKS IT'S 3/1) ; YES - JUMP
018B 80 3E 005A R 01 018D 74 16 018F 50 0190 3Z E4 0192 A0 005A R 0195 FE E8 0197 BA 02C6 019A EE 0197 BB 02 0199 B8 02 0199 B4 02CB	CMP JE PUSH XOR NOV DEC BAR: HOV HOV HOV OUT	UHR.DAY,I FODEY AI AH,AH AL,UHR.DAY AL DY,CLOCK+DAYY DY,AL AL,YES CODE DY,LCCK+SWITCH DY,AL DY,AL	; IS IT THE 1ST OF A MONTH? ; JUMP ON YES AND MHAT A PAIN ; NO -JUST BACK UP ONE DAY AND SET LEAP_BK ; CHIP PORT ;SET LEAP_BK ON RAM SU WE MON'T HAVE TO DO THIS AGAIN
01A1 5B 01A2 EB IF 90 01A5 2B C9	POP JNP FOOEY: SUB	AX DONEZ CX,CX	BACK UP DAY AND HONTH BOTH

```
OIA7 BA OE 005B R
OIA8 50
OIA6 BB CI
OIA6 BA O2C7
OIB1 FE CB
OIB3 EE
OIB4 B3 C2 O2
DIB7 EE
OIB9 BB O7
OIB9 EB OIO4 R
OIB9 BB O7
OIB0 EB U55
                                                                                                                                                                              CL,UHR.MO
AX
AX,CX
DX,CLOCK+MON
                                                                                                                                                 PUSH
MOV
DEC
OUT
ADD
OUT
CALL
HOV
SUB
JMP
                                                                                                                                                                             DX, CLOUK*HON
AL
DX, AL
DX, AL
DX, 2
DX, AL
DX, SHONTH
AX, MORD PTR(BX)
AX, MORD PTR(BX)-2
DAP
                                                                                                                                                                                                                                                                         RESET MONTH VERIFY ON RAM TOO
                                                                                                                                                                                                                                                                        ; NOW FIND HOW MANY DAYS LAST MONTH HAD
; YESTERDAY NOW IN AL
; FINISH UP
  01C2
01C3
01C4
                                                                                                                                                                                                                                                                         ;ALL THE REST OF YR ADD ONE NO' DAY
                                                                                                                                                                              ENDE
                                                                                                                                                                        PROC MEAR
DS,CS:USER BUF*2
S1,CS:USER_BUF
CS
ES
D1,CLK_TBL
CX,6
                                                                                                                SET_CLOCK
HOV
HOV
PUSH
POP
LEA
HOV
                                                                                                                                                                                                                                                                         GETS DATA FROM DOS, CRUNCHES IT & SETS CHIP
SET SOURCE TO CALLER'S (DOS)BUFFER BLK ADR
 C1C4
2E: BE 1E 001B R
01C9 2E: 9B 36 0016 R
01CF 07
01D0 9D 3E 0034 R
01D4 89 0006
01D7 FC
01D5 F37 A4
                                                                                                                                                                                                                                                                        SET UP TO MOVE DATA LOCALLY
                                                                                                                    REP
                                                                                                                                                                                                                                                                       : DO 1T
                                                                                                                           CALCULATE AND LOAD LOCAL CLOCK CHIP TABLE (STRUCTURE)
                    0E
1F
EB 01F9 R
EB 0210 R
                                                                                                                                                                                                                                                                        ;ESTABLISH DS AS THIS SEG
;DO TIME PART(EASY)
;DAYS TO YR-MO-DAY
                                                                                                                                                 CALL
                                                                                                                                                                             LOAD TICKS
UNSERAM
                                                                                                                          SET CHIP
                     28 CO

B7 000C

BA 02CO

BD 36 0054 R

AC

51

EB 0142 R

EE

42

42

57

E2 F6

C3
                                                                                                                                                                             AX,AX
CX, I2
DX, CLOCK
SI,UHR
 01E2
01E4
01E7
01EA
01EE
01EF
01F0
01F3
01F4
01F5
01F6
01F8
                                                                                                                                                                                                                                                                        ;CHIP BASE PORT ADDRESS;
;SOURCE-CHIP TABLE WE'VE SET UP
;MOVE DATA TO AL
;MEXET ROUTINE TRASHES COUNTER
;CHANGE TO BCD
;"MRITE" TO CHIP
;MEXT PORT
                                                                                                                                                  MOV
                                                                                                                                              LODSB
PUSH
CALL
OUT
                                                                                                                    DMPIT:
                                                                                                                                                                              HEX DEC
DX, AL
DX
                                                                                                                                                INC
POP
LOOP
RET
                                                                                                                                                                              CX
DMPIT
                                                                                                                                                                                                                                                                         :LOOP 'TIL DONE
                                                                                                                    SET_CLOCK
                                                                                                                                                                              ENDP
                                                                                                                                                                              PROC MEAR
SI,CLK_TBL[2]
AH,AH
                                                                                                                    rom Licka
                     BD 36 0034 R
32 E4
AC
A2 0057 R
AC 0058 R
AC
A2 0055 R
AC
A2 0056 R
C3
                                                                                                                                                                                                                                                                        LOAD TIME INTO CHIP STRUCTURE FORKAT
                                                                                                                                                 LEA
XOR
LODSO
                                                                                                                                                 MOV
LODSB
MOV
LODSB
                                                                                                                                                                              UHR.MINS.AL
                                                                                                                                                                              UHR.HRS,AL
                                                                                                                                                                              UHR. HUNDS, AL
                                                                                                                                                 MQV
Lodsb
                                                                                                                                                                              UHR. SECS. AL
                                                                                                                                                 MOV
Ret
                                                                                                                    LOAD TICKS
                                                                                                                                                                              ENDP
                                                                                                                   ;
UNSCRAM PROC
LEA
MOV
CMP
JE
MOV
CWD
DIV
MOV
                                                                                                                                                                              NEAR
BP,CLK TBL
AX,WORD PTR CS:(BP)
AX,0
                                                                                                                                                                                                                                                                        DAYS SINCE 1/1/80 TO MM/DD/YY
                    BD 2E 0034 R
2E: BB 46 00
3D 0000
74 67
8B 016D
99
F7 F3
A2 005E R
                                                                                                                                                                                                                                                                        FIRST WORD IN CLK TBL
; IF IT'S 1-1-80, TAKE SHORT CUT
                                                                                                                                                                                BX, DAYS_YR
                                                                                                                                                                                                                                                                        ; BLANK OUT DI FOR DIVIDE
; YRS GO TO AL, DAYS LEFT TO DI
; SAVE YRS SINGE 1980
; NOW CHECK MHETHER LEAP DAYS OR END OF
; YEAR HAVE MADE IT LOOK LIKE A NEW YR
                                                                                                                                                                              BX
UHR. YR,AL
                                                                                                                                                                             LEAP CHK
CX,CX
CL,NUM_LEAPS
DX,CX
OX
DX,DAYS_YR
UHR,YR
                    EB 0151 R
28 C9
38 D1
77 026
81 C2 016D
FE 02 005E R
40 005E R
51 C2 016D
FE 02 005E R
52 005E R
53 DB
54 E 0061 R
55 DB
56 005F R
57 E 09
66 005F R
67 E 09
67 E 09
68 D1
68 
  0226
0227
0227
0231
0233
0236
0237
0247
0247
0249
0250
0255
0258
0256
0268
0268
0268
0268
0267
0277
0278
0277
0278
                                                                                                                                               ; IF REMAINDER DAYS(LEAP DAYS, FIX IT
                                                                                                                                                                                                                                                                          ALL FIXED NOW REDO LEAP VARIABLES
                                                                                                                                                                              AL, UHR, YR
LEAP CHK
                                                                                                                                                                              BI,BI
BL,NUM_LEAPS
DI,BI
LEAP_STAT,10H
                                                                                                                   OK:
                                                                                                                                                                                                                                                                        CORRECT FOR LEAPS
CURRENT YEAR A LEAP?
JUMP ON NO
SAT/BEFORE FEB 29?
YES JUMP
SET RAM SWITCH TO 'YES'
NO - TAKE OUT THAT EXTRA DAY
                                                                                                                                                                              DI, DAYS_FEB29
                                                                                                                                                                              UHR.LEAP_BK,YES_CODE
                                                                                                                                                                              UHR.LEAP_BK.NO_CODE
BX.26
DI,MON_TBL
                                                                                                                                                                                                                                                                        SET RAM TO 'NO'
                                                                                                                    UZ:
                                                                                                                                                                                BX,2
WORD PTR [0]][BX],DX
                                                                                                                                                                              U2
DX, WORD PTR [DI][BX]
BL,1
                                                                                                                                                                                                                                                                        ;FIND RIGHT MONTH IN TABLE
;DAYS INTO MONTH LEFT IN DX
                                                                                                                                                                              BL
UHR.DAY,DL
UHR.MON CHK,BL
UHR.MO,BL
                                                                                                                    U3:
                                                                                                                                                                                                                                                                        SET UP MONTH VERIFY IN RAH TOO
                                                                                                                   04:
                                                                                                                                                                                                                                                                        SET UP FOR 1-1-80 "in the beginning..."
                                                                                                                                                 HOV
                                                                                                                    UNSCRAM ENDP
                                                                                                                                            DEVICE STRATEGY
   0289
                                                                                                                  DEV_STRATEGY:
```

Listing 1 continued on page 448

FOR TRS-80 MODELS 1, 3 & 4
IBM PC. XT. AND COMPAQ

The MMSFORTH System. Compare.

- The speed, compactness and extensibility of the MMSFORTH total software environment, optimized for the popular IBM PC and TRS-80 Models 1, 3 and 4.
- An integrated system of sophisticated application programs: word processing, database management, communications, general ledger and more, all with powerful capabilities, surprising speed and ease of use.
- With source code, for custom modifications by you or MMS.
- The famous MMS support, including detailed manuals and examples, telephone tips, additional programs and inexpensive program updates, User Groups worldwide, the MMSFORTH Newsletter, Forth-related books, workshops and professional consulting.



A World of Difference!

- Personal licensing for TRS-80: \$129.95 for MMSFORTH, or "3+4TH" User System with FORTHWRITE, DATA-HANDLER and FORTHCOM for \$399.95.
- Personal licensing for IBM PC: \$249.95 for MMSFORTH, or enhanced "3+4TH" User System with FORTHWRITE, DATAHANDLER-PLUS and FORTHCOM for \$549.95.
- Corporate Site License Extensions from \$1,000.

If you recognize the difference and want to profit from it, ask us or your dealer about the world of MMSFORTH.

MILLER MICROCOMPUTER SERVICES 61 Lake Shore Road, Natick, MA 01760 (617) 653-6136

Circle 256 on inquiry card.

Build Your Own IBM-PC Compatible!

Here are the boards, assembly instructions and parts you need...plus full back-up service from Netronics!

Complete instructions show you how to build an IBM-PC compatible that can run ANY—not just "popular"—IBM-PC programs!
Motherboard functionally duplicates IBM-PC...features IBM-PC compatible BIOS ROM plus five empty sockets for ROMs of your choice. Sockets will accept IBM-PC PROMs or other PROMs.
Instructions include step-by-step procedure for transferring ROMs from a pc onto a floppy disk, which can then be mailed away for ROM duplication.

Road kits include private currous thought some hard-

Board kits include printed curcuit board, some hard-to-get parts, and detailed assembly instructions. Complete kits include printed circuit boards, all parts, and detailed assembly instructions. Manuals only, \$5,00 per kit.

IBM-PC Compatible 16-bit Motherboard with IBM compatible BIOS ROM—☐ Board kit, \$89.95/☐ Complete kit, add \$140.00

IBM-PC Compatible Keyboard in cabinet (wired & tested), \$229.95

G84/256k Memory with serial port with DB-25 connector

☐ Board kit (64k), \$39.95/☐ Complete kit (64k), add
\$134,00/☐ Each additional 64k block (to 256k), add

\$75.00

Four Drive Disk Controller with hard disk SASI interface, parallel printer port, clock/calendar—□ Board kit, \$69.95/□ Parts for Four Drive Disk Controller, add \$130.00/□ Parts for Parallel Printer Port, add \$30.00/□ Clock/Calendar, add \$45.00/□ SASI Interface, add \$50.00/□ All 4 functions wired and tested, \$329.95.

IBM-PC Compatible Color Board for B&W)—□ Board kit with ROM, \$89.95/□ Wired and tested, \$299.95.

Printer/Spooler Board with 64k buffer, clock calendar, parallel printer ports—□ Board kit with ROM, \$49.95

Modern Board, 300 BPS, direct connect/originate/auto-dial/auto answer plus 2 serial ports—□ Board kit with telephone company connectors, \$49.95

Power Supply □ Complete kit, \$179.95/□ Extra power for hard disk option, add \$20.00

□ Cabinet for PC, steel with brushed aluminum front

☐ Cabinet for PC, steel with brushed aluminum front panel and simulated oak cover, \$199.95

☐ 5¼" Disk Drive, DSDD (wired & tested), \$269.95 □ 10 Megabyte Hard Disk with controller & software (wired & tested), \$1295.50

Netronics of fers complete service department to customers.

TERMINALS

(Terminals require ASCII keyboard and power supply.) Power Transformer for either terminal, \$9.95

☐ Power transformer for either terminal, \$9.95.

SmartVid Deluxe Terminal, 80 characters by 24 lines, microprocessor controlled with editing, reverse video and more—☐ Board kit (includes board, character generator, video controller, 2k system ROM), \$99.95/☐ Complete kit, add \$100.00

FastVid Deluxe Terminal, 64 or 32 characters x 16 lines, baud rate to 19 kilobaud—☐ Board kit (includes controller, character generator, and PROM), \$49.95/\[\subseteq Complete kit, add \$50.00

SPEECH

SPEECH

Electric Mouth Apple/S-100 Speech Board, with National NSC Digitalker speech chip— Apple/D S-100 |
| Please check your choice. // Board kit (with Digitalker and 150 word vocabulary set), \$69.95/ Complete kit, add \$30.00/ 2nd Word Set (150 words), add \$39.95 |
| SpeakEasy Universal Talking Board, operates with computers and terminals or in the stand-alone mode. Uses same power supply as terminals /see above/ Board kit (includes VORTRAX speech chip and system ROM), \$89.95/ Complete kit, add \$60.00/ Cabinet, add \$15.00

S-100 DYNAMIC RAM BOARD

16k/64k RAM Board uses popular 4 I16 chips — Board kit (includes 8202 controller), \$69.95/ Complete kit (16k), add \$79.95/ Each additional 16k, add \$50.00

(10k), add \$79.95\subseteq Each additional 16k, add \$50.00

ELF II BEGINNER'S PAK

ELF II is a complete 256 byte, fully expandable learning computer with excellent documentation that explains hardware and software fundamentals. Learn to program in machine language! Learn the essence of how all computers operate and "think"! If you can afford to think additional to have an ELF II beginner's pak! Complete kit, \$139.95

USE YOUR CREDIT CARD! CALL TOLL FREE 1-800-243-7428 (in Connecticut call 203-354-9375)

To order by mail, check boxes above for products you

desire. Mail entire ad with remittance to: Netronics R & D, Ltd.
333 Litchfield Road, New Milford, CT 06776
Total enclosed \$(Conn. res. add tax) ☐ Visa
☐ MasterCard Acct. #
Exp Date Signature
Print Name
Address
City

Listing 1 continued:

028F 0294 0299	2E: 8C 06 C 2E: 89 1E C	014 R 0012 R		MOV MOV RET	CS:RH_SEG.ES CS:RH_OFF.BX	; SAVE SEGMENT OF REQUEST HEADER PTR ; SAVE OFFSET OF SAME
			D	EVIC	E INTERRUPT H	ANDLER
029A			DEV IN	VE MACHI	NE STATE	
029A 029B 029C 029D 029E 029F 02A0 02A1 02A2	FC 1E 06 50 53 51 52 57 56			PUSH PUSH PUSH PUSH PUSH PUSH PUSH PUSH	DS ES AX BX CX DX DI SI	
VZ.112					NG TO THE FUNCTION PASSE	D
02A3 02AB 02AD 02B1 02B3 02B7 02B9 02B8	2E: BB IE 6 2E: BE 06 0 26: BA 47 0 DO CO BD 3E 001A 32 E4 03 FB FF 25	0014 R 02		MOV MOV ROL LEA IDA ADB JEP	BX,CS:RH OFF ES,CS:RH SEG AL,ES:(BXI+2 AL,1 DI,FUNTAB AH,AH DI,AX WORD PTR(DI)	GET REQUEST BLOCK ADDRESS FROM WHERE DEVICE STRATERY PUT IT JEET FUNCTION BYTE SET OFFSET INTO TABLE JEET ADDR OF FUNCTION TABLE
				OLLOWING	ENTRIES ARE NOT SUPPORT	TED BY THIS DEVICE
028D 028D 028D 028D 028D 028D 028D 028D			TOCTL TOCTL TO THE PROPERTY OF THE PROPERTY OF THE PROPERTY OUT STATEMENTS OUT ST	IT; ; ; it; ish; ;heck; !pa;	DOM€, ERROR, O3	; SET STATUS BYTE AS *ERROR-UNK COMMAND
028D 02C3 02C9 02CF	26: 81 4F (26: 81 4F (26: 81 4F (EB 3F 90	3 1000	•	OR OR OR JMP	ES:WORD PTR SRH STA FLI ES:WORD PTR SRH STA FLI ES:WORD PTR SRH STA FLI EXIT	D(BX),0100H D(BX),1000H
			1	T = READ	THE CLOCK CHIP	
0202 0202 0205 0208 0200	EB 0042 R EB 0073 R 2E: BB 1E 2E: BE 04	0012 R 0014 R	ÍNPUT:	CALL CALL MOV MOV	IN SAVE READ CLOCK BI,CS:RH OFF ES,CS:RH SEG	;CALL THE INITIAL SAVE RTN ;READ IN THAT DATE/TIME ;RESTORE ES:BX AS RED HDR PIR
02E2 02E8	26: 81 4F 26: 81 4F EB 20 90	03 0000 03 0000	*	STATUS OR OR	DONE, NOERROR, O ES: WORD PTR SRH STA FLI ES: WORD PTR SRH STA FLI	D(BX1,0100H D(BX1,0
02EE	EB 20 90		i ONTPI	JMP IT = SET	EXIT TIME & DATE	
02FI			DUTPUT			
02F1 02F4 02F7 02FC	EB 0062 R EB 01C4 R 2E: 88 IE 2E: BE 06	0014 R		CALL CALL NOV MOV STATUS	IN SAVE SET CLOCK BI, CS:RH OFF ES, CS:RH SEG DOME, NOERROR, O ES: MORD PIR SEM SIA FL	;CALL INITIAL SAVE ROUTINE ;SET TIME & DATE ;RESTORE ES:BI AS REQUEST HDR PTR
0301 0307 030D	26: 81 4F (26: 81 4F (EB 01 90	03 0000 03 0100	;	OR OR JMP	ES: WORD PTR SRH_STA_FL ES: WORD PTR SRH_STA_FL(EXIT	DEBX1,0100H DEBX1,0
			EVERE	ODY'S EX	IT	
0310 0310 0311 0312 0313 0314 0315	5E 5F 5A 59 58 58		ÉXIT:	POP POP POP POP POP POP	SI DI DX CX BX AX	
0316	07 IF			POP POP Ret	ES DS	
0318	CB		INIT			
0319 0319	0E		ÎNIT:	PUSH	CS	
031A 031B	58 05 0319 R 26; C7 47	ne 0000		POP ADD	AX AX, OFFSET INIT ES:NORD PTR BR_ADDR_DCE	CURRENT CS TO AX
031E 0324	26: 89 47	0	1	MOV	ES:BR_ADDR_1[BX],AX	; MAKE THAT THE BREAK ADDR
0320	BA O2CB		CHECK	VERIFY B		TWARE DIDDLED THE CLOCK?
0328 0328 032C	EC 10			IN CMP	DX,CLDCK+VALID AL,DX AL,VALID_CODE FINE	; PORT FOR VERIFY RAM ; ARBITRARY VALIDATION CODE
032E	74 OE		RESET	J <i>1</i> Chip-can	FINE 'T TRUST IT	JUMP ON OK
0330	80 FF		i	MOV	AL.OFFH	RESET ALL REGISTERS
	BA 02D2 EE			MOV OUT INC OUT	DX,CLOCK+COUNTER_RESET DX,AL DX DX,AL	;RESET ALL COUNTERS ;RAN(LATCH) RESET ADDR ;NOW RESET RAN
0332 0335 0336 0337	42 EE BO 10			MOV	AL, VALID CODE	- NOW HALL TRATE
0332 0335 0336 0337 0338 033A 033D	42 EE			MOV OUT	AL, VALID CODE DX, CLOCK FVALID DX, AL	; NOW VALIDATE RAM
0332 0335 0336 0337 0338 033A	42 EE BO 10 BA 02C8	0000 03 0100	FINE:	MOV	AL, VALID CODE	DEBX1.0100H

Text continued from page 443:

The DOS manual warns that heavy stack use might require a separate stack, however.

When initialized (INIT), the driver must tell the DOS the ending address of its code. PC-DOS 2.0 allocates all available memory to a program unless it is told otherwise, and failure to indicate an end causes quite a hang-up. This feature also allows disposable initialization code and attendant memory conservation.

When finished, the driver sets appropriate bits in a STATUS word located in the Request Header.

The Hardware

Normally, when the system is booted up, the PC starts counting timer ticks and uses software in the ROM (read-only memory) BIOS (basic input/output system) and disk system files to keep track of the time and date. You can set both, but the machine obviously has no memory of either when switched off. Many manufacturers are now supplying real-time clock/calendar chips with on-board battery backup.

Software is supplied to access the chip and set the time and date at start-up. AST Research supplies two programs at present to service the MM58167A chip. One reads the chip and sets the system time/date, and one sets the chip functions.

The MM58167A chip provides the time, day of the week, day of the month, and month, with capabilities for alarm features and synchronized start-up for precise timing. All data is stored on the chip in binary-coded decimal (BCD) format. Unfortunately, as shown in figure 2, PC-DOS 2.0 requires data from the system CLOCK\$ in a somewhat different format. Not only does it want the count of days since 1-1-80, but it also wants it in hexadecimal. The chip has no provisions for handling leap years or for keeping track of the year in any manner. Hidden in PC-DOS 2.0 are some appropriate algorithms for doing all this, but our driver reinvents the wheel and gives the PC-DOS 2.0 the raw hexadecimal data.

In addition to the counters on the clock chip, a bank of programmable latches also can be used as a non-

volatile RAM for storing the year, keeping track of leap-year bookkeeping, and checking to see if some other software has violated the clock or reset it. Much of the clock-driver program is devoted to these tasks. Other pertinent registers on the chip are a status register that indicates an invalid read due to counter rollover and registers to reset the counters and clear the RAM. All of these registers and counters have discrete I/O port addresses beginning at the base clock-port address hexadecimal 2C0

and ending at hexadecimal 2C0+1F.

It appears that most other real-time clock chips work in a similar fashion, storing data in BCD. This driver can be adapted to other boards by changing the appropriate base-port address and chip structure (provided it gives you a place to hide control bytes in nonvolatile RAM).

The Software

At the beginning of listing 1, the program makes use of two features of the macroassembler to make the

EXCEL SYSTEMS CORPORATION'S UNLIMITED WARRANTY

RESULTS

At Excel Systems we set our standards very high – to help you meet yours. We want to raise your expectations, your goals, and your effectiveness. We produce Software designed by real people for the real world.

ARIS Action Resource Information System is the *work processor*that leads you to success. ARIS organizes your needs, your priorities, and your activities, and goes on to create a more effective you in *action*. ARIS dials your calls, writes your letters, confirms your meetings, and prepares your schedule. ARIS prompts you to add personal, professional touches, for a style that gets noticed. ARIS is the new era of software – here for you today.

ARIS is results!

DECIDE Today's world demands clear decisions. How well you solve problems determines how good you feel and how well you perform. DECIDE is your personal counselor, leading you through a short series of processes to resolve your problem.

DECIDE is results!

PROTYPE Without effective keyboard skills you'll never harness the full power of your desktop computer. With PROTYPE you develop professional typing speed and accuracy in private, in a few weeks.

PROTYPE is results!

MNU Tired of searching through disk directories for your favorite programs and giving your computer endless commands? Create a master menu that lets you move in and out of programs with a single keystroke. Design reminders and use instructions that really work because you wrote them. And, you decide where they appear. MNU isn't for programmers, it's for you!

MNU is results!



655 Redwood Highway. Suite 311. Mill Valley, California 94941Ask your Dealer to demonstrate the entire EXCEL SYSTEMS line for you.

Join us

Electronics

magazine is on the move! We now have several exciting editorial openings for experienced technical editors or engineers who seek a career change.

Electronics

editors learn first about exciting new technology trends by visiting the high-tech firms that are creating them; they attend technical conferences, interview industry movers and shakers, and write and edit stories about what they learn.

We're looking for BSEEs or the equivalent, and some engineering or editorial experience in the following fields: semiconmicroprocessor-based ductors, system design, software, telecommunications and/or data communications.

If you have these qualifications and an ability to write clearly about technical subjects, a rewarding career awaits you at McGraw-Hill with the industry's most authoritative information source. We're an equal opportunity employer.

Send your resume to or phone:

Samuel Weber Editor-in-Chief

Electronics

1221 Avenue of the Americas New York, N.Y. 10020 (212) 512-6093

Word (0-1) number of days since 1 January 1980

Byte (2) minutes Byte (3) hours

Byte (4) 1/100ths of a second

Byte (5) seconds

Figure 2: PC-DOS format requirements for date/time transfer with the National Semiconductor MM58167A Real-Time Clock chip.

program easier to write and more readable. The STATUS macro borrowed from IBM helps by managing the setting of the status bit in the Request Header. It is expanded during compilation into the appropriate one or two lines of code. If the DOS should ever call on the clock for something inappropriate, like building a BIOS parameter block, the expanded STATUS macro will return the proper error code.

The STRUC (structure) pseudo op code generates no machine code directly but permits easy allocation of storage space and data access. The CLOCK_PORTS structure is set up to manipulate data the way the I/O ports line up on the chip. The UHR table of variables is set up according to this structure. The field names used act as mnemonics for offsets. For example, the value of the hours read into or written from the table is merely UHR.HRS. Similarly, [BX].HRS would return the value in memory located at the address in BX plus an offset of four. Structures also can be initialized at execution time to any value you choose, although here I've left it indeterminate.

After the required Special Device Header is the storage area of the program. This so-called data segment contains pointer storage, a function table for calculating what the DOS wants, local data storage such as UHR, and a month table. This table is used to transform the number of days to a month-day-year format and back again. It would be nice to use the 8088's XLAT op code for table lookups here but, unfortunately, XLAT translates only bytes, not words. The 8086 also suffers from this limitation.

Several of the subroutines are called many times. DEC_HEX and HEX_DEC convert packed BCD numbers back and forth to hexadecimal. LEAP_CHK checks to see if the current year is a leap year, computes corrective leap days to add or subtract from the count, and sets local variables to indicate its findings (LEAP_ STAT and NUM_LEAPS). NEW_ YEAR compares the current month to a month-check byte stored in RAM on the chip. It updates the latter if necessary and handles the rollover to a new year. DAYS_MONTH (in lieu of XLAT) returns with BX pointing in the MON_TBL to the number of days in a year up to the current

Reading or setting the time portion of the clock is a simple pass-through of data, but special routines handle the date. I AYS reads the date and puts it into the DOS format; UNSCRAM does the opposite. The year minus 1980 is stored in RAM. During leap years the chip thinks February 29th is March 1st. In this case, LEAP__ADJ resets the chip and also writes code into its RAM to signal that it has been done.

Is It Worth It?

Are all of the new features of PC-DOS 2.0 worthwhile? I don't think a two-disk-drive PC owner will have missed the boat by continuing to use version 1.1. If you have a hard disk, however, or are contemplating special applications such as remote modem control, data acquisition, or writing your own command processor, PC-DOS 2.0 is the only way to go. ■

For those who prefer to let someone else do the typing, a 54-inch PC-DOS disk with the source code, CONFIG.SYS examples, and a COM version is available from the author for

David K. Broadwell, M.D. (135 Hospital Dr., Angleton, TX 77515), is a specialist in internal and aviation medicine. An instrument-rated pilot, amateur radio operator, soccer fan, and IBM PC user, he has his sights set on becoming an astronaut.

BYTE's User to User

Conducted by Jerry Pournelle

Bypassing FIELD

Dear Jerry,

In "Eagles, Text Editors, New Compilers, and Much More" (September, page 307), you mention Microsoft BASIC and make a passing reference to its FIELD statement. The FIELD statement can be almost completely bypassed if you simply ignore the way they say to use it. I always define one and only one variable in a single FIELD statement for any MBASIC "R" file. I define the variable to be the size of the entire file buffer-since the buffer is limited to 128 bytes. Unless you're using a parameter when loading MBASIC from CP/M, there is no problem about string sizes. This avoids the problem of numerous string variables that would result from following Microsoft's directions. It also allows more flexibility. The same field is used even for records with different contents. For example, in ephemeris files, my first record is two integers and a double-precision number (12 bytes), and all later records are three single-precision numbers (12 bytes). Or, a more complex record occupying five 128-byte sectors—one FIELD of 128 bytes is all it takes.

It works this way: the manuals warn you never to use normal string operations on FIELDed variables—the actual restriction is never use normal assignments. You can use LEFT\$, MID\$, and RIGHT\$ to read FIELDed variables. For assignments, what I do is build up my record using string concatenation with a throwaway string variable, then use LSET to put it in the buffer variable. The MKI\$, MKS\$, and MKD\$ functions will work with any string variable—they are not restricted to buffer variables. Similarly, the CVI, CVS, and CVD functions will accept substrings extracted by LEFT\$, MID\$, and RIGHT\$.

Is it at all likely that there will ever be an 8086 version of Write?

Mark Pottenger 838 5th Ave. Los Angeles, CA 90005

That's certainly one way to deal with the dreaded FIELD statement.

An 8086 version of Write is in preparation now. It had better be, since I'm not going to stay with a Z80 forever! If Tony doesn't get it done pretty soon, I'll write my own version in Modula-2... Jerry

A Doc's Best Friend

Dear Jerry,

A comment from a practicing physician on the Problem-Knowledge Coupler (dubbed Auto-Doc in "New Computers, Boards, Languages, and Other Tidbits," October, page 107): I want one. It will sure reduce my malpractice exposure. This is especially true for psychiatrists like myself. For example, I had a hunch that a foreign service officer's depression was actually an infection with a parasite. He had to wait until he was transferred to Southeast Asia to get it diagnosed. (National Institutes of Health was no help.)

I treated another case of depression with a diuretic. After her first visit, she didn't need me anymore. It turns out that asymptomatic mild congestive heart failure can cause depression.

The point is this: Many physicians today are specialists, and specialists perforce have limited experience outside their specialties. We need something to extend our experience. In medical school, we all carried pocket notebooks crammed with salient information which we had not yet or never would memorize. We called them "peripheral brains." I think the extension is obvious and should be welcomed.

Ed Hume Washington, DC

An excellent point. It would be surprising if psychiatrists could keep up with new developments, or even remember all they once knew about internal medicine. Dr. Weed's Problem-Knowledge Coupler (PKC) should be a real boon to the medical specialist—not to mention to the patient. I hope to have more about his diagnostic programs in an upcoming issue. . . . Jerry

Languages of the Future

Dear Jerry,

I agree that none of us has a completely unclouded crystal ball, but I am surprised at some of the conclusions you have arrived at in your article "The Debate Goes On . . ." (August, page 312). I would have thought that both of us are in the same business, futurism, but for different reasons. You for the purpose of writing

entertainment fiction, and me for making investment recommendations. Still, your conclusions seem to ignore existing technology, let alone what seems to be coming over the horizon.

If you consider the Apple II, TRS-80 Model III, and the like, all first-generation microcomputers, then the IBM Personal Computer should be considered a late first-generation microcomputer. The Apple Lisa is the beginning of the second generation. The Motorola 68000 microprocessor in the Lisa is capable of addressing something over 11 megabytes (MB) of memory and Motorola promises a 32-bit version of that chip "soon" that would address 32 MB.

According to the trade announcements, upcoming 256K-bit memory chips will use CMOS technology that will make them usable for permanent or at least semipermanent storage, ending the distinction between RAM and ROM memory. Therefore, if you consider only existing technology and past price-curve performance, the magnetic-storage media manufacturers will be the buggy-whip makers of the mid-to-late 80s.

The answer to your question of which high-level language will prevail over the next five years is none of those you mentioned, or indeed, any high-level language as they are now recognized. Large memories will bring along self-programming computers that will program in machine language. Machine language would be our answer now, except it remains too difficult for most of us to learn and implement. The next 10 to 15 years will see microcomputers with enormous memories, probably multistate, which would be beyond human ability to program in any event. We may not see Arthur Clarke's HAL by 2001, but we seem to be on the road.

Adolph L. Friedman 112 Camino Escondido #4 POB 2856 Santa Fe, NM 87501

I thought I'd said that within five years, the floppy disks will be relegated to their original role of data transfer. Certainly I agree that with memory getting both cheaper and less volatile, we'll see some revolutionary developments in mass storage.

Regarding languages, perhaps; although five years is, I think, too short a time limit.

VAX and LISP machines aren't yet self-programming even in graduate schools of computer science; I'm pretty sure my desk micro won't be that smart by 1990, which is stretching past the five years of my article anyway.

Certainly, though, that's what some of the artificial-intelligence troops are working toward, and I expect we'll both live to see it. . . . Jerry

Defending FORTH

Dear Jerry,

I was excited to see a special article on microcomputer languages ("The Debate Goes On . . .," August, page 312). As a language hacker, I am familiar with most of the languages you mentioned, plus a few others. Much of what you wrote was timely and probably accurate. I must, however, take exception to your comments on FORTH and LISP.

You seem to be misinformed on both languages, yet you claim knowledge of both. As I am most familiar with FORTH, let me set you straight on the subject (I'm sure you'll get plenty of mail from all the LISPers).

For one thing, LISP will never absorb FORTH. The two languages are too different. Each has its place in the scheme of things. LISP, which is modeled after the lambda calculus, was created in the bowels of the MIT artificial-intelligence labs. Its purpose is to give experimenters in AI the tools to go about their trade. FORTH was invented by Charles Moore to provide the tools necessary for machine control and data collection. In this light, Moore's aim was to provide speed, efficiency, and productivity.

Looking at the environments of the two languages does reveal similarities. Both systems are compiled and then interpreted at run time. Both are implemented in an interactive environment and both look cryptic to the uninformed observer (LISP especially so).

If one looks a little closer, though, it becomes apparent that the two environments are totally different. FORTH is exceedingly small and very fast. On most microcomputers, FORTH's inner interpreter is only a few bytes long. The code generated by the FORTH compiler is very compact (even more compact than assembly language). One can strip out the parts of the system that aren't needed to make the code even more compact. This makes it possible to generate tight, ROMable code. With FORTH, real-time, interruptdriven applications are easy because the language is modular and close to the hardware. Many applications use these features to great advantage. The Craig Language Translator was programmed entirely in FORTH, as are a lot of coinoperated arcade games.

Hardware developers use FORTH because it is a very productive environment to work in. FORTH's modularity, extensibility, and virtual memory make it a hotbed for development. Recently, much is being said for developing business applications in FORTH. This is where FORTH's virtual memory can strut its stuff. Plus, the tools developed for one application can be transported to another with little or no change.

Much of the early problems with transportability of FORTH is being addressed by an international standards team composed of FORTH programmers. This gives the assurance that a standard transportable language will exist. And because FORTH is an evolving language, obsolescence is not in its future.

FORTH integrates extremely well into the microcomputer environment. Its advantages of speed and memory efficiency make it an almost ideal language for the small computer. (The Motorola 6809E is almost a FORTH machine in silicon.) For large systems, FORTH is at home as well. Multitask and multiuser primitives are easily added to the system. As a bonus, multiuser FORTH code is inherently reentrant.

Now, tell me again how LISP will absorb FORTH. As a reference to learn about each language, you may want to look at August 1980 BYTE for FORTH and August 1979 BYTE for LISP. And please try to be more informed before making rash statements like this.

Arne W. Flones 425 West Ninth St. Wichita, KS 67203

Thank you. You speak well for FORTH. Perhaps I was a bit strong. However, what I said was, "I suspect that as LISPs get more common, LISP will get the bulk of the recruits who would otherwise have gone to FORTH." I was careful not to say that FORTH would vanish.

I'm still not certain that I was mistaken. True, the two languages are different; but as hardware evolves and computer power becomes cheaper, our desk machines will look more like the big machines available in computer labs and universities.

I think LISP is more popular with computer scientists than FORTH is. It certainly is at MIT and Stanford (and my friendships at those two institutions probably do influence my thinking). Thus more students are likely to be exposed to LISP than FORTH, and are thus more likely to use it. Recall also that when I say "popular," I mean in the context of microcomputer sales: 30,000 to 300,000 machines a month. Given those sales, even "unpopular" can translate to a heck of a lot of users!

In any event, alas, I don't know either LISP or FORTH. However, experts on both have offered me tutorials. One day I'll have time to accept. . . . Jerry

Heathkit Horror

Dear Jerry,

I recently purchased a Heathkit H-100 computer. It has two floppy disks, 192K bytes, color graphics, color monitor, etc. My decision to buy the H-100 was influenced by several factors. The 16-bit word was a must. The advertised repair facilities at the Heathkit Electronic Centers were very important. Price was a consideration. Most important was the Heathadvertised assurance "And every step of the way, you have our pledge-We won't let you fail. Help is as close as your phone or the nearest Heathkit Electronic Center."

In the past, I have built several kits. This time, however, while building the diskcontroller board I managed to get the wrong part in the right hole (or vice versa). Attempting to get it out I damaged the board. My fault, so I have no complaint there.

Remembering the glowing "We won't let you fail" message, I went trotting down to the local Heathkit center. There the local electronics guru agreed the board was damaged. However, it did not appear to be beyond repair.

For an additional fee of fifty dollars, the local Heathkit center sent the board back to the factory for "reconstruction." So far so good. For a price, Heath seemed to be living up to its representations. Not what I expected, but better than nothing.

Now the problem. This is the seventh week since the board was sent in. The local Heathkit center doesn't know when it will be returned. They somewhat apologetically offer assurances that they will call as soon as it comes back.

My concern is that I have paid Heath close to \$4000 for hardware and software. To date, it has been sitting on the shelf. If there should be a second problem, will that take another two or three months or longer? When they say "We won't let you fail," do they really mean that if you make a mistake, it will probably be several months before you can use your computer?

What about maintenance? I bought the computer because I have a real need for its use. If it breaks, do I look forward to a two- or three-month delay for Heath to provide repairs? If so, how do I produce my letters, documents, manuals, mailing lists, etc? What happens to accounts receivable, accounts payable, etc? Do I go back to a manual system?

At this point I have serious concerns about the wisdom of my purchase. The implied support does not seem to be as represe ted.

I also have serious concerns about inexperienced people who attempt to assemble one of these. Quite often the assembly instructions leave a great deal to the imagination. In my opinion, no one should attempt one of these without a basic understanding of electronics, some degree of manual dexterity, and considerable experience assembling and soldering boards. Unless, of course, he is willing to pay the extra charges and put up with the extended delays which seem to be part of the "We won't let you fail" assurances from Heath.

Richard J. Townsend 35 Charles Hill Circle Orinda, CA 94563

Yours is about the worst horror story I've ever heard about Heathkit. Most of my correspondents have been very pleased with the H-100, finding it simple to build and get running; and I've never before heard of so long a delay in getting service.

I do agree: you must be very careful about soldering. It's easier than you know to wreck one of those multilayer circuit boards. (I recall when Jim Hudson modified my Compupro 8085/8088 board to change the crystal; he was not only very careful, but he was worried about changing it back when the time came.)

I'd advise anyone contemplating construction of something as complex as an H-100 to buy a really good temperature-controlled soldering iron, and also one of those patented unsoldering devices. The two will cost nearly a hundred dollars, but it's good insurance.

Incidentally, all the Heath/Zenith stores use Heath and Zenith machines to record and report the sales, so the company obviously has some confidence in the machines. . . . Jerry

Otrona Obstacle

Dear Jerry.

The last two paragraphs in "Ulterior Motives, Lobo, Buying Your First Computer, IRT Update" (May, page 298) caught my attention. As you may know, there are a significant number of Otrona Attaché machines and users (as well as fellow enthusiasts) here at the lab. However, I have not been able to find anyone who can make the BIOS digest what ought to be valid "9" entries in the Otrona Attaché's escape sequences. For example, try to plot a point at (x,y) = (9,9)from the keyboard or assembly-language calls with ^[0^A^I^A^I or from MBASIC with PRINT CHR\$(27); "00909". In contrast, the user-friendly MBASIC plotting enhancements work without a glitch. Unfortunately, I need to run FORTRAN (F80, M80, and L80). The enclosed list is not exhaustive since I also suspect the alternate lead-in \[V command. The use of more offsets might help some escape commands but others require parameters with a range from 0 to 255.

Would any of your friendly wizards (hackers or consultants) happen to have a general idiot-proof patch around this turkey? Several sources indicate that the problem relates to the interface with CP/M's Tab function. I would appreciate any advice on this matter (or especially a cookbook solution).

Glenn Veeder Jet Propulsion Laboratory California Institute of Technology 4800 Oak Grove Dr. Pasadena, CA 91103

Alas, you have exceeded my competence; but perhaps one of the readers will have a solution to your problem. I know of at least one Nobel physicist who has an Otrona, and who greatly enjoys playing about with its insides, as well as a number of computer professionals. You may also want to contact FAUG, The First Attaché Users Group at 449½ Douglass St., San Francisco, CA 94114, or call (415) 647-8160. . . . Jerry

Move That Key!

Dear Jerry,

Regarding "Epson QX-10, Zenith Z-29, CP/M-68K, and More" (August, page 434), I have purchased the Z-29 terminal and like it. However, note the *terrible* placement of the Reset/Break key—right amongst several oft-used keys. If the

Break does anything at all in a system, it does something drastic. I had to modify my BIOS to keep my system from going catatonic on Break. Heath/Zenith ought to move that key. You'd think everyone would have learned by now about placement of Break keys.

When is one of your generous friends going to put together a technically oriented word-processing system—one that will do special symbols (math, Greek, etc.), superscripts and subscripts, and the like, with a screen display that looks like the printed result? Epson is coming close. Why are the Japanese ahead of us again? All the printer and screen-display technology exists. Why can't it be put together? Or do I have to program it myself?

H. Bradford Thompson The University of Toledo 2801 West Bancroft St. Toledo, OH 43606

Fortunately, you must do Control-Reset for the Reset key to do anything. I do agree that was a silly place to put it. I've never had any trouble with the Break key, but, as you mention, you can always jigger the CBIOS (Customized Basic Input/Output System) to take care of it; indeed, you can retranslate the key if you really want to.

The Zenith Z-100 with the MPI 150G printer can do what you want; that is, the printer can print exactly what's on the screen. Of course, programming the special character set you want can be a problem. A good matrix printer, like the MPI, in conjunction with the Otrona Attaché does wonders too; the Attaché has Greek letters and various mathematical symbols built into its secondary character set.

Meanwhile, it's the Europeans who are really ahead. Niklaus Wirth's Lilith computer (available with laser printer in the U.S. from Diser Corporation for about \$30,000) can do all you ask for and a lot more besides; and with Modula-2 systems becoming available pretty inexpensively here, you should be able to program what you want for any good 8086 and high-quality dot-matrix printer. Let me know when you get it done. . . .

Seriously, you raise an important point. Why hasn't a U.S. company put it all together? Or have they, and I haven't seen it yet? . . . Jerry

I'll Take Your Epson


Dear Jerry,

According to your response to Chris Rutkowski's letter in BYTE's User to User (September, page 480), your Epson QX-10

programmers

READ THIS...

NOW. I KNOW I CAN MAKE BIG MONEY WRITING AND SELLING MY PROGRAMS. THIS BOOK TOLD ME WHAT TO WRITE — WHO TO SELL IT TO — THOUSANDS OF NAMES, ADDRESSES, IDEAS, GUIDELINES.
"SOFTWARE WRITER'S MARKET" IS A FANTASTIC BOOK!



- * THOUSANDS OF COMPANY NAMES AND ADDRESSE
- WITH DETAILED LISTINGS SHOWING:
 - (1) WHAT PROGRAMS PUBLISHERS ARE LOOKING FOR
 - (2) HOW THEY WANT YOU TO SUBMIT YOUR PROGRAM
 - (3) HOW MUCH THEY PAY AND WHEN!
- * 100 CATEGORIES FROM "ACCOUNTS RECEIVABLE" TO "GAMES" TO "VIDEO CONTROL" PROGRAMS
- * HOW TO WRITE CLEAR DOCUMENTATION
- * DEBUGGING TECHNIQUES

Enclose check or money order for \$19.95 (No C.O.D.'s) to:

IPF Publications
146 Country Club Lane
Pomona. NY 10970
(914) 354-5585

Address

City..... State..... Zip......

Orders Shipped Immediately

BYTE's User to User

has been pretty much abandoned. I would like to suggest that you pack it up and send it to me! As a computer novice, I am not a fast typist, nor am I experienced with fast, powerful systems like the ones you routinely deal with. I feel the QX-10 is a great little machine, but have been unable to fund its purchase.

When I read of your ongoing disillusion with your Epson, going from one associate to another only to be abandoned by one and all, I thought I would at least write you this letter, to let you know that a home for orphan computers can be found. It would be well treated and much appreciated in our home.

It may be that many of the inherent problems with regard to operating systems will eventually become a great nuisance to us as we become more skilled in computers, and we may be financially able to move to a new and better S-100 system. If so, I promise to pass the Epson on to someone at no cost. We could be starting a great tradition here.

Jim Ralph 987 Lovers Lane Akron, OH 44306

I guess I'd better explain what happens to review equipment here. None of it ever belongs to me. Some of it gets kept so long that it's functionally useless before we get through with it. This is often true of prototype equipment. Some is returned to the supplier. (The less we like it, the faster it goes back.) Some, at the request of the supplier, is donated to educational nonprofit institutions (and I have a long list of eligibles, so there's no point in applying for your favorite; sorry).

As for the Epson, we're not at all through with it. It's a nifty machine, and they're developing software worthy of it. As Professor Thompson points out in the preceding letter, there's nothing in the microcomputer world that comes closer to integrating screen and printout graphics. If we were truly unhappy with the QX-10, we'd have sent it back long ago. . . . Jerry

Choosing a Terminal

Dear Jerry,

I have been following your trials and tribulations relating to finding the perfect terminal and your choice of a Z-29 is a good one. I borrowed one from my "mad" furloughed friend and attached it to my North Star Horizon.

I am also in the market for a new terminal to repl. e my 7-year-old ACT-V. I want high-resolution graphics capabili-

ties, so I have been leaning toward the Visual 500. The Visual terminals seem to be very well designed and I especially like the extra-thin keyboard and choice of 12-or 14-inch screens. The Visual 50 is more in the league of the Z-29 as far as emulation and price (less than \$600 from some distributors). Have you ever considered the Visual terminals and, if so, what caused you to choose the Z-29 over them?

I know that you have used solid-state disk drives and are pleased with their performance. I would like to obtain one, but the price has prevented me. Have you ever tried a less expensive drive? One is sold by Digital Research Computers, \$399 for a 256K kit, or less than half the price of the newly reduced Semidisk at \$995. James A. Whitman

Rt. #1 Box 408 Ft. Ashby, WV 26719

I seem to be batting zero. I've no experience with the Visual 500. As to how I chose the Z-29, I blush to confess that Zenith asked me to. There was a time when I could try out most of the new micro equipment; now that's not possible. I try to keep up by going to shows and reading the literature, but it's still pretty overwhelming.

Building kits is not my particular bag. I gather that if you're of a patient temperament, and willing to invest in a good temperature-controlled soldering iron, you can save a lot of money. There was a time when the best micro equipment was built from kits. My late friend Ezekial, who happened to be a Z80, was built up from kits (although not by me), because Tony Pietsch was more confident of his quality-control procedures than those of the company who made Zeke.

Nowadays, though, there's a lot of well-made equipment out there. Years ago, I once proposed building my own terminal so that I would understand what was in it. My mad friend put it succinctly: "Sounds like about as much fun as an appendectomy." Thus, I can sympathize with your desire to save money, but I won't be the one to recommend that you turn to kits. Perhaps another reader will have a comment. . . . Jerry

Protecting Pac-Man

Dear Jerry,

Hello from down-under (personally, I don't like that term . . . unless you like being called up-over).

In "The User Goes to the Faire" (June, page 306), you mentioned your participation in the Star Wars vs. Battlestar Galac-

tica dispute and the question arose of what constitutes an idea worthy of protection. Taking the Pac-Man example, surely the essential ingredient of this game is the theme of a player navigating a maze and consuming power pods. The shape of the Pac-Man or the nature of the power pods is irrelevant to the underlying theme of the game. Thus there are two views one could take.

First, the people who originally conceived the Pac-Man theme, Atari, should have sole and complete rights to its implementations. The public would have to rely on Atari to produce the different versions of this popular game, or just put up with the standard format. Intrepid programmers could of course write their own versions, as long as they'd recognize Atari's claim to part or all of any profits gained. Second, all ideas are unique (and not just one of genre). This would mean that the slightest difference in the shape of the Pac-Man would constitute a new idea. The public reaction to the multitude of different games resulting from this policy would indicate who had the best idea. This policy allows constant improvement of existing merchandise and a good climate for the small business.

I only offer these as possibilities for the resolution of a persistent problem, and do not make a judgment as to their quality. I do however feel strongly that the present situation, by which many Pac-Man games are legal but some, which most resemble the original, are sued, is totally unjust and impractical.

Brett A. Patterson 26 Athlone Rd. Floreat, 6014, Perth Western Australia

I'm not sure what I think about protecting Pac-Man. I do know that Atari bought itself about a million dollars worth of unfavorable publicity by bullying some very nice teen-aged programmers; surely they could have been smoother about it. Game fads don't last long anyway. I notice that what really gets 'em in the arcades now are the games coupled to video disks; these, I fear, are not soon likely to be produced in garages, although I wish they were. I've yet to get close enough to a machine to play Dragon's Lair. . . . Jerry

A Vote for Larger Screens

Dear Jerry,

After a year's reading and research we decided to buy either two Kaypro 11's or

a NEC APC; we will probably buy the two Kaypros on the theory that if one goes down we have a spare, for the price of one more-advanced computer.

Despite all the amazing progress in computers, and despite the much advertised and vaunted spreadsheets, computers still only show a miserable 24 lines by 80 columns. How silly!

Like every business we use an 81/2- by 11-inch sheet for most paperwork. We print booklets, and have been composing them on the typewriter as we write them. All computer salesmen say that it is better to be limited to the small-sized screen, but we don't believe it. We need to view the finished page so that we can see paragraphs in relationship to each other and to see if our ideas are presented correctly on the whole page.

If we had the money we could get a Vydec which shows two full pages, or a Dictaphone which shows one full page with an additional lighted line as is on our Olivetti ET221, or we could go to a Corvus Concept computer, but even that is too high for our budget. The Corvus is the way that the future lies, of course. It puts the CRT on its side for spreadsheet (a 14-inch screen) and on edge for a full page of typing. Why can't some of the other computers do this too at a reasonable price? It can't be too difficult and it is ridiculous to have all these fabulous advances with such a small screen. That is like having a 1983 car that you have to hand-crank!

S. E. Millar POB 1 Olympia, WA 98507

I fondly remember Olympia; my wife used to race sports cars at Shelton, Washington, and we'd stop for the lumberjack's breakfast on the way.

Tony Pietsch has always said that the best service policy is another computer, preferably identical to your first. It's not much more costly than a long-term maintenance contract, and certainly more useful as long as both are

I keep hearing rumors of terminals that will give a great many lines to the page, but I've never had one to play with and, to tell the truth, I've never missed that feature.

I've never had much problem with screen sizes. A standard manuscript page is 60 characters wide, and double-spaced I used to get only 26 lines to the page anyway. In fact, I normally write on a memory-mapped screen that's only 16 lines. My editors tell me it improves my stuff since I don't tend to write such long paragraphs. (Of course I use Write, which uses all the screen lines for text; none are taken up with status lines and things like that.)

I suspect you won't have to wait long before new, low-cost terminals appear with the features you want. Things flow so in microland! . . . Jerry

MS-DOS for the Compupro

I have been anxiously awaiting an issue of BYTE in which you review the MS-DOS operating system for the Compupro ever since I followed your eminent logic and purchased a Compupro System 8/16 Model A in December of 1982. Before taking the plunge I did check to find out if MS-DOS was available for the Compupro because I was aware that there was a growing threat from the IBM PC and PC-DOS. I had a hint from two independent sources in BYTE that MS-DOS was available for the Compupro systems. One was a series of articles in BYTE comparing MS-DOS and CP/M-86, written by Roger Taylor and Phil Lemmons ("Upward Migration, Part 1: Translators," June 1982, page 321 and "Upward Migration, Part 2: A Comparison of CP/M-86 and MS-DOS," July 1982, page 330). Careful examination of their articles revealed that the benchmarks were run on Compupro equipment. The other source was a What's New? product blurb in BYTE which stated that Lifeboat Associates would be releasing SB-86 for Compupro systems. I called Compupro and was told: yes, Real Soon Now.

I have since called Lifeboat and the person who configured SB-86 for the Compupro systems has left without documenting the implementation. Yes, as a service, Lifeboat will sell you SB-86 for Compupro but it is not documented and you are pretty much on your own.

Fortunately, I have also discovered two other possible sources. One is Midwest Micro Warehouse which claims to have a product written by people at Compuview Products. Another source is a Computer House product aptly named MS-PRO.

In "Eagles, Text Editors, New Compilers, and Much More" (September, page 307), you indicated that you and/or your associates have experience with MS-DOS/PC-DOS for the Compupro. (I should point out that I am not sure what the exact differences between MS-DOS and PC-DOS are.) I am particularly interested in the logical and/or functional

(as opposed to physical and/or implementation) equivalent of PC-DOS. I recognize that this may be a very difficult if not an impossible equivalency to achieve, thus I use the term MS-DOS as a minimal requirement. I would appreciate any additional information or recommendations you may have regarding MS-DOS for the Compupro 8/16 systems.

Chris Boynton 9500 Southwest 94 Court Miami, FL 33176

I may have misled you, and if so, my apologies. Tony Pietsch has managed to get PC-DOS, the operating system for the IBM Personal Computer, to boot from a 514-inch disk run by a Compupro 8085/8088 Dual Processor. The Dual Processor normally boots from 8-inch disks, and runs Digital Research's CP/M 2.2 when in an 8-bit mode (using the 8085) and CP/M-86 when in 16-bit mode. (At least mine does.)

There are no real differences between PC-DOS and MS-DOS, except that PC-DOS is specifically tailored for the IBM PC, while MS-DOS is a generic term for the Microsoft operating system for the 8086/8088 family of computer chips.

Alas, although Tony managed to get PC-DOS to work on his Dual Processor (and indeed was using my disk controller and disks when he did it), he then went off to Europe for a month; as of this moment (October 1), he hasn't returned, and I don't have that operating.

It's quite possible that what you request will be available by the time this gets in print, but I can't guarantee it. Meanwhile, I have no experience with the other versions you mentioned.

Given the three- to four-month delay between my writing and BYTE's publication, it's always a problem as to just how much brandnew stuff I report. This time, I was a bit eager. Sorry. . . . Jerry

Assembly vs. Machine Language

Dear Jerry,

Most of the things you have written for BYTE have been so well informed that I was rather surprised to see your remarks about assembly language in "Eagles, Text Editors, New Compilers, and Much More" (September, page 307).

You say that assembly language is a fairly large step up from machine language. While fairly large is a matter of

opinion, it seems to me that because of a one-to-one correspondence between assembly codes and machine instructions, they are in fact different forms of the same language. The only difference is that the assembler mnemonics can be easily remembered by humans and easily converted to their machine form by an assembler. It is, in fact, child's play to translate a program from one to the other because of the one to one.

Machine language programs are transportable; all Z80 or other microprocessors obey the same set of machine instructions. The transportability problem arises only when the program is incomplete and relies on subroutines from the host computer, subroutines that might be at a different address in another computer or even missing from it. Of course there is the BIOS problem; trivial really.

Your statement that some computers don't have an accumulator floors me. Is your hardware knowledge so limited that you think any digital computer could operate without at least one accumulator? ENIAC had a dozen or more accumulators (20 if memory serves me) and although the von Neumann scheme cut back to one, that one has remained essential to digital computing. It was called the Mill by Babbage because that is where the work was done. The rest is just moving bits from keyboard to accumulator and to screen or from accumulator to screen, printer, storage, or modem. Perhaps, though, you have been misled by the term CPU, which has the accumulator as a vital part. Ask your friend Mr. Leventhal about it.

David Block POB 12473 Gainesville, FL 32604

Assembly language is a hefty step up from machine language for me! I wish we'd had a good assembler for the IBM 360 I started with. . . .

I think you've foundered over a definition. While it's true that all computers (at least all I've ever worked with) have something that functions like an accumulator, some have a particular register dedicated only to that task, and some don't; which was all I meant by my remark that some "don't have an accumulator." . . . Jerry

Unix Notes from All Over

Dear Jerry,

In BYTE's User to User (September, page 480) James E. Densmore Jr. laments the lack of an ability to suspend execution of one program while running another under the Unix operating system. He is quite in error.

Any single-tasking system can accomplish this by saving an image of the register, memory space, and associated files. On a multitasking system such as Unix, the implementation is trivial: one merely suspends operation of one process upon a prearranged signal and continues with a second process which may or may not be running already. With newer versions of Unix supporting the Berkeley Cshell, one need merely type a control character to interrupt any process in the foreground. At the user's wish, the process may be killed, restarted, or relegated to a lower priority (background processing). Meanwhile, one can proceed with additional process(es).

Furthermore, the command interpretation procedure and recursive features mentioned by this reader have existed on Unix from its very early days.

Donn S. Fishbein, MD 4000 Tunlaw Rd. NW 820 Washington, DC 20007

My late mad friend was interested in Unix, but so far I don't have any machines that run it. I expect that will soon change. Meanwhile, I can collect stories. Thanks. . . . Jerry

Dear Jerry,

I would like to clear up a misconception on the part of James Densmore about Unix. He states that while MULTICS allows virtually infinite recursion in calling "command procedures," Unix does not. Well, UNIX does implement the concept of "forking," which allows other processes to be generated concurrently with the generating process. These processes can be any executable file, usually a compiled C program.

While infinite recursion is not feasible (a small limit, on the order of 8, is placed on the number of subprocesses running at once), it is very rarely used. Indeed, since C is completely recursive, most recursive tasks can be done within the command module (arguably where recursion belongs). As a final note, shell scripts (i.e., command files) are recursive. Since these have flow-control instructions available. they function much like procedures.

Finally, a question on Concurrent CP/M-86. If it can run more than one program at once, how does it prevent one from corrupting the other? The IBM PC,

an 8086-like system, does not implement memory protection. Nor is memory mapping/vectoring facilitated; so how are programs relinked to function in different sections of memory? Finally, how does CP/M-86 compare with Unix's piping and redirection capabilities?

These are important questions since they directly affect the usability of an operating system like CP/M-86. While I can guess at methods by which a multiple-process operating system can function on a machine like the IBM PC (extensive swapping, instruction interpretation), none are acceptable. So, how does Concurrent CP/M work? As a systems programmer, I sure would like to know.

Michael Kilian 1869 Highland Ave. Troy, NY 12180

I'll let others fight about Unix. Regarding Concurrent CP/M-86, I'm trying to do a good bit of a column about it. Alas, it's complicated by IBM: after three months they still haven't delivered the PC I paid for (by certified check, yet)! Until I've got that, I can't do much with Concurrent. Surely by the time you read this I'll have it. . . . Jerry

Dear Jerry,

In BYTE's User to User (September, page 480), James E. Densmore Jr. notes that MUITICS allows the user to interrupt a program being executed and return to it later, while Unix does not. This is not quite true, as the version of Unix for the VAX (distributed as version 4.1 Unix in the Berkeley "bsd" release) contains such a feature.

The implementation is nothing like the one used by MULTICS, of course. Instead, it takes advantage of the fact that Unix, like any multiprocessing system, has a way to checkpoint a process while other processes run. It simply defines a keyboard interrupt that forces the currently running process into that checkpointed state and returns control to the user's command-line interpreter (shell), using the existing signal facility. Provide a way to restart the stopped process from the shell, and you're done.

Considering that many prospective Unix system developers (and customers) are familiar with Berkeley Unix, that the feature is obviously desirable, and that it is not really very difficult to add the necessary process states and system calls to a "vanilla" Unix system during development, I should be surprised if this feature

did not become standard in Unix systems, and if not tomorrow then soon. Richard Hussong Applied Reasoning Corporation 77 Trowbridge St. Cambridge, MA 02138

They tell me that "vanilla" Unix is unusable by novices; and though Unix is easy to customize, once you've done that, there's no standard way things are done, and you're sort of on your own remembering your customizations.

Perhaps what it needs is some "standard customization?" . . . Jerry■

Praise for the Final Word

Dear Jerry,

In "Eagles, Text Editors, New Compilers, and Much More" (September, page 307), you made an apparently uninformed comment about a program I truly love: the Final Word word processor from Mark of the Unicorn. Not only will the Final Word format end notes automatically, it will do footnotes or in-line notes. It will automatically create and format tables of contents and indices too! It can make all kinds of lists, like file inclusion (Wordstar needs the Mailmerge option) and keyboard input during formatting. In this instance, the formatter will prompt you if needed, and you just type in the stuff you want included. It will format style changes at any point so that you can change things like margins, indentation, justification, paper size, note style, line spacing, and tab spacing any place in the file.

And besides the terrific formatter, the editor itself is nicer. It displays text faster. You can have up to 12 editing buffers available at once. Parts of two of those buffers can be displayed at once (this is incredibly handy). A feature called State Save saves changes after you stop typing for a few seconds. If power goes down while you are editing, the only material lost is that which had not been written out with the State Save. This has saved me a couple times as my town has an incredibly wimpy power system. You can leave the Final Word to do something else, then start again, and it will return to exactly where you left off. You don't need to read in the same file again. And commands really are mnemonic.

But, if you don't like something, the Final Word is almost infinitely configurable. You can change the keys that cause movement, for example. You can even change the width it uses to print individual characters if you want. The Final Word can do true proportional spacing on printers capable of supporting it, not just microjustification like Wordstar.

Wanna hear more? The documentation is really good in my opinion. There are nine lessons included. Three of the lessons consist of a disk file containing the output of the text used to create the same chapter in the printed documentation. The manual was created with the Final Word and, as such, contains a good table of contents and index.

The Final Word can do anything Wordstar does except suggest hyphenation. It costs less and has capabilities that you have to spend hundreds of dollars more for with Wordstar. I haven't covered half of them.

Also, support from Mark of the Unicorn is very good.

David D. Clark 246 South Fraser St. #2 State College, PA 16801

Yours is not the only enthusiastic letter I've received regarding the Final Word, and I know for a fact that Mark of the Unicorn provides good support to its customers.

I'm fairly set in my preferences for computer editors—given the tens of thousands of words I have to pour out each month, it would be surprising if I weren't-so it's unlikely that I'll make many changes. However, shortly after I began writing with computers, I discovered Electric Pencil. The program I use now, Write, grew out of the Pencil's strengths and defects.

Not long after I got used to Pencil I became involved with net traffic and, working with machines at MIT, I ran into EMACS. If it had been the first full-screen editor I'd worked with, I might well have become an EMACS enthusiast.

The Final Word, like Mark of the Unicorn's MINCE (Mince Is Not Complete EMACS), is based on EMACS.

"There are nine and sixty ways of constructing tribal lays, and every single one of them is right." Editors aren't quite so much a matter of taste as that, but certainly there's no single "best" one. Glad you've found one you like! . . . Jerry

Jerry Pou: velcomes ' comments and o nons. Send a ressed envelope to Jerry Pournelle, c/o BYTE Publications, POB 372, Hancock, NH 03449. Please put your address on the letter as well as on the envelope. Due to the high volume of le Jerry cannot guarantee a personal re.

We have met or have beaten most advertised prices.

Don't be foolish. Buy Direct!
For Price Quotes and Ordering Call:

1-800-328-8905

For Technical Information and Arizona Orders, Call: 602-949-8218

For Shipping and Order Status Information, Call: 602-990-7556

LIBERTY

GROUP, INCORPORAT

4221 Winfield Scott Plaza · Scottsdale, Az 85251

Everything in computer related products:

- Computers
- Modems
- **Printers**
- Software
- Monitors
- Terminals
- Accessories
- Paper
- Ribbons Diskettes
- Office Furniture

We welcome Certified and Cashiers Checks, Bank Wires and Money Orders CODs are shipped with a minimum COD

charge Allow 3-7 days for personal checks to clear Product is subject to availability. Equipment is in factory sealed boxes with manufacturer's warranty. There will be a re-stocking charge for returned merchandise. Call first for an RMA number. Software not warranteed for suitability. No return of Software which has been opened. Add 2% for shipping & handling charges (minimum \$2.50). All equipment

Ask BYTE

Conducted by Steve Ciarcia

Getting Started

Dear Steve,

I am a beginner in the computer field. I hope to either buy a computer that teaches the design principles of computers or to design a computer of my own. Because I live in the United Kingdom, I have found it very difficult to find one. I was wondering if you might be able to help me. Are there any computers for sale in the U.S. that are good for beginners and are not too expensive?

I have seen two computers: the Ferguson Big Board and the Insight Enterprises computer. Would either of these be a good introduction to computer design and expandable enough later on? The Big Board doesn't seem to be. I have not been able to read any reports on these computers, though, and thus am skeptical about buying them. I would appreciate your comments very much.

Edward Newman Sherborne, Dorset United Kingdom

This is an excellent time for a beginner to enter the computer field as there are many low-cost, high-performance models from which to choose. One of the fastest sellers in this country is the Commodore 64. It features 64K bytes of memory, high-resolution graphics, a full keyboard, and a price as low as \$200. A reference manual is available that describes the inner workings and advanced programming techniques.

The Radio Shack Color Computer is another low-cost model with the powerful 6809 microprocessor chip. It is well supported as evidenced by at least four magazines devoted exclusively to the "CoCo."

The two models mentioned are only representative of the vast number that are available. These

models allow you to take the unit out of the box, add a TV or monitor, and start computing. If you want to configure your own system from one of the single-board units you mentioned, recognize that considerable additional equipment is required. Most require a terminal, power supply, and disk drives to function at all.

If you are a beginner, I would recommend buying one of the just-mentioned ready-made computers. As your knowledge increases, you will recognize the features that are important to you and those that are unnecessary....Steve

Videodisc interaction

Dear Steve,

I enjoyed your June 1982 article, "Build an Interactive-Videodisc Controller" (page 60). I, too, am very enthusiastic about the future potential of this technology.

Due to my lack of knowledge about electronic hardware and limited funds, I was unsuccessful in creating the coding necessary to control the Pioneer VP-1000. I thought that if I were successful, the software could be applied universally and interactive programming would not be dependent on the type of hardware interface a person owned.

I think the problem is that the Vic-20 I own is not capable of creating a 38-kHz tone. The Vic-20 has a 6502 microprocessor and a 6522 versatile interface adapter. It has a 1-MHz clock rate that allows 1 microsecond (µs) per cycle. Therefore, I can get only 13 µs instead of the necessary 13.15, creating a 38.4-kHz tone. Evidently, the carrier frequency must be exact for the VP-1000 to recognize the command.

I have a question about your article: in figure 2a, and in the text on page 65, it is indicated

that the pulse burst is 0.263 milliseconds (ms) long and is included in the bit period. However, in figure 6 you indicate that the pulse burst occurs, and afterward there is a delay of 1.05 or 2.1 ms, depending on the logic code. It appears to me that for a logic=0 the first delay should be 1.05 ms minus 0.263 ms, or 0.787 ms. I have tested these and many other possible delay times, so I conclude that the problem is with the 38.4-kHz carrier frequency. Also, in a January 1982 article in Microcomputing (page 103, figure 3), it is indicated that the pulse burst is 0.233 ms long and delay times are 0.93 and 1.86 ms. Was this a mistake, or has Pioneer changed things in newer models?

Assuming that it is impossible for me to create the necessary coding due to the limitation of the 1-MHz clock rate, I am forced to resort to a hardware interface. Do you think that the 38-kHz crystal (Pioneer part number VSS-002) can be purchased and used as an external clock to control the necessary 38-kHz carrier frequency? Any ideas on how this might be accomplished would be appreciated.

Thank you for your consideration and any help you may be able to offer to help me create a low-cost universal VP-1000 controller.

Gary W. Schroeder San Francisco, CA

The logic as stated in my article is correct. The bit period is defined as the time between the pulses; the length of the pulse itself is not significant for the coding. The carrier frequency is used for detection.

The article in the January 1982 Microcomputing used the code values as supplied by Pioneer, which were incorrect. I discovered this when I designed my circuit, and I brought it to Pioneer's attention.

Generating the necessary coding in software is extremely difficult. It is even more difficult to write a universal program since it is so dependent on machine timing. It is much easier to use some form of hardware assistance. The simplest is the 555 oscillator to generate the 38-kHz pulses and gate them under software control. If your hardware knowledge is limited, go with the circuit on page 72 of my article. It needs only 5 volts and is extremely easy to build.... Steve

Adding CP/M and Apples

Dear Steve,

I have an Apple II Plus with 48K bytes, two disk drives, and a 16K-byte RAM card. I would like to use it for CP/M. What additional hardware do I need? What is the difference between a Z80 card and Microsoft's Softcard? Do I need both? Thank you.

Jim Fox Peckville, PA

To run CP/M on your Apple II Plus, you need a card that contains a Z80 processor chip. Many such cards are on the market at various prices. The cheaper ones do not come with the CP/M operating system. The softcard is Microsoft's version of a Z80 card and includes the CP/M operating system with several utilities and Microsoft BASIC.

Many of the programs that run under CP/M require an 80-column screen and uppercase/lowercase capability. An 80-column card should also be purchased to fully utilize the system.

Make sure that your CP/M card is compatible with your 16K-byte RAM card and your 80-column card. Most cards are fully compatible, but some are not. Be sure to ask....Steve

interpreting Information

Dear Steve,

Can you recommend a source of information on the details of BASIC interpreter operation? It doesn't matter to me which microprocessor is used. I'm just looking for the fundamentals. Thank you.

Jorge S. Lucas Belo Horizonte, Brazil

In the early days of microcomputers, at least one publication featured a series of articles on the workings of BASIC interpreters. There were listings of some Tiny BASIC interpreters for an 8080based system, and general operation was discussed. They are contained in volume 1 of Dr. Dobb's Journal of Computer Calisthenics & Orthodontia (Dr. Dobb's, for short) and can be obtained from Hayden Book Company Inc., 50 Essex St., Rochelle Park, NJ 07662.... Steve

BASIC Precision

Dear Steve,

I have a suggestion and a question: how about an article on building a switching-regulator power supply using power MOSFET for the S-100 bus? I'm enclosing a copy of an article from Electronic Design (February 17, 1983, page 135). This would cut down on the heat dissipated both on the boards and in the enclosure and also conserve on energy.

I am doing a lot of work with the NBS (National Bureau of Standards) Temperature Tables. This work involves the use of polynomials and requires 54-bit accuracy to duplicate the results from the tables. My Polymorphic Systems 8813 BASIC has the ability to use up to 26-digit precision, which appears to be good enough for the job. The computer I use at work is an Altos 8500 running under CP/M and Microsoft BASIC. The Microsoft BASIC does not have the required precision.

My question is this: can someone suggest a method for evaluating the precision of various BASICs, or does someone know of a CP/M BASIC that will have the desired precision?

Joseph R. Toman Skokie, IL

Thank you very much for your suggestion. I have addressed this subject on a smaller scale in the November 1981 BYTE (page 36) but will keep your idea open for a future article.

Regarding the question of precision of various BASICs, it seems to me that you are mixing "bits" and "digits." For example, Microsoft BASIC has a real data precision of 7+ significant digits and is represented in the computer in a 4-byte, floating-point form. Of these 4 bytes, 1 represents the characteristic and 3 represent the mantissa. Thus, there are 3 bytes, or 24 bits, of precision allocated to the mantissa.

If double precision is used, 16 digits of precision are obtained, and the representation is 8 bytes, 1 of which is allocated to the characteristic. The remaining 7 bytes (56 bits) apply to the mantissa.

Hence, 16 digits of precision corresponds to 56 bits of accuracy. This seems more than adequate for the NBS tables to which you referred. To evaluate other BASICs, the storage format and the byte representation of the numbers must be known. ... Steve

Authori Authori

Dear Steve.

I would like to start writing articles for computer magazines. I have a bachelor's degree in computer science and math, along with eight years of experience in the computer field. I love microcomputers. I would appreciate any help you could give me. Thanks.

Joseph M. Ruvolu Staten Island, NY

Writing articles for computer magazines, or any magazine for that matter, requires a subject that is appealing to a large audience and a certain style of presenting that subject. There are many computer magazines catering to different levels, and you should concentrate on those where your expertise can be utilized. You will have little chance of publishing a highly technical article in a magazine such as Popular Computing, since it is not aimed at that audience.

One way is to write an article or two and submit them to potential publishers. You can judge from their responses whether you are on the right track.

Take a look at "A Step-by-Step Guideline Outlines Writing for Publication" by George R. Dunn in the October 20, 1980, issue of EDN magazine. It offers some good advice for potential writers. ...Steve

Apple Emulator

Dear Steve.

I have been told that some place in the market is a device that can be used with a Commodore 64 that enables it to utilize all the available Apple software. I think it is called an "emulator." I have called a number of computer distributors without success, and I thought that you might have come across this device. If so, I would appreciate your directing me to the appropriate source so that I might get further information.

Many thanks for your help. Morton J. Perlin Miami, FL

The device that will allow the Commodore 64 to read Apple II software is called the Amulator and is manufactured by Advanced Integrated Development.

The unit sells for \$129 and requires you to physically remove the 6510 microprocessor chip in the Commodore 64 to piggyback the Amulator. Once installed, the unit will read most 40column Apple II software but will not allow wr ting to a disk.

There have been many rumors of Apple emulators and personality modules for the Commodore 64. In fact, the introductory articles describing the 64 touted, as one of its features, the ability to emulate other popular computers. It seems that this has finally come to pass.

Further information can be obtained by contacting Advanced Integrated Development, 5901 John Martin Dr., Brooklyn Center, MN 55430, (612) 561-1645. ... Steve

Entrepreneurship

Dear Steve.

I have developed a plug-in board that gives (I believe) the Apple II computer sound capabilities as good as the Commodore 64. I would like to manufacture and market it, but I don't have the resources to do so. For that reason, I would like to have a company manufacture it for me. Can you tell me who might be interested in manufacturing it for me or how to go about finding someone who would?

Mark E. Rogers La Place, LA

Yours is a problem shared by many budding entrepreneurs. You will find that engineering a prototype board represents only about 10 percent of the time and money involved to bring the final product to market. With advertising in magazines as high as \$8000 per page per month, it is no wonder that few have the resources to complete such proj-

Having another company manufacture your board is a logical approach, but don't expect to get rich. Stop and think what the board could reasonably sell for and then determine the wholesale cost to the dealer (40 to 50 percent of list price). Then estimate the cost and profit of the manufacturing house, add in advertising and promotions, and the remainder may be yours. Approach some of the houses currently making cards for the Apple II to determine their interest. Then see if any of the offers are satisfactory.... Steve

Photon Control

Dear Steve.

I'm interested in controlling lights with a computer. I want to memorize and play back patterns of between 5 and 20 lights activated at different times for different durations. What type of interface device do I need? I'd prefer to use an inexpensive Vic-20 if possible. Thanks for your help.

Randy Maule Gainesville, FL

The Vic-20 has a 6522 versatile interface adapter chip that contains eight I/O (input/output) lines. Additional I/O lines can be added through the use of an expansion bus. Each line can be programmed as an input or output and read simply by examining (using the PEEK command) the memory location for which the chip is mapped. Assign one line to each light to be detected and use a phototransistor to convert the light input to a 5-volt DC output. It might be helpful to have one line available to sense the presence of any light.

Your program could then poll the "any light" line to see when a light has been turned on. Then, depending on the duration of the lights to be "memorized," the program could read these lines at equal intervals and store the data. This would continue until the "any light" line sensed the absence of light.

To simply turn lights on and off, use an optoisolator and a

relay. The optoisolator consists of an LED (light-emitting diode) and a phototransistor. When your computer I/O line sends a logic "1" (5 volts DC), the LED glows and causes the phototransistor to conduct, closing a relay. ... Steve

Video for the Sym-1

Dear Steve.

It is very difficult for me to get literature and components for experimentation, and I hope you can spare me a lot of aggravation and wasted time.

I bought a Sym-1 microcomputer and built a power supply and ASCII keyboard, but I don't know how to obtain a video output from my TV, which I've adapted for direct video display. The Sym's block diagram shows that some kind of "TV/keyboard interface" is needed. Can you help me? Thank you very much. Tomo Mlinaric

Zagreb, Yugoslavia

A device known as a video-display board or "TV typewriter" is required to obtain video output for your Sym-1 computer. Such a device takes an ASCII input from a keyboard or computer output and converts it into video characters that can be displayed on a TV monitor screen. A construction article appeared in the February issue of Microcomputing (formerly Kilobaud) magazine on page 70. "Build a \$50 TVT!" by Duane Amundson describes a device capable of displaying 16 lines of 32 characters, using readily obtainable parts. Its low cost makes it an interesting project.... Steve

P.S. See my article this month for a terminal you can build.

Vic Expansion

Dear Steve,

Is it possible to build an expansion bus for the Vic-20 similar to that used with the Apple II? They both use the 6502 microprocessor. If this can be done, can you tell me where I can obtain the necessary technical information? Would function boards designed for the Apple then be compatible with the Vic-20? Thank you for your help.

Larry W. Snead Danville, VA

While the Vic-20 and the Apple II both utilize the 6502 microprocessor chip and both can have expansion buses, peripheral cards designed for the Apple will not work on the Vic. Aside from different timing considerations on the bus, the Apple cards have on-board ROM (read-only memory) that contains programs to control their functions. These programs call routines that are either not available or are located in different memory areas in the Vic.

An expansion bus can be made or purchased for the Vic. See the back pages of any computer magazine containing Vic-20 articles for advertisements. I recently saw an ad for a 4-slot expansion bare board for only \$19, including instructions. You may want to go this route, as it will save you a lot of wiring. Contact The Data Toolbox, POB 4808 V, Las Vegas, NV 89127, (702) 648-3258... Steve

Assembling a Z80

Dear Steve,

I am a senior at Monroe High School and vice-president of the Monroe High School Computer Group, an offshoot from our computer-science class. After doing some heavy 6502 machinelanguage work, we just touched on the Z80. Recently, I purchased a Timex/Sinclair 1000 and am looking for a good assembler. I've read several books but haven't been able to find any handy subroutines for the Z80 similar to those we used with the 6502. Can you make some recommendations for a Z80 assembler and subroutines? Thanks for your help—I enjoy your column. Jeff Kopmanis Monroe, MI

Gladstone Electronics carries a complete line of accessories for the Timex/Sinclair 1000 computer. Included are several books on the internal workings of the Sinclair (ZX-81) ROM. Two such books are Understanding Your ZX-81 ROM by Dr. Logan and The Explorers Guide to the ZX-81 by Mike Lord. Several utility programs, including an assembler, machine-code monitor, and disassembler, are also available. For further information, write or call Gladstone Electronics, 1585 Kenmore Ave., Buffalo, NY 14217, (800) 833-8400. Ask for a catalog and get on the company's mailing list. ... Steve

Bulletin Boards

Dear Steve,

I have an Apple II Plus and a Micromodem at home, and I'd like to use them to get games from some of the bulletin boards. Can you direct me to a list of available bulletin boards and tell me how to communicate with them? Thank you.

Matt Wainwright Brookfield, CT

Computer Shopper, a computer-oriented classified-ad newspaper, publishes a monthly listing of bulletin boards around the country. There are several in your state and many in surrounding states, so finding one to your liking should be easy. To access a bulletin board, it is only necessary to dial the telephone number and connect your modem when you hear the carrier signal. Some modems connect automatically. Usually, the Return key is hit once or twice, after which the system will ask you some questions about your equipment. This is necessary so that it can adapt to your particular equipment format. A menu is then presented, and you can select your choice.

Some form of communications program is required so that your system can simulate a terminal. Some modems come with the required software. That is all that is required to enter the world of bulletin boards....Steve

Kaypro Word Processing

Dear Steve.

I want to be able to edit documents that are about 200 singlespaced, typed pages (600K bytes) long on a Kaypro II or Kaypro 4. I'd guess that others who use similarly modest microcomputers for word processing might want to be able to edit documents that exceed both their machines' available RAM and the capacity of one floppy disk. Is there any economical and practical way of getting around the RAM and disk-memory limitations of many machines without recourse to the comparatively expensive solid-state disks or hard disks?

Perfect Writer, with its virtual-memory feature, would seem to offer one way around RAM limitations, but this doesn't solve the problems (e.g., in pagination and, therefore, in index creation) posed by a document too large to fit on one floppy disk. In addition, as configured for the Kaypro, Perfect Writer has a limited swap-file size (not useful for editing more than 20 pages), and the program for reconfiguring is not supplied in the Kaypro software package.

I'd appreciate your help in finding answers to the questions I've raised. I know of at least seven Kaypro owners who are also seeking answers to them.

David F. Austin Amherst, MA

Practically speaking, there is no way short of a hard disk or RAM disk to handle 200 pages of text on your Kaypro. The computer must be able to read the complete data file in order to

operate on it, and this necessitates that it be on line as far as the program is concerned. Breaking the file into several smaller files is the recommended approach....Steve

Video Displays

Dear Steve.

For some time now, I have been trying to acquire information on the possibility of providing an 80-column by 25-line black-and-white video display for a TI-99/4A computer used for word processing. This would avoid the horizontal scrolling now necessary.

Is it feasible to acquire an independent peripheral (monitor) that will provide this display? Would it operate through the RS-232C serial or parallel ports? Would such a unit be a combination of a stand-alone video board and a standard wide-band monitor? Could you suggest an available unit of modest cost? (Some of the suggestions have been for units that by themselves exceeded the total cost of our installation.)

Could you alternatively suggest a setup that, with our modest skills, we could put together? Would the CRT terminal outlined in chapter 9 of your book (Build Your Own Z-80 Computer) do the job? Thank you for your assistance.

Norman J. Spector Englewood, FL

Obtaining an 80-column display on your TI-99/4A is not simply a matter of adding a wide-band monitor or terminal. The video-generation circuits in the computer itself must be modified along with the software. I have seen accessory boards for computers such as the Vic-20 that allow 80 columns, but they cost more than twice the price of the Vic. I am not aware of such a unit for your TI, but I would suspect that the cost will be rather high also. The electronics on such a card are quite sophisticated and are not recommended as beginner projects.

The horizontal scrolling that you have with your word-processor program is a simple means to overcome a shortcoming of the computer. Remember that the character width was purposely reduced to allow the use of an ordinary television. If you add an 80-column card, you will also need a high-resolution monitor to display the additional characters....Steve

Andromeda and CP/M

Dear Steve,

About two years ago, I purchased an Andromeda 16K-byte card for my Apple II, and it has been working fine with Applesoft and DOS ever since.

About a month ago I bought an Advanced Logic Systems (ALS) Z-Card with CP/M 2.2. The CP/M from ALS comes configured for 48K bytes of memory, and ALS supplies a utility program to reconfigure for 64K bytes. But no matter what I tried, my reconfigured CP/M would not operate.

I wrote letters to ALS and Andromeda asking them what was wrong. Andromeda replied that its card won't work with CP/M version 2.2. The company had heard of some people "patching" their boards to make it work but didn't know what changes were made. Andromeda suggested contacting a club or users group. I contacted A.P.P.L.E. but haven't had any luck yet.

Do you know how I can modify my Andromeda card to work with the CP/M 2.2?

Steve Nelson Arlington, TX

An article in the August 1983 CALL A.P.P.L.E. may solve your problem. "Andromeda Ramcard Patch" by Jay H. Lieske describes the changes to CP/M BIOS (basic input/output system) required to utilize the Andromeda 16K-byte card with a 60K-byte version of CP/M. It may work

with your combination of CP/M and RAM cards. In any event, you can see what is necessary to activate the card....Steve

TI-99/4A Compatibility

Dear Steve.

I own a Texas Instruments TI-99/4A computer and want to know if there are any circuits that will make it compatible with a Bell-103-type modem and/or a Heath/Zenith Z80 microcomputer. Thanks for the help.

Jacob E. Dockter Bismarck, ND

Compatibility between your TI-99/4A and peripherals and modems is easily achieved through the use of the RS-232C serial port. This port is obtained with the Peripheral Expansion Interface. The ECM-103 ("Build the ECM-103, an Originate/Answer Modem," BYTE, March 1983, page 26) modem can be directly connected to this port and, since it is Bell-103-compatible, used to link up to The Source or other bulletin boards.

The Heath/Zenith microcomputer has a serial port for use with a terminal ... Steve

In "Ask BYTE," Steve Ciarcia answers questions on any area of microcomputing. The most representative questions received each month will be answered and published. Do you have a nagging problem? Send your inquiry to:

Ask BYTE c/o Steve Ciarcia **POB 582** Glastonbury, CT 06033

Due to the high volume of inquiries, personal re-plies cannot be given. All letters and photographs become the property of Steve Ciarcia and cannot be returned. Be sure to include "Ask BYTE" in the address.



"WHY PAY MORE" COMPARE THESE PRICES MC-P APPLICATIONS BRINGS SOFTWARE & HARDWARE AT UNBEATABLE PRICES



APPLIED SOF	LIST	UUK
VersaForm . ASHTON TATE	\$389	\$269
Financial Planne	700	452
Friday	295	199
BPI ACCOUNTING AS		
GL/AP/AR (Each)	395	285
Property Management	495	327
FOX & GELER Quick Code	295	174
FUNK SOFTWARE Sideways	60	45
HOWARD SOFT		
Real Estate Analyzer II Apple	199 199	135
Tax Preparer App;e Apple	199	135
IBM	250	165
HUMAN SOFT DB PIL		89
LATTICE C Compiler	700	285
LIFETREE Volkswriter	195	129
METASOFT Benchmark	499	375
MICROSTUFF Crosstalk MICROPRO Spell Star	195 250	129 162
Word Star w/Applicard	495	349
Mail Merge	250	162
Super Sort	250	149
Calc Star,	145	86
Info Star Report Star	495 350	320 221
MICROSOFT	000	
Flight Simulator (IBM)	50	35
Flight Simulator (Apple) Multitool Word W/Mouse Multitool Financial	475	29
Multitool Word W/Mouse	475 100	339 69
Multitool Budget	150	
Pascal Compiler	350	245
C Compiler	500	345
PBL CORPORATION Personal Investor	145	98
PETER NORTON	145	90
Peter Norton Utility	80	57
PEACHTREE		
Peach Pack (AR, AP, GL)	595	239
Peach Text 5000 ROSESOFT Prokey	395 75	245
SOFTWARE ARTS T.K Solver	299	57 219
SOFTWARE DIMENSIONS	200	213
Accounting Plus		
GL. AR. AP, PR. INV	495	295
SOFTWARE PUBLISHIN	140	79
Pfs:File Pfs:Report	125	79
SATELLITE SOF 'ARE		
Word Perfect	495	325
SOFTWARE PUBLISHING		
Pfs: File	125	85
Apple IBM	140	95
Pfs: Report	125	
SOFTWORD SYSTEM	40-	0.15
Multimate	495	315
SORCIM SuperCalc II SuperCalc III	295 395	185 275
Capa. Calo III	150	97

LOTUS 1-2-3 \$31600 WORD STAR \$27500 DBASE II \$37900 EDIX/WORDIX \$12900 MULTIPLAN \$16800 HOME ACCOUNTANT \$5200 BANK STREET WRITER \$4600

TANDON TM1000-2 \$21900 **OKIDATA 92** 547900 AMDEK COLOR II HI RES RGB \$43500 **AST MEGA PLUS 64K** S27500 **NOVATION J-CAT** \$10500 **EPSON FX 100** 573500 HERCULES GRAPHICS CD \$36900 **KOALA TOUCH PAD** s 9500

WULF MOVE-1	199	125
Visicale IV	250	17.5
Visifile (Apple	250	187
Visifile (IBM)	300	195
VisiSchedule	300	195
VisiWord w	375	285
Visitrend/PI	300	195

	LIST	OUR
HAYES MICROCOMPUTER PROD		00.,
Hayes Stack Chronograph		
(RS-232)	\$249	185
Hayes Stack Smart Modem	000	400
(RŚ-232) 300 Baud. Smart Modem 1200B	289	199
Smart Modern 1200B	699	495
ADVANCED LOGIC SYS' (Ap		433
Z-Card	169	115
Printer Mate (Parallel)	99	55
CP/M Card (W/ CP/M 3.0)	399	315
MICROSOFT		
Softcard (Apple)	345	259
Ram Card (Apple)	100	75
64K Ram Card (IBM)	350	249
MPC PERIPHERALS (/ e)		
Parallel Interface Car (w/Cable)	90	60
MOUSE SYSTEMS	90	68
PC Mouse w/Software	295	218
NOVATION	233	210
Apple - Cat II	389	275
212 Auto Cat	695	595
Smart-Cat 103/ 21	595	445
Smart-Cat 103	24z9	187
PEGASUS		
Hard Disk 10 mgb		1439
PERSONAL COMPUTER PRODU		000
Applicard 6 Mhz	375	280
KRAFT & TG Joystick	70	49
Apple	65	45
CDC DISK DRIVE	00	265
VERBATIM DISC		200
S/S D/D 10 Pk.	49	24
AMDEK MAI BOARD	599	495
ELECTRONICS PROTE :TION DE		
Orange	140	99
Peach	98	69
QUADRAM	205	005
Quadboard 64K Quadlink	395	295
MEMORY CHIP SET	680	525
(64K/9 chips)	95	55
PRINTERS	33	55
Mennesman Tally MT 0L	798	669
NEC 7730 Bi) Parallel	2595	2295
Daisey Writer 2000	1395	1185
Daisey Writer 2000 Qume 1140	1685	1525
MONITORS		
Amdek 12" 310A	230	
Quadchrome 17"	695	525
		323
Princeton Graphics RGB Hi Res	795	

& HARDWARE PRICES
NOT LISTED HERE
"INTERNATIONAL DEALER
ENQUIRIES WELCOMED"

Byte Book Club

DATABASE DESIGN. By G. Wiederhold. 2nd Ed., 704 pp. The expanded second edition of this widely acclaimed book presents the methods, the criteria for choices between alternatives, and the principles and concepts that are relevant to the practice of database design.

701/326B (Counts as 2 of your 3 books)

MICROCOMPUTER GRAPH-ICS AND PROGRAMMING TECHNIQUES. By H. Katzan, Jr. 240 pp., 100 illus. and tables. Here's a stimulating introduction to computer graphics for small computers. It covers all the advances to date in color coding and computer graphics technology and-best of -it's written for information professionals who can't draw! Includes actual graphics programs worth hundreds of dollars! 582576-7 \$22.50 COMPUTER PERIPHERALS FOR MINICOMPUTERS, MI-CROPROCESSORS, AND PER-SONAL COMPUTERS By C. L. Hohenstein

294/518

A PROGRAMMER'S VIEW OF THE INTEL 432 SYSTEM. By E. Organick. 418 pp., 75 illus. Really two books in one---an introduction to a powerful new computing tool and a practical guide to its many uses! Targeted at persons familiar with programming in Ada or Pascal, the book examines the i432's operating system, architecture, and language. 477/191R \$29.95

(Counts as 2 of your 3 books)

PROGRAMMING WITH ADA: An Introduction By Means of Graduated Examples By P. Weg-

789/24X \$1995 **OPERATING SYSTEMS By H.** Lorin & H. M. Dietel

582354-3B \$25.95 (Counts as 2 of your 3 books)

MINICOMPUTER AND CROPROCESSOR INTERFAC-ING. By J. C. Cluley. 266 pp., 73 illus. and tables. Unless you are content to have your information processing system simply talk to itself, you need the intense coverage of interfacing provided so brilliantly by this compact volume. In addition to discussing the logical design of interfaces assembled from small-scale integrated circuits, the book gives you a lucid picture of the interface packages designed for microprocessor systems and the way in which they are used. 582585-6B

(Counts as 2 of your 3 books)

AN INTRODUCTION TO VISI-CALC® MATRIXING FOR AP-PLE® AND IBM®. By H. Anbarlian. 252 pp., illus., softcover. Enables you to use VisiCalc matrixes-also known as templates and models-to put your Apple or IBM personal computer to productive use almost immediately. It describes the actual process of developing matrixes for such applications as expense vouchers, price/ earnings ratios, payrolls, stock portfolios, and more. 016/054 \$22.95

ASSEMBLERS, COMPILERS, AND PROGRAM TRANSLA-TION By P. Calingaert

582110-9B \$25.95 (Counts as 2 of your 3 books)

INTERFACE PROJECTS FOR THE TRS-80 By R. C. Hallgren 582466-3



APPLE PASCAL GAMES By D. Herget & J. T. Kalash 582521-X \$19.95

MATHEMATICS FOR THE OF ANALYSIS ALGO-RITHMS. By D. H. Greene and D. E. Knuth. 107 pp. Gives you a clear picture of both the structure and the power of algorithms—and their intimate relationship to the world of the computer programmer. 582707-7 \$10.00

APPLI-MICROPROCESSOR CATIONS HANDBOOK. Edited by D. F. Stout. 472 pp., 284 illus. This BIG book on SMALL chips will help you make your systems timely, versatile, and cost-effec-tive. The 16 expert contributors provide in-depth treatments of both hardware and software so you can completely analyze, design, construct, and program. \$39.95

617/988B

(Counts as 2 of your 3 books)

COMPUTING REAL-TIME With Applications to Data Acquisition and Control. Edited by D. A. Mellichamp. 552 pp., 260 illus. This comprehensive guide helps you specify the type of realtime computing system you need, start it up, and keep it running smoothly and productively. \$39.50 582844-8B (Counts as 2 or your 3 books)

GUIDE TO THE IBM PER-SONAL COMPUTER: Features DOS 2.0 and BASIC 2.0 for the IBM PC and XT. By W. Si-konowiz. 352 pp., illus. Going far beyond the manufacturer's manuals, this guide gives you the invaluable hands-on experience necessary to make the most of your machine.

\$19.95 574/847

LEARNING WITH LOGO By D. H. Watt \$14.95 685/703

COMPUTER GRAPHICS: A **Programming Approach.** By S. Harrington. 448 pp., 242 illus. Covering everything from viewing transformations, parallel projections, and perspective projection to line removal, shading, and the drawing of curves, this introduction to interactive graphics gives you hands-on experience. 267/510B

Values up to \$79.90

(Counts as 2 of your 3 books)

THE BUSINESS GUIDE TO SMALL COMPUTERS By L. Calmus

096/627

INTRODUCTION TO THE UCSD p-SYSTEM". By C. W. Grant and J. Butah. 330 pp., illus. This book takes you through the whole process of implementing the UCSD p-System—and gives you hands-on programming experience in Pascal. \$24.95 582767-0

MICROPROCESSOR AND MI-CROCOMPUTER DATA DI-GEST. By W. H. Buchsbaum and G. Weissenberg. 336 pp., 199 diagrams. Containing all the detailed technical data for every microprocessor integrated circuit that is currently listed as a "stan-dard," off-the-shelf item, this book presents the critical pin configurations, voltages, operating parameters, descriptions of each IC 582835-9B \$29.95

BUYER'S


GUIDE

(Counts as 2 of your 3 books)

ELECTRONICS DICTIONARY, 4/e By J. Markus 404/313B \$32.95 (Counts as 2 of your 3 books)

MICROPROCESSOR DATA BOOK. By S. A. Money. 350 pp., 220 illus. A truly awesome collection of data about virtually every chip available today! \$42.50 427/062B (Counts as 2 of your 3 books)

ANNOUNCING: The Most Important Computer Handbook



The McGRAW-HILL COMPUTER HANDBOOK, 992 pp., 475 illus., edited by Harry L. Helms, with over 24 world-reknown contributors, is by far the most useful and comprehensive reference yet designed for today's computer user. Crammed with easy to get at information, ranging from design concepts to programming techniques, from data bases to interfacing, networking, speech synthesis and recognition to mention just a few of hundreds of entries, this one volume reference does it all—in language and presentation everyone can understand. Invaluable for home, office, and school use, The Computer Handbook "can be helpful to users in solving many mysteries, while opening new doors for exploration and serving as a continuing reference," writes Thomas C. Bartee of Harvard University.

279/721A (Counts as 3 of your 3 books)

* 3 books for only \$1.00 each . . . if you join now for a trial period and agree to purchase three more books—at handsome discounts—during your first year of membership. (Publishers' prices shown)

MICROPROCESSOR-BASED **ELECTRONIC GAMES: De**sign, Programming, and Troubleshooting. By W. Buchsbaum and R. Mauro. 293 pp., illus., softcover. Turn your TV into a home arcade with the first technical guide dedicated to fun! \$9.95 087/229

STRUCTURED PROGRAM-MING: Theory and Practice By R. Linger, H. D. Mills & B. I. Witt 788/537B \$26.95 (Counts as 2 of your 3 books)

THE SMALL COMPUTER **CONNECTION: Networks for** the Home and Office. By N. L. Shapiro. 256 pp. Shows you how to use existing hardware and software to link your small computer to other computers-large and smalland to a vast universe of databases.

ELECTRONICS ENGINEERS' HANDBOOK, 2/e By D. G. Fink & D. Christiansen 209/812A \$79.90 (Counts as 3 of your 3 books)

Z80 USERS MANUAL. By J. Carr. 326 pp., with diagrams, charts, and tables. Takes you through every opportunity the ZAP can offer! It covers Z80 pin definitions, CPU control signals, support chips, interfacing peripherals, and much more. 582336-5

INTRODUCING THE UNIX SYSTEM. By H. McGilton & R. Morgan. 256 pp., 50 illus. soft. This book helps you over the initial hurdles of learning this new and powerful computertool-even if you have never used the Unix system or penetrated any of its literature. 450/013 \$18.95

HANDS-ON BASIC For the IBM® Personal Computer By H. Peckham. 308 pp., spiralbound, softcover. Learn BASIC programming right at the computer! Step by step, this manual gives you hands-on experience with BASIC through a series of guided activities. Each of the 12 chapters requires at least one hour at the computer and at least one hour studying the text. \$19.95 491/78X

HANDS-ON BASIC FOR THE Atari 400/800/12XL By H. Peckham 491/941 \$19.95

THE C PRIMER. By L. Hancock & M. Kreider. 256pp., 25 illus., softbound. This is the only book on the market that describes the C language clearly and simply from the novice's point of view. 259/81X \$14 95

MICROCOMPUTER INTERFAC-ING By B. Artwick 789/436B (Counts as 2 of your 3 books)

APPLE PASCAL: A Hands-On Approach. By A. Luehrmann and H. Peckham, 426 pp., spiralbound. Finally-a how-to-use-PASCAL book for Apple computer users that makes a complete language as easy as (forgive us!) applesauce. Takes you from "total ignorance" all the way up to a very impressive competence in the use of that rather complex language, PASCAL 491/712

PRINCIPLES OF INTERAC-TIVE COMPUTER GRAPH-ICS. By W. M. Newman and R. Sproull. 2nd Ed., 544 pp., illus. Now in a revised, updated Second Edition, this volume has long been THE standard source of information for designers! Now, as before, it is utterly comprehensive and up to the minute in its coverage. 463/387B \$32.50 (Counts as 2 of your 3 books)

Consider these Byte Books as well! -

MICROCOMPUTER **ERATING SYSTEMS** By M. Dahmke 150/710

TRS-80 GRAPHICS FOR THE MODEL I AND MODEL III By D. Kater & S.

Thomas THREADED INTERPRE-

TIVE LANGUAGES By R. G. Loeliger 383/60X \$20.75

THE BRAINS OF MEN AND MACHINES By E. W. Kent 341/230

BASIC SCIENTIFIC SUB-ROUTINES, Vol. 11 By Dr. F. R. Ruckdeschel

542/023B \$26.95 (Counts as 2 of your 3 books)

CIARCIA'S CIRCUIT CEL-LAR, Vol. 2 By S. Ciarcia 109/63X \$15.95

BYTE BOOK OF PASCAL By B. W. Liffick

\$27.50 789/673B (Counts as 2 of your 3 books)

BASIC SCIENTIFIC SUB-ROUTINES, Vol. 1 By Dr. F. R. Ruckdeschel

542/015B (Counts as 2 of your 3 books)

CIARCIA'S CIRCUIT CEL-LAR, Vol. III By S. Ciarcia 109/656 \$15.95

MICROCOMPUTER DISK TECHNIQUES By P. Swan-625/824

BUILD YOUR OWN Z-80 COMPUTER By S. Ciarcia 109/621 \$18.95

Why YOU should join the Byte Book Club™ now!

- Best and newest books from ALL publishers! Books are selected from a wide range of publishers by expert editors and consultants to give you continuing access to the best and latest books in
- Big savings! Build your library and save money too! Savings range up to 30% or more off publishers' list prices—usually 20% to 25%.
- Bonus books! You will immediately begin to participate in our Bonus Book Plan that allows you savings up to 70% off the publishers' prices of many professional and general interest books!
- **Convenience!** 14-16 times a year (about once every 3-4 weeks) you receive the Club Bulletin FREE. It fully describes the Main Selection

and alternate selections. A dated Reply Card is included. If you want the Main Selection, you simply do nothing—it will be shipped automatically. If you want an alternate selection—or no book at all—you simply indicate it on the Reply Card and return it by the date specified. You will have at least 10 days to decide. If, because of late deliv-ery of the Bulletin you receive a Main Selection you do not want, you may return it for credit at the Club's expense.

As a Club member you agree only to the purchase of three additional books during your first year of membership. Membership may be discontinued by either you or the Club at any time after you have purchased the three additional books.



Fill out the card and mail today! If the card is missing, write to:

BYTE BOOK CLUB, P.O. Box 582, Hightstown, New Jersey 08520

Software Received

Apple

Braille-Edit, a word-processing program for blind and sighted persons to perform text-editing operations using voice, screen, or a braille computer terminal. It is designed to work with many braille and voice devices, enabling the user to write, edit, correct, and print out formatted letters, reports, and papers using braille- or print-oriented text files. Includes audio and Versabraille tapes. For II Plus or IIe; floppy disk, \$300. Raised Dot Computing, 310 South 7th St., Lewisburg, PA 17837.

Computer Calculator, a calculator program. Turn your computer into an algebraic and Reverse Polish Notation (RPN) calculator. Features include automatic conversions and balancing, calculations in decimal, hexadecimal, and binary, and user-defined functions. For the II Plus; floppy disk, \$19.95. Jim's Software, 384 The Great Road, Bedford, MA 01730.

Cubit, a three-dimensional strategy game in which you must change the color of cubes by jumping on them. Beware of bouncing balls, disguised snakes, and vicious gremlins who get in your way. For the II; floppy disk, \$39.95. Micromax Systems Inc., 6868 Nancy Ridge Dr., San Diego, CA 92121.

Fastform, a business program that lets you create business forms, fill out standardized forms, and perform numerical calculations. You can save all data on disk. For II Plus and IIe; floppy disk, \$34.95. User-Friendly Software, 3204 National Parks Highway, Carlsbad, NM 88220.

Finance & Amortization, a business program for banking and financial companies to calculate amortization schedules for loans, leases, and savings accounts. Features include investmentdecision and loan-analysis capabilities. For II Plus and IIe; floppy disk, \$29.95. User-Friendly Software (see address above).

Fortress of the Witch King, a fantasy game. Your quest is to slay the ruler of the fortress and gain power through the orb, scepter, and crown. Your band of warriors is constantly in danger of the Witch King's warriors or the vicious hacker who want what you have gained. For II, II Plus, and IIe; floppy disk, \$25. Avalon Hill Game Co., 4517 Harford Rd., Baltimore, MD

The Graphics Magician, a programmer's tool that assists in the layout and design of homemade arcade games and high-resolution graphics programs. These new versions of the graphics editor and machine-language routines let you design shapes and their paths and assemble and control animations with your own programs. For the updated version, send your old disk and \$15 to Penguin Software. For the II; floppy disk, \$59.95. Penguin Software, 830 4th Ave., Geneva, IL 60134.

Introduction to BASIC Programming, a training and utility package. This fourdisk series teaches computer literacy while training the student in BASIC programming. A quiz module in each lesson is scored automatically and evaluated by the computer. For II Plus and IIe; floppy disks, \$149.95. Orion Training Systems, POB 94, Dallastown, PA 17313.

Job Cost III, a business program that lets you keep track of 350 items of cost and quantity totals. Headings can be entered for 35 categories and 10 subcategories for cost-todate figures. Additional categories keep track of subcontracts, overhead figures, cash advances, loans, or final payments without figuring in the cost-to-date figures. For the II Plus; floppy disk, \$34.95. User-Friendly Software (see address above).

Magicalc, an electronic spreadsheet program. You can create, manipulate, modify, and print reports that include such calculations as financial statements, budgets, cost estimates, sales forecasts, staffing plans, and development and product schedules. For II and IIe; floppy disk, \$149.95. Artsci, 5547 Satsuma Ave., North Hollywood, CA 91601.

Matrix Utility, a matrix-manipulation program that computes eigenvalues, inverses, determinants, characteristic polynomials, and ranks of a matrix. It also solves linear and polynomial equations. Programming experience is not necessary to operate program. For the II; floppy disk, \$34.95. Wesware, 2349 Fir, Glenview, IL 60025.

Miko tekst, a word-processing package. You can edit letters or memos; chart your own chapters, index, or table of contents; and print, format, or delete files. Documentation accompanies four disks: text, help, letter, and DOC. For II and IIe; floppy disks, \$190. Tomi Data, Kirkerudkleiva 4, 1313 Voyenenga, Norway.

Minit Man, a trilevel arcadetype game. Waves of robots

have already destroyed the bridge, and your missiles are on the other side. Your job is to rebuild the bridge while simultaneously defending your building complex that houses the computer. Requires a joystick. For the II; floppy disk, \$19.95. Penguin Software (see address above).

Monthly Accounting, an accounts-management program that handles up to 100 expense and income accounts for business and home purposes. Monthly transactions can add up to six-digit quantities ranging from mortgage payments to gas mileage. For II Plus and IIe; floppy disk, \$19.99. Softcell, 13 Webster Ave., Hanover. NH 03755.

Net-Works II, an electronic bulletin-board program for home or business uses. This program automatically answers and records phone calls. It enables users to send messages to individuals, distribute memos, and use as a 24-hour-a-day message center. For the II; floppy disk, \$99. High Technology Software Products Inc., POB 60406, 1611 Northwest 23rd, Oklahoma City, OK 73146.

PTD-6502/6510 Debugger, an assembly-language utility. This program enables the user to write, modify, and debug games and utilities using BASIC editing features. Includes an 80-page tutorial manual. For the IIe; floppy disk, \$50. Pterodactvl Software, 200 Bolinas Rd. #27, Fairfax, CA 94930.

The Scrambler, a disk protection/password system. This program lets you check disks for errors, copy-protect your disks by using a password system, and create a scrambled data disk that can be stored. It will verify disks in 12 seconds. For II Plus and IIe; floppy disk, \$28.95. Jagware, 127 Albany Ave. SE, Orange City, IA 51041.

The Spy Strikes Back, a high-resolution graphics game in which you must locate Dr. X's terrorist operation. Reports reveal that each of the five floors in his hideaway is divided into 24 guarded sections, containing 16 rooms. The object is to get through these rooms without being seen or getting caught. For the II; floppy disk, \$19.95. Penguin Software (see address above).

Stockfile, a stock-control program for smaller businesses. You can store up to 1000 stock lines on one disk. Using extra disks, up to 30,000 stock lines can be created, viewed, updated, corrected, or printed. It automatically calculates stock values. For II and IIe; floppy disk, \$95. Felix Software, 19 Leighton Ave., Pinner HA5 3BW, England.

Super Disk Labeller, a machine-language utility package. Prepare and print floppy-disk labels that organize your disks into a library. This program allows use of a variety of printers using the printer configuration mode and lets you print labels of almost any size with the label-options mode. Requires Applesoft in ROM. For II, II Plus, and IIe; floppy disk, \$34.95. Lakefront Software, 7754 Balboa Blvd., Van Nuys, CA 91406.

Talk-U-Thru Wordstar, a step-by-step tutorial program to teach the functions of Wordstar. This program features an introduction to CP/M, Wordstar installation, cursor moves, text moves, deleting and inserting text, onscreen formatting, file-management techniques, and a variety of other functions. Includes audiocassettes covering installation, cursor moves, and formatting and printing. For II, II Plus, IIe, and III; floppy disk, \$49.95. Talk-U-Thru Tutorial Systems, 6519 Fountain Ave., Los Angeles, CA 90028.

Teacher's Pet, a report-card program that can keep track of an unlimited number of students ranging from elementary to high school. Up to 800 objectives can be placed on the master disk, which already contains about 700 standard objectives. For II Plus and IIe; floppy disk, \$300. Softcell (see address above).

Atari

Computer Football Strategy, a football-simulation game similar to the board game. Pit your strategic skills against the computer or a live opponent as you call both offense and defense plays. Many formations to choose from as the game clock ticks away. For 400/800; cassette, \$16. Avalon Hill Game Co., 4517 Harford Rd., Baltimore, MD 21214.

The Arcade Machine, a game-creation program. Develop your own animated creatures, spaceships, aliens, tanks, monsters, or other objects to move over a variety of backgrounds. Include such sounds as explosions, musical tones, and other sound effects as you design your own arcade games. For 400/ 800 and the XL series; floppy disk, \$59.95. Broderbund Software Inc., 17 Paul Dr., San Rafael, CA 94903.

B/Graph, a professional graphics-charting and statistical-analysis program. You can assemble, process, and

display complex, extensive numerical data in graphic form with this comprehensive, two-disk package. For 400/800; floppy disk, \$99. Inhome Software Inc., Unit 8, 2485 Dunwin Dr., Mississauga, Ontario L5L 1T1. Canada.

CP/M

Billchecker, a personal financial program that runs CP/M 2.2. This lets you handle check writing and bill paying. When you categorize bills due, their dates due are automatically updated. Checkbook will hold up to 200 transactions with six-digit numerals using double precision. Floppy disk, \$39.95. Extal Alstar Inc., POB 850. Rome, NY 13440.

CP/M.D., a utility program that diagnoses and cures ailments of CP/M disks. Menudriven functions and a variety of commands recover files from bad disks, locate and lock out bad sectors, and translate decimal numbers to hexadecimal and binary codes. Floppy disk, \$29.95. Teleprint Inc., Simpl-Simon Software, POB 10, Sylvania, GA 30467.

Magic/L, a general-purpose interactive language. Applications include mailing-list, hardware diagnostics, debugging routines, an imageprocessing system, database query system, a turnkey process-control system, and a cross-assembler program. Floppy disk, \$295. Loki Engineering Inc., 55 Wheeler St., Cambridge, MA 02138.

Menu, a utility package that automatically sorts disk files using number codes without typing filenames. You select numbers and Menu handles functions such as copy, re-

name, erase, type, restore, compare, and more. You can secure sensitive disk files with password protection and explore the internal system while programming. Floppy disk, \$149. Computing, 2519 Greenwich St., San Francisco, CA 94123.

Real-Time C, a utility program that provides users of Whitesmiths' C compiler with an alternate run-time library suitable for real-time programming. The library consists of approximately 100 modules combined into two library files. Features include command-line parsing and error handling accessible to the application programmer. Floppy disk, \$95. Kadak Products Ltd., 206-1847 West Broadway Ave., Vancouver, British Columbia V61 1Y5, Canada.

SAL/80, a utility compiler and language program. This program lets you maintain and reduce development and debugging time, and test branch code. It includes a complete set of console input/output primitives that perform case and base conversion, byte, word and string input/output through standard system calls and provide data manipulation using arithmetic functions. Floppy disk, \$59. Protools, 24225 Summerhill Ave., Los Altos, CA 94022.

Text Addresser, a word-processing package that runs CP/M 2.2. A categorized address book automatically addresses letters. You can edit. move text, center text, and print. Floppy disk, \$39.95. Extal Alstar Inc. (see address above).

Commodore

Casual Writer, a word-processing program. You can write letters and lists, print club bulletins, and store information on tape. For the 64; cassette, \$29. E.N. Publications, RD 1, Box V, Worden, IL 62097.

Design-a-Quilt, a graphicdesign program that can design more than 450 million quilt patterns. You key in a value for colors, blocks, and patches per block for a symmetric arrangement of quilt patterns. For the VIC-20; cassette, \$29.95. Don's Designs, 1728 Womer, Wichita, KS 67203.

The Home Budget Ledger, a home-accounting program. This electronic checkbook and budget planner lets you set up spending categories to format as general ledger pages. It shows check numbers and descriptions, debits, credits, and balances. It also features routines to track checks, noncheck transactions, and disk backup. For the 64; floppy disk, \$24.95. Harpware-Software and Computers, POB 760954, Dallas, TX 75376-0954.

Intermediate Language and Math, a five-program educational package for ages 10 through 12. Program titles include Nouns and Verbs, Adjectives and Adverbs, Rocket Launch, Add Speed, and Math Squares. For the 64; cassette, \$34.95 for all five

programs or \$9.95 each. Baned Software, 113 Tenth St., West Keansburg, NJ 07734.

PTD-6502/6510 Debugger, an assembly-language utility (see description under Apple). For the 64; floppy disk, \$30. Pterodactyl Software, 200 Bolinas Rd. #27, Fairfax, CA 94930.

IBM **Personal Computer**

Codewriter, a utility program that lets businesspeople design their own programs without computer programming experience. Possible applications include payables and receivables, sales analyses, customer and personnel files, mailing lists, invoicing, and inventory tracking. Floppy disk, \$399. Dynatech Microsoftware Inc., 7847 North Caldwell Ave., Niles, II. 60648.

Empire, a global-conflict simulation game. You must annihilate other armies on a large map to gain total domination of the world. Requires strategic concentration. Floppy disk, \$40. Northwest Software, 15343 Southeast 43 Place, Bellevue, WA 98006.

Fast File, an applicationsgenerator program designed for novice users to design their own application programs. This program can be used to create automated systems such as inventory, accounting, mass mailing, and other data-tracking systems. You can manipulate data, design reports, and generate labels. Includes securityprotection features. Floppy disk, \$695. ICCS, 7777 Leesburg Pike, Falls Church, VA 22043.

Fixed Asset Manager, a financial-scheduling tool. Two depreciation schedules and various assets can be cataloged for business and personal uses. Features include standard depreciation methods, assets classified by location or type, extensive inquiry, and exception reporting. Floppy disk, \$150. Softrend, POB 1462, Charlottesville, VA 22902.

The Itemizer, a financialrecord-keeping program. This program lets you define up to 90 categories which can be printed, saved in a file, or displayed on the screen in summary and detail form. Floppy disk, \$39.95. People Literate Software, POB 2039, Bozeman, MT 59715.

Manager Program Collection, an integrated scheduling and financial-planning system that contains three programs. Task Manager provides daily schedule control and a job-expense accounting system. Records Manager offers a client- and associate-information filing system. Project Manager is a projectplanning and resource-analysis system. Floppy disks, \$499. Datamension Corp., 615 Academy Dr., Northbrook, IL 60062.

The Real Estate Consultant, an investment-analysis package. This package assists in comparing real estate investment yields against alternative investment potentials such as individual ownership vs. partners, rent-or-buy decisions, tax status vs. new tax shelters, and timing a sale vs. holding. Floppy disk, \$275. Consultant Systems Inc., Suite #311, 3704 State St., Santa Barbara, CA 93105.

Samna Word II, a word-processing business package. You can write, edit, and review any document with flexibility. This program also supports multiple window operations, a fold feature for wide columnar documents, floating footnotes, and a zoom feature that lets you see page makeup. Floppy disks, \$450. Samna Corp., Suite



Graphics for the IBMpc, Apple, Z-100

This is a spectacular collection of programs in BASIC for 2D and 3D graphics. They form a complete self-teaching guide that will show you how to write graphics software quickly and easily.

The programs are listed in a book beside full documentation. They show how to use basic plotting commands, create 2D and 3D shapes, translate, rotate, scale, stretch, remove hidden lines, shade, clip, window, draw perspective views, use hi-speed animation for simulation, games.

"If you have the slightest interest in graphics I recommend the book" Programmer Magazine Book- \$30.50 Disk- \$21.50 (specify IBM, Apple Z-100)

C-1200, 2700 Northeast Expressway, Atlanta, GA 30345.

Set-FX, a printer-control program. Designed to fully utilize the Epson FX, this program can let you print the full IBM character set including line graphics, foreign languages, and math and science symbols. You can also create custom fonts for special effects, set modes for variety, and employ ideas the program provides. Floppy disk, \$59.95. Softstyle Inc., Suite 200, Department B12, 7192 Kalanianaole Highway, Honolulu, HI 96825.

Super Chartman II, a business-graphics-presentation program. Up to six graphs and charts can be displayed on one page, and stored data can be transferred from one graphic format to one of 20 others. This program is menu- and input-formdriven: the manual is designed for the nontechnical user. Floppy disk, \$425. Graphic Software Inc., 1972 Massachusetts Ave., Cambridge, MA 02140.

Time Value of Money, an investment problem-solving tool. Make financial decisions based on analyses of compound interest, mortgage, annuity, and gradient. Create investment and payment schedules, merge these

with reports, and file for future reference. Floppy disk, \$39.95. People Literate Software (see address above).

Type & Learn, a typing-instruction program. Learn how to type while you learn about computers by matching computer terms, definitions, and paragraphs of computer information. This program calculates your score, accuracy percentage, words-per-minute speed. The progress of your typing skills is reported. Floppy disk, \$60. Simsoft Inc., POB 7095, Port Huron, MI 48301.

Type-Righter, a typing-tutor program. Both novice and beginning users can develop speed and accuracy in typing. Color and graphics are used to highlight keys and reinforce the lessons. Floppy disk, \$19. Martin Oakes, 2100 Oriole Dr., Freeport, IL 61032.

Universal Loan Planner, a loan-planning utility program. You can plan the terms of a loan and the printing of, an amortization schedule. Features also include calculation of minimum payment, interest rates, amortization periods, and the maximum amount you can borrow. Floppy disk, \$59.95. Andy's Software, Group 1, Box 44,

RR 6. Bowmanville, Ontario L1C 3K7, Canada.

Util, a utility package to manipulate ASCII data files. Programmers can use these filter functions to provide flexibility in command lists processed by the batch-command processor. Floppy disk, \$30. John R. Hind, 4100 Pickwick Dr., Raleigh, NC

WS-Patch, a utility package to enhance your printer's power using Wordstar. This program patches special information into programs to enable special printer functions. It amends the printcontrol menu to reflect letterquality printing such as boldface, italics, superscripts, and subscripts. Floppy disk, \$49.95. CMB3 Enterprises, POB 3061, Walnut Creek, CA 95498.

Osborne 1

Animate, a graphics and animation-processor program. Using ASCII and graphics characters you can create pictures on the screen to edit, save, print, combine, and display. Floppy disk, \$30. Softborne Software, 1217 Hawthorne Lane, Fort Washington, PA 19034.

Cypho.bas, an interactive program that performs cryptographic algorithms on alphabetic text. The program encrypts or decrypts data entered from the console or in a disk file, and sends the resulting data to the disk file. Floppy disk, \$10. Graven Imagery, Apt. 111, 50 Walmer Rd., Toronto, Ontario M5R 2X4, Canada.

Magic, an investment-analysis program. Enter the values for up to 15 investments based on daily, weekly, or monthly data, and Magic provides 6 moving averages and 12 ratios of moving averages for relative strength and momentum oscillators. You can compute averages for different time periods. Floppy disk, \$49.95. \$ware Tools for Investors, POB 645, San Luis Rey, CA 92068.

TRS-80

Autoplot, a graphics program that automatically plots curves in color. Choose from among line graphs, scatter plots, and bar graphs plotted from mathematical functions or tabulated data. Axes are automatically scaled and labeled. For the Model 100; cassette, \$39.50. Menlo Systems, Suite 221, 3790 El Camino Real, Palo Alto, CA 94306.

Statistics for the IBMpc, Apple, Z-100

This is a book/disk package of programs in BASIC for the application of statistics to business, science and engineering. Emphasis is on understanding statistics and using micros for the guick solution of real-life problems.

Programs are included for statistical distributions, histograms, sorting, smoothing, mean, standard deviation, errors, sampling, estimations, reliability, confidence intervals, linear and multilinear regression, curve fitting, correlation, time series and forecasting. Also numerous case studies. Takes the mystery out of statistics! Book- \$36 Disk- \$26 (specify IBMpc, Apple, Z-100)

KERN PUBLICATIONS - Call for faster delivery 433 Washington St, PO Box 1029, Duxbury, MA 02331 (617)934-0445



Software Received.

Brainstormer, a universal problem-solving program. You can generate potential solutions to complex problems with a structure technique for describing problems in strategy selection, idea generating, and solution implementation. Applications include increasing flexible thinking, discovering new products, identifying new markets, and exploring personal or organizational problems. For the Model III; floppy disk, \$50. Soft Path Systems, c/o Cheshire House, 105 North Adams, Eugene, OR 97402.

Dyfin, a personal financing program. Make financial decisions on loans, savings, investments, and retirements. This program can calculate monthly payments or returns and balance a checkbook. A 500-year calendar feature includes a monthly display. For the Color Computer; cassette, \$19.95. Dynamic Electronics Inc., POB 896, Hartselle, AL

Maze Runner, a maze-type game. Create your own mazes or play the maze games already on disk. Test your skill and speed as the maze constantly changes. For the Models III and 4; floppy disk, \$9.95. Point Video Products, Box 34, 2005 A St., Garden City, KS 67846.

Options 80A, a stock-option analyzing program. Investors can maximize stock-market yields, plot returns against actuals, and print graphs alphanumerically. This version includes Black-Scholes modeling and put-option spreads. For Models I and III; floppy disk, \$170. Options-80, POB 471, Concord, MA 01742.

Paintpot, an extended BASIC educational program for all ages. Four-color graphics can be sketched using arrow keys, a joystick, or mouse; colors are selected from an on-screen palette. Four screens can be stored at once. For the Color Computer; cassette and disk, \$20 and \$25, respectively. Tim Skene, 6073 Durocher Ave., Montreal, Quebec H2V 3Y1, Canada.

Scribe, a word-processing program. In addition to editing text files, you can print letters and reports in finished forms using a dot-matrix printer. For the Model 100; cassette, \$24.95. Chattanooga Systems Associates, POB 22261, Chattanooga, TN

Texas Instruments 99/4A

Dow Editor/Assembler, a utility package that provides the ability to program in assembly language, save on cassette, restore the program from cassette, and display the program on the monitor. Cassette, \$25. John T. Dow, 6360 Caton, Pittsburgh, PA 15217.

Wild Woods, an arcade-type game. After you are dropped from an airplane, you must fire your flamethrower to reach land safely and to forge through a dense forest in search of treasures. Avoid the rushing river, incoming tide, and the search plane. Cassette, \$11.95. JW Software, 814 West Main St., Urbana, IL 61801.

Wycove Forth, a programming-language program. Gain high-speed programming and control of the computer using printer access, sound, sprites, a graphics mode, text mode, and bitmap graphics-mode displays. Floppy disk with cassette, \$50. Wycove Systems Ltd., POB 1105, Dartmouth, Nova Scotia B2Y 4B8, Canada.

T/S1000 and ZX81


The Fantastic Music Machine and Light Show, a two-part program. Music Composer transforms the keyboard into a three-octave musical instrument that plays through a radio. Light Show animates random kaleidoscopic patterns or lets you create your own designs. Cassette, \$9.95. Simulusion, Box 894, Lemon Grove, CA

Party Nibbles and Bites, a fast-recipe program. A dozen party recipes instantly appear when you select from the menu of choices. Cassette, \$9.95. Simulusion (see address above).■

92045.

This is a list of software packages that have been received by BYTE Publications during the past month. The list is correct to the best of our knowledge, but it is not meant to be a full description of the product or the forms in which the product is available. In particular, some packages may be sold for several machines or in both cassette and floppy-disk format; the product listed here is the version received by BYTE Publications.

This is an all-inclusive list that makes no comment on the quality or usefulness of the software listed. We regret that we cannot review every software package we receive. Instead, this list is meant to be a monthly acknowledgment of these packages and the companies that sent them. All software received is considered to be on loan to BYTE and is returned to the manufacturer after a set period of time. Companies sending software packages should be sure to include the list price of the packages and (where appropriate) the alternate forms in which they are available.



Buy ASCI Intelligent Port Expanders

- Eliminate Manual Switching by Remote Control
- Improve Productivity and Reliability
- · Share Printers, Modems or Plotters
- Expand Computers or Terminals
- · Use Matrix Switching for Multiple Transmission or Security
- Supports Polling and Queing

INSTANT COMPATIBILITY with new computer devices and MAJOR OEM PRODUCTS:

Altos — Burroughs — Data General — DEC H.P. — IBM — NCR — Northstar — Victor and other key manufacturers.

Call 213-793-8979 to EXPAND YOUR SYSTEMS TODAY.



Advanced Systems Concepts Inc. 435 N. Lake Ave., Dept. B1 Pasadena, CA 91101 800-824-7080 Telex: 701 215

Event Queue

January 1984

lanuary

Courses from O. E. D. Information Sciences, various sites throughout the U.S. Scheduled courses include "Cost-Benefit Analysis," "Leadership: Managing and Influencing People," and "Designing Systems Controls." Address inquiries to Q. E. D. Information Sciences Inc., Q. E. D. Plaza, POB 181, Wellesley, MA 02181, (800) 343-4848; in Massachusetts, (617) 237-5656.

January-February

Fundamentals of Finance and Accounting Using a Microcomputer, various sites throughout the U.S. This three-day seminar is sponsored by the Data Processing Institute of the New York University School of Continuing Education. It will cover microcomputer applications for effective decision making and controlling business requirements. Previous computer knowledge is not required. The fee for the course is \$695. For specific dates and locations, contact the NYU School of Continuing Education Seminar Center, 575 Madison Ave., New York, NY 10022, (212) 748-5094.

January-April

Courses in C Language and Unix, various sites throughout the U.S. Three five-day courses are offered: "C Programming Workshop," "Advanced C Topics Seminar," and "Unix Workshop." For complete details, contact Joan Hall, Plum Hall Inc., 1 Spruce Ave., Cardiff, NJ 08232, (609) 927-3770.

January-August

Conferences and Expositions from the Society of Manufacturing Engineers, various sites throughout the U.S. and around the world. More than 25 conferences and expositions are scheduled. For a calendar, contact the Public Relations Department, Society of Manufacturing Engineers, One SME Dr., POB 930, Dearborn, MI 48121, (313) 271-0777.

lanuary 10-12

Mainframe Seismic and Remote Sensing Applications of Optical Storage, Westin Oaks Hotel, Houston, TX. This conference will emphasize the uses of optical storage in oil exploration, geophysical, atmospheric, and oceanographic-sensing industries, where massive amounts of data must be collected, analyzed, and archived. The fee is \$695 for the first person from an organization and \$595 for each additional attendee. For details, contact Technology Opportunity Conference, POB 14817, San Francisco, CA 94114-0817. (415) 626-1133.

January 14-15

The Fourth Annual Computer Fair, Northland Mall, Sterling, IL. This event is sponsored by the Sauk Valley Computer Club. For details, contact Vinus Williams, Rt. 1. Milledgeville, IL 61051, (815) 625-8585 days.

January 16-17

Data Communications for Personal Computers, Boston, MA. This seminar seeks to impart an understanding of the fundamentals of data communications, describe the possible applications available to computer users, and provide guidance in the selection and use of data communications hardware and software. Topics covered range from electronic mail to troubleshooting an installed system. The fee is \$545, which includes all materials.

Contact the Center for Advanced Professional Education (CAPE), Suite 110, 1820 East Garry St., Santa Ana, CA 92705, (714) 261-0240.

January 16-17

MOS Analog/Digital Interface Circuit Design for VLSI Systems, San Francisco Airport Hilton Hotel, San Francisco, CA. This short course will emphasize applicable design techniques for very large-scale integration systems. Course notes are included in the \$450 fee. For a brochure, contact Continuing Education in Engineering, University of California Extension, 2223 Fulton St., Berkeley, CA 94720, (415) 642-4151.

January 16-20

The IEEE Instrumentation and Measurement Technology Conference and The Measurement Science Conference, Long Beach, CA. Both of these conferences address the theme "Automation-Quality-Productivity." Tutorials, seminars, and workshops will cover such topics as "Design for Testability," "Solid State Transducers," and "Testing Relating to VLSI Design." The first conference will emphasize automated testing and computer-aided instrumentation, while the second focuses on the latest developments in metrology. The venue for both convocations is aboard the Queen Mary ocean liner. For more information, contact John C. Schulz, Ford Aerospace and Communications Corp., Ford Rd., POB A, Building 4, Room 28, Newport Beach, CA 92660, (714) 720-4787.

January 17-19

The Midwestern Telecommunications Showcase, Bartle Hall, Kansas City, MO. Technical sessions and a large exhibition of products and services designed for the telecommunications industry are planned. For details, contact the United States Telecommunications Suppliers Association (USTSA) Exhibit Office, 7076 Taft St., Hollywood, FL 33024, (305) 963-1485.

January 17-19

Mini/Micro-Southeast and Southcon/84 High-Technology Electronics Exhibition and Convention, Orange County Convention/Civic Center, Orlando, FL. Mini/ Micro, designed for the original equipment manufacturing community, explores peripherals, processors, data communications, and software. A few of the topics to be addressed at Southcon/84 are artificial intelligence, computer-aided design, and factory automation. For details on these concurrent events, contact Electronic Conventions Inc., 8110 Airport Blvd., Los Angeles, CA 90045, (213) 772-2965.

January 17-20

Uniforum, Washington-Hilton, Washington, DC. This conference and exposition is designed for and by users of Unix-based systems. For details, contact Mark Weber, Professional Exposition Management Co. Inc., Suite 205, 2400 East Devon Ave., Des Plaines, IL 60018, (800) 323-5155; in Illinois, (312) 299-3131.

January 18-23

Commtex International and NAVA/ICIA '84 Convention, Dallas Convention Center, Dallas, TX. Commtex, a communications and information technologies exposition, highlights the latest developments in audio-visual, video, and microcomputer products for many communication needs. The concurrent con-

vention is sponsored by the National Audio Visual Association/International Communications Industries Association (NAVA/ICIA). For information, contact Robert Milko, NAVA, 3150 Spring St., Fairfax, VA 22031, (703) 273-7200.

January 19

Microtrends Update, Dallas, TX. This conference focuses on future trends in the microcomputer industry and on the needs in the educational software field. It's held in conjunction with the NAVA/ International Communications Industries Association 1984 Convention. For information, contact Kathy Eisenrauch, NAVA/ICIA, 3150 Spring St., Fairfax, VA 22031, (703) 273-7200.

January 19-20

Data Communications for Personal Computers, New Brunswick, NJ. For details, see January 16-17.

January 23-25

Teaching Math with Microcomputers, Hacienda Resort Hotel, Las Vegas, NV. This seminar, sponsored by the National Council of Teachers of Mathematics (NCTM), is designed to inform educators in elementary, intermediate, and secondary schools about using microcomputers effectively in mathematics education. For details, contact NCTM Seminar Series, 1906 Association Dr., Reston, VA 22091, (703) 620-9840.

January 24-26

Advanced Semiconductor Equipment Exposition (ASEE) and Technical Conference, Convention Center, San Jose, CA. Five sessions designed as a broad-based program cover the manufacturing aspects of the semiconductor industry. For details, contact Joyce Estill, Cartlidge & Associates Inc., Suite 205, 4030

Moorpark Ave., San Jose, CA 95117, (408) 554-6644.

January 25-27

The Business Telecommunications Exposition, Stadium Club, Giants Stadium, East Rutherford, NJ. This communications exposition is designed for business, industry, and trade. Topics of interest include facsimile, voice, video, and data communications. Other topics to be covered are office automation, word processing, and purchasing. Registration is required for admittance to the exposition. Contact Michael Houston, The Exposition Group Inc., 9128 Columbia Ave., North Bergen, NJ 07047, (201) 662-1318.

January 25-27

Fundamentals of Digital Electronics: A Hands-on Workshop, Hilton Hotel, Los Angeles, CA. Technical managers and engineers will explore the practical essentials of digital theory and applications. This seminar is sponsored by Electronics magazine, a McGraw-Hill publication. In-house presentations can be arranged. For a catalog outlining seminars, locations, and fees, contact Irene Parker, McGraw-Hill Seminar Center, Suite 603, 331 Madison Ave., New York, NY 10017, (212) 687-0243.

January 26-27

Computers in Construction, Las Vegas, NV. This seminar is designed to assist construction contractors and construction management firms in acquiring computer systems. The fee is \$425 per registrant. More details are available from CIP Information Services Inc., 1105-F Spring St., Silver Spring, MD 20910, (301) 589-7933.

January 26-27

Software Business Opportunities in Japan, Monterey, CA. This seminar will cover the marketing of packaged software in Japan, software licensing, protecting software from competitors, methods of distribution, tax planning considerations, and sales techniques. American and Japanese computer, technology, trade, and legal experts will discuss strategies for penetrating the Japanese market. Registration information is available from the Technology Analysis Group Inc., Suite 101, 1424 16th St. NW, Washington, DC 20036, (202) 483-6642.

January 27-29

Resource '84, Shamrock Hilton Hotel, Houston, TX. This computer exposition is dedicated to users in the medical, dental, legal, and accounting professions who need to buy a new system or want to upgrade existing systems. Telecommunications information and software applicable to home and office uses will be displayed. Admission is free for physicians, dentists, attorneys, and accountants; all others pay \$2.50. Entrance to any or all of the seminars is \$10. For details, contact Joyce Fadem, Professional Resources Inc., POB 740433, Houston, TX 77274.

January 30-31

Data Communications for Personal Computers, Los Angeles, CA. For details, see January 16-17.

January 31-February 3

The Sixth Annual Communication Networks 1984 Conference and Exposition, Washington Convention Center, Washington, DC. Voice and telecommunications, electronic mail, data processing, and communications are a few of the products and services to be displayed at this event. Registration information is available from Louise Myerow, POB 880, Framingham, MA 01701, (800) 225-4698; in Massachusetts, (617) 879-0700.

February 1984

February-April

Courses from Integrated Computer Systems, various sites throughout the U.S. "Implementing Local Area Networks" and "Computer Network Design and Protocols" are two of the courses to be presented. For complete course information, contact Ruth Dordick, Integrated Computer Systems, 6305 Arizona Place, POB 45405, Los Angeles, CA 90045, (213) 450-2060.

February-July

Reliability and Maintainability Engineering Institutes and Short Courses, various sites throughout the U.S. A few of the programs to be offered are "Reliability Engineering, Testing, and Maintainability Engineering" and "The Tenth Annual Reliability Testing Institute." For a complete schedule, contact Dr. Dimitri Kececioglu, College of Engineering, Aerospace and Mechanical Engineering Department, University of Arizona, Tucson, AZ 85721, (602) 621-2495.

February 1-2

Data Communications for Personal Computers, San Jose, CA. For details, see January 16-17.

February 2-4

The Third Annual SCS Multiconference, Bahia Hotel, Mission Bay, San Diego, CA. This conference, sponsored by the Society for Computer Simulation (SCS), is composed of four conferences: Modeling and Simulation on Microcomputers, Simulation in Health Care Delivery Systems, Aerospace Simulation, and Simulation in Strongly Typed Languages, Ada, Pascal, Simula. For details, contact Gloria Rico, SCS, POB 2228, La Jolla, CA 92038, (619) 459-3888.

February 7-9

Florida Agribusiness Computer Conference and Trade Show, Civic Center, Lakeland, FL. This conference will demonstrate how computers can be used as decision-making tools for managers in agribusiness. The sponsor of this second annual farm computer conference is the University of Florida's Institute of Food and Agricultural Sciences (IFAS). For details, contact IFAS Director of Conferences, 1041 McCarty Hall, University of Florida, Gainesville, FL 32611, (904) 392-5930.

February 7-10

Florida Instructional Computing Conference, Orlando, FL. This conference is designed to provide kindergar-

ten, elementary school, high school, and college and university instructors and administrators with the opportunity to learn about administrative and instructional computing. More than 85 concurrent sessions, 120 exhibits, and preconference workshops will be offered. Full details are available from Educational Technology, Florida Department of Education, Knott Building, Tallahassee, FL 32301, (904) 487-3104.

February 13-16

Kuwait Info '84, International Exhibition Center, Kuwait City, Kuwait. Exhibits in this third annual event will encompass a broad range of information businesses, including data and word processing, communications, office automation, micrographics, security systems, and environmental control systems.

Information is available from Carol Purdey, Intermarket Network Corp., Suite 203, 1110 Vermont Ave. NW, Washington, DC 20005, (202) 822-9127.

February 14-15

The First Annual Automated Manufacturing Systems Conference: A Market Assessment. Inn of Westchester. White Plains, NY. For information, contact Carol Sapchin, Frost & Sullivan Inc., 106 Fulton St., New York, NY 10038, (212) 233-1080.

February 14-16

The Twelfth Annual ACM Computer Science Conference, Franklin Plaza Hotel, Philadelphia, PA, Papers, panel sessions, and abstracts will address the central themes of "Factory of the Future," "Coping with Small Computers," and "Social and Ethical Implications of Computers." Exhibits will feature over 50 computer and instructional materials. Particulars are available from the Association for Computing Machinery, 1133 Avenue of the Americas, New York, NY 10036, (212) 265-6300.

February 20-22

The 1984 Office Automation Conference (OAC '84), Convention Center, Los Angeles, CA. The theme of this conference is "Office Automation and You" For the first time, an executive-only program will be offered. Further information is available from the American Federation of Information Processing Societies Inc., 1899 Preston White Dr., Reston, VA 22091, (703) 620-8926. For details on the Executive Program, contact John J. Connell, Office Technology Research Group, POB 65, Pasadena, CA 91102.



February 20-23

Arabian Productivity Advancement Using Computers/ Graphics, APAC '84, Inter-Continental Hotel, Riyadh, Saudi Arabia. This is the first international conference and exposition on computer graphics to be held in Saudi Arabia. Industry and government representatives from Middle Eastern and Western nations will attend. For information, contact APAC '84 Conference Director, World Computer Graphics Association Inc., Suite 399, 2033 M St. NW, Washington, DC 20036, (202) 775-9556.

February 21-23

Softcon, Superdome, New Orleans, LA. This international software conference and trade fair is designed for retailers, independent sales organizations, consultants, government agencies, educational institutions, and professional software developers. Registration is \$15. For information, contact Northeast Expositions, 822 Boylston St., Chestnut Hill, MA 02167, (800) 841-7000; in Massachusetts, (617) 739-2000.

February 22-28

Imprinta 84, Fairgrounds, Dusseldorf, West Germany. This international congress and exhibition will feature techniques and services in print communication and its alternatives. For details, contact Dusseldorf Trade Shows. 500 Fifth Ave., New York, NY 10110, (212) 840-7744.

February 23-24

Computers in Construction, Orlando, FL. For details, see January 26-27.

February 23-26

Technology, Entertainment, Design Communications Conference, Conference Center, Monterey, CA. Audio and visual presentations documenting technological advances and their usage in

communications processes will be presented at this conference. Registration fees are \$475. Contact Judi Skalsky, T. E. D. Communications Conference, 635 Westbourne Dr., Los Angeles, CA 90069, (213) 854-6307.

February 27-March 2

MICAD '84, Paris, France. An exhibition associated with the MICAD biennial conference will be held for the first time. This event also marks the tenth anniversary of MICADO, the French Computer Graphics Association. MICAD will provide an opportunity for manufacturers of computer graphics hardware and software to make contact with the rapidly growing French computergraphics market. For information, contact Caby Smith, World Computer Graphics Association Inc., Suite 399, 2033 M St. NW, Washington, DC 20036, (202) 775-9556. In Europe, contact MICADO, ZIRST, Chemin de Pre Carré, 38240 Meylan, France; tel: (76) 90-31-90; Telex: 980 882 F.

February 27-March 2

Welcome to the World of Personal Computing, Fort Lauderdale, FL. This workshop serves as a comprehensive introduction to the uses of microcomputer technology in business, industry, and government. Six modules, ranging from user productivity to software reliability, are on the agenda. For further information, contact Keston Associates, 11317 Old Club Rd., Rockville, MD 20852, (301) 881-7666.

February 28-29

The Twelfth Annual Midwest Digital Equipment Exhibit and Seminar, Thunderbird Motel, Minneapolis, MN. More than 100 manufacturers of computer terminals, data communications equipment, peripherals, data-acquisition systems, and digital

test instruments will display their products. Admission to both the exhibits and seminars is free of charge. For more details, contact Countryman Associates Co., 1821 University Ave., St. Paul, MN 55104, (612) 645-9151.

February 28-March 1

The Annual Computer Fair of the Computer Society of Bermuda, Princess Hotel, Southampton, Bermuda. The theme for this event is "Bermuda—The International Offshore Software Mart." Seminars, demonstrations, presentations, and vendor exhibits will highlight this show. For full details, contact James H. Young Jr., Computer Society of Bermuda, POB 1479, Hamilton 5, Bermuda, (809) 295-7111.

February 28-March 2

The Air Force Conference on Technology in Training and Education, School of Health Care Sciences, Sheppard Air Force Base, TX. This conference will explore technology in aerospace applications, technical training, and education with emphasis on current developments in the Department of Defense. Topics of discussion include computer-generated simulations and training aids and innovative uses of interactive video disks. For information, contact Captain Jim Campbell, SHCS/USAF/MSSA, SAFB Wichita Falls, TX 76311, (817) 851-6461.

March 1984

March 8-9

Computers in Construction, San Diego, CA. For details, see January 26-27.

March 8-10

The Role of the Microcomputer in Education IV, Arlington Park Hilton, Arlington Heights, IL. In-depth seminars and sessions covering a wide range of educational topics make up this conference. Further information is available from Rick Nelson, Micro-Ideas, 1335 North Waukegan Rd., Glenview, IL 60025, (312) 998-5065.

March 12-14

Auditing and Controlling Microcomputers, Houston, TX. This seminar reviews the technology behind microcomputers and shows how they can be used by an auditor for practice management or as a tool in an audit engagement. For a course outline, contact Miriam Hoyt, MIS Training Institute Inc., 4 Brewster Rd., Framingham, MA 01701, (617) 879-7999.

March 12-15

Interface '84, Convention Center, Las Vegas, NV. For details on this twelfth annual data communications/information-processing conference and exposition, contact the Interface Group Inc., 300 First Ave., Needham, MA 02194, (800) 325-3330; in Massachusetts, (617) 449-6600.

March 13-15

Micro/SET 84: Microcomputer Expo for Scientific, Engineering, and Technology, Engineering Society of Detroit, MI. Papers emphasizing microcomputer applications in research, design, engineering, and manufacturing will be presented. Complementing the conference program will be displays of scientific, engineering, and technical microcomputer hardware and software. For more information, write to the Conference Manager, Engineering Society of Detroit, 100 Farnsworth, Detroit, MI 48202.

March 13-15

Optical Storage of Documents and Images, Biltmore Hotel, Los Angeles, CA. Topics to be covered are readwrite and read-only storage of analog and digital information including office documents, engineering drawings, and parts catalogs. The fee is \$695 for the first person from an organization and \$595 for each additional attendee. For more information, contact Technology Opportunity Conference, POB 14817, San Francisco, CA 94114-0817, (415) 626-1133.

March 18-22

Saudicomputer '84—The Business Computer Show, al-Dhiafa Exhibition Centre, Riyadh, Saudi Arabia. For information, contact Philip Jenkinson, Saudicomputer '84, Overseas Exhibition Services Ltd., 11 Manchester Square, London W1M5AB, England; tel: 01-486 1951; Telex: 24591 Montex G.

March 19-22

Automated Manufacturing Conference and Exhibition (AM84), Textile Hall, Greenville, SC. The latest automated manufacturing technologies will be the focus of this combination exhibition and seminar. Representatives from more than 200 firms are expected. Complete details about the conference can be obtained from the AM84 Registration Control Center, POB 5616, Station B, Greenville, SC 29606, (803) 242-3170, ext. 260. Details about the exhibition are available from AM84, POB 5823, Greenville, SC 29606, (803) 233-2562.

March 19-22

The Eighth Annual Federal Office Systems Expo (FOSE '84), Convention Center, Washington, DC. The theme for this year's expo is the "Realities of Integration: Technologies, Applications, Human Resources." More than 60 conference sessions and 1200 exhibits are planned. Address inquiries to Jacqueline Voigt, National Trade Productions, 9418 An-

napolis Rd., Lanham, MD 20706, (800) 638-8510; in Maryland, (301) 459-8383.

March 22-23

Computers in Construction, New York, NY. For details, see January 26–27.

March 26-28

The Seventh International Conference on Software Engineering, Orlando, FL. This conference seeks to evaluate what has been learned from the past and to provide directions for future investigations in software engineering. Its theme is "Fifteen Years of Software Engineering: Results and Futures." A software tools fair will be held concurrently. Contact the IEEE Computer Society, POB 639, Silver Spring, MD 20901, (301) 589-3386.

March 26-30

The Sixth NC Industrial Automation and Robot Conference and Exhibition, Milan Fair, Milan, Italy. Controls for automated material handling, variable mission manufacturing systems, and quality control will be featured. A concurrent conference consisting of 20 sessions will be presented. For more information, contact the Society of Mechanical Engineers, One SME Dr., POB 930, Dearborn, MI 48121, (313) 271-0023.

March 28-30

The Sixth Annual Computer Graphics Conference, Doral Hotel On-the-Ocean, Miami Beach, FL. The theme for this conference is "Forecasts and Assessments." Further details are available from Carol Sapchin, Frost & Sullivan Inc., 106 Fulton St., New York, NY 10038, (212) 233-1080.

March 30-31

Third Annual Conference on Communication Technology, Joseph Stokes Auditorium, Children's Hospital of Philadelphia, PA. This program presents advances in technology and treatment alternatives for physically handicapped and speech impaired persons. Speakers, equipment demonstrations, and workshops are planned. The two-day registration fee is \$95, which includes all course materials. If your registration request is postmarked before March 10, the fee is reduced by \$10. Group rates are offered. For full particulars, contact Joan Bruno, Children's Seashore House, 4100 Atlantic Ave., POB 4111,

Atlantic City, NJ 08404, (609) 345-5191, ext. 278.

March 30-April 1

The NY Personal Computer Show, Exposition Rotunda, Madison Square Garden, New York City. Formerly called the Eighty/Apple/PC Computer Show, this event will feature products and services for all small computer systems. More than 240 exhibitors are expected. Complete show details can be obtained from the Kengore Corp., POB 13, Franklin Park, NJ 08823, (201) 297-2526.■

In order to gain optimal coverage of your organization's computer conferences, seminars, workshops, courses, etc., notice should reach our office at least three months in advance of the date of the event. Entries should be sent to: Event Queue, BYTE Publications, POB 372, Hancock, NH 03449. Each month we publish the current contents of the queue for the month of the cover date and the two following calendar months. Thus a given event may appear as many as three times in this section if it is sent to us far enough in advance.

WHY PAY SANYO MONITORS ZENITH Z-29 TERMINAL ZVM-123 GREEN 12" DH-2112 GREEN 12" \$ 89 \$676 DM-2212 AMBER 12" \$107 \$ 88 ZVM-122 AMBER 12" DM-8112 GREEN 12" \$168 DM-8212 AMBER 12" \$178 DMC6500 RGB 13" \$346 STAR MICRORICS PRINTERS AVM-196 RGB 19" \$626 GEMINI 10X AVM-255 RGB 25" **GEMINT 15X** \$787 \$ACA\$ PANASONIC ZOOM MODERS FOR APPLE TR-120MIP GR. 12" \$168 NETWORKER TR-120MDP AMB. 12" \$185 CT-160 COL/BW 10" \$208 \$ 69 NETHASTER NETWORK/NETMASTER \$149 DTD-1000G RGB 10* \$325 DTD-1300G RGB 13" \$349 SILVER REED PRINTERS KX-P1090 PRINTER \$349 500P/500S \$432/\$467 KX-P1160 PRINTER \$1199 550P/550S \$648/\$675 CALL FOR \$ AMDEK, NEC ... VP-6801A PLOTTER \$1399 TERMS: COD - FREIGHT COLLECT - CHARGE CARD CUSTOMERS ADD 4% - \$1 PHONE CALL REBATE WORDER.

Books Received

Apple II BASIC—Quick Reference Guide, Gilbert Held. New York: John Wiley & Sons, 1983; 1 page, 15.5 by 30 cm, fold-out card, ISBN 0-471-87039-0, \$2.95.

Atari BASIC—Quick Reference Guide, Gilbert Held. New York: John Wiley & Sons, 1983; 1 page, 15.5 by 30 cm, fold-out card, ISBN 0-471-87041-2, \$2.95.

Catching up with the Computer Revolution, Lynn M. Salerno, ed. New York: John Wiley & Sons, 1983; 544 pages, 17 by 24 cm, hard-cover, ISBN 0-471-87594-5, \$22.95.

The Compleat Computer, 2nd ed. Dennie and Cynthia Van Tassel. Chicago, IL: Science Research Associates, 1983; 282 pages, 30.5 by 22.5 cm, softcover, ISBN 0-574-21415-1, \$14.95.

Computer Images, State of the Art, Joseph Deken. New York: Stewart, Tabori & Chang Publishers Inc., 1983; 200 pages, 24.8 by 24.8 cm, softcover, ISBN 0-941434-40-0, \$16.95.

Data and File Management for the IBM Personal Computer, John P. Grillo and J. D. Robertson. Dubuque, IA: Wm. C. Brown Company Publishers, 1983; 208 pages, 21.3 by 28 cm, spiral-bound, ISBN 0-697-09987-3, \$16.95.

Database Design, 2nd ed. G10 Wiederhold. New York: McGraw-Hill, 1983; 767 pages, hardcover, ISBN 0-07-070132-6, \$32.

Designing With Programmable Array Logic, 2nd ed. The Technical Staff of Monolithic Memories Inc. New York: McGraw-Hill, 1983; 690 pages, 19.5 by 24.5 cm, hardcover, ISBN 0-07-042723-2, \$32.95.

Electronic Instrumentation and Measurements, David A. Bell. Reston, VA: Reston Publishing Co., 1983; 544 pages, 18.5 by 24 cm, hardcover, ISBN 0-8359-1669-3, \$25.95.

Fifty 1K/2K Games for the ZX-81 and Timex Sinclair 1000, Alastair Gourlay, James Walsh, and Paul Holmes. Reston, VA: Reston Publishing Co., 1982; 112 pages, 15.8 by 23.5 cm, hardcover, ISBN 0-8359-1979-X, \$10.95.

54 Visicalc Models, Robert H. Flast. Berkeley, CA: Osborne/McGraw-Hill, 1983; 288 pages, 21 by 27.5 cm, softcover, ISBN 0-33134-100-2, \$12.95.

Free to Teach, Achieving Equity and Excellence in Schools, Joe Nathan. New York: Pilgrim Press, 1983; 201 pages, 16 by 25 cm, hardcover, ISBN 0-8298-0657-1. \$14.95.

IBM PC BASIC—Quick Reference Guide, Gilbert Held. New York: John Wiley & Sons, 1983; 1 page, 15.5 by 30 cm, fold-out card, ISBN 0-471-87042-0, \$2.95.

Image Sequence Processing and Dynamic Scene Analysis, T. S. Huang, ed. New York: Springer-Verlag Inc., 1983; 760 pages, 17 by 25 cm, hardcover, ISBN 0-387-11997-3, \$59.20.

Interfacing to Microprocessors, J. C. Cluley. New York: McGraw-Hill, 1983; 168 pages, 16 by 24 cm, hard-cover, ISBN 0-07-011409-9, \$24.50.

Intermediate-Level Apple II Handbook, David L. Heiserman. Indianapolis, IN: Howard W. Sams & Co., 1983; 328 pages, 15.3 by 23 cm, spiral-bound, ISBN 0-672-21889-5, \$16.95.

International Microcomputer Dictionary, Berkeley, CA:

Sybex, 1981; 142 pages, 10.5 by 16.5 cm, softcover, ISBN 0-89588-067-9, \$3.95.


The Intimate Machine, Close Encounters with Computers and Robots, Neil Frude. New York: New American Library, 1983; 256 pages, 14.5 by 22.5 cm, hardcover, ISBN 0-453-00450-4, \$15.50.

Introduction to Graphics for the IBM Personal Computer, John P. Grillo and J. D. Robertson. Dubuque, IA: Wm. C. Brown Company Publishers, 1983; 144 pages, 21.3 by 28 cm, spiral-bound, ISBN 0-697-09989-X, \$15.95.

M6805 HMOS M146805 CMOS Family, 2nd ed. Motorola. Englewood Cliffs, NJ: Prentice-Hall, 1983; 272 pages, 17.5 by 23.5 cm, softcover, ISBN 0-13-541375-3, \$17.95.

Machine & Assembly Language Programming, David C. Alexander. Blue Ridge Summit, PA: Tab Books, 1982; 210 pages, 13 by 21 cm, softcover, ISBN 0-8306-1389-7, \$9.95.

Managing the Data-Base Environment, James Martin. Englewood Cliffs, NJ: Prentice-Hall, 1983; 784 pages, 19 by 24 cm, hardcover, ISBN 0-



BASIC* Features A powerful extension of Applesoft BASIC for engineers, scientists and students. Some of the BASIC for engineers, scientists and students. Some of the BASIC features are: BUILTIN COMPLEX ARITHMETIC Replaces Applesoft integer variables with complex variables for built-in complex arithmetic capabilities. BUILTIN COMPLEX FUNCTIONS Useful functions for complex arithmetic like CSQRT, CEXP. CABS and CLOG are available. Several complex/real and real/complex functions are standard. POWERFUL EXTENDED HI-RES COMMANDS Area oriented byte graphic capabilities for pixel manipulation, image magnification, inter-screen and intra-screen image translation, and screen/memory data movement. Commands for screen switching and displays, and clearing screens to different background colors. PROGRAMMABLE CHARACTER SETS Instead of the standard lest screen, hires screens can be used for upper/lower cases and for mixed graphic modes. Programmable character sets for foreign language alphabets, variable fonts and animation applications. VARIABLE PITCH SCREEN PRINTING Variable pitch printing capabilities permit printing 40 to 70 characters per line. Sevenal application programs (like FFT, EQUATION SOLVER) are contained in the BASIC* diskette to illustrate the powerful features of the language. Requires APPLE II/II Plus with a 16K memory card or APPLE III and one disk drive. Price: \$60 + \$12 shipping and handling + 6% tax for California residens. We accept checks, Visa or Master Card. Contact S.S. Reddi, Softesmythe Software, 1000 W. MacArthur H49, Santa Ana, CA 92707 Phone: 714-540-1644 or 714-660-0167



702) 451-9275

Box 50030, Henderson NV 89015

13-550582-8, \$49.95.

Messner's Introduction to the Computer, Fred D'Ignazio. Simon New York: Schuster, 1983; 288 pages, 14.5 by 21.5 cm, hardcover, ISBN 0-671-42267-7, \$10.29.

Microcomputer Interfacing, Harold S. Stone. Reading, MA: Addison-Wesley, 1983; 400 pages, 16.5 by 24 cm, hardcover, ISBN 0-201-07403-6, \$32.95.

Microelectronics and Office Jobs, Diane Werneke. Washington, DC: International Labor Office, 1983; 108 pages, 16 by 24 cm, softcover, ISBN 92-2-103278-7, \$10.

Modern Methods for COBOL Programmers, John R. Pugh and Doug H. Bell. Englewood Cliffs, NJ: Prentice-Hall, 1983; 224 pages, 16 by 24 cm, hardcover, ISBN 0-13-595215-8, \$17.95.

Photovoltaics, Robert G. Seippel. Reston, VA: Reston Publishing Co., 1983; 256 pages, 18 by 24 cm, hardcover, ISBN 0-8359-5538-9, \$22.95.

Practical Digital Design Using ICs, 2nd ed. Joseph D. Greenfield. New York: John Wiley & Sons, 1983; 736 pages, 16.5 by 24.5 cm, hardcover, ISBN 0-471-05791-6, \$26,95.

Programming in Pascal, C. William Gear. Chicago, IL: Science Research Associates, 1983; 256 pages, 18.5 by 23.5 cm, softcover, ISBN 0-574-21360-0, \$14.95.

Programming the IBM Personal Computer: Fortran 77, Robert Rouse and Thomas Bugnitz, New York: Holt, Rinehart and Winston, 1983; 256 pages, 17.5 by 23.3 cm, softcover, ISBN 0-03-062042-2, \$35.95.

Programming Your Atari Computer, Mark Thompson. Blue Ridge Summit, PA: Tab Books, 1983; 280 pages, 13 by 21 cm, softcover, ISBN 0-8306-1453-2, \$10.95.

Software Engineering for Small Computers, R. B. Coats. Reston, VA: Reston Publishing Co., 1982; 256 pages, 18 by 24 cm, hardcover, ISBN 0-8359-7026-4, \$24.95.

Strategies for Natural Language Processing, Wendy G. Lehnert and Martin H. Ringle, eds. Hillsdale, NJ: Lawrence Erlbaum Associates Inc., 1983; 560 pages, 16 by 23.5 cm, hardcover, ISBN 0-89859-191-0, \$49.95.

A Structured Approach to Fortran, J. Winston Crawley and Charles E. Miller. Reston, VA: Reston Publishing Co., 1983; 766 pages, 19 by 24 cm, hardcover, ISBN 0-8359-7092-2, \$16.95.

Techniques of BASIC for the IBM Personal Computer, John P. Grillo and J. D. Robertson. Dubuque, IA: Wm. C. Brown Company Publishers, 1983; 270 pages, 21.3 by 28 cm, spiral-bound, ISBN 0-697-08276-8, \$18.95

Useful BASIC Programs for the IBM PC, Stanley R. Trost. Berkeley, CA: Sybex, 1983; 192 pages, 14 by 21 cm, softcover, ISBN 0-89588-111-X, \$8.95.

User's Guide with Applications for the IBM Personal Computer, John P. Grillo and J. D. Robertson. Dubuque, IA: Wm. C. Brown Company Publishers, 1983; 272 pages, 21.3 by 28 cm, spiral-bound, ISBN 0-697-09985-7, \$17.95.

Using and Troubleshooting the MC68000, James W. Coffron. Reston, VA: Reston Publishing Co., 1983; 224 pages, 15.5 by 23.5 cm, hardcover, ISBN 0-8359-8158-4, \$21.95.

VisiCalc Advanced Version. Worksheets for Business, Van Wolverton. San Jose, CA: Visicorp, 1983; 256 pages, 19 by 23 cm, softcover, ISBN 0-912213-00-0, \$18.95.


VisiCalc for Science and Engineering, Stanley R. Trost and Charles Pomernacki. Berkeley, CA: Sybex, 1983; 224 pages, 17.7 by 22.8 cm, softcover, ISBN 0-89588-096-2, \$13.95.

What Can I Do With My Timex/Sinclair 1000? Lots!, Roger Valentine. New York: John Wiley & Sons, 1983; 164 pages, 17 by 25.5 cm, softcover, ISBN 0-471-88730-7, \$9.95.

Z80 Applications, James W. Coffron. Berkeley, CA: Sybex, 1983; 320 pages, 17.5 by 22.5 cm, softcover, ISBN 0-89588-094-6, \$14.95.

This is a list of books received at BYTE Publications during this past month. Although the list is not meant to be exhaustive, its purpose is to acquaint BYTE readers with recently published titles in computer science and related fields. We regret that we cannot review or comment on all the books we receive; instead, this list is meant to be a monthly acknowledgment of these books and the publishers who sent them.

Extended Processing S100 Boards



BURNER I/O

The BURNER I/O is a full feature multifunction S100/IEEE-696 board. It has a complete EPROM programmer, 2 Serial ports, parallel output port, parallel input port and memory management. Programs 2704 thru 2764, 2508, 2516 and TMS2716 EPROMS. Menu

driven disk based software supplied in 4K EPROM that is easily loaded on your disk. Zero insertion force programming socket. Totally I/O mapped. Serial ports are independent and support hardware handshaking. Baud rates from 50-19,200. Serial ports are software programmable. Seperate parallel input and output ports with full handshaking plus 4 direct sense bits. Memory management controls the S-100 address lines A16-A23.

The board is offered in various configurations. In all versions it is fully assembled and tested.

Option A: Complete board with programmer, I/O and memory

management, \$354.95 Option B: Programmer only, \$219.95 Option C: I/O only (2S + P), \$219.95 Option D: Options B and C, \$329.95

Option E: Memory management only, \$109.95

Memory management may be added to Options B and C for \$25.00



POWER I/O

The POWER I/O is a high performance slave computer that is a complete system including all hardware, software and documentation. It is guaranteed to operate properly with any S-100/IEEE-696 system. The POWER I/O sets a new standard in flexibility, ease of

integration, expandability and performance. It is designed with the future in mind. All I/O and memory may be doubled with the addition of our POWER I/O add-on. Memory can be quadrupled when the 256k rams are available. The standard software supports 6 serial ports, 2 parallel ports and 512K of ram.

The basic board consists of a 4MHz Z80A, 64K DRAM, 3 serial (8251A) I/O ports, baud rates to 19,200. Hardware, ETX, ACK and X-on/X-off handshaking, 1 parallel port, timer, 6 programmable delays, high speed parallel I/O to host, complete POWER I/O software in 4K EPROM (expandable to 8K). On board software is designed for maximum flexibility and ease of use. Supports user written programs. Complete documentation including source code, schematics and many software interface examples.

The POWER I/O add-on has 3 additional serial ports, 1 parallel port and 64K DRAM.

POWER I/O: \$375.00 64K RAM ADD-ON: \$175.00 3 SERIAL, 1 PARALLEL ADD-ON: \$195.00 RAM AND I/O ADD-ON: \$295.00

ep Extended Processing

3861 Woodcreek Lane ■ San Jose, California, 95117 ■ (408) 249-8248

Clubs and Newsletters

Exchanges via Newsletter

Electronics Projects is a newsletter for the exchange of projects, technical articles, software, computer applications, programming tips, and money-making opportunities. All members of the Electronics Projects Club can receive free advertising and are encouraged to submit articles in any electronics area. A \$15 membership fee includes a subscription to eight issues of Electronics Projects. For information, send a self-addressed, stamped envelope to Kamenar Enterprises, POB 186, Hatboro, PA 19040.

Unigroup of Manhattan

Unigroup is a nonprofit organization for users of the Unix operating system and its related products that meets in the New York metropolitan area. Meetings are held every two months and feature speakers who are prominent in the Unix field. Membership is \$25 a year and includes a subscription to the newsletter Unigroup Journal. Nonmembers must pay \$10 to attend meetings, which are open to all interested people. Address applications and inquiries to Unigroup of New York Inc., GPO Box 1931, New York, NY 10116.

New Englanders Organize for **Osbornes**

The Vermont—New Hampshire Osborne Users Group (VNHOG) meets once a month at the Universalist Church in Woodstock, Vermont. Osborne users and

other interested people are welcome to attend meetings. Topics include database-management programs, Supercalc spreadsheets, Wordstar-Mailmerge word processing, and more. For details, contact VNHOG, RFD 1, Box 20A, Killington, VT 03751, or call Solveig Overby at (802) 422-3667.

Monthly Review for the 64

The 64 Review is a monthly newsletter for users of the Commodore 64 personal computer. Features of the newsletter are a questionand-answer column, programs, a technical column, information on graphics and sound, and more. Annual subscriptions are \$11.95. Sample issues cost \$2.50. For further information, write to The 64 Review, POB 322, Livermore, CA 94550.

IBM PC Users Meet in Fresno

The Fresno IBM PC Users Club meets monthly in Fresno, California, to discuss intricacies of the PC. The club's newsletter announces the times and locations of future meetings, contains a trade column, and informs users of the IBM PC about events of interest. For further details, contact R. Betancourt, Fresno IBM PC Users Club, 6750 North Woodrow Ave., Fresno, CA 93710.

Tribune for CP/M Users

The CP/M Houston Users Group, an active group in Houston, Texas, produces a newsletter called the CP/M

Houston Tribune. The group seeks to educate its members about communications, public-domain software, and video microbroadcasting of software. Other interests include expanding the uses of CP/M-based systems regardless of brands and sharing activities with other user groups. For details on meetings and fees, contact Thomas McCormick, CP/M Houston Users Group, Box 570473, Houston, TX 77257-0473, or call (713) 975-6061.

Computer Cost Estimating

Micapp Inc. (Microcomputer Assisted Process Planning) produces the Micapp Newsletter bimonthly for people in the metal-working industry who use microcomputers to perform engineering tasks. Listings for applications such as cost estimating and process planning for turning, drilling, milling, boring, and grinding are included. Subscriptions cost \$37.50 a year in the U.S. and \$47.50 in Canada and abroad. For details, contact Micapp Inc., 16956 230th Ave., Big Rapids, MI 49307, or call (616) 796-6637.

For the Alpha Micro

The Southern California Alpha Micro Users Society (SC/AMUS) meets on the second Sunday of every month (except holidays) from 1 to 3 p.m. at the Fullerton Savings and Loan, 12860 Euclid in Garden Grove, California. Membership dues are \$22 the first year and \$12 thereafter for annual renewal of the newsletter. Nonmembers can receive the newsletter for \$6 a year; back issues are available. For information, contact Bob Alex, 17632 Fiesta Way, Santa Ana, CA 92705, or call (714) 669-0360.

Comprehensive **Tandy Group**

The Tandy Business Users Group (T-BUG) meets on the third Wednesday of every month in the Chicago metropolitan area to discuss applications for the TRS-80 Models II, 12, 16, and 16B. A newsletter, T-BUG, is produced and is included with the \$25 annual membership. It contains information on past and future meetings, software reviews, and a consultant's column. For details, contact Carlos Hidalgo, 311 Longview Rd., Waukegan, IL 60087, or call (312) 623-9661.

Central Jersey Users

The Central Jersey IBM/PC Users (CJPC) is a group designed for users to exchange information about the IBM PC. For information, contact Howard Dean, CJPC, POB 8280, R | Bank, NJ 07701, (201) 842-5800.

TS User Newsletter

letter for users of the Timex/ Sinclair microcomputer and its products. It includes hardware, software, and book reviews, editorials, and other columns for improved applications. Annual subscriptions are \$16.95 for 12 issues; \$25 outside the U.S. and Canada. TS User is available from Yagsee, POB 155, Vicksburg, MI 49097.

Osborne Group in Philadelphia

The Philadelphia Regional Osborne Group (PHROG) meets monthly in the Lansdale area outside Philadelphia to serve those interested in increasing the scope of their Osborne-related endeavors. A newsletter is planned. For details, contact Joe Gervase, PHROG, Box 340, Lamplighter Plaza, Kulpsville, PA 19443, or call (215) 362-1888.

Meet in Miami

The Miami PC User Group meets bimonthly to share experiences and knowledge in the current and future uses of the IBM PC at home and at the office. Members can access a private bulletin board service and a software library. Annual dues are \$20. For details, contact Eddy Cue, Miami PC User Group, 6925 Southwest 16 St., Miami, FL 33155, or call (305) 262-1891.

Westchester Apples

The Westchester Apple Users Club meets at 8 p.m. on the third Wednesday of

each month to discuss topics of interest to owners of Apple computers. The meetings are open to the public. A fee to cover the cost of club mailings is \$11 for adults and \$5 for students. For further information, contact Linda Halpern, 330 High Point Dr., Hartsdale, NY 10530, (914) 428-5242.

Engineering Working Group

Educators interested in using microcomputers for engineering purposes are invited to join a nationwide group and receive a quarterly newsletter. For further information, write Marilyn Henry, Microcomputer Engineering Working Group, George Washington University (SEAS), Washington, DC 20052

Kaypro Club for People in Queens

The Peoples Computer (of Queens) Kaypro Club unites users and promotes useful information about the Kaypro II. An \$8 membership fee automatically enters members into a national database, and entitles them to receive a quarterly newsletter. The *Piece of Kayke National Newsletter* could become a monthly newsletter with enough input. For further details, contact Steve Bender, Peoples Computer (of Queens) Kaypro Club, Box 28360, Queens Village, NY 11428.

Telecommunicate the News

Plumb is a newsletter that includes information about electronic bulletin board systems and related communications systems for all types of computers. Stories include news and features about software downloaders, message systems, merchandise boards, and more. For details on cur-

rent subscription prices, contact *Plumb*, Box 300, Harrods Creek, KY 40027.

Schools Take Note

CHIME, the newsletter of the Clearinghouse of Information on Microcomputers in Education, is produced by the College of Education of Oklahoma State University. It contains software reviews written by teachers about educational programs for languages, sciences, mathematics, statistics, and more. A one-year subscription is \$15; additional subscriptions delivered to the same address are available for \$10 a year. For details, contact CHIME, College of Education, Oklahoma State University, 108 Gundersen, Stillwater, OK 74048, or call (405) 624-6254. ■

If you would like BYTE readers to know about your club or newsletter send the details accompanied by no more than one newsletter to Clubs and Newsletters, BYTE Publications, POB 372, Hancock, NH 03449. Overseas groups are encouraged to participate. Please allow at least three months for your announcement to appear.

a message to our subscribers

From time to time we make the BYTE subscriber list available to other companies who wish to send our subscribers material about their products. We take great care to screen these companies, choosing only those who are reputable, and whose products, services, or information we feel would be of interest to you. Direct mail is an efficient medium for presenting the latest personal computer goods and services to our subscribers.

Many BYTE subscribers appreciate this controlled use of our mailing list, and look forward to finding information of interest to them in the mail. Used are our subscribers' names and addresses only (no other information we may have is ever given).

While we believe the distribution of this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive such promotional literature. Should you wish to restrict the use of your name, simply send your request to the following address.

BYTE Publications Inc
Attn: Circulation Department
70 Main St
Peterborough NH
03458

SOFTWARE



Time Manager Eyes Expenditures

Time Manager is just one of eight programs in Traveling Software's Business Manager Series for Radio Shack Model 100 and NEC PC-8201 computers. This program records time expenditures for projects, clients, and, if desired, by individual work activity. Hours worked can be logged as either billable or nonbillable with optional standard billing rates generated for work activities. Flexible reporting of summary information can be displayed on screen or printed out in either 40- or 80-column formats.

Time Manager costs \$59.95, which includes a tutorial notebook and audiocassette tutorial. The other programs in the Business Manager Series cover appointments, expenses, sales, projects, taxes, and accountant books, A communications program is also available. For more information, call or write Traveling Software Inc., 11050 Fifth Ave. NE, Seattle, WA 98125, (206) 367-8090.

Circle 550 on inquiry card.

Graphics Package Announced by Accent

A graphics creation and animation package for the Apple II or III has been introduced by Accent Software. TGS: The Graphic Solution combines text and graphics in a manner that's similar to cinematic animation techniques. This program provides simple keyboard commands that you wield to build bit-mapped shapes, which are used to create interactive graphics presentations. TGS lets you mingle text and graphics on screen using its resident character set or your own fonts. Special graphics commands can be created with macroinstructions that enable execution of several

graphics tasks with a single keystroke. Multiple object and background, variable speed animation, dual lowand high-resolution operation, single-keystroke editing, and hidden line animation are provided.

TGS is fully compatible with graphics programs that permit saving highresolution screens as standard Apple II DOS 3.3 files. Its hardware requirements are 48K bytes of RAM, Applesoft in ROM, one disk drive, and a monitor. The list price is \$149.95. A manual, backup disk, and demonstration applications are supplied. A demonstration disk is available for \$10 directly from Accent Software Inc., 3750 Wright Pl., Palo Alto, CA 94306, (415) 856-6505.

Circle 552 on inquiry card.

Program Knocks Spreadsheets on Their Side

Sideways lets you print all the columns of your spreadsheet, all at one time, on one continuous page. This program, developed by Funk Software, causes your hard copy to print out sideways and is compatible with such spreadsheets as Lotus 1-2-3, Visicalc, Multiplan, and Supercalc. Standard printing features include a choice of type sizes ranging from compressed to large, a double-strike mode, unlimited printing width, and adjustable character spacing, line spacing, margins, and print dimensions. Sideways accepts ordinary ASCII textfiles created by spreadsheets, word processors, and editors.

Sideways works with the IBM Personal Computer. It supports such printers as the Epson MX-80/100 and FX-80/100, IBM Graphics Printer, Okidata's Microline series, C.Itoh Prowriter, and Integral Data Systems' Prism, 460, and 560. The suggested retail price is \$60. For more information, contact Funk Software Inc., POB 1290, Cambridge, MA 02238, [617] 497-6339. Circle 558 on inquiry card.

Executive Expense Account Manager

Adaptive Software's Expense Account Manager is purported to be the first microcomputer software package designed specifically to organize and track travel and entertainment expenses for company executives and professionals. Salient features include easy expense entry and corrections, reminders of expenses that are often overlooked, prompting for specific information reguired by the IRS, and budget projections. Expense subtotals can be organized by client or project, and a table of frequently traveled trips is maintained, which allows easy and consistent reporting of automobile mileage. Expense Account Manager automatically reconciles travel advances and tracks reimbursements. For ad hoc reporting of expense data, an interface to Visicalc is provided. Addi-

tional features include the ability to print out pocket recording sheets for recording expenses as they are incurred and the ability to change expense items, budget lines, and subtotal definitions without programming.

The Expense Account Manager runs on 48K-byte Apple II Plus and IIe computers. It requires a disk drive and a printer. The suggested retail price is \$150. Contact Adaptive Software, 1868 Cavell Ave., Highland Park, IL 60035, (312) 831-4420. Circle 556 on inquiry card.

PC Chess Program

The Sfinks PC Chess program is designed for both beginners and experts. Program highlights include a problem mode, infinite levels of play, a dual chess clock, a save and restore function, multiple move take backs, move suggestions, and algebraic notation. Sfinks also has optional printout and audio signal capabilities. All United States Chess Federation rules, such as castling, en passant, and underpromotion, are observed. Monochrome and color graphics are supported.

The Sfinks PC Chess program runs on 64K-byte IBM Personal Computers. It's available on floppy disk for \$49.95 plus \$2 shipping, from William Fink, Suite 24-B, 1105 North Main St., Gainesville, FL 32601, [904] 377-4847. Circle 564 on inquiry card.

Multiple Applications on Screen at Once

Jack2 for the IBM Personal Computer lets you do word processing, spreadsheeting, charting, and database-management tasks on screen simultaneously without windows. One feature of Jack2 automatically changes the corresponding values in text or a bar graph when you alter a number in a spreadsheet. All screen data, such as a spreadsheet with explanatory text and a bar chart, can be printed out on a single page in the same manner as it appears on screen. Multiple columns of text can be displayed on the same page. Since wordwrap occurs within individual columns, text can be entered or deleted in any of the columns without affecting the layout of the other columns. Pages can be as large as 251/2 inches wide, and horizontal scroll is automatic.

Jack2 spreadsheets can handle 1000 columns and rows, each of which can have as many as 255 values. Numeric values can be stored with up to 24 digits of precision. Additionally, Jack2 offers userselectable automatic or manual recalculation, userdefinable column widths, and right justify, left justify, or center entries. Other features include a two-line command area on top of the screen, a help line that explains what a command does, user-defined database and record formats, charting and printing functions, and the ability to hide a scratchpad and confidential information in text. Fields can be deleted, added, or contracted, and three-level ascending, descending, alphabetic, and numeric sorts are permitted.

Two utility programs, a report generator and a data transfer program, are offered as options. Jack2 costs \$495. Contact Business Solutions Inc., 60 East Main St., Kings Park, NY 11754, [516] 269-1120.

Circle 562 on inquiry card.

Accounting Programs for HP 150

BPI Systems announced the availability of a family of accounting packages for Hewlett-Packard's HP 150 personal computer. The packages are General Accounting, Personal Accounting, Accounts Payable, Accounts Receivable, Payroll, Job Cost, and Inventory Control. Each package can be used alone or integrated with other BPI software. The programs come on 31/2-inch floppy disks and are supplied with documentation tailored for the HP 150. Each package retails for \$425 and is marketed through existing Hewlett-Packard outlets.

BPI Systems also produces software for such computers as the Apple, Commodore 8032, IBM Personal Computer, NEC PC 8000, Sanyo MBC series, Texas Instruments Professional Computer, and CP/M-based systems. Complete details are available from BPI Systems Inc., 3423 Guadalupe, Austin, TX 78705, (512) 454-7191.

Circle 561 on inquiry card.

Prolog Interpreter Runs Under CP/M-80, MS-DOS

Micro-Prolog 3 is an extended Prolog interpreter for Z80-based machines running CP/M-80 and 8088/8086-based machines running MS-DOS. Prolog has enjoyed wide popularity abroad as a development language for intelligent databases, expert systems, and artificial-intelligence applications. Although tailored for microcomputers, Micro-Prolog 3 sacrifices none of the features of Prolog. Programdevelopment aids such as interactive text and structure editors, three trace utilities, and user-definable error trapping and recovery are standard.

Micro-Prolog 3 features user-friendly syntax, tail recursive programs run in bounded memory, a garbage collector, and the ability to wrap completed programs as protected modules that can communicate with other programs by means of import/export name lists. More than 60 primitive relations are provided, some of which include integer and floating-point arithmetic, two-way conversation between constant and character lists, and formatted record I/O for intelligent database applications. Among its new extensions are user-definable commands and the ability to add new primitive relations using an integral systems interface to machine-code programs. Micro-Prolog 3 has an average speed of 240 resolutions per second on a 4-MHz Z80 or 8088 microprocessor.

On CP/M-80 systems, Micro-Prolog 3 requires 48K bytes of memory; MS-DOS systems need 128K bytes. A single license with documentation is \$275. Additional computer licenses cost \$75. For full details, contact Prolog Systems, 54 Edgemont Rd., Milford, CT 06460, (203) 877-7988. Circle 563 on inquiry card.

Interactive Sales Aid

GINA is an interactive point-of-purchase sales aid designed to attract, inform, and entertain your customers. GINA (General Information and Analysis) is a self-paced, hands-on tutorial that acquaints customers with computer basics. It uses a simple question-andanswer format that helps to define and clarify customers' computer needs. After collecting data on your customers' needs, GINA presents them with a purchase proposal that is tailored to those needs.

Two versions of the program are available. Standard GINA recommends generic systems, while GINA+ suggests specific brand names that can be geared to your inventory. It runs on the IBM Personal Computer and its compatibles. Either version can also be purchased in almost any CP/M format. GINA costs \$295, and GINA+ is \$495. For more information, contact System Vision Corp., Suite 207, 199 California Dr., Millbrae, CA 94030, (800) 352-9999; in California, (415) 697-3861.

Circle 559 on inquiry card.



SAT Study Program from Barron's

Barron's Computer Study Program for the SAT is tailored for high school students preparing to take the Scholastic Aptitude Test (SAT). This program purportedly helps students pinpoint academic strengths and weaknesses and prescribes a personalized study program. Four full-length, simulated SATs are provided, each featuring two modes of operation: Question and Test.

For each problem in the Question mode, the computer supplies an explanation of the correct response, an explanation of wrong answers for verbal questions, problem-solving strategies for mathematics questions, and a hint and a second chance to correct wrong answers. The Test mode provides uninterrupted and timed testtaking.

In addition, the program provides students with the number of questions answered correctly and incorrectly, a scaled SAT score, and the percentage of correct answers in 42 skill areas. Complementary workbooks address text, mathematics, and verbal skills. Sound effects and color are featured.

The Computer Study Program for the SAT comprises three double-sided floppy disks, a users manual, and three study guides. Versions are available for IBM PC, Commodore 64, and Apple II, II Plus, and Ile computers. The list price is \$79.95. A teacher's disk is offered. For more details, contact Barron's Educational Series Inc., 113 Crossways Park Dr., Woodbury, NY 11797, (516) 921-8750.

Circle 555 on inquiry card.

Utility Recovers Lost Files

You can reconstruct files with bad sectors, recover files from disks with damaged directories, and restore erased files with the Disk Fix-Disk Editor and Recovery Utility from the Software Store. This utility automatically configures itself to floppy or hard disks and can display, edit, or copy any sector of a CP/M 2.0 disk. Other features include menus and on-screen editing in both hexadecimal and controlled ASCII.

Disk Fix works on 8080-, 8085-, or Z80-based computers with CP/M. It costs \$150 and is available in most 51/4- and 8-inch formats. For more information, contact the Software Store, 706 Chippewa Square, Marguette, MI 49855, (906) 228-7622.

Circle 553 on inquiry card.

Casino Pac Runs on Commodore 64

Advanced Microware recently introduced Casino Pac for the Commodore 64. Casino Pac includes four gambling games: Blackjack, Poker, Keno, and Slot Machine. Each game is said to be an accurate simulation of the video gaming machines being used in Las Vegas, Reno, and Atlantic City. Casino Pac is available on tape or floppy disk for \$39.

64Tour, a grand tour of the features and capabilities of your Commodore, is also available from Advanced Microware. It has demonstrations of all the 64's graphics modes as well as music and sound effects. It costs \$12.

Both programs can be obtained from Advanced Microware, POB 6143, Santa Ana, CA 92706. (714) 554-6470.

Circle 565 on inquiry card.

Action Games Set on a River and in Space

Two games for the Commodore 64, River Chase and Galactic Battles. were recently released by Cyberia Inc. In River Chase, you must contend with enemy gunboats and perilous objects as you try to steer your boat safely home. Your fuel and explosives are limited, but you can replenish them at supply depots along the way. River Chase features color graphics, music, and six levels of play.

Galactic Battles is the saga of a space explorer ship that accidentally crosses into a new universe inhabited by an array of aliens. This game gives you three different scenarios to choose from. Graphics and sound effects heighten the action.

Both games require joysticks. They are available on floppy disk or cassette for \$19.95 each. For further information, contact Cyberia Inc., POB 784, Ames, IA 50010, (800) 247-3900; in Iowa, (800) 262-2004.

Circle 566 on inquiry card.

Business Graphics Package Runs on Rainbow

A business graphics package from the Redding Group, Graftalk runs on the DEC Rainbow 100. This device-independent software uses English commands interactively, runs commands from disk files. and uses customized or standard menus. It pro-

duces exploded pie charts, scatter diagrams, line and combination plots, and stacked, percentage, clustered, and floating bar charts. A range of move, draw, and other graphics and text commands are at your disposal, and a minispreadsheet and a text editor are provided.

Graftalk also supports the IBM PC and Zenith computers. Versions for NEC. Epson, and Victor computers will be available soon. For the DEC Rainbow, Graftalk is priced at \$450. For more details, contact the Redding Group Inc., 609 Main St., Ridgefield, CT 06877, (203) 431-4661.

Circle 567 on inquiry card.

Law Office Organizer

The Legal Assistant comprises five programs designed to increase productivity in the law office: Incorporating-by-Reference (IBR), Folio, Footnote, Grammatik, and the Random House Proofreader, IBR can be used for compiling client letters, contracts, wills, and briefs. A database manager, Folio stores and retrieves client records, indexes of legal documents, pleadings and briefs, bibliographies, and article abstracts. Footnote numbers and formats footnotes in Wordstar or Select files. Grammatik and the Random House Proofreader will check your documents for correct grammar and spelling, respectively. In addition, the Proofreader will let you create your own dictionary of legal terms.

These programs are available in most popular microcomputer formats, including CP/M, MS-DOS, and PC-DOS. The Legal Assistant package is \$349. For full details, contact Digital Marketing Corp., 2363 Boulevard Circle, Walnut Creek, CA 94595, [415] 947-1000.

Circle 560 on inquiry card.

Model IV CP/M Has Interchange Utility

Montezuma Micro offers an implementation of Digital Research's CP/M 2.2 for the Radio Shack TRS-80 Model IV that has an Interchange utility capable of reading, writing, and copying more than 20 disk formats, including IBM. Kaypro, Osborne, and Xerox. A configuration program for 35-, 40-, 77-, and 80-track single- or doubledensity drives is built in, as is a utility that can format more than 50 different floppy disks. Additional features include full utilization of function keys, a 4-MHz clock speed, and ADM-3A emulation with reverse video.

Montezuma Micro has compressed the system code for CP/M 2.2 so that it will occupy only the first two tracks of a floppy disk, which leaves 170K bytes for storage. It works with either 64K- or 128K-byte Model Ws. Complete with utilities and a 300-page manual. this DOS costs \$199.95. Contact Montezuma Micro, Redbird Airport Hanger #8,

Dallas, TX 75232, (800) 527-0347; in Texas, (800) 442-1310.

Circle 554 on inquiry card.

A Fontastic Program for Printers

You can enhance your dot-matrix printouts with diagrams, charts, and special graphics characters with a new program from IHS Systems. Fontastic lets you create and incorporate such diagrams as electrical schematics or bar charts as part of the text in a standard PC-DOS file. A unique feature of this program is a full-screen font-creation utility that lets you change any standard Fontastic font, create new fonts, and add newly designed fonts to the resident library. Word-processing forms control and proportional printing are among Fontastic's other features.

Fontastic works with most popular word processors, including Benchmark, Easywriter 1.1, Peachtext, Volkswriter, and Wordstar. Printers such as the IBM Graphics, Epson MX/FX, C.Itoh Model 8510A, and Okidata Microline are supported. The program is supplied on two floppy disks; one has utilities while the other has more than 20 fonts to get you up and running. Fontastic runs on 128K-byte IBM Personal Computers. Address inquiries to IHS Systems, Suite 211, 4718 Meridian Ave., San Jose, CA 95118, (408) 265-5503.

Circle 551 on inquiry card.

C Compiler for IBM

A full C language compiler for the IBM Personal Computer is available from Sure-Wing Systems. A complete implementation of C as defined by Kernighan and Ritchie, Sure-Wing C has full floating-point mathematics, a complete I/O library, and all standard C language structures. unions, and typedefs. With this two-pass compiler, assembled routines can be linked in and called from C routines. It produces OBJ files compatible with the PC-DOS linker. Program size can be up to 64K bytes of code and 64K bytes of data. The source code for the library functions is provided.

Sure-Wing C runs on the IBM PC or PC XT with 128K bytes of memory and either PC-DOS 1.1 or 2.0. Two 320K-byte floppy-disk drives or a combination of one floppy disk and a hard-disk unit are required. Sure-Wing C costs \$100. Updates will be available for \$10. A version for 8087-based IBMs is being developed. The compiler can be ordered from Sure-Wing Systems, POB 20008, Oakland, CA 94620, (415) 655-4773. Circle 557 on inquiry card.

LISP System for TRS-80

A fast machine-lanquage LISP system for users of Radio Shack TRS-80 Models I/III and IV has been announced by Artificial Intelligence Technologies. This system offers standard LISP functions and is enhanced with such features as visual display capability with pixel graphics and cursor addressability, random-access disk I/O. character-oriented I/O capabilities, user-selectable prompt, automatic closing of s-expressions with left and right brackets, abbreviated quoting, floatingpoint routines, and strings, files, and arrays as additional data types.

The LISP system comes with a manual containing an introduction to LISP fundamentals and detailed coverage of the use of the LISP interpreter, structurally oriented editor, and the differentiator and algebraic simplifier. A poker player is provided. The system costs \$79.95. Full particulars are available from Artificial Intelligence Technologies, 2121 Northeast 152nd, Redmond, WA 98052. (206) 644-3068. Circle 568 on inquiry card.

Genealogy Program Handles 30 Generations

Cyclone Software's Patriarch I is a comprehensive genealogy system capable of tracking 30 generations. It offers three modes of relationships: that between two people, between one person and all the descendants of another, and all those related in a specific way to one person. Up to 26 children can be entered per person. Patriarch I lets you print family trees and generate an unlimited number of reports with up to 60 print conditions sorted on any of five fields. This fully relational database offers 50 user-definable fields, menudriven operation, the ability to handle six indexes simultaneously, and the capacity to store 2144 characters per record.

Patriarch I is designed for 48K-byte Apple II Plus and lle computers equipped with a disk drive and run-

ning under DOS 3.3. It costs \$195, which includes a manual with tutorials. For complete information and a sample printout, contact Cyclone Software, 3305 Macomb St. NW, Washington, DC 20008, [202] 362-8740. Circle 569 on inquiry card.

Communications



Hayes Modem Bundled With Software

Hayes Microcomputer Products has announced the availability of a modem and communications software package for Apple computers. The Micromodem lle is a compact modem housed on a circuit board that slides into an Apple's expansion slot. It then connects directly to the telephone line, giving you the ability to communicate with other computers and timesharing and information services. It supports both Touch-Tone and rotary-pulse dialing and single- and multiline telephone connections. A builtin speaker lets you monitor calls as they are being made. Data rates are 110 and 300 bps. Micromodem lle is Bell 103-type compatible, and it's FCC approved.

The Smartcom I communications software directs the Micromodem to place and answer calls and to send and receive files with any of three transfer protocols, which are stop/start, send lines, and verification for error-free transfers between Hayes's programs. Smartcom routes data to a printer, stores three telephone numbers, and has a comprehensive set of variable communications parameters that are predefined for a common environment. This program will also create, delete, and display files and a directory. It can handle up to six disk drives, several printer cards, 40- and 80-column displays, and lowercase characters.

The suggested retail price for this package is \$329. Previous owners of the Micromodem II can obtain Smartcom for \$119. Contact Hayes Microcomputer Products Inc., 5923 Peachtree Industrial Blvd., Norcross, GA 30092, (404) 449-8791. Circle 572 on inquiry card.



Customized Modem/ Software Packages

Access 1-2-3 is a new family of customized data communications packages from Novation. The premiere system is designed for the IBM PC, IBM PC XT, Columbia Data Systems' Portable and Multi Personal Computers, the Corona Portable and Personal Computers, and the Compag. Access 1-2-3 comprises Novation's PC1200B modem, necessary cables and accessories, and Multistuf's Crosstalk XVI software, Its suggested retail price is \$595.

The PC1200B is a smart modem featuring an extensive set of commands and responses that provide telephone line status. It has a built-in dialer with dial tone and busy detect, autoanswer, and audio monitoring through the computer's speaker. The PC1200B operates at 300 or 1200 bps, full duplex, and can perform an automatic self-test and receiver alignment at power-on. It can be put into analog or digital loopback modes. The modem requires a single expansion slot.

Crosstalk XVI is an intelligent terminal and file-



transfer program. It uses the PC1200B's features to accomplish auto-dial, automatic log-on, auto-answer, and disk-to-disk data transfers. It stores as many as 40 separate log-on passwords and IDs, which enables you to reach utilities or mainframes with a single keystroke. Stop bits, parity, data rates, and duplex operations are under its control, and extensive error-checking and retransmission are included. It provides the means for sending captured data to a printer, buffer, or floppy disk. Crosstalk also displays the transmission time for each file.

For additional information, contact Novation Inc., 20409 Prairie St., Chatsworth, CA 91311, (213) 996-5060.

Circle 576 on inquiry card.


Software Links Incompatible Computers

U.S. Digital's Copylink program provides the means for the high-speed transfer of text and program code between dissimilar computers and DOSes. Copylink also provides access to public database services, Telex and TWX capabilities, and emulation of both smart and dumb terminals. Its error-detection code supports binary file transfers, and its CP/M error recovery technique, with DOS extensions, prevents the loss of data by unintentional exiting from the program or by disk overflow during file transfers. An audible prompt signals an error condition. Standard features include the ability to receive more than one disk of data, modem data rates up to 1200 bps, singlekeystroke operation of functions, auto-answer, autoredial, automatic configuration of smart modems, fulland half-duplex transmission, display of previous file transfers, display of control characters, transmitter control for amateur radio transmission, a hard-copy option, and such user-defined parameters as originate/ answer mode, parity, number of data and stop bits, and end-of-line sequence.

Copylink supports local data and program transfers between computers using 8- and 51/4-inch floppy-disk formats and machines running CP/M and MS-DOS. Its documentation includes a user's manual and The Complete Handbook of Personal Computer Communications. The sug-

gested retail price is \$99. User and dealer information is available from U.S. Digital Corp., 5899-D Southeast International Way, Milwaukee, OR 97222, (503) 654-0668.

Circle 573 on inquiry card.





Secure Networks Safeguard Communications

Complete computer networks that are said to be virtually untappable are produced by Codenell Technology Corporation. The Codebeam line-of-sight optical communications system, the Codenet fiberoptic Ethernet local-area network, and the Codelink fiber-optic computer network transmit signals either through thin fiber-optic cables or by means of light beams. The Codenet-2020 Transceiver is compatible with Ethernet interface equipment through a 15pin transceiver cable. It works with the Codestar passive star coupler to create a fiber-optic Ethernet network. This system enables the computer network to be removed from telephone lines, improving security and reducing operating costs.

For interbuilding networking, the Codebeam-

20 line-of-sight system can link networks without cables or telephone connections over distances of up to 2 kilometers. Large multisite computer networks can be implemented with the combination of the Codenet, Codelink, and Codebeam. For technical specifications, possible configurations, and purchasing information, contact Codenell Technology Corp., 1086 North Broadway, Yonkers, NY 10701, (914) 965-6300.

Circle 570 on inquiry card.




Modem Can Transmit at 76,800 bps

The LVS 76.8 limiteddistance modem from Complexx Systems can send data 16,250 feet (5000 meters) on 22-gauge wire at 76,800 bps, and even greater distances can be achieved by transmitting at slower speeds or on heaviergauge wire. The LVS has a front-cover thumbwheel that lets you select from eight synchronous speeds ranging from 2400 to 76,800 bps and LED indicators for power, data transmit, data receive, carrier detect, and testing. It can operate in point-topoint, multidrop polled, half-duplex two-wire, and full-duplex four-wire modes. The LVS is equipped with a 43401-compatible Bell switch. Additionally, the LVS is programmed to provide local and remote loopback.

Complexx Systems offers the LVS 76.8 with either an EIA RS-232C digital interface or with a V.35 interface. The retail price for the RS-232C model is \$650. and the V.35 version is \$725. For more information, contact Complexx Systems Inc., 4930 Research Dr., Huntsville, AL 35805, (205) 830-4310.

Circle 574 on inquiry card.



254 IBM PCs Linked with Percomnet

A user-installable localarea network. Percom Data Corporation's Percomnet interface for the IBM Personal Computer can link up to 254 nodes per network. Called the PN-IBM, this network interfacé plugs into the host computer and then is linked to the network through a data cable interface. At the heart of the PN-IBM is Western Digital's WD2840 network control processor. The WD2840 is designed to handle major communications tasks as they relate to the network token-access protocol, including network initialization, addressing, data transmission, acknowledgments, and diagnostics. Global addressing and dynamically alterable

station priority are supported. Other key features include NBS data encryption for security, signal data regeneration at each node in order to maintain high signal-to-noise ratios, and a built-in 64K-byte FIFO buffer to speed data transmissions. PN-IBM supports simultaneous voice and data transmissions and is available with MS-DOS-, CP/M-, or Unix-compatible software.

Percomnet interface adapters will soon be announced for S-100, Multibus, and STD bus computers. Technical specifications are available from Percom Data Corp., 11220 Page Mill Rd., Dallas, TX 75243, (214) 340-5800. Circle 571 on inquiry card.

Network Interface Unit for IBM and TI Computers

Ungermann-Bass has announced an intelligent Ethernet-compatible network interface unit (NIU) that allows IBM PC and Texas Instruments Professional Computers to share information and resources and integrate with large mainframes using IBM SNA protocols.

An extension of the company's Net/One generalpurpose local-area network, the Net/One Personal Connection is based on the Personal NIU, a plug-in board with on-board intelligence to handle all communications. PCs configured with these NIUs can run any application programs under MS-DOS without modification. Applications can be shared across the network. Also featured are XNS protocols, and support for Ethernet and thin coaxial cabling. Net/One uses SNA gateways that let users access mainframe-based application programs. (SNA gateways are computers running software that permits them to emulate IBM 3274 controllers or 3278 terminals and 3287 printers.

The Personal NIU costs \$850, which includes MS-DOS networking commands. Quantity discounts are available. Print and disksharing software packages on 51/4-inch floppy disks are \$500 per server. For complete details, contact Ungermann-Bass Inc., 2560 Mission College Blvd., Santa Clara, CA 95050, (408) 496-0111.

Circle 575 on inquiry card.

On-line Brokerage

C. D. Anderson & Company, a San Francisco-based brokerage house, has announced that the Desk Top Broker financial service is on line. The Desk Top Broker lets you make transactions, maintain portfolios, see current stock prices, and check such data as change from previous close through your personal computer 24 hours a day, seven days a week. A unique feature of this service is an electronicmail facility that enables you to make requests, such as transferring securities between cash and margin accounts, and notifies you that your orders have been carried out. A Stock Watch mode will track various aspects of up to 18 selected stocks, sound an alarm if a price changes, and alert you when a stock falls or rises above preset buy-andsell limits. Additionally, you can maintain three separate portfolios, keep up-to-date tax records that reflect trade transactions, and attach conditions to buy orders. All the information stored in the Desk Top Broker can be transferred to a spreadsheet program for analysis and chart production. Double password security ensures data integrity.

Users of the Desk Top Broker are billed with a onetime charge of \$300, which includes required software and registration fees. Online connection fees range from \$0.40 per minute during business hours to \$0.10 per minute nighttime and weekends. Transaction charges are levied. Costs associated with the Desk Top Broker are said to be

generally tax deductible. The system works with modem-equipped Apple and IBM Personal Computers. Inquire about its availability for other systems. Further details can be obtained from C. D. Anderson & Co., Suite 440, 300 Montgomery St., San Francisco, CA 94104, (415) 433-2120.

Circle 577 on inquiry card.

Low-cost Modem Uses TI Chip

The Micromint's ECM-103 build-it-yourself 300bps modem is based on Texas Instruments' NMOStechnology TMS99532 FSK modem chip. The TMS99532 features all the necessary modulation, demodulation, and circuitry required for a full-duplex serial asynchronous communications link and eliminates many discrete components, reducing size and improving reliability. The ECM-103 is completely crystal-controlled and is suitable for acoustic or direct telephone-line connection through an FCCregistered data-access arrangement. Connection to data terminal equipment is EIA-standard RS-232C connector. No calibrations or adjustments are required, and it does not use external filtering or frequency setpoint components.

The ECM-103 comes complete with all components, a printed-circuit board, RS-232C and power connectors. and assembly manual. It costs \$60 and is available directly from the Micromint Inc... 561 Willow Ave.. Cedarhurst, NY 11516, (516) or 374-6793: (800) 645-3479 (orders only). Circle 579 on inquiry card.

Source Subscription Free with Modem

Apple users will receive a permanent subscription to The Source database service free of charge with the purchase of the Networker modem from Zoom Telephonics. The Networker, a

single-slot 300-bps modem, combines Apple communications circuitry and modem functions on a single card with direct lownoise modular-telephone connections. It works with Apple II, II Plus, and Ile computers. A floppy disk containing communications software is included in the Networker's \$129 price tag. For the name of your nearest Networker dealer, contact Zoom Telephonics Inc., 207 South St., Boston, MA 02111, (617) 423-1072. Circle 578 on inquiry card.

PRINTERS



Six-color Plotter Plots Graphs at 14 IPS

A fully automated sixpen plotter, the Sweet-P Model 600 Six-Shooter is produced by Enter Computer. Standard features include a 14-ips plotting speed, 3g acceleration, RS-232C and parallel interfaces, 19 character sets, selftest, and a 2K-byte buffer. Its six pens, housed in a rotating carousel, are automatically capped after use.


Normally, the Six-Shooter plots with fiber-tip pens, but when necessary it can use a ballpoint or, for CAD applications, radiograph-type pens. It can draw on both 81/2- by 11-inch and 11- by 17-inch paper, and it can create overhead transparencies. Operating features include pause and pen-selection keys and bar, pie, and polygon fill.

The Six-Shooter senses whether it's connected to a serial or parallel port and automatically switches from one to the other. In the serial mode, it can be used as a shared resource. You can place it between a computer and printer or between a terminal and printer and, operating in its eavesdrop mode, program it to perform only those tasks you want. All graphics software that supports the single-pen Sweet-P Model 100 will work with the Six-Shooter. It operates with Enter Computer's SPGL graphics language and is

compatible with Hewlett-Packard's HPGL graphics language. It works with Apple and IBM computers, their compatibles, and CP/M-based systems.

Buffer expansion of up to 8K bytes and a choice of pens in 12 colors are options. The retail price for the Sweet-P Model 600 Six-Shooter is \$1095, including pens, paper, and operating manual. For more details, contact Enter Computer Inc., 6867 Nancy Ridge Dr., San Diego, CA 92121, (619) 450-0601.

Circle 580 on inquiry card.



An 80-column printing mechanism targeted at the OEM and system-integrator market has been announced by Hi-G Printers Corporation. The Model 9/80 ME printer mechanism features independent horizontal- and vertical-axis control for accurate dot placement in multipass printing and graphics output. Using a standard 9- by 7-dot array and off-theshelf ribbons, the 9/80 ME will print at speeds as high as 200 cps. The unit has front, bottom, and rear paper entrances and top and bottom exits. It has provisions for internal roll paper and for mounting a sheet feeder for 81/2- by 11-inch cut paper or envelopes. The 9/80 ME accepts externally housed, fan-folded, sprocket-driven paper and can handle standard paper stock, carbon or carbonless forms, and gummed or pressure-sensitive labels. It's furnished with a nine-wire printhead and a standard tractor drive. Its physical specifications are 5% inches high by 20¾ inches wide by 16¼ inches deep. It weighs 17 pounds. All critical components, such as the printhead, ribbon motor, and carriage subassembly, are manufactured by Hi-G Printers.

The 9/80 is also available in a reverse tractor, demand-document version featuring a dedicated paper chute. An 18-wire printhead can be furnished. Evaluation quantities cost \$299 each. Delivery is from stock. For additional information, contact Hi-G Printers Corp., 96 West Dudleytown Rd., Bloomfield, CT 06002, (203) 242-3048.

Circle 605 on inquiry card.




Portable Printer Weighs In at 16 Pounds

Sprinter is an 80-column, 160-cps portable printer from Micro Peripherals Inc. This 16-pound dot-matrix printer features an IBM-compatible parallel port, high-speed skipover, five character sets, built-in friction- and tractor-feed mechanisms, user-programmable character sets, a 4K-byte buffer, and graphics capabilities. Its base price is \$795.

The Sprinter can be ordered with a unique option called the Softswitch. Softswitch is a keypad that provides a simple way to change the printer's operating functions. It offers control over such functions as horizontal tabbing, alternate character-set selection, form length, linefeed on carriage return, and vertical line density. A batterybacked RAM that retains user-set functions when the power is off completes the Softswitch option.

Additional options for the Sprinter include up to 68K (34 pages) of data buffers and IEEE-488 and RS-232C interfaces. A carrying case will be offered after the first of the year. The base price is \$795. For full particulars, contact Micro Peripherals Inc., 4426 South Century Dr., Salt Lake City, UT 84107, [800] 821-8848; in Utah, [801] 263-3081.

Circle 582 on inquiry card.



P1350 Works with Variety of Micros

Toshiba's P1350 desktop dot-matrix printer will now work with microcomputers from such manufacturers as Apple, DEC, and IBM. The P1350 produces letter-quality correspondence, high-speed drafts, and dot-addressable graphics with a 24-pin printhead that uses fine-wire 8-mil pins to overlap dots in a single pass. When in the letter-quality mode, this printer

operates at 100 cps. Draft work runs at 192 cps, and graphics are printed at a density of 180 by 180 dots per inch.

The P1350 is a 132-column printer that yields an original plus three copies on letter-sheet or continuous-form paper that can be as wide as 15 inches or as narrow as 5 inches. Qume Sprint 5 emulation, an enhanced Courier font, and software-selectable multiple fonts, pitches, and line spacing are standard. For feeding

paper, the P1350 can be equipped with a friction roller or with optional pinfeed tractor or sheet feeders. The standard interface is Centronics parallel. An RS-232C serial interface is available as an option at no extra charge.

The P1350 retails for \$2195. For more information, contact Toshiba America Inc., Information Systems Division, 2441 Michelle Dr., Tustin, CA 92680, (714) 730-5000. Circle 677 on inquiry card.

Graph Option for Plotter

Yokogawa Corporation of America has announced the availability of a PROM option for its PL-1000 four-color plotter. The PROM provides the plotter with the ability to generate pie, line, and bar graphs without external programming. In addition, it provides cross-hatching and lettering/labeling capabilities. The PL-1000 has a stan-

dard RS-232C interface and plots on paper or foil as large as 11 by 15 inches.

The PROM option costs \$215. For current owners of the plotter, the option is available as a factory-installed retro fit. For more details, call or write Yokogawa Corp. of America, 2 Dart Rd., Shenandoah, GA 30265, (404) 253-7000. Circle 678 on inquiry card.

PERIPHERALS



Low-cost Impact Printer

The Impact Printer works with Fidelity Electronics' Desk Companion and the Commodore VIC-20 and 64. This dot-matrix printer offers 24, 32, or 40 columns of uppercase and lowercase 5- by 7-dotmatrix characters. Standard features include 30-cps operation, dot-addressable graphics, reverse character mode, and two character sets. A power-on LED and manual controls for power on and off and paper feed

are provided. The mean time between failures is approximately 50,000 lines. The Impact Printer measures 4 inches wide by 4½ inches long by 2 inches high. Standard 2½-inch adding-machine roll paper is required.

The suggested retail price is \$129.95. For more details, contact Fidelity Electronics Ltd., 8800 Northwest 36th St., Miami, FL 33178, (305) 888-1000. Circle 681 on inquiry card.



Image Processing Camera Sees for Micros

Datacopy's Model 610 electronic digitizing camera lets you enter photos, documents, or three-dimensional objects into your office's desktop computer without the use of a keyboard. The 610 captures an image through a standard 35-mm camera lens. Inside the unit, a linear array of 1728 solid-state photosensors is

physically scanned across the image, translating it into computer-readable digital code. Image information is then organized into a matrix of 4.9 million cells, called pixels (picture elements). A digital converter changes the information into the digital equivalent of the optical image on a pixel-by-pixel basis. The image

represented in two dimensions with shades of gray, can now be displayed. printed out, or stored in the computer's memory.

The 610 requires little illumination, even when capturing microfiche, drawings, or printed text. A complementary product, the Model 110 Image Processing Interface, provides imagecapture software and the ability to work with the IBM Personal Computer. For systems integrators and software houses using the IBM, the Model 90 Integrated System is offered. This system is made up of the 61C camera, the 110 interface. and such accessories as the camera power supply and cables.

The Model 610 electronic digitizing camera has a \$7850 end-user price. The Model 110 and Model 90 list for \$795 and \$9945, re spectively. Address inquiries to Datacopy Corp., 1070 East Meadow Circle, Palc Alto: CA 94303, [415] 493-3420.

Circle 592 on inquiry card

LDT2801 board includes 12or 16-bit A/D converter for 16 single-end or eight differential analog input channels, software-selectable gains of 1, 2, 4, and 8 to accommodate a range of signal levels, analog outputs, digital I/O, direct memory access, and a programmable clock. Sampling rates can be as high as 22,000 samples per second. The LDT2801 boards are built around an on-board microprocessor that acts as an interface to the computer, controls all analog and digital operations, and facilitates program control by the host computer. To initiate repetitive conversion events, the LDT2801 has an internal system clock that's programmable for periods ranging from 5 microseconds to 0.1638 seconds, in 2.5-microsecond increments. Other boards provide periods of 2.5 microseconds to 0.0819 seconds with 1.25-microsecond increments. All boards provide for an external clock, which enables synchronization of multiple A/D or D/A conversions with a frequency source. Two LDT2801 boards can be installed in a single PCDAX. They can be programmed

and digital I/O boards. The

Two screw terminal/signal conditioning panels and software subroutine packages are available as options. For data sheets and complete price information, contact Data Translation, 100 Locke Dr., Marlboro, MA 01752, (617) 481-3700.

in any language resident in

the host computer.

Circle 593 on inquiry card.

Trio Enhances IBM PC

PC Ware has introduced three products for the IBM PC and PC XT: a parallel printer adapter, a serial communications adapter, and a 256K-byte RAM board. The parallel printer adapter, which can serve as a general-purpose I/O port, offers 12 buffered TTL latched outputs, five buffered TTL inputs, softwarecontrolled interrupts, and full software programmability. It costs \$89.95.

The software-programmable asynchronous RS-232C serial communications adapter supports fulland half-duplex operations. Its crystal-controlled data rates are software-programmable from 50 to 19,200 bps and include 134.5 bps. Among its other features are a simple DCE/DTE configuration header; a programmable control register; doublebuffered data; parity, overrun, and framing error checks; hardware selection of I/O mapping; support for such modem controls as CTS, RTS, DTR, RI, and carrier detect: four handshake signals; line-break generation and detection; and fully prioritized interrupts to control transmit, receive, error, line status, and dataset interrupts. The suggested price is \$94.95.

The RAM board offers DIP-switched addresses, selectable on any 64K-byte boundary. A bare board costs \$189.95. With RAM chips, it ranges from \$229.95 (64K bytes) to \$349.95 (256K bytes).

For full details on these products, call or write PC



Joystick for Apples and IBMs

The Data Spec line of joysticks works with Apple II, lle, and IBM Personal Computers. One model in the line, the Model IB-XY-23, is plug-compatible with the IBM PC. It's designed to meet the demands of the commercial/industrial market. Standard features include linear potentiometers, a metal enclosure for maximum shielding and stability, dual X-Y fine centering, positive feel push buttons. and a four-foot cord. The suggested retail price is \$69.95. Contact Ora Electronics, 18215 Parthenia St.,

Northridge, CA 91325, [213] 701-5848.

Circle 587 on inquiry card.

Multifunction A/D I/O Subsystems

The PCDAX Subsystem provides multifunction dataacquisition and control capabilities for a variety of computers. A minimum configuration comprises a PCDAX enclosure with interface to a host computer and LDT2801 series analog

Ware Inc., 4883 Tonino Dr., San Jose, CA 95136, (408) 978-8626.


Circle 600 on inquiry card.

Color Graphics Adapter for Eagles

A single card providing the Eagle PC, Eagle 1600 Series, and the IBM PC with a color display and graphics capabilities is now being marketed by Eagle Computer. This color graphics adapter, which can operate in color or monochrome, features two basic modes of operation: alphanumeric and all-points-addressable graphics; additional operating modes are available from within these formats. A medium resolution of 320 by 200 pixels and 16 foreground and 8 background colors are offered in the color mode. In the monochrome mode, a high-resolution display of 640 by 200 pixels is achievable. Also featured in the monochrome mode are reverse video, blinking character, and highlighting. Character blinking is offered in the color mode.

The color graphics adapter will link the Eagle to a display through a composite video port, a directdrive RGB port, or an interface for driving a user-supplied RF modulator. The adapter costs \$295. For more information, contact Eagle Computer Inc., 983 University Ave., Los Gatos, CA 95030, (408) 395-5005.

Circle 599 on inquiry card.



Bar-Code Reader Supports 39 and Interleave 205 Codes

Percon's E-Z-Reader barcode reader supports 39 and interleave 205 industrial bar codes. It provides operator feedback and can read dot-matrix medium-density printed labels. Operator feedback is provided by a beeper, two host-controlled LED status indicators, and a low-frequency tone. Communications is standard RS-232C, eavesdrop,

or with a stand-alone computer. The digital wand is produced by Hewlett-Packard.


The E-Z-Reader costs \$395. An operating and installation manual is available for \$20. Dealer and OEM inquiries are invited. Contact Percon, POB 1352, Eugene, OR 97440, (503) 688-3374.

Circle 595 on inquiry card.

controller is a programmable control unit that lets you control electrical devices with your computer. It has four standard electrical outlets that you can program using a few simple BASIC commands. The Softbox expansion box has four software-selectable slots that are used with program cartridges and the Intercontroller. It also contains an extra peripheral port.

A nonvolatile memory cartridge and temperature, sound, and light sensors will soon be available for the Softbox, which costs \$59.95. A required connector cable is available for \$17.95. Intercontroller is \$99.95. For dealer information or to place an order, contact Intercomputer Inc., 358 Chestnut Hill Ave., Boston, MA 02146, (617) 738-5310.

Circle 591 on inquiry card.



Expansion Box and Control Device Introduced

Intercomputer has introduced two interrelated products that are compatible with Timex/Sinclair. Commodore 64 and VIC-20. and Texas Instruments 99/4A computers: Intercontroller and the Softbox. Inter-


Autocrat Provides Remote Control over **AC Lines**

The Autocrat is a powerline communications product from Bi-Comm Systems. This microprocessor-based controller is used to remotely control electrical devices through existing AC wiring. It plugs directly into a standard wall socket, where it transmits and receives signals over the AC lines. Up to 256 Leviton CCS accessories and BSR X-10 devices can be controlled by Autocrat. A battery-backed CMOS clock/calendar, a firmware operating system in EPROM, memory from

data and applications program storage, and self-diagnostics are included with Autocrat. It can operate as a stand-alone unit, as a computer-controlled interface, or under telephone modem control.

Autocrat is compatible with computers, terminals, and energy-management controllers equipped with an RS-232C port. The manufacturer will develop custom applications software by contract and support customers developing their own software. Autocrat costs \$485 and is available factory-direct from Bi-Comm Systems, 10 Yorktown Court, St. Paul, MN 55117, (612) 481-0775.

Circle 590 on inquiry card.



Add-on Package Turns Apple into 68000 **Development System**

The Apple II can be converted into a 68000 assemport documentation. The board plugs directly into the Apple and uses the 68008 microprocessor, which is an 8-bit software-compatible version of the 68000. The 68008 is driven by the Apple's clock, which permits it to run parallel with the 6502 in the Apple. The processor can be started, stopped, or interrupted at any time from the Apple.

change registers or memory and to set breakpoints. It includes instruction singlestep and disassembly. The source-code development package, which comes on an Apple-compatible disk, can assemble 68000 programs with object code larger than 8K bytes directly from RAM. Larger programs can be assembled from Apple disks.


The complete Qpak-68 package costs \$695. It's available directly from Owerty Inc., Suite 600, Chesapeake Dr., San Diego, CA 92123, (619) 569-5283. Circle 589 on inquiry card.

bly-language development system with the Opak-68 board and software package from Qwerty Inc. Opak-68 comprises a plugin board to run 68000 programs, an editor/assembler to create 68000 source code, a debugger, and sup-

The Qpak board is able to run directly out of the Apple's memory. It shares the Apple's 64K-byte memory space and can access the same memory and peripherals as the Apple's 6502 processor, including the high-resolution display. It comes with 8K bytes of local EPROM and 2K bytes of RAM, expandable to 32K and 8K bytes, respectively. The debugger, resident in EPROM, displays five screen windows to monitor or

Scanner Recognizes Characters and **Images**

When connected to an RS-232C port, Symeon & H. Corporation's Cosmos CAX-21 image-scanning system transfers images and printed characters to a personal computer. Salient specifications include a scanning width of 3.3 mm and a 0.16- by 0.16-mm per dot scanning rate. Power requirements are 9 to 12 volts DC or 110, 115,



Buffer Can Handle 256K

An S-100-compatible printer buffer capable of handling up to 256K bytes of memory, the Spool-Z-Q 100 works with both serial and Centronics-type parallel printers. Its on-board microprocessor handles all protocols and handshaking, and an open socket is available for a switch panel that lets you control Copy, Clear, Buffer, and self-test functions. The Spool-Z-Q has Normal and Pause-on-Form-Feed modes that provide for both normal buffered printing and a pause for, say, inserting another sheet of paper. Several protocols are supported, including Xon/Xoff, ETX/ACK, ENQ/ACK, and DTR. For

the serial interface, Spool-Z-Q provides switch-selectable data rates, parity, and word length. The data rates are 150, 300, 600, 1200, 2400, 4800, 9600, and 19,200 bps.

The Spool-Z-Q, which uses 4164-type chips, is fully socketed for 256K bytes of memory. Memory sizes available are 32K, 64K, 128K, and 256K bytes. Prices range from \$319 for a 32K-byte buffer to \$529 for the fully loaded version. For more information, contact JVB Electronics, Suite 10A, 1601 Fulton Ave., Sacramento, CA 95825, (916) 483-0709.

Circle 594 on inquiry card.

220, or 240 volts AC at 50 or 60 Hz, with an AC adapter. Accessories include software, a scale, RS-232C interface cable. power adapter, and a base plate. Presently, the software for CAX-21 works with the Apple II; however, the programs are being converted for other computers.

Cosmos CAX-21 features two software-based scanning modes: List Reader and Image Scanner. Program listings, documents, and other characters produced by serial dotmatrix printers can be read and transmitted to your computer with List Reader. If the transmitted characters match a user-created standard pattern, they are displayed on your video monitor. Recognized characters can be stored on disk for later printout. The Image Scanner handles printed or hand-drawn illustrations, maps, and other images. Image editing is possible through the keyboard. Hard copies can be produced. Its maximum image size is 180 by 180


For more information. contact Symeon & H. Corp., 5676 Francis Ave., Chino, CA 91710, (714) 627-9887

Circle 596 on inquiry card.

Half-Megabyte **Bubble Memory** for IBM

A half-megabyte bubblememory board designed to emulate a mini-Winchester disk drive inside the IBM Personal Computer is available from Helix Laboratories. The PC Bubble Board is said to respond to fixeddisk commands under most operating systems, including MS-DOS 2.0, Softech Pascal IV.13, and CP/M-86 for the IBM PC XT. Among the software features available to users are Restore, Backup, and partitioning to hold multiple operating systems. The solid-state PC Bubble has four 1-megabit Intel 7110 bubble memories. a 40-millisecond access time, and a data transfer rate of 400,000 bits per second.

The PC Bubble Board will also work with such computers as the Corona and Compaq. It costs \$1495.



Complete specifications are available from Helix Laboratories Inc., Suite 106A, 16776 Bernardo Center Dr., San Diego, CA 92128, (619) 451-0270.

Circle 586 on inquiry card.



80186-based Systems Run Concurrent CP/M

Onvx Systems' 186 Series of 16-bit desktop computers is based on Intel's 80186 processor and is capable of running Concurrent CP/M-86. A basic configuration has a display terminal, 256K bytes of RAM, and 1 megabyte of floppydisk storage. The 14-inch nonglare blue- or greenphosphor display features the 256-character ASCII set and business graphics capabilities. The terminal tilts and swivels and has a 104-key intelligent keyboard. A numeric keypad, cursor-control pad, 28 function keys, and a standard typewriter format are featured.

Expansion capabilities provided include six RS-232C serial ports, an 8-bit Centronics-compatible parallel port, and two disk/ tape ports. Additional expansion options include up to 512K bytes of RAM, a cabinet to house drives and backup tape cartridges, 1

megabyte of floppy-disk storage, and 7-, 14-, or 21-megabyte 51/4-inch Winchester hard-disk drives. The Onyx 186 Series is available with Concurrent CP/M-86, Oasis-16, or MBOS/BB3 for multiple users and MS-DOS for single users.

Prices for complete workstations begin at \$4495. For complete details, contact Onyx Systems Inc., 25 East Trimble Rd., San Jose, CA 95131, (408) 946-6330. Circle 609 on inquiry card.

PC Plus and PC **Deluxe Run MS-DOS**

The PC Plus and the PC Deluxe from Scottsdale Systems run MS-DOS programs as well as a number of PC-DOS programs. The PC Plus is an 8088-based machine that's outfitted with a 160Kbyte floppy-disk drive, 256K bytes of RAM, a printer

spooler, a parallel printer port, and color/monochrome video output. System software includes Ramdisk, MS-DOS, Wordstar, Calcstar, Easywriter, and Sanyo Color BASIC. It costs 5999

In addition to the software supplied with PC Plus, PC Deluxe comes with Easy Planner, Easy Filer, Easy Mailer, and Easy Speller. It also has two floppy-disk drives. Its price is \$1399. For more information, contact Scottsdale Systems Ltd., 617 North Scottsdale Rd. #B, Scottsdale, AZ 85257, (602) 941-5856.

Circle 604 on inquiry card.

80-column display capabilities. Both versions are supplied with an operator manual and a BASIC handbook.

Options include a modem and parallel printer attachment. The IBM PCjr is available at IBM Personal Computer dealers. IBM Entry Systems Division, POB 2989, Delray Beach, FL 33444.

Circle 601 on inquiry card.




and 10 user-defined function keys.

The 12-inch amber monochrome monitor is backed by 128K bytes of dedicated RAM. The antiglare screen can display 2000 characters in an 80column by 25-line format while offering 640-by 400pixel bit-mapped graphics capabilities. Its 256 IBMcompatible character set can be produced with such attributes as reverse, underline, high-intensity, blinking, and nondisplay black or white. The tilt and swivel pedestal can also accommodate a 14-inch, 16-color RGB monitor.

Options include a Z80A coprocessor, RAM expansion up to 896K bytes, up to three RS-232C interface boards, internal or external hard-disk drives, and letterquality and dot-matrix printers. Word-processing, spreadsheet, databasemanagement, and graphics packages are among the programs available. Prices begin at \$3695. For additional information, contact Monroe Systems for Business, The American Rd., Morris Plains, NJ 07950, (201) 993-2000.

Circle 607 on inquiry card.



IBM PCir Available in Two Versions

A 16-bit 8088-based computer, the IBM PCjr is available in two versions: a \$699 system unit and a \$1269 slim-line floppy-disk drive model. The basic PCjr features a cordless keyboard that transmits keystrokes to the main unit by infrared signals at distances of up to 20 feet. Each of its 62 keys can be programmed for custom applications, and its function keys are color coded.

Standard equipment includes 64K bytes of ROM, two cartridge slots, 64K bytes of RAM, a serial port, cassette level BASIC, sound and graphics subsystems,. and interfaces for a cassette,

two joysticks, keyboard, modem, floppy disk, light pen, direct video, composite video, and television. To help new computer users get started, the PCjr comes with a ROM-based program that uses graphics, colors, and sound to highlight the keyboard.

The PCjr can display 40 columns of text on a television, composite display, or a direct-drive color monitor with the addition of an optional adapter or connector. The enhanced PCjr has 80column display capabilities and comes with 128K bytes of RAM, 360K bytes of floppy-disk storage, and a pair of tutorial disks. It has

2000 Uses 80186 Chip, Two DOSes

A 16-bit Intel 80186based computer, the System 2000 was recently unveiled by Monroe Systems for Business. Supplied with two DOSes, MS-DOS and CP/M-86 DPX, and GW BASIC, the 2000 will support such languages as Pascal, FORTRAN, C, and COBOL. Single or dual 51/4-inch floppy-disk drives, 128K or 256K bytes of RAM, a monitor, a parallel printer port, five expansion slots, and a clock/calendar are standard. Mass-storage capacities are 720K bytes per disk under MS-DOS or 640K bytes under CP/M-86. The 2000's twin RS-232C serial ports offer programmable data rates ranging from 75 to 19,200 bps and are offered with asynchronous or asynchronous and synchronous capabilities. The low-profile, detached keyboard that comes with the System 2000 has separate cursor and numeric keypads, four application-defined program keys,

PC-Compatible Targeted at **Professionals**

The TS 1605 computer is targeted at business and professional users. Manufactured by Televideo Systems, this 16-bit computer is hardware- and softwarecompatible with the IBM PC. It comes equipped with dual half-height 51/4-inch floppy-disk drives, each of which accommodates 368.6K bytes of formatted data, a single RS-232C asynchronous port, and an IBM-style DB-25S parallel printer port. The TS 1605's 128K bytes of user memory can be expanded to 256K bytes. High-resolution 640by 200-pixel graphics are possible on the unit's standard 14-inch green-phosphor display. The TS 1605 can be networked under CP/M-86. For more details, contact Televideo Systems Inc., 1170 Morse Ave., Sunnyvale, CA 94086, (408) 745-7760.

Circle 602 on inquiry card.

Low-cost 64K Computer

Video Technologies designed its Laser 3000 personal computer with two tiny gate-array chips that take the place of more than 200 integrated circuits at a fraction of the cost. The basic Laser has 64K bytes of RAM, 80-column display capabilities, a Centronicstype parallel printer port, and a four-channel programmable sound generator. Its graphics capabilities comprise three modes, one of which provides a sixcolor 560- by 192-pixel matrix. Other features include a 24K-byte ROM with Microsoft BASIC, eight userdefinable function keys, a calculator numeric pad. and a switching power supply. The Laser 3000 is said to be able to run most Apple II software. Optional components will enable it to run CP/M software and provide 16-bit capabilities for running MS-DOS and CP/M-86.

Disk-drive units are available. The Laser 3000 costs \$695. For more information, contact Video Technologies (U.S.A.) Inc., 2633 Greenleaf Ave., Elk Grove Village, IL 60007, (312) 640-1776.

Circle 603 on inquiry card.

Computer Serves Alone or in Network

The Lanier Business Processor 1000 works as a stand-alone unit or can be linked with other workstations in a Lanier Business System 5000 network. The 1000 can also be interfaced with office data-communications systems using IBM 3270 SNA and 3780 communications protocols or those with TTY-ASCII capabilities. Basic system hardware comprises dual 8- and 16-bit processors, 128K or 256K bytes of RAM, and half-height floppy-disk drives. It can be equipped with optional 5- or 10megabyte Winchester hard-disk and floppy-disk drive configurations. Other options include a tilt-andswivel base for operator comfort and graphics capabilities for generating business charts and graphs. The 1000 supports CP/M and MS-DOS in addition to Lanier's software.

The base price for the Processor 1000 is \$2995, which includes installation and on-site training. It's available at more than 340 sales locations nationwide. For further information. contact Lanier Business Products Inc., 1700 Chantilly Dr. NE, Atlanta, GA 30324, (404) 329-8000. Circle 608 on inquiry card.

PUBLICATIONS



CAD/CAM Directory Focuses on Specs


A directory of the computer-aided design and manufacturing hardware and software relying heavily on technical specifications, The CADI CAM Industry Directory is available from Technical Database Corporation. This directory offers more than 100 listings detailing CAD/ CAM systems, CAD videodisplay terminals, testing systems, plotters, programmable controllers, harsh environment CAM terminals. special communications software, industrial databases, systems houses, and consultants. Each product listing includes full specifications, price information, delivery time, length of warranty, European and Japanese marketing contacts, and vendor name. address, and telephone number.

The directory costs \$35 domestic, \$43 overseas. Bimonthly specification updates are available for \$15 (\$19 foreign). Contact Technical Database Corp., POB 720, Conroe, TX 77305, (409) 539-9688.

Circle 611 on inquiry card.

Research via Communication

Alfred Glossbrenner has written a buyer's and user's quide, The Complete Handbook of Personal Computer Communications, which details the time- and money-saving benefits of intercomputer communications. Tips in the book include descriptions of how your research is enhanced by access to Compuserve, Tradenet for swapping goods and services, three encyclopedic databases, telephone directories, a daily index of 2000 news stories, and a magazine index that can search 600,000 citations from more than 350 current periodicals. The paperback version is \$14.95. Contact St. Martin's Press, 175 Fifth Ave., New York, NY 10010, (212) 674-5151. Circle 617 on inquiry card.



IBM PC XT Repair Manual

A 200-page IBM PC and PC XT repair manual written for both the experienced and nontechnical user has been released by Personal Systems Publications. How to Repair and Maintain Your Own IBM PCIXT offers step-by-step instructions, explains most probable hardware problems, and provides troubleshooting tips. The book aids the novice by showing him or her how to use a volt-ohmmeter and logic probe for troubleshooting testina.

How to Repair and Maintain Your Own IBM PCIXT costs \$19.95. Order from Personal Systems Publications, POB 90754, Los Angeles, CA 90009. Circle 610 on inquiry card.

Communicative Directory

A 26-page directory, Personal Computers and User-Programmable Terminals, contains details about 100 terminals that can communicate with 51 personal computers in a data-communications environment. All products covered connect to the

communications network via an RS-232C serial interface, and all have software that supports interaction with the host processor. Different sections in the report relate to stand-alone or cluster environments, displays, data editing and formatting,

operating systems, and programming languages. The report costs \$29 and is available from Data Decisions, 20 Brace Rd., Cherry Hill, NJ 08034, (609) 429-7100.

Circle 618 on inquiry card.

The Naked Truth Behind the Computer

Computer trivia, anecdotes, world records, and lore are the subject of The Naked Computer by Jack B. Rochester and John Grantz. From this work you'll learn that the first computer bug was actually a moth that met its demise in a relay of the Mark I analyzer at Harvard and read about a computer that attempted to use water instead of electrons for switching circuits. Subtitled The Lavperson's Almanac of Computer Lore, Wizardry, Personalities, Memorabilia, World Records, Mind Blowers, and Tomfoolery, this 335-page hardcover book costs \$15.95. It's published by William Morrow & Co., 105 Madison Ave., New York, NY 10016, (212) 889-3050. Circle 613 on inquiry card.

MS-DOS Explained

A thorough overview of Microsoft's popular MS-DOS operating system is provided in How to Get Started with MS-DOS by Carl Townsend. Written in a manner that helps beginners understand and use


MS-DOS quickly and effectively, this book covers such topics as why computers require DOSes and how to use a word processor. Other areas covered include IBM hardware, files, records, disks, using commands and utilities, and backup and safety procedures for disks. A series of appendices containing MS-DOS tables and maps, error messages, MS-DOS and BASIC commands, and a glossary round off the book.

How to Get Started with MS-DOS is \$13.95. It can be ordered directly from the Dilithium Press, Suite 151, 8285 Southwest Nimbus, Beaverton, OR 97005, (800) 547-1842; in Oregon, (503) 646-2713.

Circle 612 on inquiry card.

Computer Bulletin for Educators

The School Microcomputing Bulletin provides educators with information on the use of computers as effective teaching aids and administrative tools. The Bulletin has descriptions and evaluations of computer products as they performed in school settings and news on industry developments of interest to educators. Eight 8-page issues are produced during the school year. The Bulletin does not accept advertisements. For ordering information and a free sample copy, write to the Managing Editor, Learning Publications Inc., Department NR, POB 1326, Holmes Beach, FL 33509. Circle 616 on inquiry card.



Unix Guide Starts from Scratch

Mitchell Waite, Donald Martin, and Stephen Parta have teamed up to produce a start-from-scratch quide to Bell Laboratories' Unix operating system. The Unix Primer Plus is a 288-page tutorial and guide designed for anyone interested in learning about Unix, Anecdotes, analogies, and illustrations frame the presentations, and nontechnical introductory chapters explain fundamental Unix concepts and commands. Later in the book, detailed chapters describe advanced commands and features. Overviews and summaries supplement introductory materials to help comprehension.

The Unix Primer Plus comes in a loose-leaf binder so that readers can add pages of notes, supplement information, or customize the presentation to specific Unix installations. It costs \$19.95. For more information, contact Howard W. Sams & Co. Inc., 4300 West 62nd St., Indianapolis, IN 46268, (317) 298-5400. Circle 615 on inquiry card.

MISCELLANEOUS

Gang Programmer Has 32K of Buffer Memory

The Model 8204 is a selfcontained gang programmer with 32K bytes of buffer memory. It offers selectable protocols for popular development systems, block-mode data transfer, ing, checksum computation, and the ability to program up to eight EPROMs. This device can operate as a stand-alone unit or in conjunction with a computer. The Model 8204 programs such EPROMs as the Intel 2758 and 2732/A, the Texas Instruments TMS2508 and TMS2558. the National NMC2724, the Motorola MCM2816. and the Hitachi HN48016P. Operation features include verification during and after the program cycle, confirmation of the master's validity by the display of its checksum, and occupancy checks to ensure that the master is present and programmed, that at least one blank slave is present, and that all devices are properly registered. Failures are indicated visually and audibly. Operating voltage is 110/220 V AC ±15 percent at 50/60 Hz.

selectable data rates, edit-

The Model 8204 Programmer costs \$1295. It's available from Sherman Pirkle Inc., 3 Captain Parker Arms, Lexington, MA 02173, (617) 861-6688. Circle 621 on inquiry card.

Standby Supply Powers 16-Bit Systems

Ladco Development's Model 250B standby power supply has a rating of 250 amperes at 115 V AC. It comes with a 10-amperehour maintenance-free battery, RFI line filtering, voltage surge suppression, over- and underline voltage protection, a battery

charger with overcharge and short-circuit protection, a battery condition meter, visible and audible failure indication, and a frequency-controlled. square-wave-output 60cycle inverter. It can power 16-bit computers with hard disks as well as video terminals. The battery can operate for 10 minutes. The Model 250B monitors line voltage for factory-set limits of 103 to 130 volts. and automatically switches to standby when deviation occurs.

The Model 250B costs \$545. Quantity discounts are available. For more information, contact Ladco Development Co. Inc., POB 464, Olean, NY 14760, [716] 372-0168. Circle 619 on inquiry card.

Videotaped Short Course on FORTRAN

A videotaped short course on FORTRAN is available from Colorado State University. This introductory course covers FORTRAN in 10 half-hour lectures. Each lecture begins with a discussion of the previous assignment. Topics such as batch use and interactive FORTRAN are covered step by step in this presentation. Leasing and purchasing information is available from W. L. Somervell Jr., Engineering Renewal and Growth Program, Engineering Research Center, Colorado State University, Fort Collins, CO 80523, (800) 525-4950; in Colorado, (303) 491-8417.■

Circle 620 on inquiry card.

Why pay more for top quality peripherals and accessories when our prices are consistently among the lowest anywhere? Expand your system and shrink your cost. We invite you to compare prices, then call us.

MICROSOFT	SALE PRICE
For IBM PC	
9913 64K card	\$243.10
0313256K card	607.76
9938 64K system card	
0338 256K system card	439.16
9937, mouse	135.44
For Apple II, II+, IIe	
2304 softcard system	
2312 softcard system plus	436.59
2313 ramcard	69.41
2223 multiplan el. wrksheet	191.01
9804 softcard prem. system	482.73
2348 prem. softcard IIe	

MISC. ITEMS	SALE PRICE
644-0100 lemon surge protector	\$46.73
644-0110 orange surge protector	114.86
644-0120 lime surge protector	73.47
7654 system saver (APPLE)	68.19
92POKIDATAprinter	485.10
93P OKIDATA printer	812.70
NEC JB1260 monitor	112.50
NEC JB1205monitor	177.50
AMDEK COLOR IImonitor	466.50
PEGASUS disk drives	CALL
CORVUS disk drives	CALL

VIDEX	SALE PRICE
UL-00 ultraterm	\$282.3!
VT-600 , videoterm 60.Hz	207.8
VT-601 videoterm 60.Hz softswitch	230.22
VT-602 videoterm 60.Hz softswitch inver	237.61
VT-SPA000 switchplate	14.1:
PS-000 paral, ser. 1/O card	170.61
ENH-000 Enhancer II	111.04
ENH-FS-000 Function Strip	29.00
ENH-FS-001 Enhancer II. Function Strip	133.37

DYSAN DISKETTES (Boxes of 10 each)	SALE PRICE
104/1 5.25" .ss.sd	\$32.83
104/1D 5.25" .ss dd	34.72
104/2D 5.25" .ds.dd	41.04
3740/1 8" .ss.sd	34.0!
3740/1D 8" .ss.dd	42.2!
3740/2 8" .ds.sd	42.29
3740/2D 8" .ds.dd	49.24

MODEMS	SALE PRICE
01 HAYES stack chronograph	\$200.75
02 HAYES stack smartmodem	232.37
03 HAYES smartmodem 1200	
04 NOVATION cat	
05 NOVATION dcat	180.58
06 NOVATION autocat	
07 NOVATION jcat	122.3(
OB NOVATION smartcat 103/212	488.35
09 NOVATION smartcat 103	204.43

COMMERCIAL BUSINESS SUPPLY 2858 S. ROBERTSON BLVD. LOS ANGELES, CA 90034

INFORMA

Phone orders accepted on Visa and Mastercard only. California residents add 6.5% sales tax. No C.O.D. Actual shipping and handling charge added to all orders. Prepaid orders as follows: Money orders or cashier's check—merchandise shipped upon receipt. Personal checks must clear before shipping. Phone orders accepted on Visa and Mastercard only. 20% restocking fee. Prices and availability subject to change.

LOW LOW COST SUNNY (LINEAR & SWITCHING) FOR S-100, DISK DRIVES







S-100 & DISK POWER SUPPLIES: OPEN FF

FI CEPY († Hoppy & 1 Hard Disk) 6 SLOT & 2 FLOPPY +5V OVP -5V

1A

4-5A PEAK 8¾" x 5" x 4¾" 88 **3A**

DISK POWER SUPPLIES: OPEN FRAME, ASSY. & TESTED, REGULATED, ADJUSTABLE & FUSES PROTECT.

	DEAL FOF	+5V OVF				_		
Ro	2 x 8" SLIMLINE	2.5A		2.5A - 5A Peak			5" x 4" x 4"	51.95
R ₀	2 x 8" or 2 x 51/4" DISK	4A	1A	3A - 5A Peak	2A		8" x 4" x 3¾4"	56.95
R ₂	3x8" (or 51/4") FLOPPY	6A	1A	6A - 8A Peak			10" x 4%" x 3¾"	71.95
R ₃	or 1x Floppy & 1x Hard	6A	1A	6A - 8A Peak		1A	9" x 61/4" x 43/6"	98.95

AC & DC POWER CABLES WITH CONNECTOR FOR 2 DRIVES 8.00 S-100 POWER SUPPLY KITS (OPEN FRAME WITH BASE PLATE, 3 HRS. ASSY. TIME)

ITEM (IDEAL FOR) +8V -8V + 16V -16V +28V SIZE: WxDxH PRICE

54.95 KII 1 15 CAHUS 15A 12" x 5" X 4//8 20 CARDS 25A 12" x 5" x 41/6" 61.95 KIT 2 DISK SYSTEM 1A 5A 131/2" x 5" x 41/6" 69.95

6 SLOT MAINFRAME ASSY. & TESTED ONLY \$399.95 + SHIPPING \$18.00

4A

EACH MAINFRAME (ITEM NO. 806 OR 516) CONTAINS: EMI FILTER • FUSE HOLDER • AC POWER CORD • POWER SWITCH & INDICATOR • RESET SWITCH • 4½" COOLING FAN • S-100 BUS 6 SLOT CARD CAGE • (110/220 VAC, 50/60 HZ) POWER SUPPLY FOR DISK DRIVES & S-100 SLOTS • 2 EA. DC POWER CABLES WITH CONNECTOR AND MOUNTING HARDWARE FOR DISK DRIVES • 9 EA. CUT-OUTS; 7 FOR DB25 CONNECTOR, 1 FOR 50 PIN CONNECTOR & 1 FOR 50 PIN CONNECTOR S • 1 FOR CENTRONICS • CUSTOM FINISH & LOGO-LESS • COMPACT SIZE • LIGHTWEIGHT, 28 LBS. ITEM #806 FOR 2 EA. 8" THINLINE FLOPPY (TANDON TM848-1 & 848-2 OR EQUIV.), OR ONE HARD DISK, POWER SUPPLY:+8V/8A, 7:16V/3A, +5V/5A OVP. -5V/1A & 24V/5A. SIZE: 12" (W) x 19.5" (D) x 9.8" (H).

TANDON

TANDON

TANDON

TO 2 2 A OR FOLIV) POWER SLIPPLY +8V/8A + 16V/3A OVP +5V/6A OVP +12V/6A BA PEAK SIZE 13.75" (W) x 19.5" (D) x 7" (H)



\$8.00 IN OTHER STATES;\$18.00 IN CANADA; \$8.00 IN OTHER STATES;\$18.00 IN CANADA; FOR EA. TRANSFORMER: \$5.00 IN ALL STATES; \$12.00 IN CANADA. CALIF. RESIDENTS ADD 6.5% SALES TAX. DEALER INCUIRIE INVITED


SHIPPING FOR EA. PWR SUPPLY: \$5.50 IN CALIF.;





ITEM





The Channel Connecting You And Computers

## 2017 HARE **PATE **PATE			Channel Conn					
The state of the						,	0	C75.00
Content Cont				140.00				
Templates POINN © 30.00 M./C.P.R.F.G 9 30.00 ARTSCHage Window 90.00 Margic Words 40.00 Margic Calor 40.00 Margic Calor 50.00 Ma								
MATSCHAPT & Window Margo Marier 4000 Margo Marier 4000 Margo Marier 4000 Margo Cate 4000 Marg								
### Fereit Cale								
Magic Words								
Magic Cate 1 90.0 Post Part				489.00				
Major Cair September Sep				34.00				
### SATISHE FACE Society STATUS SISSIBLE Speller S20				29.00			MODEMS	
Selection Strategist Principle Pri				83.00				
Financial Filment	Bottomline Strategist							249.00
Princy P		419.00		85.00			SMartcom I (II)	89.00
Part	Friday!	198.00	Dictionary	69.00		32.00		
Apple Prof	110900		Screen Writer/Dictionary			45.00		
Service Commerce								89.00
Applies Nechanic 22.00 Page 18 20.00 Page				39.00				400.00
Dougle Regulation								499.00
Design Bus 17.00 Double Take 27.00 Double Take 27.00 Promit Dose 27.00								205.00
Double Take								
Promotion Dos 1200 Promotion Dos 1200 Utility of Utility								100.00
ELIE CIRP Millionare 200 80 C WAP				75.00				269.00
Septem Millionare 39.00 Per GL (APAP ARWAYP) Per GL (APAP								200.00
BBOOLENUMY A.E. 2500 plic Report 7500 pl				0400	Other Products	CALL		559.00
BabotsButtom					00W JONES" Market Analyzer"	275.00	212 Apple Cat II	
Description Sank St. Writer San Sank St. Writer Sank Transcard Sank St. Writer Sank Transcard Sank St. Writer Sank Transcard Sank Transcard Sank Transcard Sank Transcard Sank St. Writer Sank Transcard Sank Transcard Sank St. Writer Sank Transcard Sank St. Writer Sank Transcard Sank St. Writer Sank					Market Manager™			
Bank St. Writer					Market Microscope			
Sam Transcend Sam SEE MODEMS Sam Transcend Sam SEE MODEMS Sam SEE MODEMS STOREWARE D.B. Master 14500 Clear High See Modems Sam See Modems S								
Also SEE MODEMS 14500 199.00 30 30 30 30 30 30 30	Lode Runner	26.00						109.00
STONK WARE D.R. Master 14500 SILM STON				03.00				100.00
CONTINENTAL "CLARA PAPIPR® 150 00				145.00				199.00
Substitute Sub	CENTRAL POINT Copy ii Plus							ANG NN
FOME ACCOUNTAIN 68,00 FOME FO								000.00
Property Management 329.00 Chark Meru Generator 29.00 Other Products CALL MICROSOFF Micro Grapher 25.00 Other Products CALL Micro Grapher 25.00 Other Products CALL CA				113.00			Sam Moderneard W/Sourice II	259 00
CALL				160.00		_	Transmodem 1200 (II)	
Light Carbon Ca								
Digital ResEarch CALL Diw Johns San			other Froducts	ONLL				
DIGITAL RESEARCH CALL DOW JONES* Market Analyzer* 275.00 DAW & Fam 59.00 Pro @ 250.00 Market Manager 250.00 Market Manager 250.00 Market Microscope 525.00 Microscope			CENTRAL POINT Alaska Card**	99.00			MONITORS	
EPS Keyboard 319.00 DW Joles 275.00 Market Manager 275.00 Market Manager 275.00 Market Manager 275.00 Market Microscope 250.00 Microscope							AMDEK Video 300	135.00
Word Wilding Word Word Wilding								
Market Microscope							Color I	
MAYES Micromodem MySC 249.00 Color 349.00 Color 399.00 Color 399.00 Color 399.00 Color 399.00 Color 399.00 Color 399.00 Color 399.00 Color 399.00 Color 399.00 Color 399.00 Color 399.00 Color 399.00 Color			GI8SON LABS LPS Light Pen	279.00				
Connector				249.00				
EDUWARE FIX & BELLER" Quick Code 95.00 dGraph 95.00 dUrb 95.00								
Paddle								
Micro Street 195.00 Micro Streen 195.00 Micr					PETER NORTON Litilities	59.00		
All								
Add w/c Controller 299.00 AA70 w/C Controller 299.00				79.00				
NAYDEN Pie Writer			A40 w/o Controller					
NAYES® Smartcom						210100		
INFOCOM**Deadline 34.00 Zork / / /						94.00		
SoftCard Plus SoftCard Premium SoftCard S	The state of the s						QUAGRAM Quadchrome	519.00
INSOFT Electric Duet 22.00 GraphForth 56.00 Softcard Premium 479.00 GraphForth 56.00 Premium 56.00 Interved Grappler 16K PRACTICAL PERIPHERALS Microbuffer II plus 16K PAR 199.00 Other Products 259.00 Other Produc							Quadscreen	1,595.00
CaraphForth Call						94.00	TAXAN 13" Color	
NOVATION See MODEMS See MODEMS System 149.00 LOTUS** Executive Briefing System 149.00 Buffered Grappler 16K 179.00 PRACTICAL PERIPHERALS Microbuffer II plus 16K PAR 199.00 Other Products CALL SSM See MODEMS See Modem SSM See Modem Statement 69.00 Other products CALL SSM See Modem See Modem Statement 69.00 Other products CALL System Call System Call Superfext Home Office 73.00 Other Products Caste Wolfenstein 22.00 Caste Wolfenstein 22.00 Caste Wolfenstein 22.00 Caste Wolfenstein 22.00 Caste Wolfenstein 23.00 Graphics Magician 39.00 Special Effects 29.00 Other Products 27.00 Other Products Call System Carl Call Caste Wolfenstein 29.00 Other Products 29.00 Other						30% off		
LOTUS*** Executive Briefing System 149.00 Buffered Grappler 16K 179.00 PRACTICAL PERIPHERALS Microbuffer II plus 16K PAR 199.00 Other Products CALL SSM See MODEMS SSM See MODEMS Modes and the products CALL SSM See MODEMS System 109.00 Other products CALL System Castle wolfenstein 22.00 Castle wolfenstein 22.00 Castle wolfenstein 22.00 Graphics Magician 39.00 Graphics Magician 39.00 Graphics Magician 39.00 Special Effects 29.00 Graphics Magician 39.00 Special Effects 29.00 System 149.00 Graphics Magician 39.00 Special Effects 29.00 Size Add 27.00 Castle Wolfenstein 29.00 Graphics Magician 39.00 Special Effects 29.00 Special Eff					STONEWARE			149.00
MICROCOM Micro Terminal 59.00 Micro Description 59.00 Micro Description 59.00 Micro Description 59.00 Micro Description 69.00 Micro Description 69				HIODCING	D.B. Master Advanced	449.00		
MICROCOM Micro Terminal 59.00 MICRO PRO® Infostar 259.00 MICRO System 109.00 Financial Statement 69.00 Other products CALL MIDROBAM Dollars & Sense 79.00 MUSE® Supertext Home Office 73.00 Supertext Pro. (IIe) 73.00 Castle Wolfenstein 22.00 FRECAL Cool & Time 75.00 Castle Wolfenstein 22.00 FRECAL Cool & Time 75.00 Graphics Magician 39.00 Graphics Magician 39.00 Special Effects 29.00 Special Effects 29.00 Special Effects 29.00 Special Effects 29.00 MICROSOFT Multiplan'* 169.00 Other Products CALL AMDEK MAI Board 519.00 Other Products Call MAYES Smartmodem 12008 /SCII 439.00 KRAFT Joystick 49.00 FRAGII HAYES Smartmodem 12008 /SCII 439.00 KRAFT Joystick 49.00 FRAGII HAYES Smartmodem 12008 /SCII 439.00 KRAFT Joystick 49.00 FRAGII HAYES Smartmodem 12008 /SCII 439.00 FRAGII HAYES Smartmodem 12008 /SCII 439.00 KRAFT Joystick 49.00 FRAGII HAYES Smartmodem 12008 /SCII 439.00 KRAFT Joystick 49.00 FRAGII HAYES Smartmodem 12008 /SCII 439.00 KRAFT Joystick 49.00 FRAGII HAYES Smartmodem 12008 /SCII 439.00 KRAFT Joystick 49.00 FRAGII HAYES Smartmodem 12008 /SCII 439.00 FRAGII HAYES Smartmodem 12008 /SCII 439.00 KRAFT Joystick 49.00 FRAGII HAYES Smartmodem 12008 /SCII 439.00 FRAGII H		149.00		170.00				559.00
Micro Micro Terminal Sp.00 Micro Terminal Sp.00 Other Products CALL AMDEK MAI Board Sp.00 Micro Mi	-,			17 3.00		179.00		
MICRO PRO® Infostar 259.00 Other Products CALL AST Call AST Call MAYES Smartmodem 12008 /SCI 439.00 SSM See MODEMS MAYES Smartmodem 12008 /SCI 439.00 System 109.00 System 109.00 Other products CALL Joy Stick 45.00 MONOGRAM Dollars & Sense 79.00 MUSE® Supertext Home Office 73.00 Supertext Pro. (IIe) 73.00 Castle Wolfenstein 22.00 FENGUIN Complete Graphics System 1 49.00 Graphics Magician 39.00 Special Effects 29.00 System Card 64K 285.00 Cade Stire 279.00 Cade S	MICROCOM Micro Terminal	59.00		199.00		CALL		
#M\CROSOFT Multiplan" 169.00 Budget System 109.00 Financial Statement 69.00 Other products CALL MONOGRAM Dollars & Sense 79.00 Supertext Pro. (IIe) 73.00 Castle Wolfenstein 22.00 Castle Wolfenstein 22.00 FREGUIN Complete Graphics System II 49.00 Graphics Magician 39.00 Special Effects 29.00 SSM See MODEMS See MODEMS See MODEMS See MODEMS See MODEMS AST Call HAYES Smartmodem 12008 /SCII 439.00 KOALA™ Graphic Tablet 109.00 KOALA™ Graphic 109.00 KOALA™ Graphic Tablet 109.00 KOALA™ Graphic Tablet 109.					AMULK MAI Board	519.00	UNIUM IM Complete Line	CALL
Budget System 109.00 Financial Statement 69.00 Cher products CALL Joy Stick 45.00 MoNOBRAM Dollars & Sense 79.00 Supertext Home Office 73.00 Supertext Pro. (IIe) 73.00 Castle Wolfenstein 22.00 FENGUIN Complete Graphics System II 49.00 Graphics Magician 39.00 Graphics Magician 39.00 Special Effects 29.00 Sick 59.00 Castle Wolfenstein 29.00 Special Effects 29.00 Sick 29.00			SSM Se		AST	Call	DISKETTES	
Financial Statement 69.00 CALL Joy Stick 45.00 ASAPT Graphic Tablet 109.00 574" SS/DO 37.00						1 439.00		32.00
Other products CALL Joy Stick 45.00 KRAFT Joystick 49.00 5½" DS/DD 43.00 MUSE® Supertext Home Office Supertext Pro. (IIe) 73.00 Track Ball 49.00 MICROSDFT® Mouse 149.00 IBM® 5½" SS/DD 29.90 Castle Wolfenstein 22.00 TENCAL Cool & Time 75.00 System Card 256K 465.00 MAXELL® 5½" SS/DD 39.90 PENGUIN VIDEX Videoterm w/ss 239.00 QUADRAM Quadlink 485.00 5½" DS/DD 41.90 Complete Graphics System II Graphics Magician 39.00 WICD Joy Stick 59.00 Quadboard II 64K 285.00 5½" DS/DD 43.00 Special Effects 29.00 VICE Stick 59.00 Quad 512 plus 64K 265.00 VIREATING 5½" SS/DD 27.90 Quad 512 plus 256K 420.00 5½" DS/DD 36.90			TG Paddles	29.00	KOALA" Graphic Tablet	109.00		
MONOGRAM Dollars & Sense 79.00 MUSE® Supertext Home Office 73.00 Supertext Home Office 73.00 Supertext Pro. (IIe) 73.00 Castle Wolfenstein 22.00 PENGUIN Complete Graphics System II 49.00 Graphics Magician 39.00 Special Effects 29.00 Special Effects 29.00 Special Effects 29.00 Special Effects 29.00 Special Effects 39.00 Plastic Box Add 1.50 MICHOSDFT® Mouse 149.00 System Card 64K 295.00 System Card 256K 465.00 MARELL® 5½" SS/DD 28.90 System Card 256K 465.00 MARELL® 5½" SS/DD 28.90 System Card 256K 485.00 S½" DS/DD 41.90 Special Effects 29.00 Spe			Joy Stick	45.00				
MUSE® Supertext Home Office Supertext Pro. (IIe) 73.00 73.00 Track Bail Joy Stick (IIe) 49.00 49.00 49.00 MICROSUFT® Mouse System Card 64K System Card 256K 149.00 49.50 IBM® 51/4" SS/DD 29.90 51/4" DS/DD 39.90 39.90 PENGUIN Complete Graphics System II Graphics Magician Special Effects 49.00 22.00 VIDEX Videoterm w/ss Ultraterm 239.00 279.00 WICD Joy Stick QUADRAM Quadlink Quadboard 64K 285.00 Quadboard II 64K Quad 512 plus 64K Quad 512 plus 64K Quad 512 plus 256K 285.00 265.00 VERBATIM® 51/4" SS/DD 70/00 27.90 27.90 27.90 27.90 27.90 27.90 36.90								
Supertext Pro. (IIe) 73.00 Castle Wolfenstein 22.00 TENCAL Cool & Time 75.00 System Card 64K 295.00 51/4" DS/DD 39.90 Castle Wolfenstein 22.00 VIDEX Videoterm w/ss 239.00 Ultraterm 279.00 Graphics Magician 39.00 Special Effects 29.00 VIDEX Videoterm w/ss 239.00 Ultraterm 279.00 Quadboard 64K 285.00 51/4" DS/DD 33.00 33.00 Special Effects 29.00 VIDEX Videoterm w/ss 239.00 Ultraterm 279.00 Quadboard 64K 285.00 System Card 256K 486.00 51/4" DS/DD 33.00 33.0								
VIDEX Videoterm w/ss 239.00 QUADRAM Quadlink 485.00 51/4" DS/DD 41.90 Complete Graphics System II 49.00 Graphics Magician 39.00 Special Effects 29.00 Special Effects 29.00 Complete Graphics Magician 39.00 Special Effects 29.00 Complete Graphics Magician 39.00 WICO Joy Stick 59.00 Complete Graphics Magician 39.00 Stick 59.00 Complete Graphics Magician 50.00 Stick 59.00 Complete Graphics Magic	Supertext Pro. (IIe)	73.00						39.90
Complete Graphics System 1 49.00 Ultraterm 279.00 Quadboard 64K 285.00 54.7 SS/DD 33.00 Graphics Magician 39.00 Special Effects 29.00 Complete Graphics System 1 49.00 WICO Joy Stick 59.00 Quadboard 164K 285.00 54.7 SS/DD 43.00 43.		22.00						
Graphics Magician 39.00 WICO Joy Stick 59.00 Quadboard II 64K 285.00 51/4" DS/DD 43.00 Special Effects 29.00 Quad 512 plus 64K 265.00 VERBATIM® 51/4" SS/DD 36.90								
Special Effects 29.00 Quad 512 plus 64K 265.00 VERBATIM® 5'¼" SS/DD 27.90 Quad 512 plus 256K 420.00 5'¾" DS/DD 36.90								
Quad 512 plus 256K 420.00 51/4" DS/DD 36.90			WIGO JOY STICK	33.00				
	Special Effects	29.00	T .					
	TERMS: Add 204 for chies	ning & bandlin	o \$3.00 minimum Allaw 2 week	s for chacke				

Quad 512 plus 512K	675.00
64K Ram Ćhips Quadchrome	79.00 519.00
Quadscreen	1,595.00
TG Paddles Joy Stick	39.00 49.00
Track Ball	49.00
WICO Joy Stick MODEMS	59.00
HAYES® Micromodem II	040.00
w/SC I (II) SMartcom I (II)	249.00 89.00
Smartmodem 1200B w/SCII (PC)	439.00
Smartcom II (PC)	89.00
Smartmodem 1200 (RS232)	499.00
Smartmodem 300	
(RS232) Chronograph (RS232)	205.00 189.00
NOVATION Apple Cat II (300B) (II)	269.00
212 Apple Cat II (300/1200B)	
(II) 212 Apple Cat II	559.00
Upgrade Kit	319.00
Cat (300B) (RS232) D-Cat (300B) (RS232)	139.00 159.00
J-Cat (300B) (RS232) Smart Cat 103	109.00
(300B) (RS232)	199.00
Smart Cat 103/212 (RS232)	409.00
212 Auto Cat(RS232)	569.00
\$\$M Modemcard w/SOURCE II	259.00
Transmodem 1200 (II) AIO-2 Ser/Par Interface	499.00 169.00
MONITORO	
MONITORS AMDEK Video 300	135.00
Video 300A	149.00 289.00
Color I Color I plus	319.00
Color II Color III	439.00 389.00
Color IV	895.00
DVM Interface (II) DVM Interface (IIe)	169.00 169.00
NEC 12" Green JB1201 12" Color JC1215	159.00 299.00
12" RGB JC1203 (PC)	559.00
JC1203 to PC Cable PGS HX-12	24.00 539.00
QUAORAM Quadchrome	519.00
Quadscreen TAXAN 13" Color	1,595.00 319.00
12" Green 12" Amber	145.00
RGB Vision 1 12" Lo RGB Vision 3 12" Hi	149.00 319.00
RGB Vision 3 12" Hi PRINTERS	559.00
EPSON FX 80/100	CALL
OKIDATA Complete Line	CALL
DISKETTES	22.22
DYSAN® 514" SS/SD 514" SS/DO	32.00 37.00
514" DS/DD Plastic Box Add	43.00 1.50
IBM® 51/4" SS/DD	29.90
514" DS/DD MAXELL® 514" SS/DD	39.90 28.90
51/4" DS/DD	41.90
TOK® 514" SS/DD 514" DS/DD	33.00 43.00

TERMS: Add 3% for shipping & handling, \$3.00 minimum. Allow 2 weeks for checks to clear. Add 6% for CA. Sales Tax. Add 2% to total for Visa & MasterCharge. All sales final for software, accessories & diskettes. Defective Hardware. Monitors, Printers returns must be within 10 working days of purchase accompanied by RMA # for exchange only. Apple is the Registered Trademark of Apple Computer Inc. IBM is the Registered Trademark of International Business Machines Corp.

Circle 58 on Inquiry card.

Order Desk: National: 1-800-821-4381 Order Desk: Calif: 1-800-421-3245 Product Support: (805) 683-3006 Local orders: (805) 683-1779

* * The GRAY MARKET

We don't play games

Lowest Prices Anwhere! Here is why:

- 1. Low Advertising Budget
- 2. Large Volume Buying
- 3. No Support
- 4. No Repair Service

Our advertising budget is kept low, we sell in large volume and you benefit by getting the best prices anywhere. You may use Visa, MasterCard, American Express or prepay (cashier's check or money order).

We carry so many products that we are unable to list them all. However, call us for your specific needs. We have listed examples of some of our products and prices. Believe it or not, all our products are priced the same.

> ALL PRODUCTS ARE NEW IN SEALED CONTAINERS

IF YOU WANT THE LOWEST AND BEST PRICES CALL US (714) 557-3934

0040117500		
COMPUTERS	MONITORS	IBM PERIPHERALS
ALTOS SCALL	AMDEK COLOR I \$CALL	RAM CARDS SCALL
VIC 20 \$CALL	NEC \$CALL	OUADRAM \$CALL
COLOMBIA SCALL	ZENITH SCALL	RAYTRONICS \$CALL
CORONA SCALL	SANYO \$CALL	AST \$CALL
NORTH STAR \$CALL	TAXAN SCALL	COLOR MONITORS SCALL
FRANKLIN SCALL	USI SCALL	10 MEGA BYTE HA SCALL
DEC RAIN BOW SCALL	COMREX SCALL	GRAPHICS CARDS SCALL
TELEVIDEO SCALL	GORILLA SCALL	DISC DRIVES SCALL
SANYO SCALL	MODEMS	MODEMS SCALL
TEXAS INSTRUMENT SCALL	HAYES 300 BAUD SCALL	COMMADOR 64 - VIC 20
ZENITH SCALL	NOVATIONS SCALL	PERIPHERALS
PIED PIPER SCALL	SIGNALMAN SCALL	DIS DRIVES SCALL
ZORBA		
PRINTERS - DOT MATRIXES	TERMINALS	MONITORS SCALL
	TELEVIDEO 925 SCALL	INTERFACES SCALL
EPSON FX-80	OUME \$CALL	CARDCO \$CALL
OKIDATA 92A\$429.00	ZENITH SCALL	THE CONNECTION SCALL
STAR MICRONICS SCALL	AMPEX DIALOG SCALL	SOFTWARE \$CALL
C, ITHO \$CALL	TERMIFLEX SCALL	PAPER CLIP \$CALL
PROWRITER \$CALL	DISC DRIVES	DATA 20 \$CALL
IDS \$CALL	SHUGART \$CALL	WORD PLUS \$CALL
DATASOUTH \$CALL	TANDON SCALL	EXPANSION BOARD SCALL
ANADEX SCALL	SIEMANS SCALL	PLOTTERS
NEC, \$CALL	REMEX SCALL	HEWLETT PACKARD \$CALL
TOSHIBA SCALL	RANA \$CALL	BAUSCH & LOMB SCALL
RITEMAN SCALL	COMMADOR 64 DRI SCALL	AMOEX \$CALL
MANNSMAN TALLY SCALL	APPLE PERIPHERALS	BMC SCALL
OLIVETTE \$CALL	GRAPPLER PLUS \$115.00	STROBE SCALL
RIKO.	MICROTEK SCALL	HARO DISC ORIVES
LETTER QUALITY	OTHER PARALLEL	SWITCH BOXES
BROTHER HR-1	INTERFACES	ACCESSORIES
DYNAX DX-15 \$449.00		DUST COVERS \$7.95
COMREX SCALL		PRINT WHEELS \$CALL
NEC SCALL		RIBBONS \$CALL
DIABLO SCALL		DISKETTE CASES \$CALL
QUME		SURGE PROTECTOR SCALL
C. ITHO SCALL	APPLE DISK DRIV SCALI	
STARWRITER SCALL	BUFFERS \$CALL	
SILVER REED SCALL	COMPLETE STOCK OF	. 10 ea.
JUKI SCALL		
JUNI SUALL	CABLES \$CAL	

CHECK SUNTRONICS NEW LOW PRICES

IBM Compatible Products Apple Compatible Products General Products- cont.

1-800-421-5775

Calif. orders and all Info Call 213-644-1149 S-100 Products



COLUMBIA PC 1600-1

Includes: Drives, Video Card, Perfect Soft-ware Package, MS-DOS, CP/M, Fast Graphics, BASIC, CP/M-86, Home Accountant and Communications Program. PC 1600-1only \$2850.00

COLUMBIA VP (Portable)....only \$2750.00

AST SIXPACK CARD

Six-function card with 64K-348K RAM Memory, Parallel Port, Serial Port, Clock Calendar, Super Drive and Super Spool. AST Sixpack Card......only 291.00

MSI DUAL I/O

2 Serial/2 Parallel Ports, Clock..., 175.00 MSI 256K RAM Board 256K RAM Board with 64K...... 199.00 256K RAM Board with 256K...,.... Call

MSI 256K w/Parallel or Serial Port 256K w/Parallel Port and 64K 259.00 256K w/Parallel Port and 256K Call

256K w/Serial Port and 64K 259.00 256K w/Serial Port and 256K Call VISTA DISKMASTER

Diskmaster Floppy and Hard APPRATE IBM PROM Blaster 129.00

CABLE for IBM Parallel Printer 29.95 CABLE for Columbia MPC MODEM Novation 103 Smart-Cat . .\$210.00

5¼" Diskettes SS/DD (100% certified) DS/DD [100% certified]

AFDC-1 Floppy Disk Drive

Runs DOS 3.3 with any standard Shugart com-

patible 51/4" disk drive. (2 drives each ca ASCII KEYBOARD A&T Plug in compatible

score, [] and back slash characters. \$6900

BMC DD and CONTROLLER for APPLE II BAL500 Disk Drive 51/4" SS/DD

100% Apple II compatible249.00

Apple Prototype Board.



Double Sided glass with gold plated Apple and terminals. Con-

"ALS" Z-CARD (Z80 CPU)149.00 API Apple Parallel Printer Interface card. Centronics Compatible\$45.00

General Products

Mitsubishi Disk Drives, 5¼" and 8" Slim 5¼" Thin DSDD 40 Track310.00 8" Thin DSDD 80 Track .

DISKETTE SALE

SAMWOO 18MHz Video Monitors


AMBER 9"119.00 GREEN 12" 124.00 AMBER 12" 127.00

Composite video I/O. 750 nes resolution. 75/10K ohm impedance.



BMC 13" COLOR home computer/ video game dis-play. Offers 350 x 350 resolution with 400 dots at the center. 9191U . . . 249.00

BMC PRINTER



Note: Please add \$10.00 shipping and handling for the video monitors or printer.

EPROM & RAM SUPER SALE

P/N	Description	8-24	25up
2716	(450nS)	3.95	3.95
2732	(450nS)	4.40	4.40
2532	(450nS)	4.40	4.10
2764	(28 pin)	5.95	5.95
2114L-2 ·	(200nS)	Call	Call
4164	(in stock)	Call	Call
6116P-3	(150nS)	6.10	5.75

Mother Boards & Card Cages

		31 00 0	00.0	-5-0
SLOTS	Bare Bd	KIT	A & T	w/CAGE
6	\$19.00	\$44.00	\$59.00	\$84.00
8	24.00	56.00	81.00	116.00
12	29.00	75.00	110.00	150.00
wiring for		Uses OK co	onnector fo	dicator and r solderless lines.



64KSM A&T without RAM... \$15500 64KSM A&T w/64k RAM (32-6116's). 339,00 S-100 Board Uses 6MHz 6116's. 1/2A max. power, Bank Select plus Extended Addressing allow for multi-memory board set-up. 4 independent 16K Blocks make easy use with multi-user systems. Any 2K RAM may be replaced by 2716 EPROM.

SBC-880 Z80A CPU, A&T.....\$169.00 SBC-880 Z80A CPU, Kit.........149.00 4MHz Z80A CPU boards with Serial Parallel Ports.

UFDC-1 Floppy Controller, A&T.....245.00 UFDC-1 Floppy Controller, Kit225.00
The UFDC-1 Floppy Controller uses the

WD1795 chip which runs either and/or 8"/51/4" Disk Drives.

and Battery Backup.

S-100 Edge Connector 100 pin...... 3.95

S-100 Prototype Board



Double Sided glass with gold plated, numbered S-100 terminals. Matrix of 25 x 78 solder plated do-

nuts on .15" x .1" spacing. Locations for



STORE HOURS: MON.-FRI. 9:00am to 6:00pm

SATURDAY 10:00am to 5:00pm Mail Order—Min. Order \$10. Visa or MasterCard (please include expiration date). Add \$2.00 (shipping and handling) for first 3 pounds plus .50 for each additional pound to your order. CA residents add Calif. sales tax.

Apple Country Ltd. has your Number for

RYMIN 1-800-222-2602

M	2	ĸ.	rn	2	b	C

AMBEY COLOR T BILLS	294.95
AMDEK COLOR I PLUS AMDEK COLOR II PLUS	424.95
AMDER COLOR II PLUS	369.95
AMDEK COLOR III	369.95
AMDEK COLOR IV	/49.95
AMDEK VIDEO 300 (GREEN)	134-95
AMDEK VIDEO 300 (AMBER)	144.95
AMDEK COLOR III AMDEK COLOR IV AMDEK VIDEO 300 (GREEN) AMDEK VIDEO 300 (AMBER) AMDEK VIDEO 310 (AMBER) BMC 12AU 12" GREEN BMC AU9111U 13" COLOR	164.95
BMC 12AU 12" GREEN	89.95
BMC AU9191U 13" COLOR	299.95
BMC 1401 13" RGB COLOR	349.95
BMC 1401 13" RGB COLOR BMC AU9191MU 13" RGB IBM	629.95
COMMODORE COLOR MONTTOR	269.95
COMPEX 13" COLOR W/SOUND	269.95
COMPEN 13" UT_DEC AMBED	134 95
COMPEN 12" HI-DEC CREEK	120 05
COMPEN 12 HI-RES GREEN	120.05
COMPEN 12 HI-KES LT GRN	129.93
COPIREA 13 RGB COLOR	120 05
ELECTROHOME 9" GREEN	129.95
ELECTROHOME 12" GREEN	144.95
ELECTROHOME 13" RGB IBM	379.95
BMC AU9191MU 13" RGB IBM COMMODORE COLOR MONITOR COMREX 13" COLOR W/SOUND COMREX 12" HI-RES AMBER COMREX 12" HI-RES GREEN COMREX 12" HI-RES LT GRN COMREX 13" RGB COLOR ELECTROHOME 9" GREEN ELECTROHOME 12" GREEN ELECTROHOME 13" RGB LOW ELECTROHOME 13" RGB COLOR CONTINUE 13" CEPTER THE TOWN THE TO	359.95
GORILLA 12" GREEN	89.95
ELECTROHOME 13" RGB COLOR GORILLA 12" GREEN NEC 12" GREEN SCREEN NEC 12" ECONO GREEN NEC 12" LO-RES COLOR NEC 12" AMBER SCREEN NEC 12" COLOR - IBM PRINCETON GRAPHICS HX-12	154.95
NEC 12" ECONO GREEN	109.95
NEC 12" LO-RES COLOR	289.95
NEC 12" AMBER SCREEN	164.95
NEC 12" COLOR - TRM	479.95
PRINCETON GRAPHICS HX-12	489.95
SAKATA 13" COLOR	264.95
SAKATA 13" COLOR SAKATA 13" RGB COLOR	499.95
SAKATA SUPER RGB MONITOR	
CAKATA SUPER RGB MUNITUR	104.95
SAKATA 12" GREEN TAXAN 12" GREEN TAXAN 12" AMBER TAXAN RGB VISION I TAXAN RGB VISION III	124.95
TAXAN 12" GREEN	
TAXAN 12" AMBER	129.95
TAXAN RGB VISION I	294.95
TAXAN RGB VISION III	439.95
ZENITH 12" AMBER	119.95
ZENITH 12" AMBER ZENITH 12" GREEN ZENITH RGB COLOR MONITOR	99.95
ZENITH RGB COLOR MONITOR	389.95
USI 9" AMBER MONITOR	129-95
USI 9" GREEN MONITOR	119.95
USI 12" AMBER	149.95
USI 12" GREEN MONITOR	139.95
USI 9" AMBER MONITOR USI 9" GREEN MONITOR USI 12" AMBER USI 12" GREEN MONITOR USI 14" LO-RES COLOR	289.95

MODEMS

ANCHOR	MARK	I (R	S-232	2)	79.	95
ANCHOR	MARK	II (ATARI	L)	79.	.95
ANCHOR	MARK	III	(TI99	(4A)	99.	95
ANCHOR	MARK	V (0	SBORI	NE)	94.	95
ANCHOR	MARK	VI (IBM E	PC)	199.	. 95
ANCHOR	MARK	VII	(RS-2	2321	109.	95
ANCHOR	MARK	XII	(RS-2	232)	279.	.95
NOVATIO	ON J-C	:AT			104.	95
NOVATIO	ON 212	PUA S	O CAT	r :	579.	.95
SMARTCA	AT 212	(12	00 B/	AUD)	429.	. 95
SMARTM	ODEM 3	00 B	AUD		194.	95
SMARTM	ODEM '	1200	BAUD		484.	.95
SMARTM	DDEM 1	200B	- II	BM .	449.	.95
US ROB	OTICS	AUTO	DIAL	212	449.	95

PRINTERS

ANADEX DP-9725B COLOR/SC	RIBE
ANADEX DP-9625A ANADEX DP-9620A	1339.9
ANADEX WP-6000	2199.95 2329.95 NEWI! 539.95 569.95
ANADEX DP-6500TR 500CPS	2329.9
C.ITOH 8510SCP COLOR	NEW!
C.ITOH A 10 DAISY WHEEL	539.95
C.ITOH 8510SP	569.95
COMREX CR-I DAISY WHEEL	629.95
COMREX CR-II DAISY WHEEL	469.9 1129.9 1784.9
DIABLO 630R155	1704 05
EPSON FX-80 W/TRACTOR	LOW!!
EPSON FX-100 F/T	LOW!
EPSON LQ-1500 LETTER QUA	
EPSON MX-100 F/T	LOWI
EPSON RX-80	LOW!
EPSON RX-80 F/T	LOW!
GEMINI 10X	LOW!
GEMINI 15 X	LOW! !
GORILLA BANANA PRINTER	189.95
IDS MICROPRISM	479.9 1299.9 1499.9 549.9 599.9
IDS PRISM 132 IDS PRISM 132C - COLOR	1/00 05
JUKI 6100 PRINTER (P)	549.95
MANNESMANN TALLY MT160L	599.9
MANNESMANN TALLY MT180L	799.95 NEW!!
MANNESMANN TALLY MT440L	NEW!!
NEC 3550 SPINWRITER-IBM	1754.95
NEC 8025 120 CPS 136 COL	719.95
OKIDATA MICROLINE 80	719.95 299.95 1999.95 2199.95 2329.95 2499.95
OKIDATA PACEMARK 2350S	1999.95
OKIDATA PACEMARK 2350S	2199.9
OKIDATA PACEMARK 2410P OKIDATA PACEMARK 2410S	2329.9
OKIDATA PACEMARK 2410S OKIDATA 82A W/GRAPHICS	379.95
OKIDATA 83A W/GRAPHICS	379.9 579.9 1049.9 1129.9 449.9 729.9 829.9 1549.9
OKIDATA 84P	1049.95
OKIDATA 84S	1129.95
OKIDATA 92P	449.95
OKIDATA 93P	729.95
OKIDATA 93S	829.95
PRINTMASTER (DAISY)	1549.95
PROWRITER I PRINTER PROWRITER II PRINTER	619.9
OUADJET COLOR INK JET PR	
QUME SPRINT 11/40+	1399.9
SANYO PR5500 DAISY WHEEL	1399.9
SILVER-REED 550 DAISY	699.95
STAR DELTA-10 160CPS STARWRITER DAISY WHEEL	
STARWRITER DAISY WHEEL	1099.9
TOSHIBA P-1350 LP	1579 - 95
TRANSTAR 315 COLOR	449.9
TRANSTAR 120P 14CPS TRANSTAR 130P 18CPS	600 0
TRANSTAR 1405 40CPS	1220.00
EPSON SERIAL (RS-232)	134 9
GRAFITTI CARD	1099.95 1579.95 449.95 464.95 699.95 1229.95 134.95
GRAPPLER +	119.99
MICROBUFFER II 16K	144.95
PKASO INTERFACE	129.9
WIZARD BPO 16K	119.9 144.9 129.9
WIZARD SOB 16K	179.95
CONTROL DELIMPER	a. 7
OTHER PRINTERS AVAILA	TATES.

COMPLETE

ANADEX DP-9725B COLOR/SCRIBE	COMMODORE 64 LOW!! COMMODORE 1541 DRIVE LOW!! IRM PC LOW!!
ANADEX DD-96254 1339.95	COMMODORE 1541 DRIVE LOWIL
ANADEY DD-9620A 1129 95	IBM PC LOW!!
ANADEX DP-9625A 1339.95 ANADEX DP-9620A 1129.95 ANADEX WP-6000 2199.95 ANADEX DP-6500TR 500CPS 2329.95	IDM FC LOW::
ANADEA WE-0000 EDOCRE 2220 OF	COLUMNIA IN DODUNDIE 2240 OF
C THOU OF 10CCD COLOR	COLUMBIA VP PORTABLE 2349.95 COLUMBIA COMPLETE SYS. 2649.95
C. ITON 65 TUSCP COLOR NEW!!	COLUMBIA COMPLETE SIS. 2049.93
C.ITOH A 10 DAISY WHEEL 539.95	IBM-PC COMPATIBLE SYSTEM
C. ITOH 8510SP 569.95	12BK, 2-DS/DD DRIVES, KEYBOARD
COMREX CR-I DAISY WHEEL 629.95	AND COMPLETE SOFTWARE PACKAGE
C.ITOH 8510SCP COLOR NEW! C.ITOH 810SCP COLOR S995 669.95 COMREX CR-I DAISY WHEEL 669.95 COMREX CR-II DAISY WHEEL 669.95	
DAISEYWRITER 2000 1129.95	CORVUS CONCEPT MC68000 \$3199
DIABLO 630R155 1784.95	256K, 8" FLOPPY DRIVE
EPSON FX-80 W/TRACTOR LOW!!	COMPLETE SOFTWARE PACKAGE
DAISEYWRITER 2000 1129.95 DIABLO 630R155 1784.95 EPSON FX-80 W/TRACTOR LOW!! EPSON FX-100 F/T LOW!!	BI-DIRECTIONAL 8-1/2X11 SCREEN
	CORVUS CONCEPT 512K \$3599
EDSON MŶ=100 F/T	CONTROL CONCERT 512K #3333
EDSON DY-90	EAGLE PC II 128K SYSTEM 2649.95
EDCON DV -00 E/M	
EPSON KA-60 F/T LOW!!	EAGLE SPIRIT XL 3649.95
GEMINI TOX LOW!!	PORATABLE 128K RAM EXPANDABLE
GEMINI 15 X LOW!!	TO 640K RAM ON BOARD, 1 320K
EPSON LQ-15100 LETTER QUALITY EPSON MX-80 F/T LOW!! EPSON RX-80 F/T LOW!! GEMINI 10X LOW!! GEMINI 15X GORILLA BANANA PRINTER 189.95 IDS PRISM 132 1299.95	FLOPPY 10 MEGABYTE HARD DISK,
IDS MICROPRISM 479.95	IBM COMPATABLE KEYBOARD,
IDS PRISM 132 1299.95	MONOCHROME MONITOR, 2 SERIAL &
IDS PRISM 132C - COLOR 1499.95	1 PARALLEL PORT, MS DOS 2.0,
JUKI 6100 PRINTER (P) 549.95	GW BASIC, CP/M 86
MANNESMANN TALLY MT160L 599.95	KAYPRO II 1449.95
MANNESMANN TALLY MT180L 799.95	
MANNESMANN TALLY MT440L NEW!!	LEADING EDGE
NEC 3550 SPINWRITER-IBM 1754.95	IBM COMPATABLE COMPUTER
NEC 8025 120 CPS 136 COL 719.95	8088 MPC 7.16 MHz
OKIDATA MICROLINE 80 299.95	7 EXPANSION SLOTS, BUILT IN
OKIDATA PACEMARK 2350S 1999.95	CLOCK, PARALLEL AND SERIAL
OVIDAMA DACEMARY 23EOC 2100 OF	PORTS, 128K RAM, MONITOR,
OKIDATA PACEMARK 2410P 2329.95 OKIDATA PACEMARK 2410S 2499.95	
OKIDATA PACEMARK 24 10P 2329.95	WORD PROCESSING SOFTWARE.
UKIDATA PACEMARK 24105 2499.93	
	CALL FOR LOW PRICE!
OKIDATA 82A W/GRAPHICS 379.95	
OKIDATA 82A W/GRAPHICS 379.95 OKIDATA 83A W/GRAPHICS 579.95	
OKIDATA 82A W/GRAPHICS 379.95 OKIDATA 83A W/GRAPHICS 579.95 OKIDATA 84P 1049.95	
OKIDATA 82A W/GRAPHICS 379.95 OKIDATA 84P 1049.95 OKIDATA 84S 1129.95	
OKIDATA 82A W/GRAPHICS 379.95 OKIDATA 83A W/GRAPHICS 579.95 OKIDATA 845 1049.95 OKIDATA 92F 449.95	NEC APC-H01 \$2049 NEC APC-H02 \$2549 NEC APC-H03 \$3049
OKIDATA 82A W/GRAPHICS 379.95 OKIDATA 83A W/GRAPHICS 579.95 OKIDATA 84F 1049.95 OKIDATA 84S 1129.95 OKIDATA 92P 449.95 OKIDATA 93P 729.95	NEC APC-H01 \$2049 NEC APC-H02 \$2549 NEC APC-H03 \$3049
OKIDATA 82A W/GRAPHICS 379.95 OKIDATA 83A W/GRAPHICS 579.95 OKIDATA 84P 1049.95 OKIDATA 84S 1129.95 OKIDATA 92P 449.95 OKIDATA 93P 729.95 OKIDATA 93S 829.95	NEC APC-H01 \$2049 NEC APC-H02 \$2549 NEC APC-H03 \$3049
OKIDATA 82A W/GRAPHICS 379.95 OKIDATA 83A W/GRAPHICS 579.95 OKIDATA 84F 1129.95 OKIDATA 92P 449.95 OKIDATA 93P 729.95 OKIDATA 93S 829.95 PRINTMASTER (DAISY) 1549.95	
OKIDATA 83A W/GRAPHICS OKIDATA 83A W/GRAPHICS OKIDATA 84P OKIDATA 84S OKIDATA 94S OKIDATA 92P OKIDATA 93P OKIDATA 93F PRINTMASTER (DAISY) PROWRITER I PRINTER 379.95 579.95 649.95 729.95 729.95 729.95 729.95 729.95 729.95	NEC APC-H01 \$2049 NEC APC-H02 \$2549 NEC APC-H03 \$3049
OKIDATA 82A W/GRAPHICS 379.95 OKIDATA 83A W/GRAPHICS 579.95 OKIDATA 84F 1129.95 OKIDATA 92P 449.95 OKIDATA 93P 729.95 OKIDATA 93S 829.95 PRINTMASTER (DAISY) 1549.95 PROWRITER I PRINTER 344.95 PROWRITER I PRINTER 619.95	NEC APC-H01 \$2049 NEC APC-H02 \$2549 NEC APC-H03 \$3049 SANYO MBC 550 SYSTEM 769.95 SANYO WBC-1000 1529.95 TELEVIDEO 16-BIT DESKTOP
OKIDATA 83A W/GRAPHICS OKIDATA 83A W/GRAPHICS OKIDATA 84F OKIDATA 84S OKIDATA 92P OKIDATA 93P OKIDATA 93P OKIDATA 93P FRINTMASTER (DAISY) PROWRITER I PRINTER FROWRITER II PRINTER FROWRITER II PRINTER 619.95	NEC APC-H01 \$2049 NEC APC-H02 \$2549 NEC APC-H03 \$3049 SANYO MBC 550 SYSTEM 769.95 SANYO WBC-1000 16-BIT DESKTOP 128K 8088 5MHZ DUAL 360X DRIVES
OKIDATA 83A W/GRAPHICS 379.95 OKIDATA 83A W/GRAPHICS 579.95 OKIDATA 845 1049.95 OKIDATA 845 1129.95 OKIDATA 92P 449.95 OKIDATA 93P 729.95 OKIDATA 93P 829.95 PRINTMASTER (DAISY) 1549.95 PROWRITER I PRINTER 549.95 PROWRITER I PRINTER 619.95 OUADJET COLOR INK JET PRINTER	NEC APC-H01 \$2049 NEC APC-H02 \$2549 NEC APC-H03 \$3049 SANYO MBC 550 SYSTEM 769.95 SANYO WBC-1000 1529.95 TELEVIDEO 16-BIT DESKTOP
OKIDATA 83A W/GRAPHICS 379.95 OKIDATA 83A W/GRAPHICS 579.95 OKIDATA 845 1129.95 OKIDATA 92P 449.95 OKIDATA 93P 729.95 OKIDATA 93B 829.95 PRINTMASTER (DAISY) 1549.95 PROWRITER I PRINTER 344.95 PROWRITER II PRINTER 619.95 QUME SPRINT 11/40+ 1399.95	NEC APC-H01 \$2049 NEC APC-H02 \$2549 NEC APC-H03 \$3049 SANYO MBC 550 SYSTEM 769.95 SANYO WBC-1000 16-BIT DESKTOP 128K 8088 5MHZ DUAL 360K DRIVES INCLUDES CP/M \$3499.95
OKIDATA 83A W/GRAPHICS 379.95 OKIDATA 83A W/GRAPHICS 579.95 OKIDATA 845 1049.95 OKIDATA 845 1129.95 OKIDATA 92P 449.95 OKIDATA 93P 729.95 OKIDATA 93P 729.95 OKIDATA 93P 829.95 PRINTMASTER (DAISY) 1549.95 PROWRITER I PRINTER 619.95 PROWRITER I PRINTER 619.95 QUADJET COLOR INK JET PRINTER QUME SPRINT 11/40+ 1399.95 SANYO PR\$500 DAISY WHEEL. 659.95	NEC APC-H01 \$2049 NEC APC-H02 \$2549 NEC APC-H03 \$3049 SANYO MBC 550 SYSTEM 769.95 SANYO WBC-1000 1529.95 TELEVIDEO 16-BIT DESKTOP 128K 8088 5MHZ DUAL 360K DRIVES INCEUDES CP/M \$3499.95 TELEVIDEO 910 TERMINAL 549.95
OKIDATA 83A W/GRAPHICS 379.95 OKIDATA 83A W/GRAPHICS 579.95 OKIDATA 84S 1049.95 OKIDATA 84S 1129.95 OKIDATA 92P 449.95 OKIDATA 93P 729.95 OKIDATA 93P 729.95 OKIDATA 93B 829.95 PRINTMASTER (DAISY) 1549.95 PROWRITER I PRINTER 619.95 PROWRITER II PRINTER 619.95 QUADJET COLOR INK JET PRINTER QUME SPRINT 11/40+ 1399.95 SANYO PR\$500 DAISY WHEEL 659.95 SILVER-REED 550 DAISY 699.95 SILVER-REED 550 DAISY 999.95	NEC APC-H01 \$2049 NEC APC-H02 \$2549 NEC APC-H03 \$3049 SANYO MBC 550 SYSTEM 5529.95 TELEVIDEO 16-BIT DESKTOP 128K 8088 5MHZ DUAL 360K DRIVES INCLUDES CP/M \$3499.95 TELEVIDEO 910 TERMINAL 549.95 TELEVIDEO 920 TERMINAL 789.95 TELEVIDEO 920 TERMINAL 789.95
OKIDATA 83A W/GRAPHICS 379.95 OKIDATA 83A W/GRAPHICS 579.95 OKIDATA 84S 1049.95 OKIDATA 84S 1129.95 OKIDATA 92P 449.95 OKIDATA 93P 729.95 OKIDATA 93P 729.95 OKIDATA 93B 829.95 PRINTMASTER (DAISY) 1549.95 PROWRITER I PRINTER 619.95 PROWRITER II PRINTER 619.95 QUADJET COLOR INK JET PRINTER QUME SPRINT 11/40+ 1399.95 SANYO PR\$500 DAISY WHEEL 659.95 SILVER-REED 550 DAISY 699.95 SILVER-REED 550 DAISY 999.95	NEC APC-H01 \$2049 NEC APC-H02 \$2549 NEC APC-H03 \$3049 SANYO MBC 550 SYSTEM 5529.95 TELEVIDEO 16-BIT DESKTOP 128K 8088 5MHZ DUAL 360K DRIVES INCLUDES CP/M \$3499.95 TELEVIDEO 910 TERMINAL 549.95 TELEVIDEO 920 TERMINAL 789.95 TELEVIDEO 920 TERMINAL 789.95
OKIDATA 83A W/GRAPHICS 379.95 OKIDATA 83A W/GRAPHICS 579.95 OKIDATA 84S 1049.95 OKIDATA 84S 1129.95 OKIDATA 92P 449.95 OKIDATA 93P 729.95 OKIDATA 93P 729.95 OKIDATA 93B 829.95 PRINTMASTER (DAISY) 1549.95 PROWRITER I PRINTER 619.95 PROWRITER II PRINTER 619.95 QUADJET COLOR INK JET PRINTER QUME SPRINT 11/40+ 1399.95 SANYO PR\$500 DAISY WHEEL 659.95 SILVER-REED 550 DAISY 699.95 SILVER-REED 550 DAISY 999.95	NEC APC-H01 \$2049 NEC APC-H02 \$2549 NEC APC-H03 \$3049 SANYO MBC 550 SYSTEM 5529.95 TELEVIDEO 16-BIT DESKTOP 128K 8088 5MHZ DUAL 360K DRIVES INCLUDES CP/M \$3499.95 TELEVIDEO 910 TERMINAL 549.95 TELEVIDEO 920 TERMINAL 789.95 TELEVIDEO 920 TERMINAL 789.95
OKIDATA 83A W/GRAPHICS 379.95 OKIDATA 83A W/GRAPHICS 579.95 OKIDATA 84S 1049.95 OKIDATA 84S 1129.95 OKIDATA 92P 449.95 OKIDATA 93P 729.95 OKIDATA 93P 729.95 OKIDATA 93B 829.95 PRINTMASTER (DAISY) 1549.95 PROWRITER I PRINTER 619.95 PROWRITER II PRINTER 619.95 QUADJET COLOR INK JET PRINTER QUME SPRINT 11/40+ 1399.95 SANYO PR\$500 DAISY WHEEL 659.95 SILVER-REED 550 DAISY 699.95 SILVER-REED 550 DAISY 999.95	NEC APC-H01 \$2049 NEC APC-H02 \$2549 NEC APC-H03 \$3049 SANYO MBC 550 SYSTEM 5529.95 TELEVIDEO 16-BIT DESKTOP 128K 8088 5MHZ DUAL 360K DRIVES INCLUDES CP/M \$3499.95 TELEVIDEO 910 TERMINAL 549.95 TELEVIDEO 920 TERMINAL 789.95 TELEVIDEO 920 TERMINAL 789.95
OKIDATA 83A W/GRAPHICS 379.95 OKIDATA 83A W/GRAPHICS 579.95 OKIDATA 84S 1049.95 OKIDATA 84S 1129.95 OKIDATA 92P 449.95 OKIDATA 93P 729.95 OKIDATA 93P 729.95 OKIDATA 93B 829.95 PRINTMASTER (DAISY) 1549.95 PROWRITER I PRINTER 619.95 PROWRITER II PRINTER 619.95 QUADJET COLOR INK JET PRINTER QUME SPRINT 11/40+ 1399.95 SANYO PR\$500 DAISY WHEEL 659.95 SILVER-REED 550 DAISY 699.95 SILVER-REED 550 DAISY 999.95	NEC APC-H01 \$2049 NEC APC-H02 \$2549 NEC APC-H03 \$3049 SANYO MBC 550 SYSTEM 5529.95 TELEVIDEO 16-BIT DESKTOP 128K 8088 5MHZ DUAL 360K DRIVES INCLUDES CP/M \$3499.95 TELEVIDEO 910 TERMINAL 549.95 TELEVIDEO 920 TERMINAL 789.95 TELEVIDEO 920 TERMINAL 789.95
OKIDATA 83A W/GRAPHICS OKIDATA 83A W/GRAPHICS OKIDATA 84F OKIDATA 84S OKIDATA 84S OKIDATA 92P OKIDATA 93P OKIDATA 93P OKIDATA 93P OKIDATA 93P OKIDATA 93P OKIDATA 93S PRINTMASTER (DAISY) PROWRITER I PRINTER QUADJET COLOR INK JET PRINTER QUME SPRINT 11/40+ SANYO PR5500 DAISY STAR DELTA-10 160CPS STARWRITER DAISY WHEEL STARWRITER DAISY WHEEL TOSHIBA P-1350 LP TOSHIBA P-1350 LP TRANSTAR 315 COLOR 449-95 1579-95 1579-95 1579-95 1579-95 1579-95 1579-95 1579-95 1579-95 1579-95 1649-95	NEC APC-H01 \$2049 NEC APC-H02 \$2549 NEC APC-H03 \$3049 SANYO MBC 550 SYSTEM 5529.95 TELEVIDEO 16-BIT DESKTOP 128K 8088 5MHZ DUAL 360K DRIVES INCLUDES CP/M \$3499.95 TELEVIDEO 910 TERMINAL 549.95 TELEVIDEO 920 TERMINAL 789.95 TELEVIDEO 920 TERMINAL 789.95

RRS	10000	
nc.	APPLE	HARDWA

ODORE 64 ODORE 1541 DRIVE	LOW!!	ALS CP/M CARD	
ODORE 1541 DRIVE	LOW!!	AMDEK AMDISK 3" DISK DR	
PC	LOW!!	APPLE-CAT II APPLE DUMPLING GX	264.95
		APPLE DUMPLING GX	119.95
MBIA VP PORTABLE	2349.95	4TH DIMENSION DRIVE+CTRL	289.95
MBIA COMPLETE SYS.	2649.95	4TH DIMENSION DRIVE-ONLY	
BM-PC COMPATIBLE SYST		HAYES MICROMODEM IIe	
, 2-DS/DD DRIVES, KE		KENSINGTON SYSTEM SAVER	
COMPLETE SOFTWARE P			
COMPLETE SOFTWARE P	HUNNGE	KOALA GR/TABLET W/SFTWR	
	***	LAZER MICROSYSTEM DRIVE	
US CONCEPT MC68000		MICRO-SCI A2 DRIVE ONLY	239.95
256K, 8" FLOPPY DRIV		MICRO-SCI A2 W/CTRL-CARD	
COMPLETE SOFTWARE PACE		MOUNTAIN MUSIC SYSTEM	
IRECTIONAL 8-1/2X11		ORANGE MICRO SMART CARD	NEW!!
US CONCEPT 512K	\$3599	PREMIUM SOFTCARD IIe	334.95
		OUADRAM 64K8UCOL CRD IIe	124.95
E PC II 128K SYSTEM :	2649.95	RANA ELITE I W/CTRL-CARD	349.95
E SPIRIT XL		RANA ELITE II W/CTRL	
ATABLE 128K RAM EXP			
640K RAM ON BOARD,		SOUNDCHASER MUSIC SYSTEM	
PPY 10 MEGABYTE HAR			
		SOFTCARD (Z-80 CARD) SWEET P PLOTIER	234.95
COMPATABLE KE			
OCHROME MONITOR, 2 SI		TG JOYSTICK W/TOGGLE IIe	49.95
PARALLEL PORT, MS DO:	S 2.0,	TRANSMODEM 1200 WICO APPLE MOUSE	499.95
BASIC, CP/M 86		WICO APPLE MOUSE	124.95
BASIC, CP/M 86 RO II	1449.95		
		TRM	

KOALA PAD TOUCH TABLET	99.95
KRAFT JOYSTICK	54.95
MICROSOFT SYSTEMCRD 256K	449.95
MICROSOFT MOUSE	134.95
MOUSE SYSTEMS PC MOUSE	224.95
QUADLINK APPLE EMULATOR	489.9
QUADRAM QUADBOARD I 64K	289.95
QUADRAM QUADCOLOR I	229.9
QUADRAM QUADCHROME MON	524.9
	1549.9
RANA DS/DD DISK DRIVE	259.9
STB SUPER I/O MULTIFUNCT	169.95
TG JOYSTICK W/TOGGLE	49.9
TRANSEND P.C. MODEM 1200	399.9
VERSAWRITER GRAPH TABLET	239.9
WIZARD SPOOLER P/S 16K	239.9

CRM64 HARDWARE

CARDBOARD/5 5 SLOT EXPAN.	54.95
CARD? GRAPHICS INTERFACE	
DATA20 Z80 VIDEOPAK	224.95
GRAPPLER CD NEW PRINT INT	
KOALA GRAPH TABLET W/SFT	
MSD-SD1 DISK DRIVE	
VOICE BOX	99.95

APPLE //e NOW AVAILABLE

WILDCAT STARTER SYSTEM 64K 2DR. 6502 & Z80 APPLE-CLONE 1499.95

SS/SD	ELEPHANT	16.95	OPUS	15.95
	ELEPHANT			
DS/DD	ELEPHANT	25, 95	OPUS	24.95

We will try to meet or beat any advertised price! CALL US... WE CAN HELP! 1-800-222-2602

For technical assistance, order status and California calls (619) 765-0239 Apple Country, Ltd., P.O. Box 1099, 2602 Washington St., Julian, Calif. 92036

Terms: We accept American Express. No extra charge for Visa/MasterCard, Cashier's Check, personal check (allow 2 weeks to clear) Shipping & Handling: 5% (\$5 min.); APO FPO Alaska Hawaii & Monitors 5% (\$10 min.) Foreign orders 15% (\$15 min.) All items are new with manufacturer's warranty. Prices are subject to availability & change without notice. Purchase order must include check. California residents add 6% sales tax. Send \$1 (good toward first purchase) for new fall catalog.

Apple Country, Ltd. is a DISCOUNT MAIL ORDER HOUSE for the micro computer industry and is a California corporation not affiliated with Apple Computer Inc. Apple is a trademark of Apple Computer Inc.



Circle 42 on inquiry card.



Circle 80 on inquiry card.





Circle 79 on inquiry card.



Circle 81 on inquiry card.



- A full featured DEC VT100° terminal emulator on IBM PC or IBM XT.
- Transfer text files between host and IBM PC or IBM XT.
- Very easy to use. Complete user documentation.
- To use PC-LINK program, the PC needs to have at least one disk drive, IBM DOS IBM monochrome or color display, a RS232 port, telephone modem or direct connect.
- Support baud rate up to 1200 baud.
- \$60.00 +\$5.00 for shipping & handling.
- Inquire about source license.

SCREENWARE CORPORATION

P.O. BOX 3662 NASHUA, NH 03061-3662

Tel. 603-888-4074

Callel Familiant Calos Flo

Circle 316 on inquiry card.



We're bringing in the New Year with specials on quality 3M information processing products. Including:

• DISKETTES • MAG TAPE • DATA CARTRIDGES

PLUS! Specials on many other products in our full-range discount catalog of computer supplies. Call, write, or utilize reader service to obtain your FREE catalog of 1984 3M Specials.

LYBEN COMPUTER SYSTEMS

1250-E Rankin Dr., Troy, MI 48083 Phone: (313) 589-3440


Simply #1 in Service & Reliability

Authorized Distributor Information Processing Products

Circle 228 on inquiry card.




Circle 82 on inquiry card.



CONTROL COMPUTER

that features:

- 6502 MPU
- 55K DRAM
- 2K to 8K EPROM
- 4 Parallel I/O Ports
- 1 Serial I/O Port
- 4 Timer/Counters
- Same Bus as SLIM, AIM



This board can stand alone or be expanded with JOHN BELL ENGINEERING, INC. peripherals.

- 6 Slot Mother Board #81-320
- Analog I/O Interface #81-292
- 12 Port Parallel I/O #82-036

The board is 4.5" × 6.5" Solder mask both sides with gold fingers. Power 5 VDC 700 MA. This board has power on reset and a crystal clock running at 1.2288 mhz. One of the 6522's is used to generate baud rates from 110 to 9600.

USES:

- Security Systems
- Heat control
- Light control
- Solar Systems
- Industrial Robot
- Lab experiments
- Automated slide show
- Personal Computer

PRICE:

#83-230A Assembled \$299.95 #83-230B Bare Board \$ 49.95



JOHN BELL ENGINEERING, INC.

To order: Send check or money order. Add 6.5% tax in California. Add 5% shipping for orders less than \$100 or 3% for orders over \$100 or 10% outside U.S.A. Phone orders: We accept Visa or MC. Add \$2.00 for C.O.D. Will Call Hours 9am to 4pm. Call 415-592-8411. JOHN BELL ENGINEERING, INC. 1014 CENTER ST. SAN CARLOS, CA 94070.

Circle 41 on inquiry card. BYTE January 1984



DEALER INQUIRIES INVITED

5 /4	PRICE/10
104/1	1 SIDE/SGL DENS \$35.00
104/1D	1 SIDE/DBL DENS\$37.00
104/2D	2 SIDES/DBL DENS\$43.90
204/1D	1 SIDE/QUAD 96 TP1 \$43.90
204/2D	2 SIDES/QUAD 96 TPI\$51.30

8"

3740/1	1	SIDE/SGL DENS\$36.50
3740/1D	1	SIDE/DBL DENS , \$45.20
3740/2D	2	SIDES/DBL DENS\$52.70
Checks	-VI	SA-MC-C.O.D./Add \$2 Shipping
Call or		site for our discount estalog

LYBEN COMPUTER SYSTEMS

1250-E Rankin Dr., Troy, MI 48083 Phone: (313) 589-3440


THE DYSAN DISKETTE STANDARD AT AN AFFORDABLE PRICE

Circle 229 on inquiry card.



FLEXIBLE DISCS

WE WILL NOT BE UNDER-SOLD!! Call Free (800)235-4137 for prices and information. Dealer inquiries invited and C.O.D's accepted.



Circle 278 on inquiry card.

SUPER FAST! Z80 DISASSEMBLER

- Two pass operation generates labels at referenced locations.
- Generates Zilog mnemonics.
- Allows user defined labels.
- Allows define byte, define word and define space directives.
- COMPLETE cross-reference
- Output to console, list or disk device(s) in any combination.
- Generates mnemonics for CP/M system calls.
- Start and stop at any location in file.
- Source or complete listing type output.

Most formats available for Z80 CP/M, CDOS, and TURBODOS.

Circle 326 on inquiry card.

5 L R__5vstems

For more information or to order call: 1-800-833-3061

In PA, (412) 282-0864 1622 North Main Street, Butler, PA 16001

Command Services exclusively repairs

Tandon and Shugart
disk drives. We are
affordable, fast and experienced. For service, call toll free: M-F, 9 a.m.-5 p.m., 7-9 p.m. 1-800-782-5500 In New York State call: 1-800-328-1800

Command Services Corporation 7143 Henry Clay Blvd. Liverpool, New York 13088 315-457-1432



Manual Answer

Manual Originate

Auto Mode Select

Auto Speed Select

Direct Connect

Auto Dial

Auto Answer

Circle 68 on inquiry card.

WHOLESALE MODEMS

U. S. Robotics 1200/300 Baud PASSWORD MODEM SALE!

\$349.00

Oty 1 Oty 2

Password Features:

- Free RS232 Cable Phone Cable Included
- 2 Year Warranty
- 1200/300 Baud
- Bell 212A Compat.
- Bell 103/113 Compat.
- Full/Half Duplex
 - Software Available

Free Shipping and Handling in Continental U.S.A.!

Call 1-(801) 298-0872 Rush Check or Money Order To: C. R. E. Wholesale Products P. O. Box 361 N.S.L., Ut. 84054

Circle 117 on inquiry card.

LIFETIME WARRANTY

GENERIC SERIAL **COMMUNICATION CARD**

For Apple II+° and Apple IIe°

The Generic Serial Communication Card The Generic Serial Communication Card (GSCC) is an asynchronous device that supports all protocol needed for full handshake communication (Hardware DTR, CTS, RTS and Software XON, XOFF). The board features 3 selectable options: Baud Rate from 110 to 9600, Full or Half Duplex and Auto Linefeed On or Off that are software selectable. And the 3 options can be controlled without burning a new EPROM.

Special Introductory

plus shipping and handling. Dealer Pricing Available.

Computer Technology Associates



New Products Division 1704 Moon, N.E. Albuquerque, N.M. 87112 (505) 298-0942

Specifications subject to change without notice.
Apple is a registered trademark of Apple
Computer, Inc.

VISA/MC/AE Accepted

Circle 101 on inquiry card.

Fast ANALOG I/O

8 channels A/D & 8 channels D/A.Sampling rates up to YMHz. 8 bits. Analog channels act as memory or I/O locations. Fits most com-puters which provide access to data and address lines (C64, Apple, Timex, TRS80...) Box & cable available. \$220.



FFT-SCOPE-A/D-D/A

A unique peripheral which transforms the low cost Timex 1500 & printer Into a powerful 155K samples/sec instrumentation, signal process ing & control system. Free catalog, call orwrite. I/O& EPROM boards& 70pg docs:.... \$288.

omputer

ontinuum

Sixteenth Avenue Francisco, CA 94118

(415) 752-6294

Circle 89 on inquiry card.

SUPER PRICES SUPER MICROS



SAGE N computers use the 68000 CPU, come with UCSO p-System, PASCAL, Macro Assembler, Multi-user system, Word processor, Spreadsheet, expandable to 1mb RAM.

Available SAGE configurations include

2 640K floppies & 256K RAM 1 floppy, 256K RAM, 6mb Hard disk 1 floppy, 256K RAM, 18mb Hard disk \$5840

BIG BROTHER'S SPECIAL-With Hard Disk SAGE:

A Freedom 100 Terminal or Okidata 92 Printer or Rebate

FREE FREE \$400

As software developers and authorized SAGE dealers we offer customer support.

MARITIME SOFTWARE ASSOCIATES

(503) 929-2552

6660 Reservoir Road Corvallis, OR 97333



Circle 468 on inquiry card.

6 Year Warranty - 100% Certified IVERED PRICES

SSSD

\$170 SSDD 100/Gase

BULK DSDD

Free shipping in continental USA Call for quantity discounts. We accept money orders, certified checks, VISA and MasterCard. Personal checks accepted, but take two weeks to clear bank, N.D. add 4%.



Software Services'

1326 - 25th St. S., Suite H Fargo, ND 58103 1-800-634-2248

Circle 332 on inquiry card.

Hewlett Packard

Write or call for prices.



529

SPECIALS on INTREGATED CIRCUITS

6502	7.45	10/6.95	50/6.55	100/6.15
6520 PIA	5.15	10/4.90	50/ 4.45	100/4.15
6522 VIA	6.45	10/6.10	50/ 5.75	100/5.45
2716 EPROM		4.45	5/ 4.20	10/3.95
2532 EPROM		5.90	5/ 5.75	10/ 5.45
6116 2K×8 CMOS	RAM	6.45	5/6.20	10/ 5.95
4116 RAM	8	7		8 for 14
41 64 RAM	- n	1	_	6.00
	11		-	



hest price-performance values

DC Hayes Smartmodern 1200/300



ocot prior perior marios values.		
Dealer and OEM inquiries in	vited	
Volksmodem with computer cable	(99)	68
Mark VI for IBM Personal Computer	(279)	139
Mark VII Auto Dial/Auto Answer	(159)	99
Mark XII Smart Model 1200/300	(399)	299
DC HAYES Smartmodem		210

All Signalman Modems are Direct Connect, and provide the



	0
PROM OUEEN for VIC	170
Apple Emulator for Commodore 64	Call
STAT Statistics Package for C64	95
Solid Oak 2 Level Stand for C64 or VIC	29
C64/VIC Switch (networking)	129
BACKUP VI.O tape copier for C64 or VIC	20
CARDBOARD/6 Motherboard - VIC	64
CARDBOARD/5 Motherboard - C64	56
CARD PRINT G Printer Int. with Graphics	72
CARD PRINT B Printer Interface—C64/VIC	40
CARDBOARD/3s Motherboard - VIC	22
CARDCO C64/VIC Calculator Keypad	32
CARDRAM/16 RAM Expansion - VIC	44
Complete CARDCO Line in stock	
CIE and VIE IEEE Interfaces in stock	
MSD SuperDrive for C64 or IEEE	365
MAE Assembler for C64	50
Koala Touch Tablet—C64 or V1C	79
CBC 4/12 12-bit A to D Board + Software	199
Multiplan for C64	79
Dust Cover for C64 of VIC	6
	T 14 0
APPLE—FRANKLIN IT	FM2
FRANKLIN-complete line in stock	-

Dust Cover for C64 of VIC	6
APPLE—FRANKLIN FRANKLIN—complete line in stock	ITEMS
QUENTIN Drives for Apple/Franklin	219
Swapper Stopper	26
automatic switch between paddles and joys	stick
KRAFT Apple Joystick	40
Kraft Apple Paddle Pair	30
Koafa Touch Tablet-Apple/Franklin	90
SPINNAKER Software in stock	
Broderbund Software in stock	
16K RAM Card for Apple	59
Multiplan-Microsoft	185
Solid Oak 2 Level Stand for Apple	29
Serial Card for Apple	89
MCP RAM/80 column card for He (AP/TXT)	139
Z80 Softcard and CP/M (Microsoft)	235
RANA Elite I with Controller	389
Parallel Printer Interface/Cable	69
Microtek and MCP Interfaces in stock	
Grappier + Interface	129
Kraft Products for Apple in stock	299
DC Hayes Micromodem II	299

Gcommodore

See us for Personal, Business, and Educational requirements. Educational Discounts available.

PETSCAN I \$245 base price

Allows you to connect up to 30 CBM/PET Computers to shared disk drives and printers. Completely transparent to the user. Perfect for schools or multiple word processing configurations. Base configuration supports 2 computers. Additional computer hookups \$100 each.

COMPACK/STCP \$115
Intelligent Terminal Package for PET, CBM, C64

Includes ACIA Hardware / STCP Software

SCREEN MAKER 80 Column Adapter for C64 145

Provides big screen capability for business application	ons.
GENESIS Computer Corp	
ViController (for C64 as well)	50
combine with BSR modules for home or business	control
COMSENSE Remote Sensing AdapterforC64 orVIC	35
COM VOICE Synthesizer for C64 or VIC	139
includes software for text to speech, pitch, etc. COM CLOCK Real Time Clock with battery backup	45

COM VOICE Synthesizer for C64 or VIC includes software for text to speech, pitch, etc.		139	
COM CLOCK Real Tir	ne Cioc	k with battery backup	45
VIC 20 Products and S	Software	In stock	
Thorn EMI Sottware		UMI Software	
ABACUS Software		HES Software	
16K RAM for VIC	64	Vanilla Pilot	27
VICTORY	Softwar	e for VIC and C64	
Metamorphosis	16	Creator's Revenue	16

VICTORY S	oftwar	e for V1C and C64	
Metamorphosis	16	Creator's Revenge	16
Labyrinth of Creator	16	Galactic Conquest	16
Kongo Kong	· 16	Annihilator	16
Chomper Man	16	Grave Robbers	13
Bounty Hunter	16	Adventure Pack For II	16
PAPER CLIP Word Pr	000880	[99
ORACLE Data Base fr	om Bat	teries included	109
Super BusCard from B	latterle	es Included	159
Commodore 64 Progra	mmers	Reference Guide	16
MicroChess for C64-			19
excellent graphics a			
SPINNAKER Software			
Computel's First Book	OF PE	/GBM	11
C64 or VIC SWITCH		T (00.14	129
POWER ROM Utilities			78
WordPro 3+/64 with			85
WordPro 4+ - 8032, d			295
SPELLMASTER spelling			
VISICALC for PET, AT			189
PET-TRAX PET to Eps			40
SM-KIT enhanced PET			40
Programmers Toolkit -	PET R	OM Utilities	35
EASY CALC for C64			65
PET Spacemaker II RC	M Sw	itch	36
COPYWRITER Word P	rocess	or for C64	69
2 Meter PET to IEEE of			40
Dust Cover for PET, CE	3M, 40	40, or 8050	8
CmC Interfaces (ADA1	800,	ADA145D, SADI in stoc	kj
Programming the PET/	CBM (C	Compute!) — R. West	20
Computel's Machine La	anguag	e for Beginners	11
MILITIPIAN for C64	-	-	79

HES Software and Hardware in stock UMI products in stock		
FlexFile for PET/CBM/ C64 Database, Report Writer with calculations, Mailing		50
FORTH for PET/C64 full FIG model — Cargill/Riley Metacompiler for FORTH for independent object coo		\$50 30
KMMM PASCAL IV.1 for PET/CBM/C64 EARL for PET/CBM Disk-based ASSEMBLER		95 65
Super Graphics — BASIC Language Extensions Fast machine language graphics routines for PET/	СВМ	45
RAM/ROM for PET/CBM 4K \$75	8K	\$90

65

DISK SPECIALS



Scotch (3M) 5" ss/dd	10/ 2.20 50/ 2.00 100/ 1.95	
Scotch (3M) 5" ds/dd	10/ 3.05 50/ 2.80 100/ 2.75	
Scotch (3M) 8" ss/sd	10/ 2.30 50/ 2.10 100/ 2.06	
Scotch (3M) 8" ss/dd	10/ 2.85 50/ 2.70 100/ 2.65	

We stock VERBATIM DISKS Write for Dealer and DEM prices.

Sentinal 5" ss/dd 10/ 1.90 50/ 1.85 100/ 1.80 Sentinal 5" ds/dd 10/ 2.55 50/ 2.50 100/ 2.45

We stock Dysan disks

Wabash 5" ss/sd 10/ 1.60 50/ 1.55 100/ 1.45 Wabash 5" ss/dd 10/ 1.90 50/ 1.85 100/ 1.75 Wabash 8" ss/sd 10/ 2.00 50/ 1.95 100/ 1.85

We stock MAXELL DISKS Write for dealer and DEM prices.

Disk Storage Pages 10 for \$5 Hub Rings 50 for \$6
Disk Library Cases 8"—3.00 5"—2.25
Head Cleaning Kits 12
AMARAY Disk Storage Systems in stock
Innovative Concepts FLIP 'N' FILES in stock

CASSETTE TAPES—AGFA PE-611 PREMIUM C-10 10/.61 50/.58 100/.50 C-30 10/.85 50/.82 100/.70

DATASHIELD BACKUP POWER SOURCE \$265
Battery back up Uninterruptible Power Supply with surge and noise filtering. The answer to your power problems.

MultiPlan—IBM or Apple	185
Quadboard for IBM available	
KOALA Touch Tablets-Apple, Atari, IBM, CBM	
Peachtext 5000 Software Package	209
PFS Software for IBM and Apple in stock	
VOTRAX Personal Speech System	280
BMC 9191 Color Monitor	229
BMC 12A 12" Green Monitor	79
Brother HR-75 Daisy Wheel Printer	769
Oynex (Brother) OX-15 Delay Wheel Printer	469
Itoh Prowriter Parallel Printer	379
Panasonic 1090 Printer with Correspondence Mode	279
Daisywriter 2000 with 48K buffer	1020
Gemini 1 OX	299
EPSDN, Okidata, Star Micronics printers in stock	
USI CompuMOD 4 R F Modulator	29
We Stock AMDEK Monitors	
Amdek DXY-100 Plotter	590
A P Products 1	5% OFF
COMPUTER COVERUPS IN STOCK	
BROOKS 6 Outlet Surge Suppressor/Noise Filter	54
Surge Suppressor-6 outlet	29
Electrohome 1302-2 13" Hi-res RGB Monitor	335
Panasonic 12" Monitor (20 MHz) with audio	135
Synertek SYM-1 Microcomputer	189
ALL BOOK and SOFTWARE PRICES DISCO	UNTED

USI Video Monitors—Green or AMBER 20 MHz hi-res. Dealer and OEM inquiries invited



ZVM-122A	109	ZVM-123G	95
ZVM-131	300	ZVM-135	510
HERO 1 Robot (fa	actory assen	nbled)	2145
Z29 Terminal (DE	C and ADM	compatible)	680
ZT-10 Intel. Term			340
Z100 16-bit/8-bit	Systems		CALL
We stock entire 2			

ATARI — WE STOCK ENTIRE LINE

SPINNAKER and Broderbund Software in Stock

215-822-7727 252 Bethlehem Pike Colmar, PA 18915

A B Computers

95

95

209

HES MODEM with Software

WRITE FOR CATALOG. Add \$1.50 per order for United Parcel We pay balance of UPS surface shipping charges on all prepaid orders (add extra for mail. APO/FPO, air). Prices include cash discount Regular prices slightly higher Prices subject to change

Videx 80 Column Card

PFS: File

PFS: Report

Apple Blue Book

RTL

Relocatable Threaded Language

RTL is a new language which retains the speed and extensibility of Forth but adds many additional advantages as a result of its more structured dictionary. Names, code, and variables are all stored in separate areas for easy generation of headerless, romable code. All code is relocatable. RTL supports local variables, multitasking, redirected I/O, and even allows definitions to be changed retroactively. All source code is included. Versions are currently available or under development for 68000, 6809, 8080, 280, 8086, 8088, and 6502.

RTL Programming Aids 10844 Deerwood SE Lowell, MI 49331 (616) 897-5672

Circle 309 on inquiry card.



Circle 177 on inquiry card.





RS232C Computer compatible Paper Tape Transmitter/Model 612

Stops and starts on character at all speeds, uses manual control or X-on, X-off 90-260 volt, 50-60 Hz power, 50-9600 baud, up to 150 char/sec synchronous or asynchronous; gated internal or external clock, RS 232C, current loop or parallel output, reads 5-8 level tape, 7-11 frames per character, even or odd parity. Desk top or rack mount.


Addmaster Corporation, 415 Junipero Serra Drive, San Gabriel, CA 91776, (213) 285-1121, Telex 674770 Addmasler SGAB

Circle 12 on inquiry card.



Circle 37 on inquiry card.





Circle 129 on inquiry card.



Circle 155 on inquiry card.



Circle 278 on inquiry card.

MEGA-BOARD

Ideal for

- COMPUTERISTS
- OEM MANUFACTURERS
- DEVELOPMENT LABS
- UNIVERSITIES
- INDUSTRIAL **APPLICATIONS**

THE ULTIMATE OEM/PC **COMPATIBLE SINGLE BOARD COMPUTER**

FULL IBM - PC **COMPATIBILITY!**

DEALERS AND OEM MANUFACTURERS QUANTITY DISCOUNTS AVAILABLE

Standard Keyboard Interface

Hardware Reset (Overcomes reset flaw in PC)

Eight Compatible I/O Interface Connectors

(Full PC compatible) compatible with all IBM-PC* plug-in cards)

Special J1 Interface

(Allows horizontal mounting of compatible expansion cards for easy bus expansion and custom configuring) (Board has 62 pin gold plated compatible connector)

Extended ROM Capability

(Runs all compatible PC ROMS) (Jumper programmable to accommodate all popular 8K, 16K, 32K and 64K ROM chips and NEW EE ROMS! VPP power pin available for EP ROM burning!) (External VPP voltage required)

Board Size 10.5 inch X 13.5 inch (Full PC compatible)

Power Connector

8088 Processor (Same as PC)

compatible)

Full IBM" pinout

8087 Numeric Processor (Same as PC)

Peripheral **Support Circuits** (Same as PC)

Configuration **Switches**

(Same as PC)

Speaker/Audio Port

(Same as PC)

Wire Wrap Area

To facilitate special custom applications!

ORDER NOW!!!

MECA-BOOD™ Evaluation Board Kit!

(Blank board with full assembly instructions and parts list.)

Includes highest quality PC board with gold plating, silk screen, solder mask

Full Mega-Byte Ram Capacity! On board!

(With parity)

- □ 256K Bytes using 64K chips
- □1 Mega Bytes using 256K chips

☐ MEGA-BOARD™ with full assembly instructions USERS MANUAL with theory of operation,

schematics, block diagram, application notes ☐ MEGA-BIOS™ fully compatible MS-DOS/PC-DOS BIOS \$29.95

ORDER NOW!!!

SATISFACTION GUARANTEED! 10-day money back guarantee if not completely satisfied



4100 SPRING VALLEY ROAD SUITE 400 DALLAS, TX 75234 (214) 991-1644

ONLY!

Evaluation

Board Kit

TERMS: Shipment made 2 to 5 weeks from receipt of order. VISA, MC, money order, company check accepted. COD'S require \$25 deposit. Balance UPS COD. Please add \$2.00 shipping and handling per order.

507




Thousand Oaks, CA 91360

Circle 262 on inquiry card.



Circle 133 on inquiry card.





Circle 308 on inquiry card.



Circle 380 on inquiry card.






Add 6% sales tax in California. Add \$2.00 for shipping. Add \$2.00 for C.O.D. Send check or money order to:

In Sync

5738 Commerce Blvd. Rohnert Park, CA 94928 (707) 585-2793

Circle 188 on inquiry card.



Circle 278 on inquiry card.



Freedom-Freed the Prices!

We have met or have beaten most advertised prices.

Buy Direct!



32 CPS **48K Buffer**

Serial and Parallel 1 Year Warranty

380 Z 5 Unbeatable

38K STARWRITER .. \$ Unbeatable

DTC 380 Z



Mannesmann Tally

- Standard 7 x 9 160 CPS
- NLO 40 x 18 40 CPS
- · 2K Buffer and Tractor Standard

160 L 80 col. Call Best Selfer 180 L 132 col. Call Best Seller Spirit Call Best Seller



- Proportional Spacing
- 8 Character Styles

- 200 CPS Bi Directional
- Color Optional
- · Sheet Feed · Graphics
- 3.4K Buffer

Prism 80	s Call
Prism 132 and Micro Prism	s Call
Auto Cassette Sheet Feed	s Call



Star Micronics

Gemini 10X + 15X	
120 CPS	s Call
Delta 10X	
160 CPS	\$ Call
08 XT2	s Call



OUR PC FLYS

IBM Compatible Simply a better PC. All models available for immediate delivery

Call Lowest \$

18 CPS IBM Ribbons Diablo Compatible 2K Buffer

Juki 6100

Best Value Yet \$ Call





It's a Piece of Cakel

High Quality Software for Personal Computers

Call for Prices!

Word Processor

SANYO P.C.

OTRONA

BLUE CHIP

PRINTACOLOR

QUME

KEYTRONICS

ANCHOR

BROTHER

VISUAL

DAISY

- Mail List
- Spelling Checker
- Telecom
- NEW/
- Data Manager
- Graphics Package Financial Planner



Red Hot Speciall

Novation

- 300 RPS Modem
- Originate/Auto Answer

ALTOS ZENITH **TELEVIDEO** SANYO USI TRANSTAR

PIED PIPER RANA STB

QUADRAM

DAISYWRITER FRANKLIN HAYES NOVATION : ANADEX **AXIOM**

DATASOUTH MICROTEK SWEET-P **EAGLE** RITEMAN

PRINCETON GRAPHICS

VENTEL

AMDEK BMC TAXAN DIABLO NEC **EPSON**

MOLECULAR UDS SILVER-REED

U.S. ROBOTICS **OKIDATA**

COMREX JUKI STAR NORTHSTAR ADDS KIMTRON INTERCOLOR

COLUMBIA CORONA

C. ITOH DEC **AMPEX** TOSHIBA

VEW RIXON HAZELTINE **SEIKOSHA** TTX

WYSE **TEXAS INSTRUMENTS**

Everything in computer related products:

- Computers
- Modems
- Printers
- Software
- Monitors
- **Terminals**
- Accessories
- Paper
- Ribbons
- Diskettes
- Office Furniture
- In-Store Training

For Price Quotes and Ordering, Call:

PRINTEK

1-800-821-4128

For Technical Information and Order Status, Call:

602-952-1057 or 602-954-6127



3370 North Hayden Road • Suite 123-314 Scottsdale, Arizona 85251

Prices listed reflect a clish discount and are subject to change without notice. C.O.D.s are shipped with a minimum C.O.D. charge. Allow 3-7 days for personal checks to clear. Product is subject to lability. Equipment is in factory sealed boxes with manufacturer's warranty. There will be a re-stocking change for returned merchandise. Call first for an RMA number. Software not warranteed for talky. No return of Software which has been opened. Add 2% for shipping & handling charges [minimum \$2.50]. All equipment shipped F.O.B. Scottsdale, A2 85351. Circle 222 on inquiry card.



Best Prices On TRS-80 Computers

Our 6th year of discounts
Ed or Joe McManus
Fgt. Prepaid. Save Tax.
Toll Free 800-231-3680
Marymac Industries, Inc.
22511 Katy Fwy., Katy
(Houston) Tx 77450
1-713-392-0747
Telex 774132


See us in the Wall Street Journal every Tues., Wed., Thurs.


Circle 235 on inquiry card.



Circle 148 on inquiry card.

Circle 171 on inquiry card.





11878 Coakley Circle, Rockville, MD

(301) 881-7655

Circle 354 on inquiry card.



Circle 377 on inquiry card.



Circle 194 on inquiry card.

for 8080 / 8085 / Z80

New version of the compiler is available now!

The object code is COMPACT and is FASTEST in current C compilers

Our "Sieve" program runs in

8.0 seconds (standard)

and 6.2 seconds (optimized)

(See January 1983 BYTE, pp 283-326)

price: \$500 (FOB Japan)

for pamphlet write: P.O.Box 508 STA. CRUZ CA. USA 95062

for further information contact:

LSI JAPAN CO., LTD.

2-24-9 YOYOGI SHRUYAKU TOKYO (151) JAPAN PHONEDHIPS-2427

Circle 227 on inquiry card.

FAST PRECISION A/D FOR APPLE II®

- 40,000 SAMPLES / SECOND DATA ACQUISITION RATE
- * 12-BIT RESOLUTION
- * 0.1% ACCURACY
- * 8 ANALOG INPUT CHANNELS
- * REMARKABLE PRICE \$375


ALSO: LOW-COST PRECISION AID
12 SAMPLES / SECOND \$195

ACCESSORIES

LAWSON LABS, INC.

5700 RAIBE ROAD COLUMBIA FALLS, MONTANA 59912 406-387-5355

Circle 218 on inquiry card.



Circle 280 on inquiry card.

HALF-HEIGHT SHUGART DRIVE SYSTEM FOR IBM-PC
Choose 2 or 4 320K byte half heights or 2 half-heights plus a hard disk.

Powered by energy efficient direct drive DC motor

Mounting kits available for most popular

rand simple instructions

Full one year warranty

IBM-PC 10 Megabyte Half-Height Hard Disk

Upgrade your PC to an XT Call 609-799-4440 10 Megabyte Half-Height Hard Disk also available for your COM PAO. SA-712 Half-Hgt. 10 Meg Hard Disk SHUGART HALF-HEIGHT

DRIVES Shugart SA465 DS/DD Half-Height 96TPl New! Allows reading

New! Allows reading and writing in single or double density 5.25 diskettes. Plug compatible with TANDON TM 100-4. SIEMENS FDD-221-5 and similar drives.

1 YEAR WARRANTY \$350 each 2 @ \$295 each 1 YEAR WARRANTY \$350 each 2 ... 700K bytes 700K bytes Formatted single density

SHUGART SA860 DS/DD Half-Height 8" A double sided half height 8" high speed disk drive. DC only operation Same as used on Zenith Z-100. 1 YEAR WARRANTY \$495 each 2 @ \$475 each

SHUGART SA455 DS/DD Half-Height 48TPI

Adouble headed minifloppydiscdrivewith up to 320K on-line storage capacity. Plug compatible with any standard 5 % drive. Electrically the same as TM-100-2 and FDD-21-5.

1 YEAR WARRANTY Formatted 320K bytes, extended 360K bytes Track to track

HEATH ZENITH H88, 89 or 90 TWOET SYSTEMS
Dual internal half-height disk drives
Now you can replace your built-in drive with two
double-sided, double or single density, internal halfheight drives in either 48 or 96 tpi format, with all hardware, cables, power connector adaptors, and documentation included. Our double-sided 48 tpi works
perfectly as a single sided tight but of the how. You can perfectly as a single sided right out of the box. You can even use this system with your H-17 controller. And we have the software drivers (at additional cost) so you can run out 48 or 96tpi double-sided, single density

drives on it! TWOET 455 2 SHUGART SA-455 half-height 48tpi double-sided \$595

TWOET 465 2 SHUGART SA-465 half-height 96tpi double-sided \$695

\$595

8695

Both models are shipped complete with all hardware, shielded metal mounting plates, data cable with chassis connectors, and complete documentation.

WHATTO DO WITH YOUR INTERNAL DRIVE: For only560 extra plusshipping, we'll send you a single5½ case with power supply and data cable — ready to receive your SIEMENS internal drive! A regular \$80 value. The external chassis disk!/O connector comes with your TWOFT system

W.S.T. DISK DRIVES (formerly Siemens)
W.S.T. FDD-100-5B4 Same model used in Heath
computers. Added "Flippy" operation feature.
Works with almost any SA-400 compatible system:
RS Model 1, North Star, S-100 and more. S235 each
C3-5195 each (with Shugart type Bezel)

W.S.T. FDD-211-5 Dual headed 5½". Records data in single or double density, using hardor soft sector techniques. An exact TM-100-2 replacement. Use in Northstar and IBM, or

Y 320K bytes extended 360K bytes

w.s.T. FDD-221-5
A double headed, 5¼", 96 tpi (80 track) disk drive.
Capable of hard or soft sector, single or double density, it's an exact replacement for the TANDON 100-4, \$335 each

Increase your on-line storage capacity by 2.5 megabytes with Our new 8" double sided half height disk drive. Styling matches IBM-PC. Utilizes Shugart half-height 8" double sided disk drives. Allows reading height 8" double sided disk drives CP-M data files with optional patch. FD-PC8 System . Maynard Controller .

(Allows use of two internal 51/4" and the two outboard 8" system. Add \$70 for parallel) We have half-height mounting kits for IBM and OMPAQ computers.

APPLE HALF-HEIGHT DISK DRIVES Call for price

ENCLOSURES

MODEL	CONFIGUARTION	STACKING	DIMENSIONS	ALSO AVAILABLE	PRICE
DH5A&T	2 standard 514"	horizontal	17"L x 12"W x 5"H	external chassis connector/ blank plates	\$125.00
SV5A&T	1 standard 514"	vertical	"L x 3"s"W x 6"H ציוו	vertical 51 a" case for 2 half-height drives	\$55.00 or \$75.00 for '2 height
DV5A&T	2 standard5*"	vertical	111/2"L x 6"W x 7"H	_	\$85.00
D5HHHA&T	2 half-height + space for single board computer	horizontal	17"L x 12"W x 31/2"H	blank plates ext. chassis conn.	\$125.00
5SHA&T	1 standard 5¼" or 2 half-height drives	horizontal	12"L x 8"W x 4"H	blank plate ext. chassis conn.	\$95.00
5SHHDA&T	1 standard or 2 half-height hard disks	horizontal	12"L x 8" W x 4"H	blank plate	\$165.00

8" ENCLOSURES


All 100% our design, these 8" enclosures feature a front panel power switch designed with 1" clearance over the drive to accompodate a big board computer or a hard disk controller. All 16 gauge metal construction with DB 25 cutouts on the rear panel. CP-206 supply mounting holes, which are standard for the 8" drive industry.

DH8A&T	2 standard 8" (such as SHUGART 800-R series or SIEMENS FDD-100 series)	horizontal	21"L x 174"Wx 6%"H	ext, chassis conn.	\$295 00
SHBA&T	1 standard 8" or 2 half-height drives + space for single board computer	horizontal	16"L x 1215"W x 634"H	blank plates ext. chassis conn.	\$285 00
DHHHBA&T	for SHUGART TANDON848 or similar 8" half-height designs	horizontal	205"L x 17"W x 4"H	blank plates ext chassisconn	\$320 00
FDPC8	for SHUGART 810-860 matches IBM-PC or Zenith systems	horizontal		blank plates	\$320.00

MULTIDISPLAY For IBM-PC, contains both mono and color display plus printer port, all on one card \$575 PGS MONITOR The best RGB monitor going S475

SANDSTAR MODULES FROM MAYNARD Sandstar Serial Port Module

Totally compatible with software written for IBM Asynchronous



tics. MSE1301 .\$105.00 SandStar Clock Calendar Module Features clock and calendar with battery backup, which runs when PC power is turned off or plug is disconnected. Correct time and date loaded each time system is powered up. Software included. MCL1303 ...\$85.00 SandStar Parallel Port Module

Sandstar Parallel Port Module
A Centronics compatible I/O port. Use as general purpose I/O port or connect to printer. Utilizes same type connector and pins as IBM Parallel Printer Adaptor, and is 100% compatible with its software. Configure as Port #1 or #2. Can use IBM diagnostics. MPA1302...\$75.00

SandStar Memory Module
Use with SandStar Memory Card, Expands memory by
320K bytes for 640K bytes total system memory. Uses only one IBM expansion card. No configuration required

before plug in.
Module may be purchased with any 64 K increment and easily expanded to 320K. Electronic disc and print

spooling software are also available.		
MMODÕOO . ,	OK	\$115.00
MMODO64 .	64K	\$205.00
MMOD128.	128K	\$300.00
MMOD192	192K	\$390.00
MMOD256	256K	\$485.00
MMOD320	320K	\$580.00
Canditae Gama Adantee Modula		

SandStar Game Adaptor Module
Attach up to 4 paddles and 2 joysticks to your IBM PC.
Can be used for general purpose input, with 4 digital and
4 analog inputs 100% compatible with IBM PC software. Uses same type 15 pin "D" subminiature I/0 connector as the IBM Game Control Adaptor.

Maynard Electronics Multi-Function

Memory Expansion Board

Adds form 64K bytes to 256K bytes to your IBM-PC. Expandable with either 1 or 2 optional asynchronous serial (RS232-C) ports Engineered for total compatibility with IBM I/O specs. Parity generation and detection included. Ready to plug into 64K byte systems. Optionally available with 1 or 2 RS232-C ports with 20mA current loop. 100% compatible with IBM hardware and software, and may be used to connect your computer to a modern serial printer or other devices with computer interface. Board ports may be enabled or disabled and assigned as COM1 and/or COM2.

MMF 1000	OK	\$210.00
MMF 1064.	64K	\$305.00
MMF 1128	128K	\$410.00
MMF 1192 .	192K	\$510.00
MMF 1256	256K	\$615.00
MMF1SER		\$100.00
(with one serial port added)		
MMF2SER		\$160.00

(with two serial ports added)
(No parallel available)

Maynard Disk Controllers Description	RET.
MODFDC (Controller w/mod ports) .	\$265
FDC8 (8" Controller)	\$245
FDC 5 4 (5' a Controller)	\$195
FDCPARALLEL (Contr. and para ports)	\$275
FDCSERIAL (Contr. and serial ports)	\$285
FDC8 PARA (8" Contr. and para ports)	\$315
HDM (hard disk module)	\$495

CONTROLLERS Magnolia Micro-systems , for the H-89 & Z-90 Double Density Disc controller including CP/M 2.2

Complete hardware & software support for:
-Four 5¹ 4" and Four 8" single or double sided drives
-48 TPI (40 track) drives

-96 TPI (80 track) drives -3-54" drives supported by Heath Zenith controller H-17

H-17
This package includes:
-double density controller card
-CP/M 2.2 on either 514' or 8" media
-new I/O decoder and monitor PROMs Shipping weight 7 lbs.

DATA CONNECTORS

50 pin edge card 609-5015 50 pin inline end connector 34 pin edgecard 609-3415 609-5001 M 34 pin infine end connector 609-3401 M 50 pin inline chassis 609-5016 34 pin inline chassis 609-3416

POWER CONNECTORS

stacking bracket for AC socket 8 . single sided C1115

stacking bracket for AC SUCKET OF SHAPPEN CT120

SB5 or SB8

SA R10/860 DC power

S14 DC socket C1116 C1119 C1122 PCB-8' DC SA 850/851 FDD-200-8-AC free-standing 8 8" doublesided C1114 DC connector socket C1121 3A B50/763 F CO C C 1114 DC connector s 8" double sided C1114 DC connector standard. 8 DC standard cincle sided C1113 single sided

We sell many other disk drive models too numerous to list here. We encourage you to call for our latest pricing and catalog. Due to production dead lines, prices are 50 days old. Please call Dealer inquiries invited. In our 5th year. inquiries invited. In our 5th year!
Prices and specifications subject to change without notice
MasterCard, VISA accepted. NJ residents, add 6% sales tax.
Shipping charges: \$3.00 first 4 lbs, \$.40 each additional lb.
COD charge \$5.00.
TOLL FREE ORDER LINE: 800-223-0306
In NJ, Call: 609-799-4440 9.00 am-5:30 pm est.



FLOPPY DISK SERVICES, INC. 741 Alexander Road Princeton, NJ 08540

ത \$295 each

Maxe

Floppy Discs CALL NOW - TOLL FREE 1-800-328-DISC

Dealer inquiries invited. C.O.D.'s and charge cards accepted.

All orders shipped from stock, within 24 hours. Call toll FREE.



North Hills Corporation

3564 Rolling View Dr. White Bear Lake, MN 55110 1-800-328-DISC MN Call Collect 1-612-770-0485

flexible disks

Call Free (800)235-4137

for prices and information.

Dealer inquiries invited.

C.O.D. and charge cards

Computer Software Associates, an

established software house, sup-

plies software for COMMODORE,

APPLE, and IBM home computers.

CSA is currently looking to expand

its product base of serious programs

in the areas of home, education,

Computer Software Associates offers

over 30 years of market experience.

worldwide distribution, innovative

packaging, generous royalties, and

Interested programmers should

contact Mike Mahan, Product Development Department, Com-

puter Software Associates, 50 Teed

Drive, Randolph, Massachusetts 02368 Tel. (617) 961-5700.

COMPUTER

SOFTWARE ASSOCIATES

programmer support.

VISA'

PACIFIC

EXCHANGES

100 Foothill Blvd


San Luis Obispo, CA

93401 (In Cal call

(805) 543-1037)

accepted.

Circle 57 on inquiry card.



Get twice as much from your H88 or H89 microcomputer. Our FDC-880H floppy disk controller, in conjunction with your 5\" drives, for example, expands memory capacity from 256 bytes to 512 bytes per sector.

And it handles single and doublesided, single and double-density, 8" and 51/2" drives - simultaneously



C.D.R. Systems Inc.

Controlled Data Recording Systems Inc. 7210 Clairmont Mesa Blvd., San Diego, CA 92111 (619) 560-1272



- Multiple Regression
 - Stepwise
 - Ridge All Subsets
 - Backward Elimination
- Time Series Analysis
- Descriptive Statistics
- Transformations
- Data Base

TRS-DOS XENIX

* Search & sort

* ANOVA

* Hypothesis tests

* Survey Research

* Nonparametrics
* XY Plots

* Random Samples

Please call TOLL FREE

1-800-334-0854 (Ext. 814)



for more information or write: Quant Systems Box 628 Charleston, SC 29402 VISA-M/C Accepted

Circle 278 on inquiry card. Circle 299 on inquiry card.

APPLE II COMPATIBLE DISK DRIVES Controller Card Just Plug in and Run

VERBATIM

514' Diskettes SS DD Soft per box of 10.....

HARD DISKS FOR APPLE and IBM Mitac AD-100 10 MB only\$1395.00

910.....\$429.00 925.....\$659.00

MONITORS

Mitac 12" 20 MHZ Green.....\$115.00

IBM PC COMPATIBLE DISK DRIVES

National JA-551-21/2HT \$205.00

OZtech, Inc. VISA/MC Accepted 1400 Coleman Ave. Suite E-25 Santa Clara, CA 95050

(800) 222-6677 in Calif. (408) 980-9987

Circle 97 on inquiry card.

and office.

Circle 23 on inquiry card.



THE FULL-FEATURED KEYBOARD EXPANDER Redefine any key to send a string of characters. MagiKeyTM does more ...

- * automates application saftware, integrates function or cursor keys
- "help" menus displayed at any time
- * built-in batch processing more powerful than SUBMIT or XSUB
- strings can redefine keys, pause for fill-theblanks keyboard input, or contain nested key definitions
- * invisible to system and soft are
- for any 8080-8085-Z80-CP/M 2.2, no system or soft are modifications

8" SSSD, Kaypro 5%" – inquire about other 5%" formats check, VISA, MC add 6% tax in CA



microSystems

16609 Sagewood Lane Poway, Californio 92064 (619) 693-1022

Circle 295 on inquiry card.

CP M (tm) Digital Research

The INTELLIGENT GRAPHICS TERMINAL

All of this on a single S-100 board

- Full 512 color mapping pallette
- TTL/analog RGB color or 8 level grey
- 680x480 4 color and/or 340x480 16 color
- Transparencies, overlays, multiple pages
- 8086, EPROM, 128K RAM expandable on-card
- Full editing terminal/graphics firmware
- Text throughput is greater than 2000 cps 10 windows, individually scrollable
- Programmable terminal formats to 113x40
- 64K x 64K virtual screen graphics with
- clipping and scale
- Drawn/filled circle, pie, arc, polygon Complex fill patterns and line styles

Low introductory prices: Assembled and tested \$895. Partial kit \$295.

Availible soon: Fully integrated expansion card adds speech, sound effects, serial and parallel ports, and time-of-day clock.

> Advanced Graphics Engineering P.O. Box 3403, Reston, VA 22090 (703) 435-8110

Circle 15 on inquiry card.

COMPUTER INTERFACES



Convert your electronic typewriter to a letter-quality computer printer! Available for Olivetti Praxis 30,35, 40, & 41 and Adler/Royal 1005, 1010, 1011/5005, 5010, 5011.

- Centronics parallel or RS-232C serial
- · Easily installs inside typewriter
- · Compatible with most computers
- Cable assemblies available
- Prices start at only \$149.

Selectone 28301 Industrial Blvd. Hayward, CA 94545

Circle 320 on inquiry card.

Or evaluate primary sensor performances of multimillion dollar satellites?

Or manage millions of dollars a year in defense contracts?

The Air Force, that's who.

If you're a talented, motivated electrical engineer or plan to be, you don't have to wait to work with the newest, most sophisticated technology around.

You can do it now, as an Air Force officer working as an electrical engineer.

Don't get us wrong. We don't hand it to you on a silver platter. You have to work for it. Hard.

But if you do, we'll give you all the responsibility you can handle. And reward you well for taking it.

You'll get housing, medical and dental care—and excellent pay that increases as you rise in rank.

Plus there are opportunities to attend graduate

school. If you're qualified and selected, we'll pay 75% of your tuition. Those with special qualifications can even study full time, at no cost.

So plug into the Air Force. Because when it comes to technology, the Air Force can help you achieve great sophistication at a very tender age.

For more information mail in the card, or call toll-free 1-800-423-USAF (in California 1-800-232-USAF). Better yet, send your resume to HRS/RSAANE, Randolph AFB, TX 78150. There's no obligation.

AIM HIGH AIR FORCE

A great place for engineers

S-100 COLOR GRAPHICS! 1GROSPR11

THE ORIGINAL TMS9918A GRAPHICS BOARD

- Field-proven board meets IEEE-696 standard: fully socketed
- with solder masks, silkscreen and gold contact fingers.
 Prioritized display with backdrop and pattern planes plus 32 sprite planes; each pixel in a plane can be colored or transparent Three prachics and one text display mode, maximum graphics
- resolution is 256H x 192V in 16 colors
 Composite video output
 On-board 16K RAM is separate from system memory

- On-board 16K HAM is separate from system memory
 Vertical retrace interrupt for real time clock capability
 O-4 wait states for use with fast MPUs
 All board options are DIP switch selectable
 Professional quality documentation with BASIC demonstration programs and T1's TMS9918A manual
 Exclusive Graphics Editor
- available on 8" SSSD CP-M-compatible diskette

\$189.95*

(A & T)

MicroDynamics

Corporation 6363 Poplar Ave . Suite 105 Memphis TN 38119


ORDER DESK 1-800-237-8400 ext 440 (901)-682-4054

Price includes MICROSPRITE with documentation. Graphics Ether chskette - \$9.95. Manual - \$19.95. Bare board - \$59.95 UPS ground - \$2.00. UPS an - \$4.00. COO - \$1.50. Foreign add \$15.00. VISA & MC welcome. TN add 6% DEALER AND DEM INQUIRIES INVITED

Circle 248 on inquiry card.



Circle 278 on inquiry card.



4116	200ns	8/\$12.00	
4116	150ns	8/\$13.75	
2114L	300ns	8/\$ 12.00)
2114L	200ns	8/\$13.00	i
4164	200ns	\$5.50 ea	
4164	150ns	\$5.95 ea	
6116	150ns	\$5,20 ea	ch
6116	200ns	\$4.85 ea	
6116LP	150ns	\$5.85 ca	
1791	Disk Controller	\$20.00 e	
1771	Disk Controller	\$16.75 e	ach
Z80A.Z80	ACTC	\$3.50 ea	ch
	1010	\$4.00 ea	
Z80A P10			
8251A		\$4.00 ea	
8255		\$4,25 ea	ch
2716-1	5V 350ns	8/\$4.25	\$5.00 each
		0/04,23	
2716	5V 450ns		\$3.35 each
2732	5V 450ns		\$3.85 each
2532	5V 450ns	8/\$4,25	\$5.00 each
		0,44.23	\$5.95 each
2764	5V 300ns 28 pin		ob. 95 each
2564	5 V	CALL	
2207		0.411	

CALL

DISKETTES!

.. \$23.00

ea 5%* SSDD -- (744) 5%* DSDD (745)---

-96TPI (746) -96TPI (747) (Specify soft, 10 or 16 sector.)

Save even more on quantity orders Minimum Order: 20 diskettes. Add \$3.00 shipping per 200 diskettes. C.O.D. charge \$1.65 additional. Visa • Mastercard • Checks

For fast service, call DISK WORLD!

Nationwide: 1-800-621-6827 In Illinois: 312-944-2788

Suite 4806 • 30 E. Huron Street • Chicago, Illinois 6061

Authorized Oistinbutor Information Processing Products

8" SSSD (740)
8" SSDD (741)
8" DSDD (743)
(Specily soft or 32 sector.)
Lifetime Warrantyl

Allow up to 3 wks. for personal checks to clear. Please include phone number. Prices subject to change without notice. Shipping & Hundling for Chips \$3.50. FOB Bellevue, WA. for all else. Washington state residents add 7.9% Sales Tax. 1-206-451-9770

CHIPS & DALE 10655 N.E. 4th St., Suite 400 Bellevue, WA 98004

Circle 59 on inquiry card.




Circle 383 on inquiry card.







Circle 31 on inquiry card.



Circle 140 on inquiry card.



IBM PC 256K 2X 320 KB DS/DD DISK DRIVES FLOPPY DISK CONTROLLER

ALL FOR \$2599



Call for prices on

IBM PC256K COLOR GRAPHICS BOARD FLOPPY DRIVE CONTROLLER WITH PARALLEL PORT 360KB DS/DD DISK DRIVE, PRINTER, CABLE DOS 2.0, 10MB HARD DISK SUBSYSTEM INCLUDES CABLE, CONTROLLER, POWER SUPPLY, CABINET, SOFTWARE

DISK DRIVES FOR IBM PC
Double Sided/Double Density 320KB \$225
HARD DISK FOR IBM PC
5MB \$1399 10MB \$1599 15MB \$2199
MEMORY BOARDS
AST MULTIFUNCTION \$299
AST I/O PLUS \$199
QUADRAM 256K MULTIFUNCTION \$399
HERCULES CARD \$499
QCS BIG BLUE CARD \$479
HAYES
SMARTMODEM 300 BAUD \$239
SMARTMODEM 1200 BAUD \$559
MONITORS
PGS COLOR MONITOR HX-12 \$499
AMDEK, NEC MONITORS AVAILABLE . CALL
APPLE IIe STARTER SYSTEM \$1599
DISK DRIVE FOR APPLE II & IIe \$219

PRINTERS BROTHER HR-1 \$750 HR-15..... \$499 OKIDATA 82A. \$499 83A \$699 GEMINI 10 ... \$359 15 \$529 NEC 3510 .. \$1499 3550 \$1899 EPSON RX80 . \$379 FX80 \$599 MX80 \$449 MX100 \$649 HAYES SMARTMODEM 300 BAUD . . . \$239 HAYES SMARTMODEM 1200 BAUD . . \$559 VISICALC \$199 MULTIPLAN . . \$199 LOTUS 1-2-3.. \$359 WORDSTAR .. \$329 SUPER CALC II \$199 MAILMERGE . . \$179 WORD PERFECT \$349 EASY WRITER \$129 TAVA PC Desk Top, IBM PC Compatible Computer, Runs

COMPUTER POST INC.

22102 CLARENDON ST. STE. #1 WOODLAND HILLS, CA 91367 (213) 999-1041

CALL FOR FREE PRICE SHEET. PRICES SUBJECT TO CHAGE WITHOUT NOTICE. SHIPPING AND HANDLING EXTRA

DOS 1.1, 2.0, CP/M86 \$1025

SUPER PRICE SAVER

The state of the s	
Apple 2E System IBM PC System Dynax	2550.
Gemini 10X	
Okidata 92/93	
NEC 8023	399.
NEC 3550	
Amdex 300/310	135./167.
PI 3	
Rana I	259.
Tandon TM 100-2	249.
Slim Dr. 51/4 Apple/IBM.	
Videx 80 col	
Anchor Mark XII 300-120	D 289.
Hayes 1200/1200B	479./489.
Koala Ile	
Wesper IPI/BPO	
Quadram 64K	
Software 30% OFF	CALL

Computer Price Club

16783 Beach Blvd., Huntington Beach, CA 92647



714-841-6160



Circle 96 on inquiry card.



Call Toll-Free

1-800-328-DISC for prices and information. Dealer inquiries invited. C.O.D. and charge cards accepted. All orders shipped from stock, within 24 hours. Call toll FREE



North Hills Corporation

3564 Rolling View Dr. White Bear Lake, MN 55110 1-800-328-DISC MN Call Collect 1-612-770-0485

TeleVideo DEALERS

· Fast Dump/Restore

over 600k per disk\$60
Type Ahead with Print Screen
64 Character Type Ahead Buffer
 3270 & 2780/3780 Bisync Communications
from Phone 1 & Batech
. TurboDOS for TeleVideo Start at \$225
BIDS & Formatting for 802H
use all 20 MB
• 8" Disk Drive for 802 Computer
Drive & Software
RM Cobo! TM for TurboDDS
Full System
Run Time
Standby Power System
200VA-400VA-800VA As low as \$363

RM/COBOL is a registered trademark of Ryan-McFarland Corp. CP/M° is registered trademark of Digital Research, Inc.

TurbcDGS is a registered trademark of Software 2000, Inc. PLUS OTHER GOOD TELEVIDED STUFF!

COGITATE, Inc.

SPECIALISTS IN UNIQUE TELEVIDEO SOFTWARE 24000 Telegraph Road, Southfield, MI 48034 (313) 352-2345

VISA/MASTER CARD Accepted

Circle 65 on inquiry card.

CONVERSE WIII COMPUTER

AT LASTÍ A FULL IMPLEMENTATION of the original ELIZA program available to run on your microcomputer

Created at MIT in 1966. ELIZA has become the world's most celebrated artificial intelligence demonstration program. ELIZA is a non-directive psychotherapist who analyzes each statement as you type it in and then responds with her own comment or question—and her remarks are responds with her own com often amazingly appropriate!

Designed to run on a large mainframe, ELIZA has never before been available to personal computer users except in greatly stripped down versions lacking the sophistication which made the original program so

rescriming.

Now, our new microcomputer version possessing the FULL power and range of expression of the original is being offered at the introductory price of only 325. And if you want to find out how she does it for teach her to do more!, we will include the complete SOURCE PROGRAM for only \$20 additional.

Order your copy of ELIZA today and you'll never again wonder how to respond when you hear someone say. "Okay, let's see what this computer of yours can actually do!"

ELIZA IS AVAILABLE IN THE FOLLOWING FORMATS:

5¼ inch disk for the 48K Apple II, II Plus, lie of III \$25 for Protected Version—\$45 for Applesoft Source Version

2. 5% inch disk for the 64K IBM Personal Computer \$25 for Protected Version—\$45 for IBM Disk BASIC Source Version

3.5% inch disk or tape cassette for the Commodore 64 (specify which) \$25 for Protected Version—\$45 for C-64 BASIC Source Version:

Standard 8 inch single density disk for all CP/M based computers \$25 for ELIZA.COM—\$45 with Microsoft BASIC-BO Source

5% inch disk for most CP/M based computers (specify computer) \$25 for ELIZA.COM—\$45 with Microsoft BASIC-80 Source

Please add \$2.00 shipping and handling to all orders (California residents please add 6% sales tax)

ARTIFICIAL INTELLIGENCE RESEARCH GROUP

921 North La Jolla Avenue, Dept. B Los Angeles. CA 90046 (213) 656-7368 (213) 654-2214 MC, VISA and checks accepted

Circle 32 on inquiry card.

Electronic Circuit Analysis

- AC and DC analysis
- · Very fast, optimized machine language
- · Worst case, sensitivity analysis
- Sweep component values 64 Nodes
- Compare circuits
- Log or linear sweep
- Full file handling
- · Full editing, error trapping
- · Frequency response, magnitude and phase
- · Complete manual with examples
- Transmission lines
- Complex y parameters
- Available for CP/M, MSDOS, TRSDOS
- Price \$150.00

Tatum Labs P.O. Box 698 Sandy Hook, CT 06482 (203) 426-2184

~HOOKING#N

1984 EDITION—THE UNDERGROUND COMPUTER BULLETIN BOARD WORKBOOK AND GUIDE FIRST TIME BETWEEN TWO COVERS

No matter what type of computer you own, this book will get you on-line TODAY!

Complete information on computer bulletin board systems including:

- ·What they are (and what's happening).
- Kinds of information available.
- Public domain systems
- Free software (and how to get yours).
- ·Blitz course in telecomputing.
- Buyer's guide to modems.

Over 400 verified listings. Periodically Updated. On-line Logbook. Electronic Mail Address Book. \$14.95 P.P. Make checks payable to:

Computer Food Press Div. of Coltrane & Beach 31754 Foxfield Dr. Westlake Village, CA 91361



Valce Orders-(213) 838-7716

Modern Orders-(213) 559-9033

HOOK IN NOW!!

SPECIAL OFFICE

When ordering, refer to this AD and receive your FIRST UPDATE FREE!

Circle 91 on inquiry card.

AFFORDABLE & RELIABLE

EPROM PROGRAMMERS & UV ERASERS

See our ad on Page 80

LOGICAL DEVICES, INC

Circle 224 on inquiry card.

IBM PC COMPATIBLE

Slimline Disk Drive.....\$215.00 ea. (Shugart SA 455. DS.DD 320KB) Slimline Hard Disk \$495.00 ea. (Shugart SA 706 5MB)

Computer Case......Call Keyboard Call Color Graphic/Monochrome/Printer Interface Card......Call
Compatible Bare PCB.....Call 3M Diskette SS/DD......\$20/box 3M Diskette DS/DD.....\$28/box

Dealer Inquiries Welcome

ELECTRADE CO. (408) 946-2541 780 Trimble Rd., Suite 605 San Jose, CA 95131

Circle 149 on inquiry card.

"CONTROL YOUR WORLD" WITH YOUR VIC-20

With simple circuits using low cost parts and our program supplied on cassette tape, we'll show you how to use your COMMODORE VIC-20 for:

- Digital Thermometers Digital Clock

 Burglar Alarm 2 Zone, Time Controlled
- Fire Alarm 2 Zone, Time Controlled
 Dusk to Dawn Lighting with Photo Cell
 Furnace and Air Cond., Clock and Thermostat
- Clock Controlled Appliance Switches

Simple program variations in basic can operate lights, motors, furnaces, machines, heat pumps, radios, sound systems, test equipment, swimming pools, garden watering, and more. Your video screen will display simultaneously:

- Two Digital Temperatures • Digital Time • Two Analog Inputs • Five Input Ports Status • Eight Character Status • Eight

Analog Inputs • Five Output Ports Status.

GET A LOW COST EDUCATION IN COMPUTER CONTROL.
ORDER YOUR CASSETTE AND INSTRUCTION BOOK NOW!
\$39.90 PRICE INCLUDES POSTAGE.

Torms: MASTER CARDASS

The Continental Press, Inc., Elizabethtown, PA 17022 Toll free: 800-233-0759 Collect in PA: (717) 367-1836

Lyco Computer Marketing & Consultants

TO ORDER CALL US

TOLL FREE In PA 1-717-327-1824

800-233-8760

PRINTER INTERFACING PRINTER PAPER AVAILABLE

SAVE on these PRINTERS

vallable for IBM PC, Apple, Atari, Vic 20 & Vic 64

LETTER QUALITY

SMITH CORONA TP2...\$449.00

DIABLO 630 ..\$1719.00

ALPAHCOM 42	\$69.00
ALPHACOM 61	
NEC 6023	\$369.00
NEC 8025	\$699.00
NEC PC-8200	
COMPUTER	SCALL

EPSON

RX-B0	SSAVES
RX-80FT	ON
FX-80	
FX-100	EPSON
MX:80FT	PRINTERS
MX-100	SSCALLSS

MANNESMANN TALLY

SPIRIT BO								SCALL
MT 160L.	 							SCALL

OKIDATA

80	.SSAVES
82A	CALL for
83A	LOWEST
64	.PRICES
92	on these
93	In-Stock
PACEMARK 2350P	RINTERS

ATARI 850 REPLACEMENTS IN-STOCK

GORILLA GX100\$179.00
PROWRITER 6510\$339.00
PROWRITER II \$859.00
8800\$1025.00
STARWRITER \$1099.00
PRINTMASTER \$1400.00

STAR MICRONTICS

GEMINI	10X.	 	 	\$289,00
GEMINI	15X	 	 	SCALL
DELTA 1	0	 	 ٠.	\$479.00

MODEMS

ANCHOR MARK I \$79.00
ANCHOR MARK II \$79.00
HAYES SMART \$239.00
HAYES MICRO II \$309.00
Micro Bit
MPP-1000 \$129.75
NOVATION
CAT \$144.00
D-CAT \$155.00
J-CAT \$115.00

CAT	144.00
D-CAT 5	155.00
J-CAT 5	
APPLE CAT II 5	
212 APPLE CAT . 5	589.00

MONITORS

Sakata Color	\$229.00
Amdek Color I	\$275.00
Amdek 300 Green	\$149.00
Amdek 300 Amber	\$149.00
Gorilla Green	\$99.00

HEC OF

Sound Box\$9.95
64Forth\$55.75
Hesmon\$25.75
Turtle Graphics\$37.75
Heswriter\$28.75
Gridrunner\$19.75

DUST COVERS

800 \$3.5	98
400\$3.5	98
1200\$3.5	99
410\$3.1	98
810\$3.1	98
1050\$5.	98
PROWRITER55.	99
GEMINI 10X\$5.	99
PERCOM DISK	99

SSI	
Battle of Shilo	\$26.75
Tigers in the Snow	\$26.75
Cosmic Balance	\$26.75

ı	APPLE DUMPLING	GX	\$99 75						
	APPLE DUMPLING 64	116 Butter	15179.75						
INFOCOM									
	20rk l. II. or III		\$26.75						

CARDCO

SPINNAKER 64

Kindercomp	\$21	. 7
Story Machine	\$23	.7
Face Maker	\$23	. 7
Snooper Trooper	\$29	.7
Delta Drawing	\$34	.7
Shamus II c/d	\$24	. 9
Pinhead c/d	\$22	.9

ZEPPELIN C/D\$24.75
BLUE MAX C/D\$24,75
DIMENSION X C/D\$24.75
EPYX 64
ASPHI R\$28,75
JUMPMAN JR R \$28.75
DIT CTOD O

BANK STREET	
WRITER	\$49.75
CHOPLIFTER	\$24.75
LODE RUNNER	\$24.75
DROL	\$24.75
KOALATOUCHTABLET	\$69.75

Voice Box 2 . \$99.75

600XL ... \$CALL 800XL.....for

1400XLL	
1450	
1050 DISK DRIVE	SSAVES
1050 DISK DRIVE	\$SAVE\$

PARKER BROTHERS

Tutankham R	\$33.7
Super Cobra R	.\$33.7
Astro Chase R	.\$33.7
Frogger R	
OBert R	
Popeye R	

Monkey Wrench 2 \$52.75

SPINNAKER Story Machine R .. \$26.75 Face Maker R \$24.75 Kinderomp R..... \$20.75 Frection Fever R . . 324.75 Delta Drawing R. .. \$26.75

BLANK DISKETTES ELEPHANT

Single Side SD (10)\$17.75 \
Single Side DD (10)\$21.75
Double Side DD (10)\$26.75
MAXELL

MD I (10)		 	 		٠.	\$28.75
MD II	10) .		 	 	 ,		\$38,75

CERTRON CASSETTES

		U ,	•	•	_	_	•	•	•	-	•	•	•	-0		
CC-10	12	for										\$	1	5.6	99	
CC-20	12	for										\$	1	7.6	99	

INNOVATIVE CONCEPTS

Disk Storage (holds	10)84.95
Disk Storage (holds	15)\$9.95
DiskStorage (holds	10)\$26.95

TRAK DISK DRIVES

AT-D1\$379.00
AT-D2\$399.00
PRINTER CABLE \$22.95
Coffware for ATO-2 888 68

RANA DISK DRIVE

COMPUTER CARE

51/4 DISK DRIVE CLEANER \$1'2.75 COMPUTER CARE

HARD DISK **DRIVES** for

APPLE IBM-PC

5MEG.....\$1349.00 10MEG ...\$1599.00 15MEG ...\$1999.00 20MEG ...\$2359.00

Add \$ 10 00 for TRS 80 D. ves

TEXAS INSTRUMENT

Disk Drive ... \$245.00

PERCON

FOR ATARI COMPUTERS

AT88S1	\$299.00
AT8852	\$535.00
AT**S1PD.	.,\$439.00
RFD40S1.	\$399.00
RFD40S2.	\$675.00
RFD44S1.	
ATRR doub	lor



TO ORDER



CALL TOLL FREE

800-233-8760

or send order to Lyco Computer P.O. Box 5088 Customer Service 1-717-327-1825 Jersey Shore. PA 17740

POLICY

In-stock items shipped within 24 hours of order. Personal checks require four weeks clearance before shipping. No deposit on C.O.D. orders. Free shipping on prepaid cash orders within the continental U.S. PA residents add sales tax. All products subject to availability and price change. Advertised prices show 4% discount offered for cash, add 4% for Master Card or Visa. DEALER INQUIRIES INVITED.



Circle 208 on inquiry card.

Tektronix 40XX **Terminal Emulation**

EMU-TEK™ IS NOW AVAILABLE FOR IBM PC, XT, AND MOST COMPATIBLES

- Access powerful mainframe graphics using: -PLOT 10 (trademark of TEKTRONIX, Inc.)
- DISPLA (registered trademark of ISSCO) -DARC (available from QUESTEL, Inc.)
- -and most similar packages and services.
- · Upgrade with complete software compatibility.
- · Increase versatility with options such as:
 - High resolution board support
 - -Local pen-plotter support
 - -Hard copy on matrix printer
- -Advanced communications program features
- -Other terminal emulations, including: -VT100 (trademark Digital Equipment Corp.)
- -RETRO-GRAPHICS (trademark Digital
- Engineering, Inc.)
- 30 DAY NO-RISK TRIAL PRIVILEGE.



FIG

10801 Date St/PO Box 615 DATA SYSTEMS (714) 995-3900

FTG will soon become PC INNOVATIONS

Circle 160 on inquiry card.


CORONA \$2395 •2 Dr. 320K ea. •128K RAM software Your choice of DESKTOP or PORTABLE Vour choice of DESKTUP or PORTABLE NEC 8201A note book computer ... \$677 IBM-PC 64K, 2 Drs, color graphics ... \$2499 COLUMBIA 2 Drs, Kybd, software ... \$2495 EAGLE-PC 2 Drs, Mon, 128K, software \$2495 EAGLE-PC 2 Drs, Mon, 128K, software \$2495 SANYO-550 IBM Compatible, 128K ... \$899 FRANKLIN Ace 1200 OMS package ... \$1199 FRANKLIN Ace 1000 Pro package ... \$1199 SIGMA DESG 10MB expsn chassis ... \$1199 SIGMA DESG 10MB expsn chassis ... \$1799 EPSON FX-100 the best of Epson ... \$739 Delta 10 better than FX-80 call DYNAX DX-15 letter quality, 16 cps ... \$429 SILVER REED EXP-550 20 cps, 161 wide \$599 OKI 92 160 cps DP, 40 cps correspdn ... \$475 OKI 84 200 cps DP, 50 cps correspdn ... \$948 —Call for other items not listed.

MICROLAND Add 3% for MC/VISA COD 15% deposit (ship same day order)

5223 Beechnut Houston, TX 77096 (713) 668-4695

Verbatim flexible disks

Call Free (800) 235-4137 for prices and information. Dealer inquiries invited, C.O.D. and charge cards accepted.



PACIFIC EXCHANGES

V/SA'

100 Foothill Blvd. San Luis Obispo, CA 93401. In Cal. call (800) 592-5935 or (805) 543-1037.

Circle 278 on inquiry card.

RIBBONS CARTRIDGES AND SPOOLS PRICE PRICE

•	PER	PFR	
		DOŽĖN	
Anadex 9500	13.50	147.00	
Commodore Pet 8023	7.00	81.00	
C. Itoh Prowriter	5.95	68.40	
C. Itoh Starwriter F-10	4.75	54.00	
Data South DS-180	6.50	75.00	
Epson MX-70/80	5.25	60.00	
Epson MX-100	9.95	108.00	
Epson MX-100 Reload	6.50	72.00	
Gemini - 10	2.50	27.00	
IDS Microprism - 480	6.00	69.00	
IDS Paper Tiger 460/560	7.50	87.00	
IDS Prism	8.00	93.00	
Okidata - 80, 82 & 83	2,50	27.00	
Okidata - 84	5.00	57.00	
TO ORDER CALL (313) 569	9-3218	or	
WRITE FOR OUR CAT	AL OG		

DWIGHT COMPANY, INC.

15565 NORTHLAND DRIVE WEST TOWER SUITE 804 SOUTHFIELD, MICHIGAN 48075

Circle 139 on inquiry card.



Prices for dealers in quantities of 25 or more. End Users Inquiries welcomed.

ELECTRADE CO. (408) 946-2541 780 Trimble Rd. Suite 605 San Jose, CA 95131

Circle 150 on inquiry card.

BURNER



All menu-driven software is provided along with a complete users manual. All commands are self-prompting, there are no personality modules required and all voltages are on-board card.

FEATURES BURNS EPROMS

2532 2732 2516 2764 2564

*Auto erase verify
*Auto burn verify
*Partial burn capacity

*Low insertion force 14995 socket

Now Available APPLE: -PROM Console Unit!

Technology Associates
New Products Division
1704 Moon, N.E.
Albuquerque, N.M. 87112
15051 298-0942
blect to change without notice.

Circle 102 on inquiry card.



Circle 8 on inquiry card.

Apple is a regime

(604) 254-2834 & 254-1062

PERIPHERALS FOR APPLE AND IBM(PC)

162 Dealer inquiries a mark of Apple Computer Inc.

ONE YEAR WARRANTY ON ALL ITEMS ALL PRODUCTS BUILT IN U.S.A.

	EACH	P.C.B.	
APPLE/SHUGART DRIVE (514")	\$179		
DISK CONTROLLER (DOS 3 2-3.3)	59	\$ 19	
80 COLUMN CARD	139	29	
(VIDEX EQUIVALENT)			
80 COLUMN WITH 64K RAM	129	28	
(FOR Ite ONLY)	120	20	
GRAPHER PRINTER INTERFACE	179	29	
WITH 16K TO 64K BUFFER	11.5	23	
AND GRAPHICS			
OUAD CARD (4 FUNCTIONS)	159	33	
(PARALLEL SERIAL BSR. CLOCK)		•••	
(PRINTER GRAPHICS ROM)	29		
ZBD SOFTCARD	99	29	
(MICROSOFT EQUIVALENT)			
IBM(PC) BARE MOTHER BOARD		175	
GEMINI 10X	289		
SILVER REED 500	459		
5%" FLOPPY DRIVE ENCLOSURE	17		

COLORADO COMPUTER PERIPHERALS THE P.C.B. COMPANY

R.R. 6, BOX7-D **GOLDEN, CO 80403** (303) 278-7172

Circle 66 on inquiry card.

ORDER WITH CONFIDE

om one of the nation's larges parts distributors consumer





cabinet and 3' cable are included. Runs on Apple controller or our optional controller ORDER NO \$229 Q5

83-APL-DD-1 CONTROLLER

CARD For two disk drives.

ORDER NO. 83-APL-CTL-1

549.95

REPLACEMENT KEYBOARD FOR



Heavy duty - error freeswitches. Switchable N key rollover, last key repeat. Upper/lower case capability. Alpha lock, cable included.

ORDER NO

\$79.95

IBM COMPATIBLE **JOYSTICK**

Heavy duty all metal. Featuring ultra linear pots, self

centering, dual fine center adjustments. The finest industrial/ commercial joystick available.

83-IB-XY-23

\$44.95

APPLE® COMPATIBLE JOYSTICK With double

triggerfeature. (Four total) light weight, linear pots.



SELF CENTERING APPLE* COMPATIBLE JOYSTICK

With double trigger feature. (Four total) light weight, linear pots.

ORDER NO. 83-APL-XY-18



51/4" DISK DRIVE SPECIAL MPI

MODEL B-51 single side. double density BRAND NEW

Neverused, no cabinet.

ORDER NO 83-MPI-B51

\$149.00

APPLE II



83-APL-KB-7

APPLE® COMPATIBLE JOYSTICK

Cord terminated (with 16 Pin plug. Our most popular joystick. ORDER NO

83-APL-XY-10

\$16.50

RF MODULATORS



Use your TV as a monitor. Converts video signals into RF. Hooks up to Apple with no modifications. FCC listed. Two versions: With sound and without sound.

ORDER NO. 83-VM-42 ORDER NO. 83-CRM-320

Without Sound

\$16.00 Sound

\$21.95

5A APPLE II* COMPATIBLE REPLACEMENT **POWER** SUPPLY

Full 2A more than the original power supply. Heavy duty. 110/ 220V operation. Mounts directly into Apple II case. AC cord included.

ORDER NO. 83-APL-PS-51

\$79.95

5A POWER SUPPLY With BUILT-IN COOLING FAN



Newly patented Apple II® compatible 5A power supply. Fits completely into Apple II case. Eliminates the need for external

ORDER NO. 83-APL-PS-53

\$89.95

DATA SPEC™ SUPER CABLES


Fully shielded - shock proof - low loss. 25 Conductor RS232 cable assembly with 100% alluminex shield. Special

and shielding. The best

cables currently made!



ORDER NO.	THE STATE OF THE S	LENGTH
83-MRS23	2MM-3	3
83-MRS23	2MM-5	5'
83-MRS23	2MM-10	10"
83-MRS23	2MM - 25	25'
83-MRS23	2MF-3	3
83-MRS23	2MF-5	5'
83-MRS23	2MF-10	10"
83-MRS23	2MF-25	25'



PLUG/JACK	PRICE
Male/Male	\$24.95
Male/Male	27.95
Male/Male	29.95
Male/Male	37.95
Male/Female	25.95
Male/Female	28.95
Male/Female	30.95
Male/Female	38.95

SOLDER TYPE 25 PIN "D" (RS232) CONNECTOR



ORDER NO

83-DB25F

Solder Type \$2.25 83-DB25M

Solder Type 2.90 Female Hood with hardware 83-DH25H 1.30 **RF CABLES**



RCA to RCA. Connects computer to monitor, etc.

ORDER NO.		PRICE
83-BRR-3	3'	\$1.95
83-BRR-6	6'	2.50
83-BRR-12	12'	4.50

Please Note: ORA Electronics products are intended to be sold to persons with a working knowledge of electronics and computing. If you do not have such knowledge, please visit your local dealer for products and information.

MINIMUM ORDER \$25.00. VISA, MASTER CARD accepted. No surcharges. Exact UPS charges will be added. PREPAID: Certified checks and money orders, send exact amount. No shipping, handling or insurance charges in the continental USA. PERSONAL CHECKS: add 5% shipping charges, allow 3 weeks to clear. INTERNATIONAL BUYERS: US currency and 20% extra for shipping. CA Residents, add sales tax. OEM / DEALERS: send for special prices on your company letterhead.

NO PURCHASE ORDERS OR OPEN ACCOUNTS—NO EXCEPTIONS.



To order, call TOLL FREE: (800)423-5336 Calif. TOLL FREE: (800) 382-3663

\$2.00

2.60

1.20

Local: (213) 701-5848

Telex 181011 ORA PARTS NTGE

18215 PARTHENIA STREET, NORTHRIDGE, CA 91325



FORMULA INTERNATIONAL INC.

12603 Crenshaw Blvd., Dept. B, Hawthorne, CA 90250

For information (213) 973-1921 • Orders Only (outside Calif.) (800) 672-8758



ecom

Pioneer of Low Cost Apple* Compatible Computer

No Copyright Infringements!

Compare These Features with Our Competitors:

- Powerful Utility Program (100% Apple Compatible)
- 68-Key Upper & Lower Case Keyboard with Numeric Keypad
- 25 Pre-programmed Function Keys
- 2 Speed Auto Repeat Funtion
- 64K User Memory—expandable to 192K
- 5A Switching Power Supply (110/220VAC)
- All ICs Are Socketed for Easy Service
- Nation-wide Dealer Network for Convenient Technical Support

And best of all, the price Assembled and Tested is just......



Now with New **Improved** Keyboard and 64K RAM



pinecom[™] DP-64


- Dual Processor (6502 and Z80A)
- **Detached Keyboard**
- 64K RAM Expandable to 192K
- 25 Function Key Keyboard
- Auto Repeat Keys w/Upper/lower Case
- 2 Slim Disk Drives (optional)
- 100% Apple II Compatible
- 40/80 Column Display (optional)
- Runs Both Apple Soft and CP/M Software

Model DP-64 Fully Assembled . .



AP-II COMPUTER A&T

Apple Look Alike 48K User Memory Supports Upper & Lower Case 100% Apple II* Compatible



AP-II MOTHERBOARD

Apple II + * Compatible 48K Memory Space 8 Expansion Slots

Assembled & Tested\$295.00 ea




Parallel Interface (Centronics Compatible) Standard Microprocessor Electronics 80cps Bidirectional with Logic Seeking 96 Character ASCII Adjustable Sprocket and Friction Feed

\$265°° Model BX-80..

MICRO-II COMPUTER

100% Apple Compatible • No Copyright Problems!



Model I 48K RAM... \$49900

Model III 64K RAM w/Dual CPU.

(6502 for Applesoft & Z80A for CP/M)

All above models are standard with Numeric Keypad, Function Keys, Auto Repeat Keys, Upper/lower Case Function, Fully Assembled and Tested.

Model II 64K RAM ...

ERIPHEKALS

Autoterm 80-Col, w/Softswitch	\$99.95
80-Column Card	99.95
80-Column for Apple lie*	49.95
280 CP/M Card (no software)	99.95
16K RAM Card	49.95
Parallel Printer Interface	85.00
Buffer for Printer Interface (16-64K)	85.00
Serial Printer Interface Card w/Adj. Baud .	85.00
Disk Controller	65.00
Disk Controller DOS 3.2/3.3 Auto Select	
EPROM Writer Card (2716/2732/2764)	75.00

* SEND **ONE DOLLAR FOR OUR** DETAILED CATALOG

Dealer inquiries, Circle 165. All others, Circle 166.

Shipping & Handling Charges Under \$50.00 Over \$50.00

Minimum Order \$10.00/Callif. Residents add 6.5% Sales Tax. Phone Orders Accepted on VISA or MC ONLY. NO C.O.D.'s. Prices sub-




*Apple and Apple II are the trademark of APPLE COMPUTERS, INC.

DIGITAL RESEARCH COMPUTERS

(214) 271-3538

32K S-100 EPROM CARD PRICE CUT!



USES 2716's

Blank PC Board - \$34

WITH DOCUMENTATION \$55 ASSEMBLED & TESTED **ADD \$30**

SUPPORT ICs + CAPS \$17.50

\$19900

NEW!

LOW POWER! RAM OR EPROM!

BLANK PC BOARD

FULL SOCKET SET \$14.50

FULLY SUPPORTS THE NEW IEEE 696 S100 STANDARD (AS PROPOSED)

FOR 56K KIT \$185

ASSEMBLED AND TESTED ADD \$50

64K S100 STATIC RAM

- FEATURES:

 * Uses new 2K x 8 (TMM 2016 or HM 6116) RAMs.

 * Fully supports IEEE 696 24 BIT Extended

- Fully supports IEEE 696 24 BIT Extended Addressing.
 64K draws only approximately 500 MA.
 200 NS RAMs are standard. (TOSHIBA makes TMM 2016s as fast as 100 NS. FOR YOUR HIGH SPEED APPLICATIONS.)
 SUPPORTS PHANTOM (BOTH LOWER 32K AND ENTIRE BOARD).
 2716 EPROMs may be installed in any of top 43K. Any of the top 8K (E000 H AND ABOVE) may be disabled to provide windows to eliminate any possible conflicts with your system monitor, disk controller, etc.
- Perfect for small systems since ROTH RAM and EPROM may co-exist on the same board.

 BOARD may be partially populated as 56K.

SPECIAL: 2716 EPROM's (450 NS) Are \$4.95 Ea. With Above Kit.

KIT FEATURES

- 1 Uses +5V pnly 2716 (2Kx8) EPROM's
- 2. Allows up to 32K of software on line!
- 3. IEEE S-100 Compalible
- Addressable as two independent 15% blocks
- Cromemco extended or Northstar bank

BLANK PCB

(WITH CP/M" 2.2 PATCHES AND INSTALL

\$6995

- 7 Any or all EPROM locations can be disabled
- Double sided PC board, solder-masked silk-screened
- Gold plated contact fingers
- Unselected EPROM's automatically powered down for low powe
- Fully buffered and bypassed
- 6 On board wait state circuitry if needed 12 Easy and quick to assemble

256K S-100 SOLID STATE DISK SIMULATOR! WE CALL THIS BOARD THE "LIGHT-SPEED-100" BECAUSE IT OFFERS AN ASTOUNDING INCREASE IN YOUR COMPUTER'S PERFORMANCE WHEN COMPARED TO A MECHANICAL FLOPPY DISK DRIVE.

FEATURES:

- 256K on board, using + 5V 64K DRAMS.
- Uses new Intel 8203-1 LSI Memory Controller. Requires only 4 Dip Switch Selectable I/O Ports.
- I/O Ports.
 Runs on 8080 or 280 \$100 machines.
 Up to 8 LS-100 boards can be run
 together for 2 Meg. of On Line Solid
 State Disk Storage.
 Provisions for Baltery back-up.
 Software to male the LS-100 to your
 CP/M* 2.2 DOS is supplied.
 The LS-100 provides an increase in
 speed of up to 7 to 10 times on Disk
 Intensive Software.
 Compare our price! You could pay
 up to 3 times as much for similar
 boards.

\$39900

(FULL 256K KIT) #LS-100

PROGRAM ON DISKETTE)

THE NEW ZRT-80 CRT TERMINAL BOARD!

A LOW COST Z-80 BASED SINGLE BOARD THAT ONLY NEEDS AN ASCII KEYBOARD, POWER SUPPLY, AND VIDEO MONITOR TO MAKE A COMPLETE CRT TERMINAL. USE AS A COMPUTER CONSOLE. OR WITH A MODEM FOR USE WITH ANY OF THE PHONE-LINE COMPUTER SERVICES.

FEATURES:

- Uses a Z80A and 6845 CRT Controller for powerful video
- capabilities. RS232 at 16 BAUD Rates from 75
- 24 x 80 standard format (60 Hz). Optional formats from 24 x 80 (50 Hz) to 64 lines x 96 characters (60 Hz).
- Higher density tormats require up to 3 additional 2K x 8 6116 RAMS. Uses N.S. INS 8250 BAUD Rate Gen.
- and USART combo IC.

 3 Terminal Emulation Modes which
- are Dip Switch selectable. These include the LSI-ADM3A, the Heath H-19, and the Beehive. Composite or Spilt Video.
- Any polarity of video or sync. Inverse Video Capability. Small Size: 6.5 x 9 inches.
- Upper & lower case with descenders.
 7 x 9 Character Matrix.
 Requires Par. ASCII keyboard.

WITH 8 IN. SOURCE DISK! (CP/M COMPATIBLE) \$12995 # ZRT-80

BLANK PCB WITH 2716 CHAR, ROM, 2732 MON, ROM \$5,995 **SOURCE DISKETTE - ADD \$10**

SET OF 2 CRYSTALS - ADD \$7.50

(COMPLETE KIT, 2K VIDEO RAM)

Digital Research Computers

P.O. BOX 461565 • GARLAND, TEXAS 75046 • (214) 271-3538

64K SS-50 STATIC RAM

NEW!

LOW POWER

RAM OR EPROM!

BLANK PC BOARD WITH DOCUMENTATION \$52

SUPPORT ICS + CAPS \$18.00

FULL SOCKET SET \$15.00

56K Kit \$219

64K Kit \$249 ASSEMBLED AND TESTED ADD \$50



ATURES

- Lass new 2K x 8 (TMM 2016 or HM 6116) RAMs. Fully supports Extended Addressing. 64K draws only approximately 500 MA. 200 NS RAMs are standard. (TOSHIBA makes TMM 2016s as fast as 100 NS. FOR YOUR HIGH SPEED APPLICATIONS.)
 Board is configured as 3-16K blocks and 8-2K blocks (within any 64K block) for maximum flexibility. 2716 EPROMs may be installed anywhere on Board.

- Board.
 Top 16K may be disabled in 2K blocks to avoid any I/O conflicts.
 One Board supports both RAM and EPROM.
 RAM supports 2MHZ operation at no extra
- charge! Board may be partially populated in 16K increments.

NEW!

EPROM II FULL PROMERIT \$80.00

ADD \$35.00

32K S100 EPROM/STATIC RAM



BLANK WITH DATA

NEW!

PLUS CAPS 523.00

SOCKET BUT

\$18

We took our very popular 32K S100 EPROM Card and added additional logic to create a more versatile EPROM/RAM Board.

FEATURES: * This one board can be used in any one of four ways:
A. As a 32K 2716 EPROM Board
B. As a 32K 2716 EPROM Board (Using Every Other Socket)
C. As a mixed 32K 2716 EPROM/2K x 8 RAM Board
D. As a 32K Static RAM Board
* Uses New 2K x 8 (TMM/2016 or HM6116) RAM's
* Fully Supports IEEE 696 Buss Standard (As Proposed)
* Supports 2A Bit Extended Adressing

- Supports 24 Bit Extended Adressing 200 NS (FAST!) RAM'S are standard on the RAM Kit Supports both Cromemco and North Star Bank Select Supports Phantom

- Supports Phantom
 On Board walt State Generator
 Every 2K Block may be disabled
 Addressed as two separate 16K Blocks on any 54K Boundary
 Perfect for MP/M* Systems
- RAM Kit is very low power (300 MA typical)

32K STATIC RAM KIT — \$129.95

TERMS: Add \$3.00 postage. We pay balance. Orders under \$15 add 75¢ handling. No C.O.D. We accept Visa and MasterCharge. Tex Res. add 5% Tax. Foreign orders (except Canada) add 20% P & H. Orders over \$50, add 85¢ for insurance

HICROMAIL

IBM PC-COMPLETE SYSTEM
VERY SPECIAL PRICE

64K, Two 320KB Disk Drives, Floppy Disk Controller, Video Card and High Res Monitor...... \$2590

TAVA PC

CORONA

Desk Top Computer \$2395

SLIMLINE DISK DRIVE FOR IBM PC

DS/DD 320KB by TAVA CORP \$190 DISK DRIVES FOR IBM PC

MONITORS

300A	\$190.00	I	\$340.00
300G	\$160.00	<i>II</i>	\$690.00
310 A	\$190.00	<i>III</i>	\$390.00
FV			31130.00

PRINCETON GRAPHICS SYSTEMS

PRINCETUN GRAPHICS	2121FM2
Hi-Res Color	\$490

PRINTERS

DAISYWRITER 2000 CALL

 OKIDATA

 82A
 \$440
 84A
 \$975

 83A
 \$690
 92A
 \$575

 93A
 \$920

BROTHER

HR-1\$750 DX-15\$490

	SPINWRITER	
w	CDIMMOUTED	
νп	 32 114 41 17 1 1 1	

7710-1 \$2050	3510. \$1450
7715-1 \$2200	3515. \$1450
7720-1 \$2500	3530. \$1650
7725-1\$2500 7730-1\$2050	3550\$1950

HARD DISKS FOR IBM PC®

10 MB Hard Disk Sub-System by TAVA CORP. includes Software, Cables, etc. Internal. \$1295

MEMORY BOARDS

AST

IO Plus. Five function Card	. \$199
Combo Plus. 4 function card. Fully pop. 256K	\$450
Mega Plus. Fully pop. 512K	\$990
AST SIXPAK 384K	CALL
QUADRAM	
Quad Card. Fully pop. 256K	\$450
QUADLINK	CALL
CONOGRAPHIC	
High Res. Color Graphics Card	\$995

BIG BLUE\$470

HERCULES Graphics Card.....\$490

MAYNARD SANDSTAR SERIES

FDC 5 1/4 & 8"\$220	
Multifunction Card\$90	
Memory Card\$180	

DISK DRIVE FOR APPLE

Slimline, or Standard\$190

APPLE IIe

MICROMAIL

631 E. First St., Tustin, CA 92680

PRICES AND AVAILABILITY SUBJECT TO CHANGE WITHOUT NOTICE

APPLE is a trademark of Apple Computers, Inc. IBM is a trademark of IBM Corp. CP/M86 is a trademark of Digital Research, Inc.

(714) 838-9100

Offer You Mo

That's right. If you compare the benefits of ordering from National Computer to all our competitors, you'll see why more smart shoppers buy from us everyday. We save you money even before you order with our toll-free 800 line, and then if you find a lower advertised price we'll try to meet it. Since we stock what we advertise you can rest assured your order will be shipped promptly. In addition, if for any reason you are not satisfied with any hardware you purchase from National Computer you may return it for exactly what you want or a full refund. Check us out! We've been in business for over 4 years, and one glance at our catalog will demonstrate the commitment we have to direct marketing and to our fine customers



HOURS

MONDAY FRIDAY

169.95 159.95 499.95 329.95 TAXAN 12" hi-res 149.95 ZENITH 12" hi-res 110.95



he anytime-anywhere computer in-udes CP/M, CBASIC, a screadsheat and wordprocessing software.



PRINCETON PGS HX-12 DEAL FOR IBM PC!

r. haracter x 25 lines H x 240V dot resolution 880 character x 20 minutes of the second to see the second to second

CALL

We carry the Quadram Out



549995 Only

Only You can run Apple software on your IBM PC. Advance technology from the IBM PC periphera leader Duadram has made it possible outside the possible of the property of the p



169.95 169.95 429.95 0 etails 0 etails 115.95 115.95 139.95 139.95 139.95 179.95 219.95 219.95 219.95 219.95 SuperSoft by MicroPro.
SpellStar by MicroPro.
Bass IIMS DOS or CPIM86
TO Supersor Su visiSchedule VisiWord(reg 128K)



Eagle

EAGLE PC-2
IBM Compatible
Includes 128K, two DS/IDD 320K
drives, cotor card, keyboard, montion,
two Serial potts, one parallet, port,
and CP/IM 86 Other Eagle configurations available.

—APPLE COMPATIBLE— Wildcat Mobile Computer 64K Ram, one or two drives, one serial, one parallel port, RGB output, defachable keyboard. Call for more intermation.



TAXAN 420 MONITOR CALL



COMPATIBLE MODEMS
FOR IBM PC
HAYES Smartmodem 1200B
Cactus Technology

Your Quarantee of Satisfaction

We guarantee every item in this advertisement for 30 days. If, for any reason whatever, you are not satisfied with any merchandise purchased from us, we want you to return it to us at our expense. We will exchange it for exactly what you want, or will refund your money, and include any shipping charges you have paid. Sorry, software must be excluded from our policy due to copyright laws.

NATIONAL COMPUTER PRODUCTS

poder please send monthly of cashler's check. Personal checks 3 weeks to clear. Piezes reflect 19% cash daw was accept 1958. MeaterCady, American Express, Dinners Culto and Caste Blancher Shipping handling A insurance riges add 3% of merchandise lotat (rim. \$5.00). California residents add 6% sales far Foreign valentimes please or write. Proces and availability subgect to change without notice. All equipment is new and warvance by the



DOS PLEASE CALL FOR SYSTEM PRICES



PC MOUSE For use with IBM Radio Shack, Apple, etc. System includes Mouse Systems M 1 option includes wipad 8 RS-232 interface. pie. etc Systems RS-232 in

Only 524995 MICROSOFT MOUSE AVAILABLE PLEASE CALL FOR PRICE



449 9 1,74 4



KOALA TOUCH TABLET



4/9 05



SWEET-P PLOTTER



EPSON FX-80
EPSON RX-80
Call for Special Price
EPSON FX 100
STAR GENIN 10X & 15X
C 110H PROWHITERS 1 & II
OSHBA 62 W/COLOR
Please Call for \$25 PR/CE
and Arahabiny



3469°5

Only
The to the MI M2
ORBITA 91
CHIEFT A RZA WIRD 349 95 505 95 960 95



TRANSTAR 315 COLOR PRINTER A code plan made to send the a steple party on board fand its board to

Only \$549°5



PRINTERS

1649 95 1079 idis of the property of the control


NEC 3550 Sprinwrite only \$188995



256K only 539995

K 200.05 12BK 340.05 192K 630 512 QUADBOARD

64K 288.86 256K 348.86 512K 639.89 Coming 2000! New direct connec



451 MEGAPLUS

th serial & clock 338.95 19.85 197K 448.95 256K 498.95 h parallel & serial 379.95 19.85 197K 499.95 256K 548.95 320.05

COMBOPLUS 339 95 18.85 192K 458.85 256K 498.85

I/O PLUS



Apparat,inc COMBOCARD II

16995 Only



TI WIKONK S Inecknick Electronic FREDERICK COLORPLUS

HI RES COLOR GRAPHICS CARD Includes draftsman utility software PLEASE CALL FOR BEST PRICE



Tandon FM 100 2 DS/10 Landon 5 N Half Heights Deving 5 mb Deving 10 mb Deving 15 mb



COLUMBIA MPC
IBM PC Compatible System
Includes 128K, two 05/00 J004
dries. 2 PS-22 serial popt 3004
dries. 2 PS-22 serial popt 3004
compatible segarition card stots,
video monochronericolorigraphics
card, and IBM type heyboard includ
dwith system is MS DOS CPM 88,
BASICA [wicolor graphics.
BASICA [wicolor graphics.
BASICA [wicolor graphics.

COLUMBIA VP PORTABLE



Inexpensive IBM PC Compatible
The new SANYO MBC 550 is a 18 bit
BM PC work a like that will run all
software currently available IBM PC
software Factures include
8088 CPU • 128K RAM memory •
8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
• 8088 CPU • 128K RAM memory
•

rmore intormation and on other configuration:



MICROFAZERS by Quadram Please call for prices on the con Inpuration of your choice.

PROTECT YOUR COMPUTER

CALL

Diskettes M PC 248.85 (ALC) M Scotch 5% DS/DO 36.85 (ALC) Verbalim Distrette 5% DS/DO 26.85 (ALC) Verbalim Distrette 5% DS/DO 26.85 (ALC) Polices to 4 M 27.86 (ALC) Polices to 4 M 27.86

Here! National Computers Winter 1983 collection of Stateof the art computer merchandise is available now. You'll find dozens of products, including computers, printers, video monitors, modems and accessories for IBM PC, APPLE lie and many other computer systems, all at the great price you expect from us. It includes dozens of illustrations and informative descriptions. And best of all, it's free!



TOLL-FREE **ORDERING**

800-854-6654

NATIONAL COMPUTER PRODUCT 8338 Center Drive, La Mesa, CA 92041-3791

Calif. Alaska, & Hawaii call (619) 698-8088

Information on products, and order inquiries call (619) 460-6502

DEALERS, WE BUY EXCESS STOCK, PLEASE CALL OR WRITE





SYSTEM SAVER

- Surge Suppression
- Fits Apple Stand
- Dual Outlet
- U.L. Listed
- Great Gift!

OUADRAM

APIC (APPLE /// PARALLEL)	129 99
PIC (IBM PARALLLLI	89 99
ERAM 80 column 64K IIE	SCALL
MICROFAZER	SCALL
DUAOBOARO I or II (64K)	2/9 99
OUAOCOLOR I	234 99
OUAOCOLOR II	209 99
OUAO 512+(64K)	249.99
OLIVOCHDOME MONITOD	100.00

QUADLINK 479.99

MICR@SOFT

A.L.O.S.	759
APPLE SOFT COMPILER	1159
BASIC COMPILER	259 9
COBOL COMPILER	559 3
FLIGHT SIMULATOR (IBM)	34 3
MOUSE (IBM)	129.9
MULTI-TOOL BUOGET	100 3
MULTI-TOOL FIN. STMT.	603
SOFTCARO II	7159
SOFTCARO PREMIUM (lie)	3599
64K IBM SYSTEMCARD	205 3
WORO	SCAL

MULTIPLAN 165.99

CP/M 3.0 279.99

Dispatcher 99.99

SMARTTERM II. or Z-CARD II

29.99

380 Z LETTER QUALITY DAISY WHEEL PRINTER

99999

599.99

129 99

499

SCAL

- 32 CPS
- Graphics • 10, 12, 15 Pilch
- Proportional spacing

Sheet Feeder

Tractors

Cable (Please Specify) **NEW!** Stylewriter

SPINNAKER

ALPHABET ZOO (new) OELTA ORAWING FACEMAKER FRACTION FEVER (new)	19 99 32 99 21.99 21 99
HEY DIDOLE DIDOLE	19 99
KINDERCOMP	19 99
MOST AMAZING THING	26 99
RHYMES AND RIDOLES	19 99
SNOOPER TROOPS 1	27 99
SNDOPER TROOPS 2	2799
STORY MACHINE	2199

ALL OF ABOVE 214.99

Reagle BroS

ALPHA PLOT	24 99
APPLE MECHANIC	19 99
BEAGLE BASIC	24 99
005 8055	15 99
DOUBLE TAKE	24 99
FLEX TEXT	1999
FRAME-UP	16 99
PRONTO DOS	1999
TIP DISK #1	14 99
TYPEFACES	14 99
UTILITY CITY	1999
ALL OF ABOVE	234.99

EDUWARE'

ALGEBRAI, II, or III	27 99
COMPUMATH	34 99
COMPUREAD	21.99
COMPUSPELL	21.99
COUNTING BEE	2195
DECIMALS 3.0	33 99
FRACTIONS 3.0	33 99
PERCEPTION GAMES	19.99
PRISONER II	23.99
PSAT WORD ATTACK	33 99
RENOEZVOUS	27 99
SAT WORD ATTACK	33 99
SPELLING BEE GAMES	27 99
SPELLING/READING PRIMER	27 99
STATISTICS	2199

APPLE SOFTWARE

Bank Street Writer	49 99 26 99
Chopliter	20 99
Oavid's Midnite Magic	26 99 26.99
Loderunner CENTRAL POINT Copy II+	25 99
CORVUS	20 99
OATAMOST Aziec	SCALL 29.99
Swashbuckler	26.99
Kids & Apple, VIC, COMM, ea.	26.99 14.99
DATASOFT Canyon Climber	17.99
724400	20.00
OLM Alien Addition Sch-37 99. Alligator Mix Sch-37 99. Demolition Division Sch-37 99. Dragon Mix Sch-37 99.	H-27 99
Alligator Mix Sch-37.99.	H-27.99
Demolition Division Sch-37 99.	H-27.99
Dragon Mix Sch-37 99.	H-27.99
Meleor Mellinication Sch-3799	H-27 99
Minus Mission Sch-37 99. Spelling Wiz	H-2799
Spelling Wiz	3799
Verb Viper/Word Invasion	37 99 37.99
Word Man/Word Master	37.99
Word Radar	37.99 23.99
EDUFUN Frenzy Flip Flop	23.99
EPYX Crush Crumble Chomp	22.99 149.99
GRAPH in CALC	149 99
HAYDEN Piewriter	129 99
Sargon II IN CREDIBLE JACK	129 99 26 99 129 99
JOR-ANO Secret Agent	21 00
KENSINGTON Formatt II	26.99
L&S Crossword Magic	1999
LEARNING CO Bumble Games	21.99 26.99 39.99 29.99
Bumble Plot	29 99 32 99 22 99 26 99
Gertrudes Puzzle	32 99
Juggles Rainbow	22.99
Magic Spell	26 99
Moptown Parade	26 99
Rocky's Bools LIGHTNING Masterlype	37 99
LIGHTNING Masterlype	2999
MICKULAB Highrise	22.99
Miner 20-49er	29 99
Death in the Caribbean	26 99 37 99 29 99 22 99 26 99
Oata Factory	22333
ODESTACHESS	53 99
Checkers	37.99 37.99
Odin PEACHTREE	
	SCALL
PENGUIN Graphics Magician SIERRA ON LINE Frogger	44 99 24.99
Screenwater II	8999
Screenwriter PRD	14999
Ultima II	44 99
Cannonball Blitz	26.99
General Manager	44 99 26.99 169 99 29.99
Dark Crystal	29.99
SDFTWARE DIMENSIONS ACCT +1	SCALL
SDFTWARE DIMENSIONS ACCT + STATE OF THE ART	SCALL
SUBLOGIC Pinball	26.99 29 99
ULTRASOFT Serpents Star	29 99
Mask of the Sun	29 99
VISICORP	Scali

APPLE

HARDWARE CDP 16K RAM CARD Printer Card & Cable Fan W/surge, 2 outlets 39.99 39.99 39.99

DAN PAYMAR Lower Case 1 (rev	
Lower Case 2 (rev 7)	19.99
DARK STAR Snapshot II	89.99
EASTSIDE Woodcard	11999
FOURTH DIMENSION Drive	219.99
HAYES Micromodem II	254.99
HAYES Micromodem IIe	SCALL
HOME Repeal Key	19.99
KOALA PAD	89.99
KRAFT Joystick	44 99
KRAFT Paddles	3199
LEGEND 128K Ram	359.99
MICRD-SCI Drive	219.99
MDUNTAIN CPS Card	159 99
NDVATION Applecal II	269 99
Applecal Upgrade 1200 Baud	309 99
ORANGE MICRO Grappier +	119.99
Bufferboard	11999
Bufferd Grappler +	179.99
PADDLE A DAPPLE	24.99
SATURN 128K Ram	379.99
Accelerator II	444 99
Neptune 64K	19999
Neptune 128K	299.99

CCESSORIES

3 Ring Disk Sheets (10)	7 99
Printer Stand Small (plagis)	24 99
Printer Stand Large (plagis)	29 99
54K CHIPS (9x4 164 200ms)	79 99
16K CHIPS (8x4 116-200ms)	999
LIBRARY CASE	1 99
Flip 'n File (ORIGINAL)	17.99
Flip in File 25 Lockfray	1799
Flip in File 50 Lockfray	2799
Power Strip w surge	1799
HAYES 300 Baud Smarlmodem	19999
1200 Baut Smartmodern	474 99
HOVATION CAT	104 99
NOVATION 103 212 AUTOCAT	429 99
NOVATION 103 SMARTCAT	169 99
HOVATION INFONE MAXI	869 99
NOVATION EXPANSION MOD	29 99
MX & FX 100 A BBONS	7 99
MX & FX BO RIBBONS	4 49
OK182 83 92 93 GEM RIBBONS	
USI Compared RF MOD	34 99
Fingerorint	

(Epson Enhancer) 44.99

259 99

1/2 HeighlOS/00 Orive

ALPHA Data Base MGR II	16999
Apple-IBM Connection	129.99
Executive Package	115.99
Typelaces	79 99
ARMONK Executive Suite	27.99
ASHTON TATE dBase II	SCALL
Encyclopedia	59.99
Friday	SCALL
AST Beards	SCALL
BRODERBUND Apple Panic	21.99
Serpentine	26.99
CENTRAL PDINT Copy II PC	25.99
DATAMOST Space Strike	21.99
Pig Pen	21.99
Real Estate Inv Prog	69.99
Write Dn	6999
EDUWARE Algebra I	2999
Prisoner 11	2999
EPYX Crush Crumble Chomp	
Curse of Ra	14 99
Jabbertalky	2299
Dil Barons	2299 7499
Star Warrior	22 99
Temple of Apshar	2299
Upper Reaches of Apshar	14 99
GRAPH 'N CALC	149.99
HAYDEN Piewriler	12999
HAYES 1200B Modem	439.99
KENSINGTON PC Saver	SCALL
KRAFT Joystick	44.99
LIFETREE Volkswriter	119 99
LIGHTNING Mastertype	36.99
LDTUS 1-2-3	SCALL
MICROLAB Highrise	22 99
Death in the Caribbean	25.99
Miner 20-49er	2999
MOUNTAIN Hard disk	SCALL
NORTON Utilities	5999
PC CRAYON	49 99
PC TUTOR	47.99
PERFECT SOFTWARE	\$CALL
PDOL 1.5	27 99
PLANTRONICS ColorPlus	409.00
SIERRA ON-LINE Frogger	26 99
Crossfire Lunar Leep, Mouska	llakin 2299
Golf Challenger	1999

Ulysses & Golden Fleece SIR-TECH Wizardry SUBLOGIC Pinball TMAKER 29.99 44.99 29.99 169.99 44.99

TMAREN TITG Joystick TITAN 64K BOARD VISICORP, Visicalc or Visidex Visitile, Trend/Plot, Schedule ea Visilink Visispel

EAGLE PC \$CALL

& SORCIM

SUPERCALC SUPER SPELLGUARD 119.99ea

SUPERWRITER SUPERCALC 2 167.99ea.

APPLE IBM & CP:M VERSIONS

Videx

APPLE WRITER PRE-BOOT CHARACTER ROMS ENHANCER II FUNCTION STRIP HAROSWITCH HAROSWITCH
MICROMODEM CHIP
PS10
SDFTSWITCH
ULTRATERM PRE-BOOTS
VIOEDTERM W SJS + INV
VISICALC PRE-BOOT

ULTRATERM VIDEOTERM

199.99

SCALL 21999

39 99

249.99

INFOCOM

ENCHANTER DEADLINE PLANETFALL SUSPENDED WITNESS 32⁹⁹ ea

STARCROSS ZORK I ZORK II ZORK III

24⁹⁹ ea

CPIM VERSIONS \$7.00 MORE

MONITORS

Ī	AMDEK	SCALL
	PRINCETON RGB HZ-12	489 99
	OUADCHROME RGB HX-12	499 99
	USIPi 19" Green 20 mh	116 99
	USI Pí 2 12" Green 20 mh	119 99
	USI Pi 3 12" Amber 20 mh	146 99
	USIPi 4 9" Amber 20 mh	136.99
	USI 1400C Color Composite	288 99
	OSBORNE Mointor Cable	SCALL
	TI Mondor Cable	SCALL
	RCA 6" Male-Male	2 99
	lie to Princeton card/cable	139 99
	TAXAN 12 Green 18 ml	134.99

MicroPro

89 99
179 99
139 99
199 99
139 99
109 99
139 99
389 99

INFOSTAR & WORDSTAR Call for special pricing

ontinental

APPLE SDFTWARE 1983 BDOK	9 39
ATARI SDFTWARE 1983 BDOK	9 99
APPLE GRAPHICS BOOK	14 99
CPA (GL. AP AR, PAY) ea	149 49
FCM/FL 1st CLASS MAIL (AP)	6199
FCM/FL Ist CLASS MAIL(IBM)	7199
HOME ACCOUNTANT+ (IBM)	24 99
HOME ACCINT + (KAYPRO, OSB)	5999
HOME ACCNT + (TI PRD)	113.99
PROPERTY MANAGEMENT	299 99
TAX AOVANTAGE	39.99
ULTRAFILE (IBM)	SCALL

HOME ACCOUNTANT

Apple Atan Commissive \$44.99

DISKETTES

DYSAN 5" SS DD (10)	3199
DYSAN 5" SS DD (100)	299 99
MAXWELL 5" SS DD (10)	2799
MAXWELL 5" SS/DD (100)	259 99
MAXWELL 5" DS DD (10)	37 99
MAXWELL 5" DS/DD (100)	359.99
VERBATIM 5" SS/DD (10)	24 99
VERBATIM 5" SS/DD (100)	229 99
VERBATIM 5" DS DD (10)	36 99
VERBATIM 5" OS DD (100)	349 99

O Dyşan BOX or CASE Double-sided, double density 100/cas 369.99

PRINTERS

-ITOH PROWRITER	SCA
PSDN (ALL MODELS)	SCA
KIDATA 82A	384
KIOATA 83A	629
KIOATA 84P	969
KIOATA 92	489
KIDATA 93	859
TAR GEMINI 10X	SCA
TAR GEMINI 15X	SCA
TAR DELTA	SCA
RANSTAR	SCA
IDDONE IN CTOCK COD	MUCH MUUR

SMITH CORONA 499.99

SAN JOSE: 860 S. Winchester Bl. San Jose, CA 95128 (408) 985-0401 MON-FRI 8AM-7PM SAT -SUN-HOL. 10AM-5PM

COMPUTER DISCOUNT PRODUCTS MAIL & PHONE

ORDERS 860 S. Winchester Bl. San Jose, CA 95128 (408) 985-0400 SAN FRANCISCO: 1230 Market St San Francisco, CA 94012 (415) 626-2244

MON-FRI 10AM7PM SAT SUN-HOL 10AM 5PM

No Charge For Credit Cards

- Prices Subject To Change
- Software Sales Are Final Min. \$4.00 Shipping Charge
- Purchase Orders Call First







apple of a registered arabemark of apple conducer his own is a receipt from trademark of international bublishes machiner dori

TOLL-FREE ORDERING: 800-222-8686

FOR TECHNICAL SUPPORT/ **SERVICE / IN ARIZONA:** 602-282-6299

CUSTOM COMPUTER **TECHNOLOGY**

1 CRAFTSMAN COURT — BOX 4160 — SEDONA, ARIZONA 86340

Purchase your Hardware and Software directly from an OEM/Systems Integrator. Takeadvantage of our buving power! We stock a full line of Board Level Components. Software, and Peripherals, Call for your needs. We'll give you the Lowest Prices, and the Technical Support and Know-How we are quickly becoming well-known for. Satisfied Customers Nationwide! The Nations's Custom Systems House for Business, Education and Science. Call for a system quote.

FOREMOST QUALITY ADVANCED SUPPORT REASONABLE COST

OF PRIME INTEREST

Our prime interest at CCT is service and support. We build and sell hundreds of systems per year to the serious computer market. We rigidly adhere to our strict policy of reliable machines, and reliable people behind them. We feel the CompuPro product line to be the state-of-theart of the computer industry.

THE CCT EXCLUSIVE WARRANTY

With any system we build, we provide, in writing, an unconditional 12 month direct warranty on the entire system, including mainframe, boards, drives, power supplies, cabling and peripherals! We of-fer guaranteed 24 hour in-house repair and/or replacement with just a toll-free phone call. We can offer this, since we are so sure of our level of quality and reliability. It's great to know that in the event of a problem, you're not out of business waiting on service turnaround. We deliver!

Our various OEM contracts with all the manufacturers of the components we integrate, allow us this unprecedented flex-ibility. No factory O.K.'s necessary — just

getit running - NOW!

Wyse 100 terminal - 14" Green \$6	39
WS Prom Option - Installed \$	
Mitsubishi 8" DSDD drives, full or ha	
height. Set-up FREE OF CHARGE \$44	19
Okidata 82 \$389 / 83 \$6	19
84 \$1029/92 \$469/93 \$7	79
Ashton-Tate dBASE II8" or MD \$29	99
Supercaic 86 - for CP/M 86 & MP/M .\$9	99
Visual Terminals in stock Ca	11
Lear Siegler ADM 20 \$49	99
Freedom 50 \$499/100-\$54	
Hays Modem-\$259 • Diablo 620-\$10	29
We carry a full line of software in available formats at discount prices.	

TECH TIP CORNER

dbase II users - custom terminal KEYS! Implement your arrow keys; emulate Wordstar edit commands - send an SASE with \$2.00 - (ATTN: TTC). Tell us your arrow key codes. We'll return easy, detailed instructions to change almost anything. It's beautiful - Pat...





PROFESSIONAL LEVEL BUSINESS SYSTEMS STATE-OF-THE-ART QUALITY, PERFORMANCE, RELIABILITY

CCT ANNOUNCES: OUR OWN IN-HOUSE ENGINEERED CUSTOM COMPUPRO SYSTEMS

CCT-1 — ENTRY LEVEL S-100 BUSINESS SYSTEM

- Enclosure 2-Desk-20 Slot Mainframe •
- CPU 8085/88 6Mhz 8085/8Mhz 8088 •
- Disk 1 DMA Floppy Disk Controller •
- RAM 16 64K Static RAM 12 Mhz •
- Interfacer 4 3 Serial/2 Parallel I/O •
- CCT 2.4 Dual 8" Mitsubishi
 DSDD Drive System 2.4 Megabytes
- CP/M 80 2.2 LD/M CCT Modified •
- · All Cabling, Complete CCT Assembly,

Testing, and Minimum 20 Hour Burn-in •

INTRODUCTORY PRICE:

RUNS ALL STANDARD 8" CP/M SOFTWARE - INCLUDES OUR EXCLUSIVE 12 MONTH DIRECT WARRANTY

CP/ M MP/ M NOTE: Each copy we furnish is CCT modified for the target system. M-Drive/ H and hard disk drivers are furnished, and the BIOS optimized for the fastest disk step rate, as well asterminal and printer compatibility.

\star \star CCT-2 — THE FASTEST MICROCOMPUTER IN THE WORLD!! \star \star

Enclosure 2-Desk 90K Baud Parallel Terminal Board . 78 Key Professional Ergonomic Keyboard CPU 8086 - 10Mhz • Disk 1 • 512K M-Drive/H • High Resolution Amber Monitor. 128K - 16 Bit Memory • CP/ M 86 - CCT Modified • CCT 2.4 Dual DSDD Drive System Interfacer 3-8 • SS1 • All Cabling, Complete CCT Assembly, Testing, & Minimum 20 Hour Burn-in

INTRODUCTORY PRICE:

RUNS ALL CP/M 86 SOFTWARE - ULTRA FAST - INCLUDES 12 MONTH DIRECT WARRANTY * * CCT-3 — 10Mhz 68 K System similar to above, with 128 K RAM \$6,699 * *

We are the largest in the custom configuration of complete state-of-the-art S-100 systems, at package pricing, with integration, burn-in and programming. We custom build CompuPro systems / hard disk systems for business applications. Call for CompuPro literature, CCT system configuration data and technical information. We can save you money!

★ SUPER PRICES ★ COMPUPRO COMPONENTS

SYSTEM SPECIALS — ALL CCT A&T, BURNED IN:

816A-\$4299

★ IN STOCK ★ 816B-\$4999 816C-\$6499

Disk 1w/CP/M-\$449 M-Drive CP/M-Blowout-\$39 M-Drive/H-512K-\$1149 CPU 8085/88-\$319 • CPU 8086/87-\$579/10Mhz-\$659 • CPU 68K-\$519/10Mhz-\$639 • CPU-Z-\$249

CPU 286-\$1249/10Mhz-\$1359 Disk 1-\$369 Disk 2-\$599 Disk 3-\$599 • • RAM 17 (12Mhz)-\$329 • RAM 16 (12Mhz)-\$359 • RAM 21 (128K)-\$779 RAM 22 (256K)-\$1399

Interfacer 1 - \$229 Interfacer 2-\$249 Interfacer 3-5-\$399/3-8-\$459 • Interfacer 4-\$349 • Enclosure 2-Desk-\$599/Rack-\$649 20 Slot Motherboard-\$210 System Support 1-\$299

CP/M 86-\$150 MP/M 8-16-\$699 UNIX - SOON CP/M 80-\$99 • . CP/M 68K-\$279

86 Upgrade Kit: Consists of CP/M 86, 64K Ram, System Support 1, Cable - \$749 Call for CSC Boards — New Releases — Operating System Mods/Updates

* PRICE BREAKTHROUGH * Hard Disk Subsystems

CCT/Fujitsu 51/411 subsystem, includes Disk 3, custom oct/Pujisu 5 % subsystem, includes bisk 5, costom enclosure & power supply, all cabling, A&T, formated, burned-in. Ready for any CompuPro or similar S-100 system: CCT-5 (5.5 Meg)-\$1599 / CCT-20 (22 Meg)-\$2299

? ? HARD DISK DECISIONS ? ?

Hard/Floppy Combinations

An exclusive CCT innovation, CCT/Fujitsu/Mitsubishi ultra-system: 5¼ '' hard disk next to a 1.2 Meg. DSDD 8'' floppy. Includes Disk 3, custom horizontal enclosure and power supply, all cabling, A&T, formatted, burned-in. Will stand alone in any CompuPro system: CCT-10/1-\$2399 CCT-5/1-\$2099 CCT-20/1-\$2799

* NEW DISK 3/51/4" HD SYSTEMS * 2.4 Megabyte Floppy Systems

CCT/Mitsubishi 2.4 Megabyte Dual DSDD 8" system. CCT/ Mitsubishi 2.4 Megapyre puar popula a System Includes custom horizontal enclosure, all cabling, A&T, This is the factost system available: \$1149 burned-in. This is the fastest system available: With stacked half-height drives:

All Systems Carry Our Exclusive 12 Month Warranty.

Prices & availability subject to change. All products new, and carry full manufacturer's warranties. Call for catalog. Free technical help to anyone. We can configure boards & software for your system. Plug-in and go. Arizona Residents add sales tax. CompuPro® Trademark — W.J. Godbout, CP/M® MP/M® Trademarks — Digital Research

4962 EL CAMINO REAL. SUITE 119 . LOS ALTOS. CA 94022 1415) 962-9265 • TLX 171947 HANDWELL LTOS • 1-(800) 821-3628

115) 962-9			7 HANU	MELL LIO			628
	74	00			741	_S00	
7400	.19	74125	.39	74LS00	26	74LS162	1 05
7401 7402	.22	74126 74128	.44 .59	74LS01	28	74LS163	1 05
7402	.22	74128	.69	74LS02 74LS03	28 28	74LS164 74LS165	1 19
7404	.22	74136	.75	74LS03	35	74LS166	2 48
7405	23	74139	.95	74LS05	28	74LS168	1 15
7406	2.35	74141	.79	74LS08	28	74LS169	1 15
7407	2.35	74142	2.95	74LS09	35	74LS170	1 99
7408	.26	74143	2 95	74LS10 74LS11	28 39	74LS173 74LS174	89 89
7409	.23	74144	2.95	74LS12	33	74LS174	89
7410 7411	.22	74145 74147	.62 1.95	74LS13	47	74LS181	2 20
7411	.29	74148	1.20	74LS14	95	74LS190	1 15
7413	.39	74150	1.09	74LS15	33	74LS191	1 15
7414	.59	74151	.67	74LS20 74LS21	26 33	74LS192 74LS193	98
7416	.29	74152	.67	74LS22	33	74LS194	1 15
7417	.29	74153	.67	74LS26	33	74LS195	95
7420	.22	74154	1,19	74LS27	33	74LS196	89
7421	.35	74155	.78	74LS28	33	74LS197	89
7422 7423	.29 .29	74156 74157	.78 .69	74LS30 74LS32	26 33	74LS221 74LS240	1 15
7425	.29	74157	1.65	74LS32	55	74LS240	1 69
7425	.29	74150	2.49	74LS37	45	74LS243	1 69
7427	.25	74160	.88	74LS38	39	74LS244	1 49
7429	.45	74161	.88	74LS40	26 79	74LS245	2 20
7430	.23	74162	.89	74LS42 74LS47	79 79	74LS247 74LS248	1 10
7432	.29	74 163	87	74LS48	95	74LS249	1 19
7437	.25	74164	.87	74LS51	26	74LS251	1 40
7438 7439	.29 .29	74165 74166	87 1.20	74LS54	29	74LS253	1 40
7439	.19	74166	1.95	74LS55	29	74LS257	85 98
7441	.79	74170	1.69	74LS73 74LS74	.45 142	74LS258 74LS259	2 95
7442	.57	74172	4.75	74LS75	59	74LS260	65
7443	.95	74173	.79	74LS76	45	74LS261	2 49
7444	.95	74174	.89	74LS78	45	74LS266	59
7445	.79	74175	.85	74LS83A	79	74LS273	1 75 4 40
7448	.79	74176	.75	74LS85 74LS86	1 19 45	74LS275 74LS279	59
7447	.65 .79	74177 74179	.75 1.34	74LS90	57	74LS283	99
7448 7450	19	74179	.75	741592	75	74LS290	99
7451	19	74181	1.75	74LS93	75	74LS293	99
7453	.19	74 182	.75	74LS95	88 98	74LS295	1 10
7454	.19	74184	2.25	74LS96 74LS107	45	74LS298 74LS324	1 75
7459	.25	74185	2.25	74LS109	45	74LS347	1 95
7460	.23	74186	9 95	74LS 113	43	74LS348	1 95
7470	.29	74188	3.90 1.15	74LS114	43	74LS352	1 19
7472 7473	.29 .34	74190 74191	1.15	7.1LS122 74LS123	55 1 19	74LS353 74LS363	1 19 1 49
7473	.34	74191	.85	74LS123	1 35	74LS365	69
7475	.38	74193	.85	74LS125	89	74LS366	69
7476	.34	74194	.85	74LS126	52	74LS367	69
7479	4.60	74195	68	74LS132 74LS136	79 49	74LS368 74LS373	1 89
7480	49	74196	85	74LS136 74LS138	85	74LS373 74LS374	1 89
7482	.95	74197	.85 1.39	74LS139	85	74LS375	69
7483 7485	.55 .65	74198 74199	1.39	74LS145	1 25	74LS377	1 95
7486	.35	74133	1.19	74LS148	1 49	74LS385	1 95
7489	1.75	74251	.95	74LS151	79 79	74LS386 74LS390	65 1 95
7490	.39	74273	1 05	74LS153 74LS154	170	7.4LS390 7.4LS393	1 95
7491	.57	74276	1.89	7.1LS155	1 19	74LS395	1 70
7492	.45	74279	.75	14LS156	99	7-ILS399	2 35
7493	.45	74823	1.40	74LS157	85	7-H_S-12-4	2 95
7494	.69	74284	3.90	74LS158	75 1 05	7:1LS668 7:1LS670	1 75 2 29
7495	65	74285 74290	3 90 1.25	74LS160 74LS161	1 15	74LS578	1 95
7496 7497	.69 2.90	74290	.95	74LS133	65	74LS379	1 95
74100	2.90	74365	.68	74LS241	1 69	74LS381	2 95
74107	.32	74366	68	74LS280	2 90	74LS640	2 95
74109	.37	74367	68	74LS299 74LS339	2 00 1 95	74LS645 74LS690	2 95 1 50
74116	1.95	74368	68	1453339	1 90	7-1.3030	1 30

74500		LINEAR		
74500 74502 74503 74504 74505 74508 74509 74510 74511 74520 74520 74520 74520 74520 74520 74520 74521 74520 74521 74522 74523 74534 74564 74564 74564 74564 74564 74564 745613 745112 745113 745114 745124 745133 745136 745136 745136 745136 745137 745138 745138 745138 745139 745140 745153 745153 745153	39 43 45 52 49 49 49 42 42 42 42 42 49 41 49 1.19 46 46 69 72 72 72 72 72 72 72 72 72 72 72 72 72	LM301CN LM303H LM305H LM307CN LM307CN LM309K LM310CN LM310CN LM311D/CN LM311D/CN LM311T LM318CN LM319N/H LM320T-XX LM320T-XX LM320T-XX LM320T-XX LM320T-XX LM324N LM340H-XX LM324N LM340H-XX LM324N LM340H-XX LM324N LM375N LM360N LM375N LM360N LM372N LM360N LM377N LM380CN/N LM381N LM381N LM388T LM388N LM388T LM388N LM377N LM380CN/N LM381N LM381N LM388N LM388N LM388N LM378N LM378N LM386N LM377N LM380CN/N LM381N LM388N LM388N LM388N LM378N LM386N LM378N LM388N LM388N LM388N LM378N LM388N LM388N LM378N LM388N	.35 1 98 1.89 3.25 99 9.88 1.49 1.75 1.70 1.49 1.25 4.95 5.95 5.95 1.75 1.25 1.25 1.25 1.25 1.25 1.25 1.25 1.2	
74S175	1.49	IN-LIN		

2.69

1.89

1 89

2.75

2.99

75

2.99

2.75

7 95

9.95

5.75 5.75 8.95

8.95

2 90 2.15

2 95

3.15

2.95

7.75 4.15

3.95

745 188

745194

74S195

745196

74S240 74S241

745242

74S243 74S244

745251

74S253 74S257

745258 74S260 74S280

745287

745288

745374

745387

74S471 74S472

745473

74S475

74S570 74S571

74S572

745573

745940

74S941 74S132

745161

745163

74S181

745189

745283

745285

IN-LINE PRINTER BUFFER FOR ANY COMPUTER ANY PRINTER 64K Byte Parallel to Parallel Parallel to Serial

Model BF64S \$225.00 For single computer single printer

Serial to Parallel

Serial to Serial

Model BF64M \$395.00 For multi-computer single printer Allow up to four computers

Share one printer

LOGIC PROBE WITH MEMORY **FUNCTION**

\$22.95

CRYSTALS

1	32 758khz	1.75	ı
1	1 0mhz	3 95	ı
1	1 8432	3 95	L
1	20	2 95	ı
1	2 097152	2 95	ľ
1	2 4576	2 95 2 95 2 95	ı
·I	3 2768	2 95	ı
٥	3 579535	2.95	ı
п	40	2.95	ı
	50	2.95	L
	5 0688	2.95	
	5 185	2.95	
ı	5.7143	2 95	
	60	2.95	
	6 144	2.95	
	6 5536	2.06	
	80	2.95 2.95 2.95	
ı	100	205	
	10 738635	2 95	
ı	12 00	2 95	
ı	14 31818	2 95	
ı	15 0		
П	16 0	2 95 2 95	
п	17 430	2.95	
П	18 0	2.90	
п	18 432	2 95	
н	20 0	2 95	
		2 95	
ı	22 1184 32 0	2 95	
п	32 0	2.95	

16RAM CARD

Compatible with DOS 3.3. CP M. Visicalc. PASCAL 1 YR WARRANTY

\$39.95

MULTIFUNCTION BOARD WITH MEMORY, I/O CLOCK

FOR IBM P/C CALL FOR LOWEST PRICE

> SPEEDY EPROM PROGRAMMER FOR APPLE II PROGRAMMING 2716, 2732, 2764, 27128.

2532, 2564 \$99.00 **IN 30 SECONDS**

Apple II/IIe Compatible \$175.00 **Disk Drive** CONTROLLER CARD \$44.95

SUPER COOLING **FANS FOR APPLE** WITH SURG

539 50

IBM MEMORY EXPANSION KIT

IBM 64K \$52.95 (9Pcs64KRAM)

> **High Quality** Diskettes

5%" SS/SD 15/Box 5%" SS/DD 17/Box 51/4" DS/DD 27/Box

80 Column Dot Matrix Printer

CP-80 by C.T.I. 80 cps parallel interface graphics printing compatible with EPSON MX80FT

SALE PRICE \$299.00

TERMS: For shipping include \$2 for UPS Ground or \$3 for UPS Blue Label Air. Items over 5 pounds require additional shipping charges. \$10 minimum order.

1-(800) 821-3628

4962 EL CAMINO REAL, SUITE 119 . LOS ALTOS, CA 94022 (415) 962-9265 • TLX: 171947 HANDWELL LTOS ■

DIP SWITCHES Position

.37 1.95 .29

74121 74122 74123

74390

1 45

5Position 90 6 Position 90 90 8Position 95 **SOUND CHIPS**

2.95 8.95 9.95 12.95 1.49 76489 AV3-8910 AY3-8912 MC3340

8000 SERIES 8200 SERIES 6800 SERIES

Z80 SERIES

CALL FOR PRICE

MOS PROMS

2101 5101 2111 2112 2114 2114-25 3.95 5.95 3.95 5.95 2708 2758 2716 2716-1 TMS2516 TMS2716 5 50 7 95 2114L-4 2114L-3 2114L-2 2147 5 95 4 95 TMS2532 2732 2732-250 8 95 11 95 2732-200 HM61 16-4 HM61 16-3 2764 8.95 2764-250 2764-200 TMS2564 10.95 16.95 12.95 39.95 MC68764 27128

S-RAM

Miscellaneous

Miscellaneous	
6502	4.95
68000	49.95
8748	24.95
8255-5	5.95
82S123	2.55
82S129	2.99
82S131	3.99
93422	8.95
93L422	9.95
93425	3.95
93427	8.95
D2125AL-2	3,95
D2104	1.95
AY5-3600	12.95
6810	3.95
8304	3.95

DRAM

Tel: 1-(800)-821-3628

TMS4027 UPD411 MM5280 MK4108 3.00 3 00 1.95 MM5298 4116-300 4116-250 1 85 8 11.75 8 11 95 8 12.95 8 14 95 8 29 95 4.95 4116-200 4116-150 4116-120 4164-200

526

Computer Components Unlimited JPER BOW

We Will Try To Beat All Competitor's Prices In This Magazine!



- Composit Video
- Great for Apple's

Dual 51/4" Cabinets

- Power Supply
- Hi Quality
 Mfg. by PC Products

CDC Disk Drive for PC

- Cadillac of the DrivesFully IBM Compatible

S239

Okidata 92

160 cps

 Close to Letter Quality **S42**9



Haves Micro Modem IIE

- w/SoftwareLowest Advertised Price ever

\$239

Gemini 15X

- 15" Carriage
 - 120 cps

200

MicroSci A-2

- Fully Apple Compatible
- Looks Like Apple Drive

\$209

C. Itoh F-10 -55

- Letter Quality55 cps

\$1395

Siemens FDD100-8

- 8" Disk Drive
- Sql. Side/Dbl. Density

2 For \$300

Gorilla Monitor

- Amber Video
- 12" Composite





Lotus 123

- State-of-the-Art Software
 - The BEST!!

S329

PGS Monitor

- IBM Copy
- · Color Res.

Plantronics ·

- Color Board for PC
- Parallel Port
 Great Software included

S399

Franklin Ace 1000

- 64K
- Numeric Key Pad
 Large Power Supply & Fan
 - Apple Compatible

\$799

IBM, Kaypro, RS232 Cables

· • 6 ft. Long

S24

MORE

Computer **Components** Unlimited



800-847-1718

OUTSIDE CALIFORNIA

RETAIL STORE: 11976 Aviation Blvd. Inglewood, CA 90304

MAIL ORDER:

P.O. Box 1936 Hawthorne, CA 90250

This Ad Supersedes All Others (213) 643-5188

Prices Subject to Change

Mon.—Fri. 8 a.m. to 6 p.m. sat. & Sun. 10 a.m. to 5 p.m.

Circle 71 on inquiry card.



We Will Try To Beat ALL competitor's Prices In This Magazine!!

MORE SUPER FROM Computer

PERSONAL / PORTABLE SYSTEMS

PERSONAL/ PORTABLE STSTEMS			
Franklin			
Ace 1000 w/64K \$ 799 Ace 1100 299 Ace 12000MS 1795 Ace Pro Pack 1149 Franklin Ace Drive 299			
Apple Computer			
S 995 IEW/64K S 995 IEStarter System 1395 Apple Drive 299 Apple IIE 80 col. card 49			
PC64K, Keyboard, 1 Drive \$1995			
PC 64K, Keyboard, 2 Drives 2245 XT Hard Disk Drive, 128K 4995 PCMonochromeCard 335 PC Color Card 275 PC Monochrome Monitor 335			
Kaypro			
Kaypro I			
Columbia			
1600-1, 2 Dbl. Drives, Color Card, Keyboard \$2795			
Eagle Call for pricing			
Televideo			
TeletoteI \$139\$ Teletote II 1695 TS803 1900 TS1603 2450			
Compupro			
816A			
Sanyo MBC-555			
MBC-555			
STM Computers			
Pied Piper I \$ 995			
MODEMS			
Hayes Micro Computer			
300 Baud Smart Modem \$ 209 1200 Baud Smart Modem 499 Micro Modem w/software 259 1200 Baud w/smart com for PC 409 Chronograph 229			
Novation J-Cat300 Baud \$ 109			
AppleCatil			

APPLE, FRANKLIN Accessories

S
299
139
499
18
39
29
239
har.,
139
139 139
79
239
69
499
ms
129
125
44 34
39
33
49
59
119
a box

IBM PC ACCESSORIES

Ast Research

IO +	119 259 279 279 279			
Quadram				
Quad Link	475 245 475			
Tandon				
320KDiskDrive \$	235			
Panasonic				
SlimlineDrive, 320K\$	205			
CDC				
320K Disk Drive	249			
64K Upgrade				
each 64K\$	59			
Paradise Systems				
Multi Display Card\$	399			
Plantronics				
Multi DisplayCard \$	399			
PC Cable				
PrinterCable(6ft)\$	29			

51/4" & 8" DISK DRIVES

Shugart			
SA400, SgI/DbIS	160		
SA455,1/2 Height	225		
SA801R Sgl/Dbl	355		
SA851R DbI/DbI	475		
	4/3		
Tandon			
TM 100-1, 160K	160		
TM 100-2, 320K	235		
TM 101-4 (quad)	299		
TMTM 848-1 Sgl/Dbl Den	359		
TM848-2 Dbl/Dbl Den	435		
Mitsubishi			
2894 Dbi/Dbi8"\$	399		
Siemans			
FDD 100-8, 5gl/Dbl \$	150		
FDD 100-0, 391/DD1	159		
CDC			
9409T, 320K	239		
	_		

We accept all P.O.'s from Universities CALL 800-847-1718

Call for all brands of Disks.

We Offer More Than

Low Prices!!!

BOWL SPECIALSSuper Solution Components Unlimited

STOP! Compare Our Super Bowl Prices



DISK DRIVES FOR APPLE & FRANKLIN

Super 5			
Sup-5(1/2 Height)			
Controller ,	69		
Rana Systems			
Elite1S	250		
EliteII	400		
Elite III (Quad Density)	500		
Controller(controlls4 drives)	90		
Quentin Research			
Apple Mate	219		
Controller	60		
Micro Sci			
A-2	209		
Controller	70		
Mountain Computer			
5 meghardisk	1795		

DISK DRIVE CABINETS

51/4" Cabinets

DualCab.w/powersupply	85
8" Cabinets	
Single Cab. w/fan & power supply \$ Dual Cab. w/fan & power supply	209 259

HOT CIRCUITS

Watch Computer Components to expand in this area. Call for all volume requirements.

	TTL			
	74L5244,\$1.39			
Dynamic Rams				
	TMS 4027			
	UPD411 3.00			
	4116-200 ns			
	4164-200 ns			
	4164-150 ns 6.95			
Static Rams				
	2114L-2 \$1.69			
	6116-4 200 ns 4.65			
	Eproms			
	1702			
	2708			
	2716 4.00			
	2732 4.80			
	2764 6.00			

PRINTERS

	-
C. ITOH	
Gorilla-Banana, 50 cps	194
Prowriter8510, 120 cps	349
Prowriter II 1550 (15")	649
Gorilla-Banana, 50 cps	499
Prowriter II Serial	695
Starwriter F-10, 40 pu	1129
8600BP, 180 cps	999
Printmaster F-10-55	1375
	13/3
Epson	
RX-80 (120 cps)	. Call
MX-80FT (80 cps)	. Call
FX-80 (160 cps)	. Call
FX-100 (15" Carriage) ,	. Cail
NEC	
	700
PC8023A (100 cps)	399
PC8025 (15" Carriage)	699
Okidata	
Microline92P(160cps)	429
Microline 925 (160 cns)	599
Microline93P(160cps, 15").	749
Microline93P(160cps, 15") Microline93S(160cps, 15"). ,	899
Microline 82A (Par. & Serial)	369
Microline 83A (15" Carriage)	599
Microline8/IP(200cns)	969
Microline84P (200cps)	1049
	1045
Star Micronics	
Gemini 10X (120 cps)	294
Gemini15(100 cps)	339
Gemini 15X	499
Delta 10	449
Letter Quality	
Brother Hrl., ,,,,,	599
Comrexil	499
Lutei	499
Juki	479
Dynax DX-15	4/9
Daisywriter	
2000 w/Buffer.,	1199
Call For All Printers	
Call FOI All PHILLERS	
TERMINALS	
TERMINALS	
Oume	520
Qume 102.80 col. Green	539
Qume 102.80 col. Green	539 549
Qume 102,80 col. Green	539 549 749
Qume 102.80 col. Green	549 749

PRINTER ACCESSORIES

Orange Micro			
Grappler + S	119		
Grappler + w/16Kexp.to64K	179		
Apple Par. Card	49		
Microtek	45		
Dumpling GX	99		
Dumpling w/16K exp. to 64K	149		
Additional 16K for	15		
Wesper Micro Full Graphics Interface Card S	79		
Cables	/9		
IBM to Printer	29		
Kaypro to Printer	29		
Osborne to Printer	29		
Okidata Options			
Tractorfor82 & 92	59 119		
Star Options	119		
Serial Interface	60		
Epson Options			
Bufferw/Serial	119		
VIDEO DISPLAY MONITORS			
VIDEO DISPLAY MONITORS			
USI	7		
USI PI 1 (9" Green HiRes)	119		
USI PI 1 (9" Green HiRes)	119 139		
USI PI 1 (9" Green HiRes)	119		
USI PI 1 (9" Green HiRes)	119 139 149		
USI PI 1 (9" Green HiRes)	119 139 149 129		
USI PI 1 (9" Green HiRes)	119 139 149 129		
USI PI 1 (9" Green HiRes)	119 139 149 129		
PI 1 (9" Green HiRes)	119 139 149 129		
USI PI 1 (9" Green HiRes)	119 139 149 129 79 229 129		
USI PI 1 (9"Green HiRes)	119 139 149 129 79 229 129		
USI PI 1 (9" Green HiRes)	119 139 149 129 79 229 129 99 129		
USI PI 1 (9"Green HiRes). S PI 2 (12"Green HiRes). PI 3 (12"Amber HiRes). PI 4 (9"Amber HiRes). PI 4 (9"Amber HiRes). PI 5 (9"Amber HiRes). S PI 6 (9"Amber HiRes). S PI 7 (9"Amber HiRes). S PI 8 (9"Amber HiRes). S PI 9 (12"Green). S PI 9 (12"Green). S PI 9 (12"Green). S PI 9 (12"Green). S PI 9 (13"Green). S PI 1 (13"Green HiRes). S PI 2 (12"Green HiRes). S PI 2 (12"Green HiRes). S PI 2 (12"Green HiRes). S PI 3 (12"Green HiRes). S PI 4 (13"Green HiRes). S PI 5 (13"Green HiRes). S PI 6 (13"Green HiRes). S PI 7 (13"Green HiRes). S PI 8 (13"Green HiRes). S PI 9 (13"	119 139 149 129 79 229 129		
PI 1 (9"Green HiRes) S PI 2 (12"Green HiRes) S PI 3 (12"Amber HiRes) PI 3 (12"Amber HiRes) PI 4 (9"Amber HiRes) PI 4 (9"Amber HiRes) S BMC 12 AUW (12"Green) S 9191 Color Composite 12 EUN (20MHZ HIRES) Zenith ZVM122 (Green) S ZVM123 (Amber) S Gorilla HiRes Green S HiRes Amber S Amdek	119 139 149 129 79 229 129 99 129 89 99		
PI 1 (9" Green HiRes). SPI 2 (12" Green HiRes). SPI 2 (12" Green HiRes). SPI 3 (12" Amber HiRes). SPI 4 (9" Amber HiRes). SPI 4 (20MHZ HIRES GREEN). SPI 4 (20MHZ HIRES GREEN). SPI 4 (20MHZ HIRES Amber). SPI	119 139 149 129 79 229 129 99 129 89 99		
PI 1 (9" Green HiRes). SPI 2 (12" Green HiRes). SPI 3 (12" Amber HiRes). SPI 3 (12" Amber HiRes). SPI 4 (9" Amber HiRes). SPI 4 (20MHZ HIRES). SPI 5 (20MHZ HIRES). SPI 5 (20MHZ HIRES). SPI 6 (20MHZ HIRES Amber). SPI	119 139 149 129 79 229 129 99 129 89 99 329 419 159		
PI 1 (9" Green HiRes). SPI 2 (12" Green HiRes). PI 3 (12" Amber HiRes). PI 4 (9" Amber HiRes). PI 5 (12 AUW (12" Green). PI 5 (12 AUW (20MHZ HIRES). PI 5 (13 AUW 122 (Green). PI 5 (14 AUW 123 (Amber). PI 6 AUW 123	119 139 149 129 79 229 129 99 129 89 99		

Circle 72 on inquiry card.

Computer Components Unlimited

800-847-1718

OUTSIDE CALIFORNIA

..\$ 719

RETAIL STORE: 11976 Aviation Blvd. Inglewood, CA 90304

MAIL ORDER: P.O. Box 1936 Hawthorne, CA 90250 This Ad Supersedes All Others (213) 643-5188

All merchandise new. We accept MC, Visa, Wire Transfer COD Call, Certified Check, P.O.s from qualified firms, APO accepted. Shipping: Minimum \$4.50 first 5 pounds. Tax California Res Only add $6^{\rm f} \times ^{\rm fin}$ sales tax

Prices Subject to Change

Mon.—Fri. 8 a.m. to 6 p.m. Sat. & Sun. 10 a.m. to 5 p.m.

COMPUTER SUPPLIES

DISKETTES

5% S/S 8/D MIN. ORDER 50

\$ 160

RIBBONS

OKIDATA MICROLINE 84 EPSON MX100 MIN. ORDER 6 \$**7**84

LABELS . CONTINUOUS FORMS

PeachText 5000 REG 39500 27500



complete line of **EDUWARE SOFTWARE**

•Terms: Visa, M.C. or C.O.D. Dealer Inquiries Invited COMPU-MEDIA SOFTWARE, INC. 159 Main St. S.I.N.Y. 10307

CALL TOLL FREE 1-800-248-2418 In N.Y. State 212-967-1700

Circle 381 on inquiry card.

FREE SOFTWARE
RENT THE PUBLIC DOMAINI
User Group Software isn't copyrighted, so no fees
to pay! 1000's of CP/M software programs in
.COM and source code to copy yourself! Games,
business settlistical QUI EDEC! business, utilities! All FREE!

CP/M USERS GROUP LIBRARY Volumes 1-91, 46 disks rental - \$45

SIG/M USERS GROUP LIBRARY Volumes 1-90, 46 disks rental – \$40 Volumes 91-154, 30 disks rental – \$40 SPECIALI Rent all SIG/M volumes for \$75

IBM PC-SIG (PC-DOS) LIBRARY

Volumes 1-75, 5%" disks \$99.50 SPECIAL "Flippy" Floppies copy both sides—B" \$3.00 5%" \$2.00

Disk-Public Domain User Group Catalogs \$5 (check in advance, please)
Rental is for 7 days after receipt, 3 days grace to return. Use credit card, no deposit.

ALL FORMATS AVAILABLE! SPECIFY. Shipping, handling & insurance—\$7.50 per library. (619) 941-0925 information. (619) 727-1015 anytime order machine



Have credit card ready! P.J.S. Co. 993 S. Sante Fe "C" Vista, CA 92083

AM-EX

Circle 288 on inquiry card.



Circle 209 on Inquiry card.

51/4 DISKETTES SPECIFY SOFT, 10 or 16 SECTORS wabash SSDD (M13A411X) \$/100 102 50 142 50 209 00 OSDD (M14A411X) DSOD-96TPI (M16A411X) SSDD (CDC1242-00) DSDD (CDC1244-00) 210.00 290.00 • 3M scotch _ SSDD (3M 744D-0) DSDD (3M 745-0) DSDD-96TPI (3M-747-0) verbatim SSDD (MD525-01) DSDD (MD550-01) DSDD-96TPI (MD557-01) SSDD (MAX-MD-1M) DSDD (MAX-MD2-DM) DSDD-96TP((MD2-DDM) • dysan SSDD (DYS 104-1D) DSDD (DYS 104-2D) DSDD-96TPI (DYS 204-2D) **CALL TOLL FREE** 800-824-7888

SEE OUR CATALOG FOR 8" DISKETTES

SAVE UP TO 50%

(VISA. M.C., C.O.D ORDERS ONLY OPERATOR 906

Creativity Unlimited

CHECKS, MO., VISA, MC.
 -ADD \$200 SHIP/ORDER
 CA RESIDENTS ADD
 S-SALES TAX
 (AOB) 252-4210

M-F. 8:00 AM TO 5:00 PM FOR NEXT DAY RESPONSE DEALER INQUIRIES INVITED

Circle 118 on inquiry card.



INCLUDES:

- * Cross Assembler *
 - * Cross Linker *
 - * Debugger *
 - * Librarian *
- * Pascal Cross Compiler *

Prices start at \$500 for Assembler only.

SOLUTIONWARE CORPORATION

1283 Mt. View-Alviso Rd. Suite B

Sunnyvale, CA 94086 408/745-7818

Scotch Diskettes Rely on Scotch* diskettes to keep your valu-

able data safe. Dependable Scotch diskettes are tested and guaranteed error-free. The low abrasivity saves your read/write heads. They're compatible with most diskette drives



(800)235-4137



Circle 278 on inquiry card.

Dealer Inquiries

Invited

C LANGUAGE **PROGRAMMERS**

c-systems C COMPILER c-window™

The complete c language source level program testing and debugging tool.

- Single step by a source line.
- Set breakpoints at line numbers.
- Display and after variables by symbol name, using c expression syntax.
- No more printf or assembler level debugging!

c-windowTM is a support package for the c-systems C COMPILER for 8O86/8O88 based systems.

FOR YOUR APPLE.

RADIO SHACK.

Contact

c-systems P.O. Box 3253 Fullerton, CA 92634 714-637-5362

TM c-systems

IBM PC. OSBORNE ETC. DISKETTES-51/4 IN. 3M \$2.10 Ea./50 SSDD \$2.10 Ea./100 DSDD \$2.85 Ea./50 \$2.85 Ea./100 HARD DISC SUBSYSTEMS 5MB 10MB 15MB \$1,250. \$1.500. \$1,700. IBM \$1,300. \$1.550 \$1,750. PRINTERS FACIT 4510 P AND S \$450. Ea. PROWRITER 8510 P \$395. Ea. PROWRITER 1550 P \$695. Ea. TRANSTAR 315 \$515. Ea. We carry Daisy Wheel Printers, Floppy Disc Drives, Monitors, Terminals, Expansion Boards, Software, Ribbons, Printwheels, Etc.

Met-Chem International Corporation 2911 Dixwell Avenue, Hamden. Conn. 06518 Phone: (203) 248-3212 or 1-800-638-2436

Circle 240 on inquiry card.

DISK DRIVES

(For PC, Mod I, III & IV) Tandon TM100-2 \$229

PC EXPANSIONS

MAYNARD Disk Controller . \$162 Sandstar Series . , , , , , call QUADRAM Quad board (64K)\$269

 AST
 \$269

 Six Pak Plus: 64K SPC
 \$269

 Mega Plus: 64K & SC
 \$269

 !/O Plus (SC)
 \$114

 2nd S or P or Game
 \$ 35

 64K CHIPS Set of nine \$ 55 **EPSON** RX80, FX80, FX100..... call

VLM Computer Electronics

10 Park Place • Morristown, NJ 07960 (201) 267-3268 Visa, MC, Check or COD

MINIMUM SHIPPING \$3.00 · NO SURCHARGE ON VISA/MASTERCARD

1-800-545-2633 - Continental U.S.

DISK DI	RIVES	DISK DRIVE CABINETS	DISK SUB ASSEMBLY
SHUGART 51/4" SA400(35 TR) 160K 150.00 51/4" SA400(140 TR) 190 K 189.00 51/4" SA455L (40 TR) 190 K 189.00 8" SA455L (40 TR) 320 K 1/2 HGT 235.00 8" SA851R(DS/DD) 1.2 MG 479.00 QUME 51/4" 142 (40 TR) 320 K 1/2 HGT 239.00 8" DT8 (842) 490.00 MITSUBISHI 51/4" M-4853 1/2 size 410.00 96 TP I same as TM 100-4 M-289 63 (DS/DD) 220 V 449.00 8" M-289 653 399.00 Thinline 8" DS/DD 1.2 MG	5'A" 9409-DS/DD	8" CABINETS 8" DDC88V28 w/PS vertical for 2-8" drives	OUR BEST BUY'S 8" SUB ASSEMBLY DDS + O 2EA SS/DD Siemens FD100-8 Drives w/Cabinet
8" M-2894-63 (110V) 389.00 STD 8" DS/DD 1.2 MG AC SURGE ELIMINATORS	SOLDER TYPE OB25P 2.50 OB25S 3.00 OB25 Hood 1.00 S-100 Connectors 10 for 25.00 DESP 2.00	51/4" DDC5H w/PS horizontal-for 1-5 /4" drive	★ Hayes Smart 300 19 ★ Hayes Smart 1200 42 Multi-Tech MT 212 AD (1200/300) 47 Novation J-Cat 300 10 U.S. Robotics 212A Auto Dial 48 ★ U.S. Robotics (300/1200) Pasaword 37
Grizzly (200W) uninterruptible power system + surge protection . 750.00 Grizzly (500W) uninterruptible power system + surge protection . 1,802.00 Hawk AC power monitor wisurge protection	5%" Soft Sector SS/DD 18.00/10 FOR APPLE, ETC. 5%" Soft Sector DS/DD 24.00/10 FOR IBM PC & PARTNERS FOR QTY OF 100 (15% DISCOUNT)	MAXELL Sgl. side/dbl. den	Zenith ZM122 (18 MHZ) HI-Res/80 Col/12"
w/skt. conn. 20.00 5'\(^{\text{"DSC55-2SKT-for 1-5'\alpha'}}\) dvs w/skt. conn. 20.00 RS232MM-5' (male to male) 19.00 IBM to PAR 32.00 Osborne to PAR 32.00 Kaypro to PAR 32.00 OKI-Data Serial 24.00 E-PROM ERASERS QUV-T8/1H (hobby) 49.95 QUV-T8/2I (Industrial version) 58.95 QUV-T8/2P (w/timer & safety switch) 97.50	Diskettes are 3m media/processed, packaged and certified by CENTECH. Litetime warranty—5 colors in each pkg. (Red, Yellow, Blue, Green, Brown) 51% "Sgl side/dbl den 22,00710 51% "Dbl side/dbl den 29,00710 51% "10 sector 24,00710 51% "15 sector 24,00710 8" Sgl side/dbl den 30,00710 8" Dbl side/dbl den 30,00710	AA-5¼ (Holds 82 Disks)	GREEN BMC 12 AU (15 MHZ) 80 Col/12" Dynax GM 120 (20 MHZ) Hi-Res/80 C-3/12" Sanyo DM 2112 (15 MHZ) 64 Col/12" SakataSC-1000 (18 MHZ) 60 Col/12" USI PI-1 (20 MHZ) Hi-Res/9"

BEST BUY'S

SUB ASSEMBLY DD Siemens FD100-8 DD Mitsubishi pinet 1,075.00 DD 8" Thinline rtical or Horizontal Cabinet

SUB ASSEMBLY D Disk Drive 200.00 DD Disk Drive 369.00

MODEMS

*	Hayes Smart 300	25.00 1 75.0 0
	U.S. Robotics 212A Auto Dial	

ISPLAY MONITORS

AMBER

Dynax AM121 (20 MHZ) Hi-Res/80 Col/12"	139.00
USI PI-4 (20 MHZ) Hi-Res/80 Col/9"	139.00
USI Pl-3 (20 MHZ) Hi-Res/80 Col/12"	149.00
Zenith ZM122 (18 MHZ) HI-Res/80 Col/12".	119.00

COLOR

Amdek I-12" Composite(For Apple)	259.00
Amdek II-12"-RGB (For IBM-PC) wlaudio	429.00
Amdek I + Composite w/audio	275.00
Princeton HX-12-RGB (For IBM-PC)	489.00
Sakata SC-100-13" Composite (For All)	260.00
Sakata SC-200 RGB (For All)	489.00

GREEN

-: ··
BMC 12 AU (15 MHZ) 80 Col/12" 80.0
Dynax GM 120 (20 MHZ) Hi-Res/80
Col/12"
Sanyo DM 2112 (15 MHZ) 64 Col/12" 80.0
SakataSC-1000 (18 MHZ) 80 Col/12" 119.0
USI PI-1 (20 MHZ) Hi-Res/9" 129.0
USI PI-2 (20 MHZ) Hi-Res/12" 139.0

S-100 PRODUCTS

CARD CAGES/MOTHER BOARDS

'IEEE-696-No termination required wicard bars card Stots Bare Bd A+T 15 00 40.00 60.00 20.00 48.00 20.00 70.00 22.00 25.00 69.00 100.00 31.00 30.00 99.00 140.00 41.00 45.00 200.00 50.00 150.00 185.00 — 75.00 will accommodate a 4" fan 22 60.00 All card cages Add \$20.00 for 1 fan-Add \$30.00 for 2 fans

CLOCK/CALENDAR

S-100-Time in hrs., min., sec.-AM/PM or Military Format-Date in Mo., Day, Yr., Day of Week & Leap Year recognition-4 hard interrupts (1024 Hz. 1 Hz. 1 min, 1 hr)-On board battery (will last 14 mos. with nower on).

MAINFRAMES For 2 Standard 8" Drives

MF + DD6 (6 slot M/B) ... ,... 575.00 MF + DD8 (8 slot M/B) 875.00 For 2 Thinline 8" Drives IMF + DD6F . 300.00

For 2-51/4" Disk Drives MF + MD12 (12 slot M/B)

Standard Plain Front

All mainframes except IMF + DD6F have EMI filter, 2 AC outlets, 15 ea. DB25, 2 ea. 50 pin, 2 ea. 34 pin, 1 ea. Centronic cutouts, power supply for 8" MF ($-5V1AJ + 5V6AJ + 8V16AJ \pm 16V3AJ + 24V6A$)

COMPUTIME/QT BARE BOARD SET

OTC-SBC 2/4 CPU (SBC 880) QTC-EXP + III 256K (CT256) Memory bd./ Expandable to 1MG QTC-FDC 5/8 Floppy disk controller

1) Includes manuals & assembly instructions

3) Monitor & B10S available, Add \$30.00.

SIERRA DATA

SDS-SBC-100-Z80 (4mhz) master 2 serial 2 par/floppy controller/64k SARE OF SDS-SBC-100S4mhs slave/2 serial 2 par/64k ram SDS-ZSIO/4-4 serial port I/O \$250.00 bd SOS-MUX-RS232 multiplexer SDS-HDI-M-Hard disk bd for micropolis . SDS-CPM/B105-cp/m for SBC100 w/BIOS \$150.00 SDS-Turbodos-Multi-user for master &

COMPUPRO

20 Slot MB	225.00
CPU 8085/88	349.00
CPU 8086/8087	550.00
Disk I	399.00
CPM 2.2 for Disk I	150.00
Disk II,	610.00
Ram 16-64K	339.00
Ram 17-64K	329.00
Ram 21-128K	
Interfacer 1	198.00

CPU/MEM/I/O OTC-SBC 2/4 BB (SBC880) ... \$50.00 QTC-SBC 2/4 A A+T (SBC880) \$265.00 OTC-Z + 80 BB (BIG Z) \$28.00 DYNAMIC (64K/256K or 1 MEG) QTC-EXP + III Bare Bd. (CT256) \$75.00 QTC-EXP + III 64K A + T (CT256)...., QTC-I/O + BB 2 SER 2 QTC-ADA ADA Converter \$400.00 \$795.00 Interface bd. ... 249.00 Interfacer 2 Interfacer 3 515.00 Interfacer 4 ..., 329.00 System Support 1 308.00 Active Terminator..... . 65.00 Enclosure 2 (Desk) 725.00 Enclosure 2 (Rack MT) 775.00 6 Slot MB

PN-2048 Best Bare Board Set Available

2) Paris available

Retail Sales 123 East 200 South

12 Slot MB.

155.00

510.00

1754

Salt Lake City, Utah 84111 Retail Hours Monday-Friday 10 AM to 6 PM Saturday 10 Am to 5 PM Retall Phone - 364-0057

Circle 172 on inquiry card. CUSTOMER SERVICE =

CLAIRE 1-801-972-2739

The Great Salt Lake Computer Company, Inc.

1-801-972-2717

CALIFORNIA RESIDENTS SAVE 6% SALES TAX

8 YEARS (1976) EXPERIENCE IN COMPUTER MAIL ORDER BUSINESS

ALPHACOM • FOR ATARI, COMMODORE or Ti.
• 40 or 80 COL
• 80 CPS
FULL CHARACTER SETS GRAPHICS
• LIGHT WT. 4 TO 6 LBS.
FRICTION FEED
ALPHACOM 42 (40 col) w/Interface 89,00
ALPHACOM 81 (80 col) w/Interface
40 COL PAPER (per roll)
BROTHER
HR-1A 17 CPS Daisywheei 3K Buff
HR-25
CENTRONICS
351P—200CPS, Par 100 CPS CORR 1,795.00
6085P—600CPS, Par lou CPS CORN
6085S—600CPS, Serial w/cabinet
6085IBM—600CPS w/cabinet
358 3 or 4 Automatic cut sheet feeder 695.00
DATA-SOUTH
DS 180 160CPS/Serial or Par/Tractor 1,400.00
DAISYWRITER
Daisywriter 2000-48K Buffer/20T040CPS LTR/Par 1.095.00
Daisywriter Cable
DalsywriterTractor
DIABLO
620 (25CPS/Serial)
630 (40CPS/Multi-IF) 1,790.00
630 ECS/IBM
DYNAX
Dynax-15 Par-13CPS Daisywheel
2 color PTG-3K buff
Dyanx 15 Seriai-13CPS Daisywheel
EPSON
FX80 (180 CPS-Par 10")
FX100 (180 CPS-Par 15")
C, ITOH
Pro-writer I (8510A) Par 120 CPS
Dec militar I (REIDA) Carial 100 CDC

Pro-writer II Parallel-15"
F-10 40CPS/Diablo/Par or Serial
GENERAL ELECTRIC Demand Document Printers
3400-400CPS Serlai/Tractor to 60 100 CPS CORR. 2,175.00
3404—400CPS Serial/Tractor 100CPS CORR 2,459.00
JUKI
6100-18 CPS/Diablo Compatible Par/Daisywheel 569.00
MANNESMAN-TALLY
Spirit 80CPS Par 10"
180L (160CPS-40CPS LTR 15")
MPI
MPI-Portable Sprinter/160CPS/IBM Port/4K Buff. up to
64K 100 CPS CORR. Keyed avlb
MPI-99G (9") Par
MPI 150 BI (15") Par 2K Buff w/Graphics
MPI 150 AI (15") Par 16K Buff w/Graphics 899.00
NEC
NEC2010 20 CPS Serial Dalsywheel 950.00
NEC2015 20CPS Diablo Comp Daisywheel 950.00
NEC2030 20CPS Par Daisywheel 950.00
NEC2050 20CPS for IBM Daisywheel 1,050.00
NEC3510 35CPS Par Daisywheel
NEC7710 55CPS Serial Daisywheel 1,995.00
NEC7715 55CPS Diablo Comp Daisywheel 1,995.00
NEC8023A 100CPS-Par-Graphics-10" 389.00
NEC8025A 100CPS Par Graphics 15" 699.00
Serial Card
OLYMPIA
Typewriter/Printer Dalsywheel 14 CPS 649.00
OKI-DATA
2350—350CPS 2 color tractor
Microline 82A (SER & PAR-120CPS 10")
Microline 83A(SER & PAR-120CPS 15")
Microline 92 (PAR-160 CPS-LTR-10")
Microline 93 (PAR-160CPS-LTR-15") 789.00
Microline 64P (PAR-200CPS-LTR-15")
Microline 84S (SER-200CPS-LTR-15") 1,059.00

	Gemini 10X NEW VERSION (PAR-120CPS-10") CALL
	Gemini 15X (PAR-120CPS-15")
	Gemini 15X (PAR-120CPS-15")
	SILVER REED
	EXP 55OP-17CPS Daisywheel-PAR
	EXP 550S-17CPS Dalsywheel-Serial
	TOOLUD 4
	TOSHIBA
	P-1350 (192CPS-120CPSLTR PAR or Serial) 1,499.00
	TRANSTAR
	120 P 14CPS Par Diablo Comp
	315 Color Printer 500CPS Par
	oro color runtar occor or ar
	PRINTER ACCESSORIES
	DIABLO
	Diablo 620-Uni-Direct Tractor
	Diablo 620-Sheet Feeder 720.00 Diablo 630-Bi-Direct Tractor 275.00
	Diablo 630-Bi-Direct Tractor
	Diable 630-Tractor Sound Cover
	JUKI-6100
	Serial Interface
	Bi-Dir Tractor
	Uni-Dir Tractor 90.00
	MANNESMAN-TALLY
	Factory Quick Tear
	Auto Front Feed
	NEC
	Thimbles
	Vertical Tractor
	Horizontal 152.00
	BI-Dir. Tractor
	Cut Sheet Feeder
	OKI-DATA
	84 Cut Sheet Feeder
	82/92 Tractor
	82/92 Tractor
	Serial Intf. w/2K Buffer (For 92 & 93)
	Oklgraph I 82A or 83A Graphics ROM 40.00
	Okigraph II 82A or 83A Disk for Apple 55.00
	STAR-MICRONICS
	Serial Intf. Bd 70,00
	Serial Intf. Bd w/2K Buffer
	Commodore 64 Intf. Bd
	TOSHIBA
	P-1350 Cut Sheet Feeder
	P-1350 Bl-Dir. Tractor
i	

STAR MICRONICS

APPLE/FRANKLIN

APPLE II E Starter—Includes CPU 1 F.D. Monitor a Stand	
FRANKLIN 1000 w/color	
FRANKLIN 1200 Starter includes CPU 2 F.D. 80 col FRANKLIN 1200 OMS includes CPU-2 F.D. and bur	1,825.00
software	
IBM*PC TYPES	
COLUMBIA (1600-1) 16 bit 128K Ram 2 ea.	
320K Disk Drive-2 SER, 1 PAR, Key Bd. 8 slots,	
Display Cd., bundled software	2,775.00
IBM P.C. 16 bit 64K Ram 2 ea. 320 K Disk Drive,	
Princeton HG12X-Color Card	3,395.00
EAGLE PC-2 16 bit 128K Ram 2 ea, 320K Disk	
Drive 12" Green (HH-Res) bundled software :	
EAGLE PORTABLE 16 bit 128K Ram 1 F.D./10 MG H	
Screen MS-DOS 210 bundled software	4,000.00
KAYPRO	
KAYPRO II w/bundled software	1,475.00
KAYPRO 4 w/bundled software	
KAYPRO 10 w/bundled software	2,895.00
(Trade-in Allowance \$75 for SS/00 Orive)	
MOLECULAR SYSTEMS	
MICRO 10-8 16 bit (8086) CPU 1 ea. 8" F.D1 ea.	

MICRO 15-8 16 bit (8086) CPU 1 ea. 8" F.D.-1 ea. 15

MB HD-64K Ram expands to 256K up to 8 users

w/additional application processors-

CP/M and CPM 85
AP 6001 ASYNC/9600 BPS Application Processor . 589.00
AP 6003—ASYNC/19,200BPS Application Processor, 839.00
AP8011—SYNC/50K BPS
NEC
PC8201A-Portable 2.4 MHZ CPU 16K Ram/Expands to
64K-32K RAM LCD Display-Keybd (67 key-5 function)
Modem, Serial and Par Port-FD and Cassette
Interface-Uses 4 AA Batt-bundled software 660.00
PC8201A-90-N1 Cad Pak
PC8221A—Portable Printer
PC8271A-02—AC Adapter
S-100
COMPUPRO 818A
COMPUPRO 818B
COMPUPRO 818C
TELEVIDEO
TS-803 4 MHZ CPLI-64K 2 ea 360K F.D.—

. , , 1,900.00

2,400,00

WYSE-100 ...

	1	7	1	1	1
7	he G	rea	Sa	HI	ak

Computer Company, Inc.

detach KYBD Par/Ser mouse port CP/M...... 1,350.00

1-801-972-2717

TERMINALS

ADDS	
Viewpoint-A1 (White)	509.00
Viewpoint-A2 (Green)	
Viewpoint-3A + (Green)	
Viewpoint 60-Same as Televideo 925	715.00
QUME .	
QVT-10280 Col. Green (910 comp)	549.00
QVT-102 80 Col. Amber	580.00
QVT-103 80/132 Col. Green	885.00
QVT-103 80/132 Col. Amber	
QVT-108 80/132 Col. Amber (925 Corp.)	715.00
TELEVIDEO	
TV910	529.00
TV910 +	585.00
TV925 w/2nd page memory	715.00
TV950 w/2nd, 3rd, 4th page memory	925.00
TV970	1,019.00

Mail Orders P.O. Box 3150

Salt Lake City, Utah 84110 Mail Órders

RG1000/TV60 Graphics Upgrade for 925/950 ... 1,100.00

WYSE

Monday-Friday 8 AM to 6 PM (sometimes much later) Saturday 10 AM to 5 PM

TOLL FREE 1-800-545-2633

CONTINENTAL U.S. Circle 173 on inquiry card.

10 MB HD-64K Ram expands to 256K up to 8

users w/additional application processors-

COMPUTER SUPERMARKET OUR SALTIEST DEAL

SGL SIDE/DBL DEN FOR DBL SIDE/ DBL DEN DRIVE \$75.00 ALLOWANCE

DBL SIDE/DBL DEN FOR 2 EA (TM100-2) FOR 1/2 DBL SIDE/DBL DRIVES \$175.00 ALLOWANCE

IBM ACCESSORIES

AST
Six Pak Plus (Serial/Par/CLK 64K Expands to 384K) 289.00
Meg-A-Plus (Serial/CLK/64K Expands to 256K) 269.00
Meg-A-Plus (Serial/CLK/64K Expands to 256K)
I/O Plus (SP)
PC·Net (with Shared User Software)
PC-Net Starter Kit
AST-5251 (Allows connection of IBM PC to System
340038)
340038)
ASHTON-TATE
D-Base # 400.00
Bottom Line Strategist
Financial Planner
Friday 189.00
DOW JONES
Dow Jones Invest/Evaluator
D.C. HAYES
Smartmodem 1200B-Smartcom 2 software included . 429.00
Smartcom 2-Telecomputive for 300/1200 on disk 69.00
LOTUS DEVELOPMENT
Lotus 1-2-3 (on disk)
KRAFT
Joy Stick
Paddle (pair)
KEYTRONICS
Enhance your PC-with a superior keyboard 210.00
MAYNARD
Floppy Controller 155.00
Floppy Controller (Serial)
Fioppy Controller (PAR)
Sandstar MOD-FDC
MODULAR (for 5 ¼" or 8" drives) 200.00
ADD-ONS FOR Pararrel MOD 60.00
SANDSTAR Serial-MOD79.00
MOD-FDC Clock Calendar MOD , 69.00
Game Adapter MOD 49.00
Sandstar Multi-Function Bd (Holds up to
6 modular add-ons 82.00
PLANTRONICS COLOR PLUS
Color + Color Display Card (16 colors) 395.00
PRINCETON GRAPHICS
PGSHX12-Hi-Res Color, The Best
QUADRAM
Quadlink-Allows Apple Software to be used in IBM
PC HAS 64K Ram-Game Port Display Gen-Disk
Intf. w/software
Quadboard 2-64K Ram (expands to 256K) 2 Ser Port
CLK and software
Quadboard — 64K (expands to 256K) Par and Serial Port
CLK and software
Quad 512 - 64 Ram (expands to 512K) Serial Port and
software 259.00
Quadchrome — Color Monitor
Tilt Table
Chronograph Clk/Calendar BD
SHUGART DISK DRIVES
SA455L-1/2 HGT 320 K DS/DD w/BRACKETS 239.00 ea.
SA455L-1/2 HG 1 320 K DS/DD W/BHACKETS 239.00 ea. 440.00 for 2 ea.
TANDON DISK DRIVES
TM100-2A 320K DS/DD

APPLE/FRANKLIN ACCESSORIES

ALS	
CPM 3.0 Card	289.00
Z-Gard II . ,	139.00
ASHTON-TATE	
D-Base II ASTAR	400.00
RF Modulator	. 19.00
Fan, Clock, Cool Time, Surge Protector	. 80.00
DOW JONES	
Dow Jones Invest/Evaluator	125.00
GENERIC Z 80 Card/Emulatos Micro Soft)	99.00
Z-80 Card (Emulates Micro-Soft)	99.00
80 Col. Video w/Soft Switch	125.00
Joy Stick	
E-Prom Writer	. 79.00
Pararell Interface.	. 49.00
Pararell Interface w/Graphics	. 65.00
16K Ram Card	40.00
RF Modulator	
Joy Sticks	. 29.00
Micro-Modem II	259.00
Micro-Model II w/terminal package	279.00
KENSINGTON	75.00
System Saver/Fan & Surge Pro	. 75.00
KOALA TECH Koala Gr/Tablet w/Software	. 99.00
KRAFT	44.00
Joystick for II E	
Executive Briefing System	139.00
Executive Briefing System	
View Max 60 (60 Col for II +)	139.00
MICROTEK	
Dumpling 64K/Interface and Graphics 64K Buffer	235.00
Dumpling GX-P/Par Interface Card and Cable	, 99.00
Parallel Interface Board (RV611C)	
BAM 16 (16K Add-on Memory)	. 45.00
NOVATION	
Apple Cat II w/software	269.00
212 Apple Cat	
ORANGE MICRO	. 23.00
Grappler + (Graphics Interface)	119.00
Grappler + 16K (Buffer and 5 to 64K)	175.00
Buffer Board	
PRINCETON GRAPHICS	
Interface Card allows use of HX12 Color Monitor	156.00
QUADRAM	
RAM 80-80 Col64K card	119.00
APIC—Par Intf. card . , , , , , , , , , , , , , , , , , ,	. 60.00
APIC/G—Par Intf. w/Graphics	. 65.00
CPI—8' Cable (APIC to Cen. Printer)	, 34.00 05.00
APIC III—Par Printer Intf. for Apple w/8' Cable	. 95.00
TG PRODUCTS	20.00
Joy Stick—For Apple II +	29.00
Selecta Port.	38.00
VIDEX	
Ultraterm	. 279.00
VidetermVISTA	. 199.00
A800 Floppy Controller for 8" Drives,	
A-800-1 Cable ,	21.00

APPLE DISK DRIVES

Vista Solo (35TR)	, 189.00
Micro-Sci A-2 (35TR) ,	225.00
Micro-Sci A-40 (40TR)	
Micro-Sci A-70 (Quad)	329.00
Micro-Sci Controller	70.00
Rana Elite I	249.00
Rana Elite I	399.00
Rana Elite III	509.00
Rana Controller	85.00
Super 5 "THINLINE" / size 163K 40TR.	189.00
Super 5 "THINLINE" 1/2 size 163K 40TR	
(TEAC DIRECT DRIVE)	225.00

ATARI

KRAFT Joy Stick	15.00
PERCOM AT 88 SS/DD Disk Drive w/Printer Por	rt 499.00
RANA Rana 1000—SS/DD Disk Drive	379.00
TRAK AT-D2 SS/DD Dlsk Drive	379.00

COMMODORE

STAR Star Gemini Interface to VIC 20 + CMD 64 85.00
DOW JONES Dow Jones Invest/Evaluator 125.00
KRAFT Joy Stick
KOALA Koala GR/Tablet w/software
(specify VIC20 or CMD64)

KAPRO II - IV

Sprinter K (5MHZ Speed-up)	00
K-Clock (Batt Backup Clk/Cal)	50
Video Output BD-(allows use of video monitor) 125.	00
Kaypro II Upgrade Disk Drives (DS/DD) 239.	00
(Trade in Allowance \$75 for SS/DD Ddve)	

TI-PROFESSIONAL

LOTUS 1-2-3	369.00
QUADRAM TI64 64K Ram Card	206.00
QUADRAM TI-92 192K Ram Card	319.00

WESPER

WIZARD BPO (Same as Grappler + 16K	
Specify Printer)	149.00
WIZARD IPI (Same as Grappler + Specify Printe	
WIZARD EBO (Internal Buffer for Epson)	109.00
WIZARD 80 Col/64K For II E	139.00
WIZARD 80 Col/ For II +	

IBM UP-GRADE KIT

Includes 9 Ea. 4164-200NS For Expansion on all IBM Products with Parity \$55.00/per set



TOLL FREE 1-800-545-2633 CONTINENTAL U.S.

Circle 173 on inquiry card. .

TM55-2 1/2 HGT 320 K DS/DD w/BRACKETS 249.00 ea.

440.00 for 2

The Great Salt Lake Computer Company, Inc.

1-801-972-2717

Retail Sales 1/25.4 123 East 200 South Salt Lake City, Utah 84111 Retail Hours

Monday-Friday 10 AM to 6 PM Saturday 10 Am to 5 PM Retail Phone — 364-0057

	mber of Pins of each I.C. easy Secket purchase	MICROPROCESSOR COMPONENTS Digitalker
Past No. "Plas Price Pert No. "Plas Price Past No. "Plas Price Pert No. "Plas Price Past No. "Plas Price Past No. 10 No. 12	8 by Secker purchase 1874 158. 16 59 1874 1581	Part No. Print Fundame P
SH7429N 16	SN74162N 16 1.19 SN7416N 16 2.49 SN7416N 16 2.49 SN7416N 16 69 SN7419N 18 69 SN7419N 18 6.59 SN7419N 16 6.59 SN7419N 17 6.59 SN7419N 18 6.59 S	280 SIGN 40 Serial IV (LackSVTRB) 12.85 214.6. 10 1024ed 450hs1 1 - 10 1024ed 450h
SN745N 14 .19 SN74152N 14 .59 SN745N 14 .25 SN745N 14 .25 SN745N 14 .25 SN745N 14 .25 SN745N 14 .29 SN745N 14 .29 SN745N 14 .25 SN745N 14 .20 SN745N 14 .25 SN745N 14	SI/T4567N 16 55 SNY4368N 16 55 SNY4368N 16 1 49 SNY4368N 18 1 49 SNY436N 18 1	## MPU with locks and RAM ## With locks and
74.520 14 25 74.539 16 79 7 74.520 14 25 74.539 16 59 7 7 74.520 14 26 75 74.535 16 59 7 7 74.530 14 25 7 74.535 16 25 7 74.530 14 25 7 74.536 14 25 7 74.536 14 25 7 74.536 14 25 7 74.536 14 25 7 74.536 16 25 7 74.53	7-4.5273 20 4 49 7-4.5273 4 49 7-4.5273 4 49 7-4.5293 4 49 7-4.5293 4 19 7-4.5293 6 19	DREZER 16 Bus Drear 14-50
74502 88 325 74503 14 325 74504 14 35 745114 14 .55 7 74505 14 .45 745134 16 .50 7 74508 14 .39 745136 16 .50 7 74508 14 .39 745136 16 .69 7 74510 14 .35 745136 14 .1.39 7 74510 14 .35 745136 16 .89 7 74511 14 .35 745136 16 .89 7 74513 14 .35 745139 16 .89 7 74513 14 .35 745139 16 .89 7 74513 14 .35 745139 16 .99 7 74522 14 .35 745151 16 .99 7 74532 14 .45 745151 16 .99 7 74532 14 .45 745151 16 .99 7 74532 14 .45 745151 16 .99 7 74532 14 .35 745151 16 .99 7 74534 14 .39 745151 16 .19 7 74536 14 .39 745151 16 .19 7 74536 14 .39 745151 16 .19 7 74536 14 .39 745151 16 .19 7 74551 14 .35 745151 16 .19 7 74551 14 .35 745151 16 .19 7 74551 15 .745151 16 .19 7 74551 14 .35 745151 16 .19 7 74551 14 .35 745151 16 .19 17 74551 15 .39 745151 16 .19 17 74551 16 .39 745151 16 .19 17 74551 16 .39 745151 16 .19 17 74551 16 .39 745151 16 .19 17 74551 16 .39 745151 16 .19 17	748540 14 2 40 748252 15 1.9 748252 16 1.9 748252 16 1.9 748252 16 1.9 748252 16 1.9 748252 16 1.9 748252 17 1.9 748252 1.9 74825	### 85771-1 48 Swept Demotry (first) ### 958 ### 9584 ### 958
745112 16 55 745242 20 2.25 7 745113 14 55 745242 14 2.45 7 745242 14 2.45 7 745242 14 2.45 7 745242 14 2.45 7 745242 14 2.45 7 745242 14 2.45 7 745242 14 2.45 7 745242 15 14 14 14 14 14 14 14 14 14 14 14 14 14	74S973 18 4.95 74S940 20 2.49 20 2.49	78 jm 17 30 27 28 78 17 19 17 19 17 19 17 19 17 19 18 55 18 11 17 17 18 18 55 18 18 18 18 18 18 18 18 18 18 18 18 18
CD40 0 14	C04498 16 195 C04506 16 195 C04506 16 195 C04506 24 195 C04510 26 195 C04511 16 195 C04511 26 195 C04512 16 195 C0	Solder 16
C04026 16 45 C04072 14 29 1 C04072 16 29 1 C04073 14 29 1 C04073 14 29 1 C04073 14 29 1 C04073 16 1.19 1 C04074 14 29 1 C04075 16 1.19 1 C04075 16 1.19 1 C04075 16 1.49 C0	MC14409 16 13.95 MC14410 16 13.95 MC14411 24 11.95 MC14412 16 13.95 MC14419 16 7.95 MC1443 24 13.95 MC14433 24 13.95 MC14541 14 1.19	MasterCard

VOICE SYNTHESIZER FOR APPLE AND COMMODORE



• Over 250 word vocabulary-affixes allow the formation of more than 500 words • Built-in amplifier, speaker, volume control, and audio jack • Recreates a clear, natural male voice • Plug-in user ready with documentation and sample software • Case size: 7½."L × 3½."W × 1-3/6"H

APPLICATIONS:

- Security Warning Teaching Instrumentation
- Telecommunication
 Handicap Aid
 Games

Instrumentation
 Games
The JESSO VOICE STATHESIZER willburg in Spatial Saniconductor's DIGITALKERIM
Spaceh Thecassor IC (with low custom memory chipd.) the JESSO compresses
standard speak time of spills mimory, including the artiglar ill-lections and appraisant
The result is an artimatily chair, natural vocalization.

Part No. Description

Part No.

Part N

JE520CM JE520AP	For Commodore 64 & VIC-20 , For Apple II, II+, and I/e	\$114.95 \$149.95

Micro-Logic Corp. MICRO-CHARTS



Fully decoded data = Instant access = 2-sided, totally comprehensive = Compact
8% x11 in, durable credit card plastic = Perfect for programmers & engineers
Clear & concise fables for: but instruction set, disassembly, ASCII, baseconversion, effect of flags, compare vs. jump, interrupt structure, pinout, cycle times.

PARTNO.	REFERENCE PRICE
ML-Z80	Z80 CPU\$5.95
	8080A/8085A
ML-6502	6502 (65XX)\$5.95
ML-8048	8048, Relatives
ML-7400	5400/7400 TTL Pin-Outs . , \$5.95
	Basic Algorithms\$5.95
	BOOKS

	BOOKS
30001	National CMOS Data Book (1981)
30003	National Linear Data Book (1982)
30008	National Memory Date Book (1980)
30009	Intersit Data Book (1983)
30010	National Audio/Radio Handbook (1980)
30012	National PAL Data Book (1982)
30013	Zilog Data Book (1983)
210830	Intel Memory Components Handbook (1983) \$14.99 (798 pages) Contains all Application Notes, Article Reprints, Data Sheets, and other design information on Intel® RAMs, EPROMs, EPROMs & Bubble Memories.
210844	Intel Microprocessor & Peripheral Handbook (1983)\$14.9 (1027 pages) Contains Data Shoets on all of Intel's Microprocessors and Peripherals.

4-Digit Fluorescent Alarm Clock Kit



Bright 4-digif 0.5° high display • 10 minute snooze alarm AM/PM indicator • Automatic display dimmer

The JETSO Clock Kill is a versatile 12-hour oligital clock with 24-hour alarm. The clock hase bright 0.5° high blue-green licerescendisplay. The 24-hour alarm allows the user to 4 stablethe alarm and immediately re-anable the alarm to activate 24 bours latar. The kills includes all documentation, components, care and walltransformer.

Digital Thermometer Kit



Dual sensors — switch controls for indoor/outdoor or dual mombaning — can be extended to 500 feet. Continuous LED 8" ht. dispers, 40°C to 100°C. Accuracy ±1 nominal. Catibrate for Fahrenheit It Calsus. Simulated wainut case. AC wall adapter included. Size:

JE300 \$39.95 wall adapter included. Size: Holyersal Computer Keyboard Enclosures OTE" Blank Desk-Top Enclosures are designed to reasy modifica tion. High strengthepoxymolded end piecestin mochabrown linish

1	ar ar	color) Vented	k alum, alodine for best paint ac top& boltompar	type 1200 finish (gold fint thesion alter modification tels for cooling efficiency, tesunlimited applications.
14	11-1	nigiocoi	Assem	bly instructions included
DTE-8	Panel Wildin 7.5"			.,.,\$24.95
DTE-11	Penel Width 10.13			\$27.95
DIE-14	Panel Width 13.5"			\$29.95
310			- 1	\$34.95
DIE	22 Panel Widsh	21,376-	*******	\$39.95



No. at CARD-EDGE CONNECTO

SOLDER TRANSITION CONNECTORS	displie.
FOR PERMANENT	PRINTED CIRCUIT BOARDS
Me et	

	MANENT ATION TO P	HINTED C	INCUIT BOX	ROS
Part No.	No si Consects	14	10-99	100+
5120	20	1.05	-	80
3176	26	1.25	1 15	. 99
ST34	34	1 49	1 35	1.15
ST4B	40	1 69	1 55	1.35
3750	50	1.59	1.69	1 49

CONNECTOR Males with 2 rows of 025" sq. or dis posts on patterns of .100" contect and shielded		SOCKET	CONNEC	SES.
Part Ho	No of Centeris/ Conductors	1.9	10-10	M
SZQ	20	1 20	1.25	1.1
\$26	25	1 430	T 479	1.3
134	34	1.00	t P6	1.5
540	48	1 20	7 66	1.7
554	10	1.50	2 34	2.0
Lad	10	3 38	2.99	2.5



,-	 	,,,,,	
7	 -		I
			,

26-Pin CENTRONICS		RIBBO	24-Pia REEE480	
Ppri ita	He of Conjects Style	/ kell	10-99	100 e
CENTER	to Man	h 39	5 49	4 49
CENSAF	be French	6 19	5 29	4.29
CEN24M	24 Maio	7 95	6.95	5 95
CEM24F	24 Female	7 69	6 79	5.75
CENSON	M Hotel	8 69	7 59	6.49
CENSSF	36 Francis	9 75	8.95	7.95

	SUB CTORS	A		555
Part Res	Contracts/	648	10-79	100
CBESP	9 Male	7.95	2.65	2.2
CDE9\$	9 Fumile	3 39	3 09	2.5
CDA15P	15 Male	3 95	3.55	3 0
COATSS	15 Female	4 75	4 19	3 6
COB25P	25 Male	5.49	4.79	4.2
C08255	25 Female	5 95	5 49	4.8
CO C37P	37 Male	7 79	6 95	6.0
CBC37S	Af Females	8.95	7 99	6.9

28AWG FLAT GREY CABLE

Par. Ho	No of Contacts/	Connector & WireType	Price Per Feet
171.9	9	28AWG Fiat Stranded	19
171-14	14	28AWG Flat Stranded	25
171-15	15	28AWGFist Stranded	27
171-16	16	28AWG Flat Stranded	29
171-20	20	28AWG Flat Stranded	36
171-24	24	28 AWG Flat Stranded	45
171-25	25	28AWG Flat Stranded	.47
171-26	26	28AWG Flat Stranded	.49
171-34	34	ZBAWG FlatStranded	.62
171-36	36	28AWG Flat Stranded	.65
171-37	37	28AWG Flat Stranded	.69
171-40	48	PARKET FOR LOSSESSE	13
171-50	10	MAINS FOR SUMBOL	48

CUSTOM ASSEMBLIES

Connector &	Price	Use the part numbers from the connectors and cable to order your o	W()
WireTyps	Per Feet	EXAMPLE Hypedesires 25-toolcablewith 8-maile "Centronics" of	
BAWG Fiat Stranded	19	nector on one end. and a female "Centronics" connector on the of	Del-
PANG Flat Stranded	25	and, you would order	4164
BAWGFiat Stranded	27	CEN36M-25'-CEN36FCUSTOM	
BAWG Flat Stranded	29		.44
BAWG Flat Stranded	36	.65 x 25(25(es)36cand, cable) =	
MAWG Flat Stranded	45		.00
28AWG Flat Stranded	.47	This (CEN36M-25'-CEN36F CUSYON) Eabte would cost	
28AWG Flat Stranded	.49	Please specify COSTOM after the part he to ensure your order	ve I
WAWE FlatStranded	.62	be tilled correctly (Important, Please specify a big in FEET, not mor	10 S)
BAWG Fiat Stranded	.65		
BAWG Fist Stranded	.69	au custom assemblits wust be Phennic beeber assemb	
PARKET FOR STREET	13	THERE BAE NO BELLIANS ON CUSTOM CARLE ASSEMBLIES SE	63
National State Street, Sandale	-	THE LA THERES IN BUT IN BUT ON BUT COSTON DAILING	

ACCESSORIES FOR APPLE* COMPUTERS

Numeric/Auxillary Keypad for APPLE Jie*



The LEGI 1 is a new reliculated numerous exclusify harped for the numerous reliculation of the numerous reliculation for visit Cutting 1 is used to the 1558 degree in howest in a qualitation of the numerous reliculation
Switching Power Supply for APPLE II, II+ and IIe'



ded 80 Column/64K RAM Card for APPLE //e*



Board: High density board design squeezes 64K bytes of RAM onto 27/1" x 37/1" postd + Fully lested to assure proper operation.

Uses: Word processing — displays 1000 more characters per screen Estra memory allows running of extremely large programs • Ultra High-ResolutionGraphics when software available) \$149.95

JE864 Assembled and Tasted

Cooling Fan for APPLE II, II+ and I/e*



Part No. APF-1

POWER SUPPLY +5VDC @ 7.5 AMP, 12VDC @ 1.5 AMP SWITCHING Input: 115VAC, 50.50Hz @ 3 amp/230VAC, 50Hz @ 1.5 amp. Farmoil./power supply select switches: 115/230VAC). Output: 5VDC @ 7.6 amp. 12VDC @ 1.6 amp. 8 H. bik. pow. cord. 11 1/4 "Wz 3/3" (3 x 3/4", M. 6 bibs.



Part No. PS94VDS POWER SUPPLY 4-Channel Switching - Apple Compatible

\$10.00 Minimum Order — U.S. Funds Only California Residents Add 61/4 % Sales Tax Shipping — Add 5% plus \$1.50 Insurance Send S.A.S.E. for Monthly Sales Flyer!

Spec Sheets — 30¢ each Send \$1.00 Postage for your FREE 1984 JAMECO CATALOG Prices Subject to Change



1355 SHOREWAY ROAD, BELMONT, CA 94002 1/84 PHONE ORDERS WELCOME — (415) 592-8097 Telex: 176043



JE664 EPROM PROGRAMMER 8K TO 64K EPROMS - 24 AND 28 PIN PACKAGES

Programs, Validates, and Cheeks to properly assess EPROMS - EURISE PROMISE TO PROGRAMS - 852202 Computer Interface for editing/program loading - Load calls into RAM by sphoard - Change stafs in RAM by subpast - Change RAM from an EPROM - Compares EPROMs for content differences - Capies EPROMs - Power Interface for Compares EPROMs - Content differences - Capies EPROMs - Power Interface - Compares - Capies - Color-Control Light I an panels - Windled of mocha brown and pieces - Size: 15-5/8°L x 87/"0 x 37/"4 - Wil. 5% los.

31/2"H • Wt.: 514 los.
JE664-A EPROM Programmer
Accompled & Tesled (Includes JA16A Module)

Assembled 6 reside (included sAfrica Amount)

JE655 — R\$322C INTERFACE POTENT — The JE655 R\$232C Interface
Option implements computer access to the JE64's RAM Sample software-villent in

JE655 — R\$32C INTERFACE OPTION — The JE655 R\$232C Interface
Interface of the Je65's Africa Amount of the Je65's Africa Amount of the Je65's Can be Interfaced to day Computer with a R\$232 port Intermaliants also provided for inderfacing to any CPM system with an Sa222 port Intermaliants also provided for inderfacing to any CPM system with an Sa222 port Intermaliants also provided for inderfacing to any CPM system with an Sa222 port Intermaliants also provided for inderfacing to any CPM system with an Sa222 port Intermaliants also provided for inderfacing to any CPM system with an Sa222 port Intermaliants and Internal In

JE664-ARS EPROM Programmer W/JE665 Option\$1195.00
Assembled and Tested (Includes JM16A Module)

P/N	EPROM	EPROM MANUFACTURER	PRICE
JM08A	2708	AMO, Motorola, National, Intel. T1(25V)	\$14.95
JM16A	2716.TMS2516	Intel, Motorola, National, NEC, Tl. (25V)	\$14.95
JM168	TMS2716	Molorofa, 71(+5,-5, +12)	\$14.95
JM32A	TMS2532	Motorola, TI (25V)	\$14.95
JM328	2732	AMO, Fujilsu, NEC, Hitachi, Intel (25V)	\$14.95
JM32C	2732A (21V)	Fujitsu.intel (21V)	\$14.95
J):164A	MCM68764, MCM681764	Motorola (21V)	\$14.95
JM648	2764	Inter (21V)	\$14.95
JM64C	TMS2564	TI (25V) .	\$14.95

UV-EPROM Eraser



Erases 2708, 2716, 2732, 2764, 2516, 2532, 2564. Erases up to 8 chips within 51 minutes (I chip in 37 minutes). Maintains constant exposure distance of one inch. Special conductive forms liner alliminates static build-up. Built-in-safety tock to prevent UV exposure. Compact — only 9,00° x 3.70° x 2.80°. Complete with holding largy for 8 chips.

DE-4 UV-EPROM Eraser ... \$79.95 UVS-11 EL Replacement Bulb\$16.95

51/4" APPLE™ COMPATIBLE **DISK DRIVE**



USAR UNIVE

Uses Shugart SA390 mechanics **143K formatted sterage **35 tracks - compatible with Apple controller - Complets with connector and cable — just ploy his your disk controller card **Size: 6*1, x 39;-7% x 8-9;16*0 ** Weight: 4% lbs. Part No. ADD-514 \$195.95

FLOPPY DISK DRIVE



. Shugart 801 R

Single-Sided
77 Tracks
400/800K Bytes

Canacity

. Industry Standard

FDD1008 8* Floppy Disk Drive (Industry Standard) features gle or diouble density. Recording mode: FM single, MFM double sity, Transfer rate: 250K bitsfee, single density, 500K bitsche, bild density. Tother rate: 250K bitsfee, single density; 500K bitsche, bild density. Tother fDD1008 is designed to work with the singled soft sectored IBM Diskette I, or eq. disk cadridge. Power VAC @ 50-80Hz, ±24VDC @ 1.7 amps max., ±5VDC @ 12 amps x. Unit as pictured above (does not include case, power supplies). Size: 6.55*W x 14*L x 4.5*H. Weighs 12 lbs. Incl. 96-pg. nucl.

FDD100-8 . . \$169.95 ea.

MEMORY EXPANSION KIT

SAVE HUNDREDS OF \$\$\$ BY UPGRADING MEMORY BOARDS YOURSELF!

Most of the popular memory boards ellow you to add an additional 64K, 122K, 122K, or 256K. The IBM64K Kii will populate thase boards in 64K byte increments. The kit is simple to install — just insert the nine 64K RAM chips in the provided sockets and set the two groups of switches. Directions era included.

IBM64K (Nine 200ns 64K RAMs) \$49.95

EXPAND YOUR MEMORY

TRS-80 to 16K, 32K, or 48K

Model 1 = From 4K to 16K Requires (1) One Kit

Model 3 = From 4K to 16K Requires (3) Three Kits

Color = From 4K to 16K Requires (1) One Kit

**Model 10 ealloped with Expansion Board up to 48K1 we Kits Required

**Model 10 with Required reach 16K of Expansion

TRS-16K3 *200ns for Color & Model III\$12.95

TRS-80 Color 32K or 64K Conversion Kit

Easy to install left comes complete with 8 ea. 4164.2 (200ns) 64K dynamic RAMs & conversion documentation. Converts TRS-80 color computers with E circuit boards, & all new color computers to 32K. Minor modifications of 32K memory will allow the use of all the 64K of the dynamic RAM providing you have a FLEX OVOS operating-system.

TRS-64K2 \$44.95



ORDER TOLL FREE

(800)538-8800

(CALIFORNIA RESIDENTS)

(800)848-8008





TERMS: For shipping include \$2.00 for UPS Ground or \$3.00 for UPS Blue Air. \$10.00 minimum order. Bay Area and Los Angeles Counties add 61/2% Sales Tax, other California residents add 6% Sales Tax. We reserve the right to limit quantities and substitute manufacturer. Prices subject to change without notice.

VISIT OUR RETAIL STORE

2100 De La Cruz Blvd. Santa Clara, CA 95050 (408) 988-0697



STATIC RAMS 256 x 4 (450ns)

5101	256 x 4 450ns) (cmos)	3.90
2102-1	1024 x 1 450ns)	.88
2102L-4	1024 x 1 450ns) (LP)	.98
2102L-2	1024 x 1 250ns) (LP)	1.45
2111	256 x 4 450ns	2.45
2112	256 x 4 450ns	2.95
2114	1024 x 4 (450ns)	8/9.90
2114-25	1024 x 4 (250ns)	8/9.95
2114L-4	1024 x 4 (450ns) (LP)	8/11.95
2114L-3	1024 x 4 (300ms) (LP)	8/12.45
2114L-2	1024 x 4 (200ms) (LP)	8/12.95
2147	4096 x 1 (55ms)	4.90
TMS4044-4	4096 x 1 (450ns)	3.45
TMS4044-3	4096 x 1 (300ns)	3.95
TMS4044-2	4096 x 1 (200ns)	4.45
MK4118	1024 x 8 (250ns)	9.90
TMM2016-200	2048 x 8 (200ns)	4.10
TMM2016-150	2048 x 8 (150ns)	4.90
TMM2016-100	2048 x 8 (100ns)	6.10
HM6116-4	2048 x 8 (200ns) (cmos)	4.70
HM6116-3	2048 x 8 (150ns) (cmps)	4.90
HM6116-2	2048 x 8 (120ns) (cmos)	8.90
HM6116LP-4	2048 x 8 (200ns) (cmos)(LP)	5.90
HM6116LP-3	2048 x 8 (150ns) (cmos)(LP)	6.90
HM6116LP-2	2048 x 8 (120ns) (cmps)(LP)	9.95
Z-6132	4096 x 8 (300ns) (Qstat)	33.95

Ostat = Duasi-Static

1.90

DYNAMIC RAMS

TMS4027	4096 x 1 (250ns)	1.95
UPD411	4096 x 1 (300ns)	2.95
MM5280	4096 x 1 (300ns)	2.95
MK4108	8192 x 1 (200ns)	1.90
MM5298	8192 x 1 (250ns)	1.80
4116-300	16364 x 1(300ns)	8/10.75
4116-250	16384 x 1(250ns)	8/10.95
4116-200	16384 x 1(200ns)	8/11.95
4116-150	16384 x 1(150ns)	8/13.95
4116-120	16384 z 1(120ns)	8/28.95
2118	16384 x 1/150ns) (5v)	4.90
4164-200	65536 x 1(200ns) (5v)	5.90
4164-150	65536 x 1(150ns) (5v)	6.90

5V = single 5 voltsupply

EPROMS

1702	250 - 2 400)	4.48
	256 x 8 1us)	4.45
2708	1024 x 8 450ns)	3.90
2758	1024x 8 450ns (5v)	5.90
2716	2048 x 8 450ns (5v)	3.90
2716-1	2048 x 8 350ns (5v)	5.90
TMS2516	2048 x 8 (450ns) (5v)	5.45
TMS2716	2048 x 8 450nm	7.90
TMS2532	4096 x 8 (450ns) (5v)	5.90
2732	4096 x 8 (450ns) (5v)	4.90
2732-250	4096 x 8 250ns (5v)	8.90
2732-200	4096 x 8 (200ns) (5vil	10.95
2764	8192 x 8 (450ns) (5v)	9.90
2764-250	8192 x 8 (250ns) (50)	13.95
2764-200	8192 x 8 (200ns) (5v)	23.95
TMS2564	8192 x 8 (450ns) (5v)	16.95
MC68764	8192 x 8 (450ns) (5v)(24 pin)	38.95
27128	16384 x 8Call	Cal

5v = Single 5 Voit Supply

741 000

	/4LS	500	
74LS00	.23	74LS173	.68
74LS01	.24	74LS174	.54
74LS02	.24	74LS175	.54
74LS03	.24	74LS181	2.10
74LS04	.23	74LS189	8.90
74LS05	.24	74LS190	.88
74LS08	.27	74LS191	.88
74LS09	.28	74LS192	.78
74LS10	.24	74LS193	.78
74LS11	.34	74LS194	.68
74LS12	.34	74LS195	.68
74LS13	.44	74LS198	.78
74LS14	.58	74LS197	.78
74LS15	.34	74LS221	.88
74LS20	.24	74LS240	.94
74LS21	.28	74LS241	.98
74LS22	.24	74LS242	.98
74LS26	.28	74LS243	.98
74LS27	.28	74LS244	1.25
74LS28	.34	74LS245	1.45
74LS30	.24	74LS247	.74
74LS32	.28	74LS248	.98
74LS33	.54	74LS249	.98
74LS37	.34	74LS251	.58
74LS38	.34	74LS253	.58
74LS40	.24	74LS257	.58
74LS42	.48	74LS258	.58
74LS47	.74	74LS259	2.70
74LS48	.74	74LS280	.58
74LS49	.74	74LS286	.54
74LS51	.24	74LS273	1.45
74LS54	.28	74LS275	3.30
74LS55	.28	74LS279	.48
74LS63	1.20	74LS280	1.95
74LS73	.38	74LS283	.68
74LS74	.34	74LS290	.88
74LS75	.38	74LS293	.88
74LS76	.38	74LS295	.98
74LS78	.48	74LS298	.88
74LS83	.59	74LS299	1.70
74LS85	.88	74LS323	3.45
74LS86	.38	74LS324	1.70
74LS90	.54	74LS352	1.25
7 <i>4</i> 1 CQ1	22	741 6353	1 25

74LS92 74LS93	.54 .54	74LS363 74LS364	1.30 1.90
74LS95	.74	74LS365	.48
74LS96	.88	74LS386	.48
74LS107	.38	74LS367	.44
74LS109	.38	74LS388	.44
74LS112	.38	74LS373	1.35
74LS113 74LS114	.38	74LS374	1.35
74LS114	.38 .44	74LS377 74LS378	1.35
74LS122	.78	74LS378 74LS379	1.13 1.30
74LS124	2.85	74LS385	1.85
74LS125	.48	74LS386	.44
74LS126	.48	74LS390	1.15
74LS132	.58	74LS393	1.15
74LS133	.58	74LS395	1.15
74LS136	.38	74LS399	1.45
74LS137	.98	74LS424	2.90
74LS138	.54	74LS447	.36
74LS139	.54	74LS490	1.90
74LS145	1.15	74LS824	3.95
74LS147	2.45	74LS640	2.15
74LS148 74LS151	1.30	74LS645	2.15
74LS151 74LS153	.54	74LS668	1.65
74LS153	.54 1.85	74LS689 74LS670	1.85
74LS155	.88	74LS674	1.45
74LS156	.68	74LS682	9.60 3.15
74LS157	.64	74LS883	3.15
74LS158	.58	74LS684	3.15
74LS160	.68	74LS685	3.15
74LS161	.64	74LS688	2.35
74LS162	.68	74LS689	3.15
74LS163	.64	74LS783	23.95
74LS164	.88	81LS95	1,45
74LS165	.94	81LS96	1.45
74LS166	1.90	81LS97	1.45
74LS168	1.70	81LS98	1.45
74LS169	1.70	25LS2521	2.75
74LS170	1.45	25LS2569	4.20
	65	00	
	1 M	HZ	

6504																													. 6.90
																													. 8.90
8507						ì	i	i	i							Ī					i						Ĵ		. 9.90
6520																													. 4.30
6522									Ĭ.												 								. 7.90
8532	Ċ		i	ľ		ľ	ľ				Ĭ	Ĭ	Ĭ	ľ	Ĭ	ľ	Ī	Ì	·	٠.		ï	Ċ	Ĭ		·			. 9.90
6545																													21.50
6551																													10.85
		Ī			Ī	Ī	•		Ī		•	'n	i		ŭ	12	Ţ	Ĭ					Ī				•	Ī	
65024																													
8522A																													. 9.90
6532A																													10.95
6545A																													
6551A													Ĺ																10.95
				-	-							-		Ē	٠.									-	-				
6502E				-	-							-		u	Н	ız													

6800

88000
6800
6802
8808
6809E
6809
68102.90
6821
6828
6840 11.95
6843
6844
6845
6847 10.95
6850
6852
6860 9.90
8862 10.95
6875
8880
6883
68047
68488
6800 1MHZ
68B00
68B02 21.25
68B09E 28.95
68B09

8000

8035											٠		٠											٠		٠				5	.9	0	
8039																														6	.9	0	
INS-8060	١.																												1	ıĕ	.9	15	
INS-8073	ľ	Ĭ		Ī	Ī	Ĭ	Ĭ	Ĭ	Ĭ	Ĭ	Ĭ	Ĭ	Ĭ	Ī	Ī	Ī	Ĭ	Ĭ	Ĭ	Ī	Ĭ	Ĭ	Ĭ	Ĭ	Ĭ	Ī	Ī	Ī	2	3	9	5	
8080																																	
8085																																	
8085A-2																																	
8088																																	
8089																																	
8155																																	
8155-2 .																														7		Ю	
8156																														6	.8	10	
8185																													1	28	.8	15	
8185-2																																	
8741		i	i				Ī	Ī																			i		3	18		15	
8748																																15	

8200
8202
8205
8212
8216
8226
8237
8238
8243 4.40 8250 9.95
8251
8253-5
8255-5 5.20
8257-5 8 90
8259
8259 6.85 8259-5 7.45 8271 38.95 8272 38.95 8275 28.95
8275 28.95 8279 8.90
8279-5 9.00
8283 6.45
8284
8287 6.45 8288 24.00
6289 48.95
Z-80
2.5 Mhz
Z80-CPU
Z80-DART
Z80-PIO
Z80-SIO/1 15.95
Z80-SIO/2
4.0 Mhz
Z80A-CPU
Z80A-CTC
Z80A-DMA
Z80A-SIO/0
Z80A-SiO/2 15.95 Z80A-SiO/9 15.95
6.0 Mhz
Z80B-CPU
Z80B-CTC
Z80B-DART
ZILOG Z8132
Z8871 38.95
DISC CONTROLLERS
1771 15.95
1791
1795
2791 53.95
2795
2797 58.95 6843 33.95
8272 38.95 UPD785 38.95
UPD785 38.95 MB8876 28.95 MB8877 33.95
1891 18.95
2143
UARTS
AY3-1014
AY3-1015
TR1802
2350 9.90 2651 8.90
TM\$6011
IM64038.90
INTERFACE
8T26
8T95
8T97
DM8131

VOLT	AGE RE	GULAT	ORS
7805T 78MO5C	.74 .34	7905T 7908T	.84
7808T 7812T	.74 .74	7912T 7915T	.84 .84 .84
7815T 7824T	.74	7924T 7905K	.84
7805K 7812K	1.34 1.34	7912K 7915K	1.44 1.44 1.44
7815K 7824K	1.34	7924K	1.44
78L05 78L12	.88.	79L05 79L12 79L15	.78 .78 .78
78L15 78H05K	.88 9.90	LM323K UA78S40	4.90
78H12K	9.90	UA7654U	1.90
C,T = TO-220	У К	TO-3	L = TO-92
		TCHES	
5 POSITION . 8 POSITION .			89
7 POSITION .			
	IC SOC		
	10 000	1-99	100
8 pin ST 14 pin ST		.12 .14	.10 .11
16 pinST 18 pin ST		.16 .19	.12 .17
20pinST 22pinST		.28 .29	.26 .26
24 pinST 28 pinST		.29	.26 .31
40 pinST 84 pinST		.48 4.20	.38 call
8 pln WW	ST = SOL	.58	.48
14 pinWW 16 pin WW		.88 .68	.51 .57
18 pln WW 20 pln WW		.98 1.04	.89 .97
22 pin WW 24 pin WW		1.34 1.44	1.23 1.30
28 pin WW 40pin WW		1.64 1.94	1.44 1.75
	MM = MI	REWRAP	
16 pln ZIF		6.70	call
24 pin ZiF 28 pin ZiF		9.90 9.95	call call
24 pin ZiF 28 pin ZiF		9.90 9.95 ro insertion i	call call
24 pin ZIF 28 pin ZIF ZIF = TI	EXTOOL (Ze	9.90 9.95 ro insertion i	call call Force)
24 pin ZiF 28 pin ZiF	CRYS	9.90 9.95 ro insertion i	call call Force) 1.90 4.90
24 pin ZiF 28 pin ZiF ZIF = Ti 32.768khz	CRYS	9.90 9.95 ro Insertion I	call call Force) 1.90 4.90 3.90
24 pln ZIF 28 pln ZIF ZIF = Ti 32.768khz	CRYS	9.90 9.95 ro Insertion I	call call Force) 1.904.914.903.903.90
24 pln ZIF 28 pln ZIF ZIF = TI 32.768khz	CRYS	9.90 9.95 ro Insertion I	call call call call call call call call
24 pln ZIF 28 pln ZIF ZIF = TI 32.768khz	CRYS*	9.90 9.95 ro insertion i	call call call call call call call call
24 pln ZiF 28 pln ZiF ZIF = Ti 32.768khz 1.0 mhz 1.8432 2.0 2.097152 2.4576 3.2788 3.579535 4.0	CRYS*	9.90 9.95 ro insertion i	call call call call call call call call
24 pln ZIF 28 pln ZIF ZIF = TI 32.768khz 1.0 mhz 1.8432 2.097152 2.4576 3.2768 3.2768 3.579535 4.0 5.0 5.0 6.0 6.144	CRYS	9.90 9.95 re insertion i	call call call call call call call call
24 pln ZiF 28 pln ZiF ZIF = Ti 32.768khz 1.0 mhz 1.8432 2.0 2.097152 2.4576 3.2768 3.2768 3.2768 3.579535 4.0 5.0688 5.185 5.7143 6.0 6.144 6.5538 8.0	CRYS*	9.90 9.95 ro Insertion I	cell call Force) 1.90 4.90 3.90 3.90 3.90 3.90 3.90 3.90 3.90 3
24 pln ZIF 28 pln ZIF ZIF = TI 32.768khz	CRYS*	9.90 9.95 ro Insertion I	call call call call call call call call
24 pln ZIF 28 pln ZIF ZIF = TI 32.768khz 1.0 mhz 1.8432 2.0 2.097152 2.4576 3.2768 3.579535 4.0 5.0 6.0 6.185 5.7143 6.0 6.144 6.55538 8.0 10.738835 14.31818 15.0	CRYS	9.90 9.95 ro Insertion I	cell call call call call call call call
24 pln ZIF 28 pln ZIF ZIF = TI 32.768khz 1.0 mhz 1.8432 2.0 2.097152 2.4576 3.2768 3.579535 4.0 5.0 6.0 6.144 6.5558 8.0 10.738835 14.31818 15.0 16.0 17.430	CRYS	9.90 9.95 ro Insertion I	cell call call call call call call call
24 pln ZIF 28 pln ZIF ZIF = TI 32.768khz 1.0 mhz 1.8432 2.0 2.097152 2.4576 3.2768 3.579535 4.0 5.0 5.0 6.144 6.5538 8.0 10.0 10.738835 14.31818 15.0 16.0 17.430 16.0 18.432	CRYS	9.90 9.95 ro Insertion I	cell call call call call call call call
24 pln ZiF 28 pln ZiF 21F = Ti 32.768khz 1.0 mhz 1.8432 2.097152 2.4576 3.2768 3.579535 4.0 5.0 5.0 5.0 6.0 6.144 6.5538 8.0 10.0 10.738835 14.31818 15.0 16.0 17.430 16.0 17.430 16.0 17.430 16.0 17.432 20.0 22.1184	CRYS	9.90 9.95 ro Insertion I	cell call call call call call call call
24 pln ZiF 28 pln ZiF 21F = Ti 32.768khz 1.0 mhz 1.8432 2.0 2.097152 2.4576 3.2768 3.2768 3.2768 3.579535 4.0 5.0688 5.185 5.7143 6.0 6.144 6.5538 8.0 10.734835 14.31818 15.0 16.0 17.430 16.0 18.432 20.0	CRYS	9.90 9.95 ro insertion I	cell call call call call call call call
24 pln ZiF 28 pln ZiF 21F = Ti 32.768khz 1.0 mhz 1.8432 2.0 2.097152 2.4576 3.2768 3.579535 4.0 5.0 5.0 6.10 6.144 6.5538 8.0 10.0 10.738835 14.31818 15.0 16.0 17.430	CRYS	9.90 9.95 ro Insertion I FALS TORS ALL STANDA	cell call call Force) 1.90 4.91 3.90 3.90 3.90 3.90 3.90 3.90 3.90 3.90
24 pln ZiF 28 pln ZiF 28 pln ZiF 21F = Ti 32.768khz 1.0 mhz 1.8432 2.0 2.097152 2.4576 3.2768 3.579535 4.0 5.0 5.0 6.0 6.144 6.5538 8.0 6.144 6.5538 8.0 10.0 10.738835 14.31818 15.0 16.0 17.430 16.0 17.430 16.0 18.432 20.0 22.1184 32.0	RESIST REPORTER	9.90 9.95 re insertion i TALS TORS ALL STANDA TO MEG OHI	cell call call call call call call call
24 pln ZiF 28 pln ZiF 21F = Ti 32.768khz 1.0 mhz 1.8432 2.0 2.097152 2.4576 3.2768 3.579535 4.0 5.0 5.0 6.10 6.144 6.5538 8.0 10.0 10.738835 14.31818 15.0 16.0 17.430	RESIST RESIST OF THE PROPERTY	9.90 9.95 ro Insertion I FALS TORS ALL STANDA 70 MEG OHI	Cell call Force)
24 pln ZiF 28 pln ZiF 28 pln ZiF 21F = Ti 32.768khz 1.0 mhz 1.8432 2.0 2.097152 2.4576 3.2768 3.2768 3.579535 4.0 5.0668 5.185 5.7143 6.0 6.144 6.5538 8.0 10.0 10.0 10.734835 14.31818 15.0 10.73483 14.31818 15.0 16.0 17.430 16.0 18.432 20.0 22.1184 32.0 44 WATT 5 CA FRO 50 PCS. 1000 PCS.	RESIST RE	9.90 9.95 ro Insertion I FALS TORS ALL STANDA 70 MEG OHI	cell call call Force)
24 pln ZiF 28 pln ZiF 28 pln ZiF 21F = Ti 32.768khz 1.0 mhz 1.8432 2.0 2.097152 2.4576 3.2768 3.2768 3.579535 4.0 5.0668 5.185 5.7143 6.0 6.144 6.5538 8.0 10.0 10.138835 14.31818 15.0 10.734835 14.31818 15.0 10.73430 16.0 17.430 16.0 18.432 20.0 22.1184 32.0 4 WATT 5- CA FRO 50 PCS. 1000 PCS. 1000 PCS.	RESISTEM TO THE PROPERTY OF TH	9.90 9.90 FOLS FORS ALL STANDA TO MEG OHI ESSORI	cell call call call call call call call
24 pln ZiF 28 pln ZiF 28 pln ZiF 21F = Ti 32.768khz 1.0 mhz 1.8432 2.0 2.097152 2.4576 3.2768 3.579835 4.0 5.0 5.0 6.10 6.144 6.5538 8.0 10.0 10.738835 14.31818 15.0 16.0 17.430 16.0 17.430 16.0 18.432 20.0 22.1184 32.0 24.40 50 PCS 1000 PCS 1000 PCS 4 PPI 80 Column Car 16 K Card	RESISTRESON FILM IN 1 OHM TO	9.90 9.90 FOLS FORS ALL STANDAD TO MEG OHI ESSORI	cell call call call call call call call
24 pln ZiF 28 pln ZiF 28 pln ZiF 21F = Ti 32.768khz 1.0 mhz 1.8432 2.0 2.097152 2.4576 3.2788 3.2788 3.579535 4.0 5.0688 5.185 5.7143 6.0 6.144 6.5538 8.0 10.0 10.733835 14.31818 15.0 10.733835 14.31818 15.0 16.0 17.430 18.432 20.0 22.1184 32.0 24 WATT 5 CA 50 PCS 1000 PCS	RESIST RESIST RESIST AND THE ACC	9.90 9.95 ro Insertion I FALS TORS ALL STANDA 0 TO MEG OHI ESSORI	cell call call call call call call call
24 pln ZIF 28 pln ZIF 28 pln ZIF 21F = Ti 32.768khz 1.0 mhz 1.8432 2.0 2.097152 2.4576 3.2768 3.579535 4.0 5.0668 5.185 5.7143 6.0 6.144 6.5538 8.0 10.0 10.0 10.738835 14.31818 15.0 10.0 17.430 16.0 17.430 16.0 18.432 20.0 22.1184 32.0 44 WATT 5 CA FRO 50 PCS 1000 PCS	RESISTRESON FILM MY TO OHM TO	9.90 9.90 FOLS FORS ALL STANDA TO MEG OHI ESSORI	cell call call call call call call call
24 pln ZiF 28 pln ZiF 28 pln ZiF 21F = Ti 32.768khz 1.0 mhz 1.8432 2.0 2.097152 2.4576 3.2788 3.2788 3.579535 4.0 5.0688 5.185 5.7143 6.0 6.144 6.5538 8.0 10.0 10.733835 14.31818 15.0 10.733835 14.31818 15.0 16.0 17.430 18.432 20.0 22.1184 32.0 24 WATT 5 CA 50 PCS 1000 PCS	RESIST RESON FILM IN 1 OHM TO	9.90 9.90 FROME	cell call call call call call call call

51/4" DISKETTES ATHANA OR NASHUA

SSSD																	18.95
SSDD									,								22.95
DSDD				•						 					. ,		 27.95

PERISOFT

ACCESSORIES FOR APPLE II & IIe ALL WITH 1 YEAR WARRANTY BY

PRINTERLINK CENTRONICS PARALLEL INTERFACE

- · Simple to use No configuring required
- Use with any centronics printer EPSON, OKIDATA, etc.
 - · Includes Cable & Manual

\$5800

MESSENGER SERIAL INTERFACE

- · Connects to any RS-232 serial device
- · 8 switch selectable drivers for printers. terminals and modems
 - Includes Cable & Manual

\$9800

TIMELINK REAL TIME CLOCK

- · Applications in file management, word processing, communications, etc.
 - · Exclusive Alarm Clock feature
 - · Battery recharges automatically

\$8300

NEW BUFFERLINK ADD-ON PRINTER BUFFER

- . No more waiting for printed output
- · Connects easily to any parallel interface
 - · Expandable from 16K to 64K

\$138°0 (16K)

The Flip Sort™

The new Flip SortTM has all the fine qualities of the original Flip Sort™, with some added benefits. Along with a new design, capacity has increased 50%, to hold 75 diskettes and the price is more reasonable than ever. \$19.95 ea.





The Flip Sort Plus™

The Filip Sort PlusTM adds new dimensions to storage. Designed with similar elegant lines as the original Flip SortTM, in a transparent smoked acrylic. The Flip Sort Plus TM has a storage capacity of over 100 diskettes and has all the outstanding features you have come to expect from the flip sort Family. 24.95 each



2100 De La Cruz Blvd. Santa Clara, CA 95050

HARDWARE

IBM PC COMBO CARD MEMORY PLUS AT LOW PRICES!

Now! "Multicard" expandable from 64-256K with

(1) PARALLEL (1) SERIAL (1) CLOCK/CALENDAR

COEX 64 SPC with 64K

\$**229**00

AST Megasitas* Card
PN M3964 (E-K, S, C)
Comboglus* Card
PN MC045PC (64K, S, P, C)
PPC 10 Plus II* Card
PN 100 C, S

"SIX PACK*
PN SP064SPC (64K, S, P, C)
CDEX Extender Card
PN 100 C Extender Card
HERCULES
Hercules Graphic Card
MOUSE SYSTEMS Mouse for IBM
MICROSOFT
MOuse plus Multitool Word
MAR 6 SIG Expansion Chassis
for BMPCATT or Eagle etc
ORCHID HI-Res Graphics Adaptor
PERSYST Spacitrum (64-246K)

PERSYST Spectrum (64-258K)
PIN SP64, (64K, Cik, S, P)
PLANTRONICS Color plus" Card
QUADRAM Quadboard (64-258K)
PIN Q64, 64K w/4 functions
Ouad.urik Apple Card
Ouadboard 64K
Microfazer Print Buffer MP-64
Ouadchrome (Hries RGB)
RIXON PC212A Modem I/O
SSM Transmodem I/O
SSM Transmo

P.N V-256 (256K. Cik, S. P)

"Masicard" (up to 576K)

P.N V-576-64K

P.N V-576-576K

"PC Master" (10 I/O)

"PC Extender" (up to 10 I/O)

"Diskmaster"

Thinline Dusl Floppy

eV1206 6.2Mb Cartridge Orive

COEX 80F/T 80cps
DYMAX Dasy-beel
SR.VER REED
EXPSOD 132 Column
STAR MICRONICS - NEW!
Germini 10X 120cps
Germini 15 15"

EPSON FX80 FX100

TTX Daisywhe NEC Spinwriter 3550 IBM PC to Parallel Cable

BROTHER HR-1/BMC

AMDEK CORP 300 Green 12" 310 Amber 12" Calor I Composite/Hi Color II RGB Hi-Res

BMC 12" Green PRINCETON GRAPHICS RGB IBM Lookalike

OYSAN SW: 55 SO DYSAN SW: DS SD ISM 5W: SS SD ISM 5W: SS DO VERBATIM 525-01 SS VERBATIM 500-0 DS MAXELL 400-0 DS MAXELL 400-0 DS

File Storage Box 5' BULK SPECIAL SS

With Showe and Box

COMPUCABLE
Keyboard & Drive Covers (set)
CURTIS

CURTIS
PC Pedestal
PGS or Ouadchrome Adapto
Vertical PC System Stand
IBM Mono Extension Cable
Keyboard Ext. Cable (3-9')
EPD PROTECTION DEVICES

The Lemon (Surge Protector)
The Peach (Surge Protector)
The Orange (with EMI/RFI)

The Orange (with Community Intelline INTEL Book? IC KOALA PAD KRAFT Joystick IBM RAM EXPANSION 16K Motherboard (16 IC's) 64K Memory Exp. (9 IC's)

COMPUSERVE Subscription SOURCE Subscription

HAVES

PRINTERS

MONITORS

DISKETTES

MORE IBM GOODIES

TIME SHARE SERVICES

MODEMS

TOLL FREE

395 279

165 115

299 29 35

319 469

229 399

\$199 525

129 89 545

700

\$19

COEX 256 SPC with 256K \$39900

S-100 64K "CMOS" RAMCARD



Unbelievable Price!

\$29900 Assembled and Tested

ACP has sold over 1000 of these IEEE compatible. low-priced, high-reliability 64K Static RAM Cards.

Single 5-Volt operation.

SIEMEN'S SALE



5169°°

You can now purchase Shugart compatible 8" Disk Drives below your existing factory direct plung These Prices are the lowest ever published

*Siemen's SSDD FDD100-8., \$159.00

Also, with purchase of Disk Drives you can buy the Vista V-1000 Dual Case
with Power Supply and Cable
for only \$375.00.... Regular Price \$49.00 r Limited! Factory Warranty 90 Days! Shipped Immediately from Stock! "OEM Quantil

DOT MATRIX PRINTER

COEX 80-FT

2K Buffered M

80, 96, 132 Columns, Graphics and stable Char Pilck, Line Spacing



ACP HAS DISK DRIVES

COMPATIBLE

Thin Line Drive





TANDON 100-2

PC Compatible . Double Sided

\$289°°

TOSHIBA Half-High PC Compatible • Double Sided

\$24900



OTHER DRIVES WE STOCK

NDON 845-2 Thinline \$479.00	SKUGART ABIR
IC F0558 299.00	SHUGART 860 Thinking 474
MASONIC C155 (PC Comp) 259.00	SHUGART SA400 210
1 852 279.90 ··· 279.90	SEAGATE STSOS (GAIS Win.) 599

APPLE™ COMPATIBLE



Apple Printer Interface

w/Apple to Epson Cable

Apple He Compatible 80 Column

APPLE COOLING FAN

Surge



Card w/64K

APPLE COMPATIBLE **POWER SUPPLY**



+ 12V(u 3A - 12V (u .25A

APPLE COMPATIBLE



JOY STICK only \$1595

\$7995

Vista Computer Company

VISTA V1200

6.2 Cartridge Drive w/Controller Apple or IBM Compatible

Please Specify with Order

\$99995

VISTA "SOLO"



Apple II/IIe Compatible **Disk Drive**

Totally compatible to Apple Drives.

Only

Controller \$49.95 Just plug in and run.

Apple II 16K RAM CARD

Compatible with Z80 Softcard™ . PASCAL CP/M™ Full 1 year Warranty. Top Quality by COEX

NEW LOW ACP PRICE

Also from COEX, NEW EPSON Parallel Interface for Apple.
With cable\$49.95

VISTA A800

8" Disk Controller

for Apple

VISTA "DISKMASTER" **IBM** Compatible

3", 5", 6" and V1200 Compatible

AYES
Smartmodem 900
PC Modem Software 1.3 (above)
Enumodem 1200
PC Software 1.4C (above)
Smartmodem 1200B
Smartmodem 1200B Mail Dider: P.O. Box 17329 Irvine, CA 92713 800-854-8230 910-595-1565

Retail: 13108 E. Edinger, Santa Ana, CA 92705 (714) 558-8813 S42 W. Trimble, San Jose, CA 95131 (408) 546-7010

apple computer

	1	
	LIST	ACP
Apple lie w/64K	\$1395.00	\$1195.00
Apple lie System	1995.00	1695.00
Apple lie Sys w/Ext Text	2195.00	1895.00
Disk II w/Controller	545.00	449.00
Disk II w/o Controller	395.00	359.00
Monitor III Green	249 00	189.00
Super Senal Card	195.00	169.00
Parallel Interface Card	165.00	139.00
80 Column Text Card	125.00	
Extended 60 Column Text	295.00	249.00
Dot Matrix Printer	695.00	529.00
"Apple Products Avail		

MICROSOFT	⊔ST	ACP
Z80 Softcard	\$395.00	\$249.00
16K Ramcard	195.00	89.00
SSM		
AIO-II 4 Function Serial/		
Parallel EASTSIDE	225.00	179.00
Wildcard Apple II	149.00	115.00
KENSINGTON	143.00	113.00
System Saver	89.95	69.00
KEYBOARD COMPANY		
Numeric Keypad	149.95	124.95
Apple II Joysfick	49.95	44.50
Apple II Hand Controllers KRAFT	29.95	25.95
Joystick		49.00
Hand Controller		40.00
MPC		
128K Bubble Memory	875.00	699.00
PROMETHEUS		
VERSAcard Four-in-1 VISTA COMPUTER CO.	199.00	166.00
A800 8" Disk Control	379.95	299.00
Ouartet Disk Drive 51/4"	849.00	799.00
Solo Disk Drive w/Contr	299.00	249.00
Solo Drive w/o Contr	249.00	199.00
Vista 5¼" Disk Contr	92.00	49.00
Typehead Buller VIDEX	49.95	35.00
Videoterm 80x24 Card	345.00	279.00
Keyboard Enhancer II	149.00	129.00
Soft Switch	35.00	30.00
Function Strip Keys PRACTICAL PERIPHERALS 16K Microbuffer	79.00	69.00
PRACTICAL PERIPHERALS		
16K Microbuffer	259.00	220.00
32K Microbuffer	299.00 149.00	253.00 109.00
Snapshot Option VOTRAX	149.00	109.00
Type n'Talk Speech	249.00	219.00
Personal System	395.00	339.00
VYNET		
Apple II Voice Syn. Apple II Telephone I/O SCOTT INSTRUMENTS	395.00	349.00
Apple II Telephone I/O	295.00	249.00
Voice Recognit'n VET80	799.00	675.00
COEX	133.00	073.00
16K RAM Card	99.00	49.95
Paratlel Card w/Cable	99.00	49.95
Apple Protocard	29.00	19.95
Apple Extendercard	29.00	19.95
Apple lie Ext RAM Card CORVUS	199.00	99.95 Call
ORANGE MICRO		Can
The Grappler I/O (Plus)	175.00	139.00
The Bufferboard	175.00	139.00
The Bufferboard SATURN SYSTEMS		
32K RAM Card	219.00	179.00
128K RAM Card STREET	499.00	439.00
ECHO II	149.00	129.00
ECHO II	143.00	125.00
64KC MMa	327.00	269.00
128KC II/IIe 18SRC 18K Static	599.00	499.00
18SRC 18K Static	149.00	135.00
MICROPRO Wordstar w/CP/N MOUNTAIN COMPUTER	A 499	415
CPS Multifunction	239.00	169.00
Music System	395.00	335.00
A/D plus D/A	350.00	299.00
A/O plus O/A ROM Plus	155.00	129.00
M&R ENTERPRISES		
Sup'rterm 80x24 Card	395.00	269.00
Sup'rMod II	69.00	49.00
Sup'rMod V (IBM) ALS	69.00	49.00
The CP/M Plus Z80 Card	399.00	329.00
Smarterm 80x24 Card	349.00	279.00
The Synergizer Package	699.00	549.00
OAME IS		
SAVE UP 1	I O 40	1/6

SAVE	UF	P TO 40%	
BUSINESS		ASCII Exprs, Prof.	9
Screen Writer	\$129	HOBBY	
BD Master	155	Zoom Graphics	3
Visicalc* 3.3	185	Utility City	2
Visiplot	159	Locksmith 4.0	9
PFS, File II	115	Nibbles Away II	4
PFS, File III	155	GAMES	
Visitrend/Visiptot	25	Chaplifter	2
PFS, Graph II	115		2
PFS, Graph III	155		3
Multiplan	199		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Versalorm	279	Cannonball Blitz	2
Wordstar	299	Knight Diamonds	2
dBASE II	439	Zork	2
Supercalc	169	Zork III	2
PFS, Report It	95	Starcross	2
PFS, Report III	115	Serpentine	2
Acct Plus G/L	299	Star Blazer	2
G/L, A/P, A/R	599	Deadline	3
Above + Inventory	799	Tubeway	2
Magic Window	115	Flight Simulator	2
HOME		Space Vikings	4
Home Accountant	59	Sargon II	2
Transend I	76	Spitfire Simulator	2
Transend II	119	Apple Panic	2
Visiterm	89	Olympic Decath	2

Apple" Apple Trademark of Apple Computer IBM " IBM Trademark of International Business Machines

TERRES: ISO. Cashier's Creece Bank Wire. Personal store 2 wyelds for processing. Include Drivers Low could good as Value. AMEX. CR and 5% service charges are stored by Value. AMEX. CR and 5% service charges of 5% service charges are stored to the country of the

MPUTER

Serving Computer Professionals Since 1976

Α	_	W		į	1
			ИΔ	н	

		_
AST Megaplus" Card	Liet	ACP
PN MG064 (64K, S. C.)	395	\$279
PAN MG064 (64K, S, C) •Combo plus ™ Card	000	
P/N MC-064SPC (64K, S, P, C)	395	279
oPC I/O Plus II'" Card	•	
P/N I/O (C, S)	165	115
C'SIX PACK"		
P/N SP064SPC (64K, S, P, C)		299
COEX Extender Card	40	29
Prototype Card	69	35
HERCULES		
Hercules Graphic Card		359
MOUSE SYSTEMS Mouse for IB	M	269
MICROSOFT		
Mouse plus Multitool Word		Call
ORCHID		
Hi-Res Graphics Adaptor	395	339
PERSYST Spectrum (64-256K)		
P/N SP64, (64K, Clk, S, P)		319
PLANTRONICS Color plus" Car		399
QUADRAM Quadboard (64-256K)		
P/N Q64, 64K w/4 functions	395	279
QuadLink Apple Card	680	525
Quadboard 64K		279
Microlaxes Print Buller MP-64		190
Quadchrome (Hires RGB)		488
RIXON PC212A Modem I/O	596	449
SSM Transmodem 1200		479
USI Multidisplay Card		299
VISTA "Multicard" (exp. 64-256	K)	
P/N V-064 (64K, Clk, S, P)	395	229
P/N V-256 (256K, Clk, S, P)	695	399
e"Maxicard"" (up to 576K)		
PM V-576-64K		249
P/N V-576-576K		729
e"PC Master" (10 VO) e"PC Extender" (up to 10 VO)	495	329
e"Diskmaster" (up to 10 1/0)	299	199
96" Thinkine Dual Floppy	299	199
eV1200 6.2Mb Cartridge Drive		Call 999
-4 1200 0.2mb Cantridge Drive		233
DRINTERS		

PRINIERS		
COEX 80F/T 80cps	\$299	\$199
DYNAX Daisywheel SILVER REED		525
EXP500 132 Column		649
STAR MICRONICS - NEW!		
Gemini 10X 120cps	399	319
Gemini 15 15"	599	469
EPSON FX80	699	549
FX100	895	749
BROTHER HA-1 BMC	1195	895
DAISYWRITER	1495	1295
TTX Daisywheel		549
NEC Spinwrit er 3 550		1875
IBM PC to Parallel Cable	60	39

MUNITUR	10	_
AMDEK CORP 300 Green 12" 310 Amber 12" Color I Composite/Hitachi Color II RGB Hi-Res	\$199 210 399 899	\$155 175 339 695
BMC 12" Green PRINCETON GRAPHICS	129	89
RGB IBM Lookalike	700	545

W SS SD	10/\$55	5
4" DS SD	10/65	-
SS SD	10/60	
SS DD	10/65	
M 525-01 SS	10/45	
M 550-01 DS	10/55	

COMPUCABLE		
Keyboard & Drive Covers (set)		\$19
	\$80	64
PGS or Quadchrome Adaptor		10
Vertical PC System Stand		20
IBM Mono Extension Cable	50	44
Keyboard Ext. Cable (3-9')		34
EPD PROTECTION DEVICES		
The Lemon (Surge Protector)		43
The Peach (Surge Protector)		68
The Orange (with EMI/REI)		122
The Lime		76
INTEL 8087 IC		199
		99
	70	40
RAM EXPANSION		
		10
		50
	Keyboard & Drive Covers (set) CURTIS PC Pedestal PGS or Quadchrome Adaptor Vertical PC System Stand IBM Mono Extension Cable Keyboard Ext. Cable (33e) Keyboard Ext. Cable (32e) FPD PROTECTION DEVICES The Lemon (Surge Protector) The Peach (Surge Protector) The Orange (with EM/IRF)	Keyboard & Drive Covers (set) CURTIS PC Pedestal PGS or Ouadchrome Adaptor Vertical PC System Stand IBM Mono Extension Cable Keyboard Ext. Cable (3-9) PPD PROTECTION DEVICES The Lemon (Surge Protector) The Peach (Surge Protector) The Drange (with EMI/RFI) The Lime INTEL 8087 IC KOALA PAD KRAFT Joystick IBM RAM EXP ANSION 16K Motherboard (16 IC's)

TIME SHARE SERVICES

HAYES	
Smertmodern 300	\$210
PC Modern Software 1.3 (above)	49
Smartmodern 1200	525
PC Software 1.4C (above)	79
Smartmodern 1200B	445
Smartcom II	79
Smartmodern to IBM Cable	25

SOFTWARE

dbase II \$39900

Condor \$38900

SuperCalc \$9900

SuperCalc 2 \$17900

> Multiplan \$18900

> Wordstar \$29900

Lotus 1-2-3 Call!

T. K. Solver! Call!

Flight Simulator \$4500

Context MBA Call!

Computer **Inovations C86C Compiler** \$36900


Copy II Plus \$3200

> Visiword \$28900

Digital Research

Pascal MT+86\$295.00 Concurrent CP/M 86 260.00 CBASIC 86.....149.00

Plus More Great Software Values In Our 1983 Catalog! Send For Your Copy NOW.



If You're Thinking IBM PC™, **READ THIS!**

COEX Combocard

- ★ 64K to 256K RAM
- * ASYNC Serial Port
- ★ Clock/Calendar w/NiCad Backup
- ★ Parallel Printer Port
- ★ RAMDisk Software
- ★ Spooler Software

64K 50 \$22900

256K 539900

Zero "K" Version Available Only \$199.00

PLUS! . . . with Purchase of either Memory card above

SUPERCALC™......only \$89.00 (195.00 value) Disk Emulator FREE

Print Spooler FREE

ACP PC "FEATURE OF THE MONTH"

- 1. DISKMASTER™. Disk Controller for IBM PC or XT adds both 5¼" and 8" floppy drives. Complete with Software. Same card can also handle 2. VISTA 1200 with DISKMASTER" \$999
- 3. M&R "SUP'R EXTENDER". IBM PC & XT Expansion Chassis with (6) Slots, Power Supply and Fan. Your price!!! only \$439.00. You cannot afford to live without one.

DISK DRIVES



TANDON 100-2 PC Compatible • Double Sided

TOSHIBA 1/2 High PC Compatible · Double Sided \$24900

S. MO. Casher's Chock. Bank Wire, Personal checks makin for processing, include Drivers License and credit. MAIL GROER: P.O. Box 17329 Irvine, CA 92713 ow 2 weeks for processing, include Drivers Licens of #6 Visa, AMEX. CB add 3% service char-spoint 5 hereting or \$2.50, whichover is greater.

Rotail: 1310 E. Edinger, Santa Ana, CA 92705 (714) 558-8813

542 W. Trimble, San Jese, CA 95131 (408) 948-7810

800-854-8230 910-595-1565

64K MEMORY

CALIFORN

Post Office Box 3097 B Torrance, California

Plastic library case supplied with all diskettes purchased from California Digital

reinforced hub. Each box of diskettes is supplied with a free plastic library case. Soft sector CAL-501; Ten sector CAL-510.

Also Available Double sided soft sector diskettes for use with the IBM/PC CAL-551 \$24.95

ckettes



54" DISKETTES WITH LIBRARY CASE

Your Choice SCOTCH **MEMOREX VERBATIM**

Single Side Double Density

Soft Sector 10 Sector 16 Sector

SCOTCH	744D-0	744D-10	744D-16	26.50
MEMOREX	3481	3483	3485	26.50
VERBATIM	525-01	525-10	NA	26.50
MAXELL	MD1	MH1-10	MH1-16	26.50
DYSAN	104/1D	107/1D	NA	45.00

Double Side Double Density

SCOTCH	745-0	745-10	745-16	39.00
VERBATIM	550-01	550-10	NA	42.50
MAXELL	MD2-D	MH2-10D	MH2-16D	45.00
DYSAN	104/2D	107/2D	NA	49.50
DYSAN 96	204/2D	NA	NA	59.50

FIGHT INCH DISKETTES

Single Side Single Density			Single Side Double Density			
SCOTCH	740-0	29.50	SCOTCH	741-0	39.00	
MEMOREX	3060	29.50	MEMOREX	3090	35.00	
DYSAN	3740/1	39.50	DYSAN	3740/D	57.50	
This	ty Two Secto	,	Double s	ide Double Der	isity	
SCOTCH	740-32	29.50	SCOTCH	743-0	47.50	
Fig. Fac 5's 5 Fig. & Fac 8 ato		C-525 18.95 C-800 22.85	MEMOREX	3114	39.50	
Scotch read cla		MAL (85 24 9)	DYSAN	3740/2D	65.00	

COMPOSITE



innering a caseroom of students around a 12 montay? Here 4 your opposed in the process of the students around a process around compact value departs generated by mean of BM Alach 8 your computer and in at a reasonable price vises agnals generated by most personal computers including suder and in second you are shooting down folingons in wide

N23 35 Libe Monetons are open harms and for safety should be enclosed. Weeklighter for above \$35.00 additional CAL-ENG23.15 Libs

Shugart 410

These Shugart 410 Sta" disk drives are all lactory fresh 1983 production, recently purchased from the Four Phase Division of the Motorola Corporation. These disk drives are single sided 80 track(95 TPI) solidated to the Sauthalle for use with the Rahdo Shack Model! and Model 3. Or any dimerapplication hat can support an 80 track sectors give such as the IBAL PC. The 410 is full help than diffunctionally the same as the Tandon TM 100-3 Complete with power connector and installation manual.

When these Shugart 410's are liquidated the price will revert to our regular price of \$249 SHU-SA410

4116 150ns.

450ns. **64K DYNAMIC 16K STATIC**

4164 150ns.

6116 200ns



4027 44 dynamez 30ns 10A-4027250 1.99 1.85 1.75 1165 1.45 1.45 1.416 1.65 1.45 1.45 1.45 1.45 1.45 1.45 1.45 1.4			1-31	34 +	100 +
### 116 200ns 16K CM-4116150 1.75 1.65 1.45 1.45	4027 4K dynamic 250ns	ICM-4027250	1.99	1.85	1.75
### 4116200 is 164. C28 rehearb ### 4126 S0 is 264. C3 rehearb ### 21L0 2 200ns IK stainc ### 21L0 2 200ns		ICM-4116150	1.75	1.65	1.45
41256 i 50ns 256K CD4-41256150 CD7-4409 TO7-4409 STATIC MEMORY 21L0.2 200ns I K stalic 21L0.2 250ns I K stalic 21L0.2 250		ICM-4116200	175	1 65	1.45
DP64/09 chroamse controller ST 8-409 38 00 2900 ST ATC MEMORY STATIC MEMORY STAT	4164 150ns 64K I28 retesh	ICM-4164150	5 95	5 56	5.19
STATIC MEMORY 1.49 1.29 1.15 1.20 1.15 1.20 1.15 1.20 1.15 1.20 1.15 1.20 1.15 1.20 1.15 1.20 1.15 1.20 1.15 1.20 1.15 1.20 1.15 1.20 1.15 1.20 1.15 1.20	41256 150ns 256K	ICM-41256150	Av	arable M	lar84
21U.2.200ns K.stalic CAU-21U.2200 1.99 1.29 1.15 1.15 1.10 1.10 1.10 1.15 1.10 1.10 1.10 1.15 1.10 1.10 1.10 1.15 1.10 1.10 1.10 1.15 1.15 1.10 1.10 1.10 1.10 1.10 1.15 1.15 1.10	DP8409 dynamic controller	ICT-8409	39 00	35.00	2900
2110.2350ns. IK stalts:	STAT	IC MEMORY			
21L02450ns, IK, staltic (GM-21L02450 12.9 1.15 99 2112450ns 2545taltie (GM-21L02450 2.00 2.05 2.05 2.05 2.05 2.05 2.05 2.	21L02 200ns 1K state	ICM-21L02200	1.49	1.29	
2112 450m 2 PC statute 10M-2141300 1.55 1.55 1.75 1.55 1.75 1.75 1.75 1.75			1.29	1,15	99
2114 300ns, IK x s		ICM-2112450	2.99	2 85	
ADAT MISS 50m 4 K x 1		ICM-2114300	1.95	1 85	1.75
\$5297300ns dK x 1		ICM-40-14-150			
\$\frac{6116}{6116} \frac{914200ms}{24 \times 8} \frac{1046}{1046} \frac{1620}{106} \frac{4.65}{4.56} \frac{4.55}{4.56} \frac{4.25}{4.56} \frac{4.55}{4.56} 4		ICM-5257300			
GM-6181500 ZX x 8 GM-61815150 7.75 4.55 4.35 61677162 VIOLENT 61677162 VI		ICIA-6116200	4.65	4.50	4.25
Control Cont		ICM-6116150	4.75	4 55	4 35
2708 450ns 1K x 8 CE 2708 450 4.75 455 2716 450 2716 450 27 425 397 42	6167/2167 100ns 16K x 1 (20gin)	ICM-6167100	7 95	7.50	7 90
2716450hs 2K x 8 (CE2716 4 50 428 397 2716145450hs 2K x 8 (CE2716TMS 7 68 7 755 7 25 2761745450hs 2K x 8 (CE2716TMS 7 68 7 755 7 25 2762150hs 4K x 8 (CE2712330h 45 0 375 355 2762130hs 4K x 8 (CE2712330 6 50 9 90 9 90 9 2762130hs 2K x 8 (CE2716 5 9 5 65 5 35 5 2776230hs (KK x 8 (CE2716 5 9 5 65 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		EPROMS			
2716450ns 2K x 8 1052716 4 50 4 28 397 27161184 501 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2708 450ns 1K x 8	ICE-2708			
2716TMS 450ns Trivotage		ICE-2716	4 50	4.25	
2732330ns 4K x 8					
2532 450ns 44 x 8 ICE 2532 N0 50 9 90 9 50 2764 350ns 84 x 8 ICE 2764 5 95 5 65 5 35 27128 350ns 16K x 8 ICE 27128 18 95 18 25 1775	2732 150ns 4K x B				
2764 350ns 8K x 8 ICE-2764 5.95 5.65 5.35 27128 350ns 16K x 8 ICE-27128 18.95 18.25 17.75					
27128 350ns 16K x 8 ICE-27128 18 95 18 25 1775					
2817 EEROM 2K x 8 KJE-2817 45 00 39 00 36.50					
	2817 EEROM 2K x 8	ICE-2817	45 00	29.00	30.5U



DB25P

GOLD II-1801	EDGE CAFE	COM	ECT!	070
	ecising	satt.	10-60	100 :
Brisa s/t 250	CHE INS	2-95	2 50	2 19
Subre Ht/Flet				
S-100 Wre W	CHE WIG	3 95	1 10	3 19
Pa 044 mask	CHE-100A	4 95	4 50	4 19
.156" CENTER	EDGE CAR	O DON	NECT	OFIS
22/44 Evelot	CNE-44E	2 50	2 15	1 95
43/72 Moto s.			6 15	
38/22 0:0 4/1	CHE-725	3 93	350	5 19
Other cores	CHUTS BY BANK	m ribo.	(equi	ня

Other corre	CME-725 CIUS BYBAND	m ribo. 7 82	5 to	5 19 HI
Print	DON CONNE	CTOR	5	
DB25F male DB25S female	CHO 175P CHO 1755	5 65	5 25	4 15
DB25S temase 57 30360 male 57 30360 male 20 pm edge	CHC-1365 CNI-DE20	785	6 75	110
20 pm sochet 26 pm edge	CM-0520 CM-DE26	495	1 85	7 70
34 pm socket 34 pm socket 34 pm socket	CNI-D526 CNI-D534 CNI-D534		4 50	3 50
50 pm edge	CNI DESO	5 05	5 60	

-0 · 1466	calaing	sach	10-99	100+
DE UP male	CNO-SP	1,60	1.40	1.30
OF 98 terriate	CND-05	2.25	2 00	1.30
CIE Prood	CND-DH	1 50	1.35	1.20
COA 1564 strates	CNO-15P	2.35	2.10	1.90
DA155 terrate	CND-155	3 25	3 10	2.90
DA15 hood	CNO-194	1.60	1.35	1.30
0825P male	CND 25P	1.95	1 75	1.35
DB25S temple	CNO-295	2 95	2.55	1.55
DB25 hood	CNO25H	1.35	1 15	.77
DC37P male	CND-37P	4.20	3 95	3.65
DCJ7S tempe	CND-375	5.95	5 75	550
DC37 hood	CNO-37H	2.25	1.95	1 65
DDS0P male	CNO-50P	5 50	5 10	4 75
DOM head	CND-SOH	2 60	2.40	2.10
Perdoma 2-se	CND 2HS	89	.69	42
AMPHEN	L / CENTR	CHICS	TYP	

30360 36/P CHC 36P 7 95 6 35 3 97 FE480 C oor CNO-24P 7 95 6 35 5 35

California bignar risa recently the purchase of several thousand Sigmens
FDU 100-8 floppy disk drives. These units are electronically and physically
FDU 100-8 floppy disk drives. These units are new and shipped in factory
small at the flow of the Shugard 801R All units are new and shipped in factory
small beautiful and power connectors supplied free upon request. Your sealed boxes. Mariual and power connecti choice 115 Volt 60 Hz or 230 Volt 50Hz

California Digital has just purchased a large quantity of Remex RFD-4000 Eight inch double sided disk dives. Remex is the only double sided disk dives that has and ouble gimbal mounted head assembly that guaranties lower head tracking. This drive is mechanically sold. Remex has always been known to producing premier products for the floppy disk market. The Remex company is a subsidiary of the Ex-cell-o Corporation, a Fortune 500 Company.

Eight Inch Single Sided Drives

	une	I WO	i en
SHUGART 801R	385	375	365
SHUGART 810 Half Height	385	375	365
SIEMENS FOO 100-8	169	169	159
TANDON 848E-1 Half Height	369	359	349
· ·			

Fight Inch Double Sided	Diline	S	
SHUGART SA851R	495	485	475
SHUGART 860 Half Height	485	475	459
QUME 842 "QUME TRACK 8"	459	459	449
TANDON 848E-2 Half Height	459	447	465
REMEX RFD-4000	219	219	209
MITSUBISHI M2894-63	379	375	369
MITSUBISHI M2896-63 Half Ht.	459	449	409

Five Inch Single Sided Drives

i ive inen omgre orden	D111003		
SHUGART SA400L	235	229	225
SHUGART SA410 96TPI/80 Trk.	129	119	call
SHUGART SA200 % Height	159	149	139
TANDON TM100-1	189	179	175

Eine Inch Couble Sided Orings

Live men connie sinen i	DIIAG2			
REMEX RFD480 IBM compatible	199	189	175	
SHUGART SA450	319	309	299	
SHUGART SA455 Half Height	259	249	239	
SHUGART SA465 Half Ht. 96TPl	289	279	269	
TANDON TM50-2 Half Height	215	209	199	
TANDON TM55-4 half Ht. 96TPI	329	319	309	
TANOON 100-2	279	269	259	
TANOON 101-4 96TPI 80 Track	369	355	350	
MITSUBISHI 4851 Half Height	259	249	245	
MITSUBISHI 4853 ½ Ht. 96TPI	339	329	319	
MITSUBISHI 4854 ½ Ht., 8" elec.	465	449	439	
QUME 142 Half Height	239	229	219	
TEAC FD-55B Half Height	299	389	275	

Three Inch Disk Drives

SHUGART SA300 with diskette	229	219	209
-----------------------------	-----	-----	-----

Five Inch Winchester Hard Disk Drives

1 140 11101	as initial control that a p			
SHUGART 612	13 M/Bytes	895	865	825
SHUGART 706	6 M/Byte, Half Ht	795	775	755
SHUGART 712	13 M/Byte, 1/2 Ht.	895	865	825
SEAGATE 506	6 M/Byte	465	445	425
TANDON 503	19 M/Byte	895	875	855

Upon request, all drives are supplied with power connectors and manual

al manufactures an asortment of stock and custom disk drivi he volume is justiled we will bu stom de sign an en closure for n. The following stock disk drive enclosures are available, er supplies the 8" enclosures are supplied with exhaust fans

TOLL FREE ORDER LINE & CALIFORNIA



Shipping: First five pounds \$3.00, each additional pound \$.50. Foreign orders: 10% shipping, excess will be refunded. Catifornia residents add 6½% sales tax. ● COD's discouraged. Open accounts extended to state supported educational institu-tions and companies with a strong "Dun & Bradstreet" rating. Retail location: 15608 Inglewood Avenue, Lawndale 90260.

LIBERTY \$475

owing operator to display a full 1920 re configuration. Switch selectable all these leaders

Word Processing Printer

wheel printer, the Diabto 520, Penil speeds to 24 char/sec , superscripts, subscripts, graphics and more. Plus standard speeds to 1200 baud with a 1500 character print buffer contail tabs makes report formating easy. Over 20 different Pre 620 au. Ignaically selects the print spacing for 10, 12, 15 marchable appropries. Plot 630, 650 per 10, 12, 15

Your Choice Second Drive or Monito

IBM COMPATIBLE

Sanyo Electronics has just released the long awaited IBM/PC look-a-like, the MBC-550. This is a complete microcomputer that includes 128K/byte of memory, a 5½" 160K/byte disk drive upgradeable to 320K/byte drives. Also includes both color composite and RGB graphics interface, low profile key-board, and parallel printer port. Extensive software such as Sanyo Basic, disk utilities, Wordstar word processing software, Calcstar spread sheet & Easy Writer I, MS-DOS is supplied with the Sanyo computer. Most programs written for the IBM/PC will operate on the MBC-550. Along with all this California Digital offers "FREE" your choice of either a second disk drive, or a high resolution green or amber screen monitor. All at the super low price of only \$995.

We are currently experiencing an initial shortage of this computer. Please place your orders early. The MBC-550 will be shipped on a first ordered basis.

256 KILOBYTE MEMORY BOARD

The Wyse 100 features die cast aluminum case. 102 key keyooard and non-glare 26 line green phosphor video display. Split screen both horizontal an vertical makes the WY-100 unusally user friendly. This unique terminal is perfect to enhance any business system.

MATRIX DOINTED

MAIDIA POINTED	3
Star Germm-10X 120 char/sec.	STR-G10X
StarGemini-15X, 100 char./sec, 15" paper.	STR-G15X
StarGemmi Della 10, 160 Char/sec	STR-D10
Star Coex 80FT Inction & tractor	VST-C80FT
Toshiba P1350, 192char/sec, letterquality	TOS-1350
Okidata82A serial & parallel 91/2 paper	OKI-B2A
Okidata 92A parallefinterface, 160 char/sec.	OK1-92A
Okadata 83A & parallel 15" paper	OKI-83A
Okidata 84A & paraflet 15 paper	OKI-84A
Okidata 2350(new) 350 char/sec	OKI-2350
Epson FX80. 10" 160 char./sec withgraphtrax	EPS-FX80
Epson MX100 with graphtrax, 15" paper	EPS-MX100
NEC8023A parallel 91 2" paper, graphics	NEC-8023A
Anadex 9501A high speed with graphics	ADX-9501A
Anadex 9620A 200 char/sec, par l & serial	ADX-9520A
Ouantex 7030corespondence quality 180 char/sec.	QTX-7030
Gorilla low cost dot matrix printer	PRO-7500
Prownter8510 parallel 9½" paper	PRO-8510P
Prownter II. parakel 15' paper, graphics	PRO-2P
Dataproducts 9-600-3, band printer 600 LPM	DPS-8600
Printromx P300 high speed printer 300 lines per minute.	PTX-P300
Printronix P600 ultra high speed 500 lines per minute.	PTX-P600
Translar 130P par I. IBM/PC companible	TNS-130P

WORD PROCESSING PRINTERS

NEC7710 55char/second.serialinterlace	NEC-7710	1979.00
NEC7730 55char/sec.par linterlace	NEC-7730	1979.00
NEC3550 popular printer designed for the IBM/PC	NEC-3550	1799.00
NEC2050 designed for IBM/PC 20 char/sec, par'l	NEC-2050	995.00
Silver Reed EXP500, 14 char/sec, par'i interface	SRD-EXP500	459.00
Silver Reed EXP550 17 Char/secpar linterface.	SRD-EXP550	659.00
Diable 630 40 char/sec. serial	DBL-630	1765.00
Diable 520, proportional spacing, herz.& vert tab. 20 cps.	DBL-620	879.00
Juki 6100, 18 char /sec. graphic mode.	JUK-6100	539.00
Brother HR1A daisy wheel, parallel interface	BTH-HRIP	695.00
Brother HR1A senal interface	BTHHRIS	779.00
Starwnter F10 serial, 40 char/sec.	PRO-FIOS	1125.00
Starwnter F10 parallel, 40 char/sec	PRO-F10P	1125.00
Comrex CR1 word processing printer, serial intr	CRX-CR1S	729.00
Comrex CR2, 5k buffer, proportional spacing, par l.	CRX-CR2P	495.00

UITAD(

MANIIA	200	
BMC 12A green phosphor 15 MHz, composit video	BMC-12A	79.0
BMC 12" high resolution, 20MHz.	BMC-12EN	134.0
Zenith ZVM122 Amber Phosphor 12" 40/80column switch.	ZTH-122	1 19.1
Zenith ZVM123 green phosphor 12" 40/80 column switch.	ZTH-Z123	105.0
NEC JB1201 green phosphar 18 MHz, composit video	NEC-JB1201	169.0
NEC JB1260 commercialgrade composit.	NEC-JB1260	129.
USi Amberscreen 12 composit monitor	USI-12A	169.0
Motorola 23" open frame blk/white composit video.	MOT-BW23	159.
Motorola 12" open frame requires horz sync and power.	MOT-BW12	691
Conrac 9' Open trame requires horz sync. & 12v. supply. COLOR	CON-BW9	59.

Apple II/e, 64K computer only
Apple II/e, 64K computer only
Apple II/e starter kit, monitor, disk, 80 col. card
Advanced Busness Tech. 13 Key Pad
Calif. Computer 7710A sync. Serial Interface
Calif. Computer 7710A sync. Serial Interface
Calif. Computer 7110A parallel interface
Calif. Computer 7720A parallel interface
Calif. Computer FOM Plus with keybd. filter
Mountain Computer FOM Plus with keybd. filter
MS-SFTCO
MS-SFTCO
MS-SFTCO
MS-SFTCO
MS-SQ
MS-AUSSO
VSA-ABSO
VSA-ABSO

\$989 1365 109 125 125 99 99 99 99 39 279 75 239 225 269 139 395 269 289 389

Cellernia Digital has purchased bere 300.00 files helicoparida keyboards from the General Dynamics Carporation, 93 ASOI encoded Hat effect keyboards from the Sunction keys and 14 key numenc cluster makethis keyboard an excelled value at only \$49. MIC-3000 files. We also have available a matching Central Dynamics steel from panel. \$10.

Non-encodedHytek 58 key metalcontactkeyboard. HIK-58 \$24.95. Matching 15 key numeric cluster \$9.95. HIK-15 Both for only \$29.95. HIK-5815.

S-100 BOAR

16 BIT MICROPROCESSORS
Octagon dua (CPU 8088/280, & controller, OCT-88280 795 00
Godoutd088/808/mcrocomp, 15 bit. G81-8587 495,00
Godoutdurg processor 808/5088.8.4716.G81-8588 395,00

SINGLE BOARD COMPUTERS ight 128K, 4 serial "net S-100" INS-ED4 canced Depair, Please & 64K. AMD -280 state System market. 165 Reasey, 64K. TEL-SM1 TEL-SM1 TEL-FDC1

8 BIT MICROPROCESSORS Godboot Z80.24 bitextendedadd. G8T-Z80 Californ Computer Z80 reicroprocessor C5S-2810 Tarbell Z80 with two R5Z32 ports TAR-Z80

FLOPPY DISK CONTROLLERS

GodboutDisk 1. doubledensity.	GBT-DSX1	395.00
CaldorniaComputer 2422 A with CPM	CCS-2422	339.00
Morrow Disk Jockey II with CPM 2.2	MDS-DJ2	350.00
Morrow Disk Jockey I with CPM, sql. Den.	MDS-GJI	225.00
Tarbell Electronicsdouble density	TAR-DDC	419.00
Tarbell Electronics single density	TAR-SDC	279.00
Fulcrum DMAOmniOisk, I/D to hard disk	FCM-DD1	389.00

CPM OPERATING SYSTEM tal Research CP/M 3.0.8" sgl. den. Ibout CP M2.2 for Disk 1. Ibout CP M85 for 8088 and 8086 bell Electronics CP M2.2

EPROM BOARDS

ess EPROM 8d. programs 27128 IAC-P100
search PROMbnard, 32K DGR-P32

STATIC MEMORY BOARDS

 CaliformaComputer 2115, 80td only
 CUS-2110
 CRAWN

 DYNAMIC MEMORY BOARDS
 Califormia Digital 255K expand to 1 Meg
 CAL-0255
 495 00

 Califormia Comp. 2056, 64K bank select
 CCS-2068
 295,00

INTERFACE BOARDS

GBT-133A GBT-135A GBT-135A GBT-135A GBT-187A CCS-2710 CCS-2719 CCS-2720 CCS-2720 CCS-2730 MDS-MTL

SPECIAL FUNCTION BOARDS

Heyes-1-100 Mromodem, 200 bad. HrS-MI00 C Goodworks-100 Mromodem, 200 bad. HrS-MI00 C Godoworks-100 Mromodem, 200 bad. HrS-MI00 C Godoworks-100 Mromel 12 to 100 co. DC-100 Mromodem 200 Mr

Artecletronicsgeneral purposesolder ART-99*00 ZS00

MAINFRAMES & MOTHER BOARDS

Edpse Data . stantess. 22 slot

Edpse Data . s

9C 149.00 1C 85.00 0C 249.00 7C 45.00 4C 429.00 6C 239.00

AdaSoft CP/M D-Base II Wordstar Mailmerge Spellstar Multiplan Macro 80	ADA-445C ASH-015C MPR-187C MPR-392C MPR-429C MSF-483C MSF-187C	429.00 309.00 169.00 169.00 189.00	Supersoft MAC CP/M 3.0 Despool Pascal Plus CP/M 86 MP/M II	MPR-309C 149.00 DGR-401C 85.00 DGR-410C 249.00 DGR-367C 45.00 DGR-004C 429.00 DGR-186C 239.00 DGR-208C 379.00

465.00 119.00

Haves Smart Modern 1200 baud, auto answer, auto dial	HYS-212AD	474.95
Hayes 12008 for use with the IBM/PC, 1200 baud.	HYS-1200B	449.00
Hayes Smartmodem, 300 baudonly, autoanswer, autodial	HYS-103AD	229.00
Hayes Micromodem (I. 103 Apple direct connect	HYS-MM2	279.00
Haves Micromodem 100, S-100 auto answer, auto dial	HYS-100	319.00
Haves Chronograph, time& date	HYS-CHR232	199.00
U.S. Robotics 212A 300/1200 blaud, auto dial/answer.	USR-212A	439.00
Penni300/1200auto dialautotoo	PEN-12AD	695.00
Universal Data 103LP, line power, answer& originate	UDS-103LP	169.00
Universal Dala 103LPJ, Auto answer	UDS-103LPJ	219.00
Universal Data 202, 1200 baud, half duplex only	UDS-202LP	219.00
Universal Data 212LP, Juli 1200 baud duplex, line power	UDS-212LP	359.00
Novation 'J' Cat, direct connect, auto answer	NOV-JCAT	115.00
Novation Cal, acoustic connect	NOV-CAT	159.00
Novation SmartCat 103, auto answer, autodial	NOV-SC103	219.00
Novation SmartCat 103/212, 1200 baud auto dial	NOV-SC212	529.00
Signalman Mark 1, direct connect with terminal cable.	SGL-MK1	69.00



DISKETTES For IBM PC

High quality double-sided, double-density diskettes, certified to be absolutely error free. Box of ten, warranteed

MMD-5220104	With FREE! plastic case	\$24.95
MMD-5220101	Verbatium Datalife	\$34.95

CCESSORIES for your IBM PC

QUADBOARD I—QUADRAM

Up to 256K RAM, serial port, parallel printer port, clock calendar, RAM disk, and printer spooler software

Quadboard w/o RAM 64K Quadboard	\$214.9	
256K Quadboard	\$399.	95

QUADBOARD II—QUADRAM

Two serial ports, clock/calendar, memory expansion, and Quadmaster software

MEM-40064A	Ouadboard II. 64K	 \$275.00
MEX-40256A	Quadboard, 256K _	 \$399.00

QUADLINK-QUADRAM

Allows IBM PC to run Apple software, includes interface card and software to allow your IBM PC to run both Apple DOS and PC DOS

CPX-50500A Quadlink _

SIX PAK PLUS—AST

Up to 384K RAM, clock calendar with battery back-up. serial port, parallel printer port, optional game port. Super drive and super spool software included FREE!

MEX-38064A 64K C.S.P	\$269.95
MEX-38256A 256K, C.S.P _	\$489.95
For Game Port Option Add .	\$39.95

MEGA PLUS—AST

Up to 512K RAM, clock calendar with battery back-up. 2 serial ports, parallel printer port, game port. Super drive and superspool software included FREE!

MEX-51064A	54K. C.1 serial	\$269.95
MEX-51000S	Second serial port option	\$39.95
MEX-51000P	Printer port option	\$39.95
MEX-51000G	Game port option	\$39.95
	tional 64K RAM Add	\$49.95

COMBO PLUS II—AST

Up to 256K RAM, clock with battery back-up, serial port, parallel port, superspool software included FREE!

MEX-25064A 64K.C.S.P _ MEX-25256A 256K.C.S.P

I/O PLUS II—AST

Up to 2 serial ports, parallel printer port, game port, clock calendar with battery back-up. Super drive and superspool software included FREE!

101-7500A	Clock & 1 serial port	\$129.95
101-7500P	Printer port option	\$39.95
101-7500S	Second serial port c	\$39.95
IOI-7500G	Game port option	\$39.95

KEYTRONICS KEYBOARD

Similar to the IBM PC keyboard, but with all the keys in the right places for word processing

KBE-45100 Keytronics/IBM _ \$199.95

320K DISK DRIVES

Tandon TM-100-2 double-sided, double-density 320K disk drive. Original equipment drive on IBM PC

MSM-551002	Full size Tandon	\$224.95
MSM-991004	Half-height 320K drive	\$199.95
	Teac Hall-height	\$239.95

HARD DISK For IBM PC

Hard disk with controller, software, and P/S

M2H-330203	omb system	3 1393.00
MSH-990210	10MB system _	\$1699.00
	15MB system _	\$2199.00

SYSTEM CARD—MICROSOFT

From the authors of MS-DOS-up to 256K RAM, serial port, parallel printer port, clock calendar, plus RAM drive disk emulation, print spooler, time utilities, and terminal emulation software, DOS 1.1 or 2.0 compatible

MEX-16064A	64K system card _	\$279.95	
MEX-16256A	256K system card	\$429.95	

OKIDATA IBM KIT

Okidata's new plug-n-play ROMs for Oki 82, 83, 84, 92, and 93 printers are fully IBM PC compatible! 412 ASCII characters, full graphics, complete Epson emulation, and near letter quality printing not available with Epson

PRA-43086	Plug-n-play for 92		\$49.95
	Plug-n-play for 93		\$49.95
WCA-2536A	IBM PC to Oki or	Epson cable	\$32.95
PRA-43084	Plug-n-play for 82		\$39.95
PRA-43085	Plug-n-play for 83		\$39.95
	Plug-n-play for 84		\$89.95

NEC 3550 LETTER QUALITY

Only full IBM PC compatible letter quiaity printer available-why settle for less!

PRD-35501 NEC 3550 printer _ _ \$1799.95

64K RAM UPGRADE For IBM PC

High speed RAM upgrade kit with parity (error detection) and one year warranty MEX-64100K 64K kit for IBM PC ____

HI-RES COLOR MONITORS

Only the best Quadchrome or Princeton HX-12, 690 x 480 resolution. 16 brilliant colors, special .31mm dot pitch tube, includes FREE! cable

VDC-241301	Ouadram Quadchrome	\$549.95
VDC-241401	Princeton Graphics HX-12	\$529.95

AMDEK MONITORS

Full line of high quality monochrome and color video

VDM-801270	Video 310 Amber (IBM) _	\$159.95
VDC-801320	Color II (RGB)	\$429.95
VDC-801330	Color III (RGB)	\$399.95
VDC-801340	Color IV (Analog RGB)	\$775.00

HERCULES GRAPHIC CARD

wo pages of ultra-high resolution text and graphics. 720 x 348, compatible with Lotus 123, Visicalc, dBASE II, etc. Includes parallel printer port

IOV-5010A Hercules graphic card _

QUADCOLOR I & QUADCOLOR II

Quadcolor I delivers standard IBM PC color and graphics, add. Quadcolor II and hi-resolution (640 x 200) color graphics are possible

IOV-4010A Ouadcolor I basic board _____ IOV-4020A Quadcolor II add on _____

PLANTRONICS COLOR PLUS

Up to 16 colors, 80 characters, bi-planar technology, includes parallel printer port IOV-6010A Plantronics Color Plus . \$379.95

HAYES SMARTMODEMS

300 and/or 1200 baud direct connect, auto answer-auto dial, pulse or touch tone, auto baud rate selection. 1200B is a plug-in board for IBM PC only and includes Smartcom II FREE!

IOM-5550A 1200B with Smartcom II	\$399.95
IOM-5500A Smartmodem 1200	\$475.00
IOM-5400A Smartmodem 300	\$199.95
SFP-5500550M Smartcom II	\$79.95

THE BEST SOFTWARE For IBM PC

We have taken the top rated programs and reduced the price making them a super value LOTUS 1 2 3 Best spreadsheet

SFP-24001020M Lotus 123 (1A) . dBASE II Best Data base SFP-11210100M Ashton-Tate dBASE II \$429.95 CROSSTALK Best communications package

\$129.95

THE BEST MOUSE

SFP53770100M MicroStull Crosstalk

From Mouse Systems. Optical mouse with no moving parts—nothing to wear out, includes software and is compatible with all major software packages

SYX-14100A Mouse Systems mouse _

MICROSOFT MOUSE

Mechanical mouse from the folks that wrote your PC's operating system. Includes software and cables SYX-16100A Microsoft mouse _ \$149.95

PLACE ORDERS TOLL FREE!

Continental USA (800) 421-5500 Inside California (800) 262-1710

Los Angeles Area (213) 973-7707 for your APPLE

SUPER DISKETTE SPECIAL!

We bought out a major manufacturer's overstock. and we are passing the savings on to you! Single sided double density, package of ten FREE plastic case

MMD-5120103 Apple diskettes .



DISK DRIVE For APPLE

Totally Apple compatible, 143,360 bytes per drive on DOS 3.3 full one year factory warranty, half-track capability, reads all Apple software, plugs right into Apple controller as second drive, DOS 3.3, 3.2.1 Pascal, & CP/M compatible

MSM-431010 Standard Disk II size ___ MSM-431030 Controller only _

HALF-HEIGHT DRIVE For APPLE

Totally Apple compatible. Works with all Apple software and controllers. Fasterand quieter than most other drives, yet only half the size!

MSM-581010 Half-height

DUAL 8-inch DISK DRIVES

Up to 2 Megabytes for your Apple two double density 8 inch slimline disk drives, cabinet, power supply. cable, controller, and software. Compatible with DOS, CP/M, Pascal and IBM 3740 formats

1 MEGABYTE SUB SYSTEM __ \$1195.00 2 MEGABYTE SUB SYSTEM _____\$1395.00

GRAPPLER PLUS—Orange Micro

The ultimate parallel printer graphics interface card with many new features, now at a new low price! IOP-2300A Grappier Plus .

BUFFERED GRAPPLER PLUS

Combines the flexibility of the Grappler + with the convenience of the Bufferboard, all on a single board IOP-2320A Buffered Grappler+ ____ IOP-2325A Buffered Grappler +

BUFFERBOARD—Orange Micro

Add up to 20 pages of text output buffering to your existing Grappler + board IOP-2310A Bullerboard _

ASIO—SSM/TRANSEND

RS232 serial I/O board for Apple, works with printers or modems. 110 to 9600 baud. DOS, CP/M and Pascal compatible

101-2052A AS/O

4488—SSM/TRANSEND

Allows Apple II, IIe, II+ to operate as an inexpensive IEEE 488/GPIB instrument controller. Comes with

IOX-7488A A488

8088 COPROCESSOR—PCPI

Similar in concept to Z80 cards for Apple, but uses 8088, the same microprocessor used in IBM PC. Complete with MSDOS and MBASIC

CPX-88088A PCPI 88 card __

FAN/POWER CENTER For APPLE

Cooling fan for your overheated Apple II, II+, or IIe; also includes power switch and two switched outlets with voltage protection circutry

SYA-1520A Apple fan .

NEW! MICROMODEM lie HAYES

The standard in direct-connect, plug-in modem cards for Apple, 110-300 baud. Includes FREE Smartcom I IOM-2000A Micromodem IIe _

KOALA PAD-KOALA TECH.

A touch sensitive pad that functions like a joystick or mouse, allowing you to move the cursor around the screen with the touch of a finger. Complete with

SYA-1518A Koala Pad ___

CP/M 3.0 CARD For APPLE-ALS

The most powerful card available for your Apple! MHz, Z-80B, additional 64K RAM, CP/M 3.0 plus, 100% CP/M 2.2 compatibility, C Basic, CP/M graphics, 300% faster than any other CP/M for Apple CPX-62810A ALS CP/M card _

Z CARD For APPLE—ALS

Two computers in one, Z-80 and 6502, more than doubles the power and potential of your Apple, includes Z-80 CPU card, CP/M 2.2 and complete manual set. Pascal compatible, tone year warranty CPX-62800A A & T with CP/M 2.2 __

PRINTER CARD & CABLE

For Apple. Standard centronics parallel interface for Epson, Okidata, C. Itoh, Gemini, NEC, Comrex, etc. Includes printer cable and supports graphics

IOP-2100A Printer card & cable _

80 COLUMN CARD

80 column x 24 line video card for Apple II addressable Sth status line, normal/inverse or high/low video. 128
ASCII characters, upper and lower case, 7 x 9 dot
matrix with true descenders, CP/M, Pascal and
Fortran compatible, 40/80 Hz, 40/60 column selection from keyboard, Best 80 column card! 2 year warranty

IOV-2450A Viewmax 80 ______\$139.95 IOV-2455A Visicalc/Easywriter Preboot ____\$24.95

16K RAM CARD For APPLE II

Expand your Apple II 64K, use as language card, full one year warranty. Why spend \$175.00?

MEX-16700A Save over 115.00 _

DISPATCHER By ALS ______ IOI-1000A \$99.95

MICROFAZER-QUADRAM

The Microfazer stand-alone printer buffers are available in any configuration of serial or parallel input, with serial or parallel output. All are expandable up to 64K of memory (about 30 pages of 81/4 x 11 text): the parallel-to-parallel version is expandable to 512K Copy and pause feature included

Parallel/Parallel

IOP-26008 8K List 169.00 ___

IOP-26032	32K List 225.00	\$164.95
IOP-26128	128K List 445.00	\$269.95
Serial/Para	illel	
IOP-27008	8K List 199.00	\$169.95
IOP-27032	32K	\$199.95
Parallel/Se	rlal	
IOP-29008	8K List 199.00	\$169.95
IOP-29032	32K	\$199.95
Serial/Seri	al	
IOP-28008	8K List 199.00	\$169.95

_ \$139.95

MICROBUFFER PRACTICAL PERIPHERALS, INC

IOP-28032 32K List 220.00

Stand-alone Microbuffers

IOP-2500A Parallel, 32K	\$249.95
IOP-251 0A Parallel, 64K	
IOP-2520A Serial, 32K	\$249.95
IOP-2530A Serial, 64K	_ \$299.95
IOP-2564K stand alone microbulter	
64K add-on board	\$179.00

Microbuffers for Apple II

IOP-2560A	Parallel, 16K	\$199.95
IOP-2570A	Parallel, 32K	\$249.95
IOP-2580A	Serial, 16K	\$199.95
IOP-2590A	Serial, 32K	\$249.95

Microbuffers for Epson Printers	
IOP-2540A Parallel, 16K	\$139.95
IOP-2550A Serial, 8K	\$139.95

Spring CATALOG

Better than free! Circle 198 on inquiry card. Just circle bingo card number to receive your free catalog!



Computer Products

DISK DRIVES S-100 BOARDS

QUANTITY LIMITED! 8080 CLOSE-OUT SPECIAL!

S-100 CPU Board with features / Problem Solvers Brand 2 serial ports, with handshaking, software selectable baudrates

- On-board 2708 can be shadowed out!
- 8 level priority interrupt controller
 Real Time interrupt clock on-board
- IMSAI front panel connector on-board INCLUDES MANUAL AND SCHEMATIC
- For Technical types Sold "AS IS" CPU-10000A

ONLY \$49.95

THREE BOARD SET—CCS

S-100 board set featuring Z80A cpu. 64K of high speed RAM. serial I/O port, double-density disk controller for 51/4 inch or 8-inch drives, FREE CP/M 2.2 on 8-inch disk with full manual set, all necessary diagnostic and control software. All boards are assembled and tested with full

SPECIAL PACKAGE

64K STATIC RAM-JADE

Uses new 2K	x 8 static RAMs,	fully supports IEEE 696
MEM-99152B	Bare board	\$49.95
MEM-99152K	Kit less RAM	\$89.95
MEM-32152K	32K kit	\$169.00
MEM-56152K	56K kit	\$225.00
MEM-64152K	64K kit	\$265.00
Assembled &	Tested	add \$30.00

EXPANDORAM III

High density	memor	y board, 64K, 128K or 256K
MEM-65064A	64K	\$398.95
MEM-65128A	128K	\$464.95
MEM-65192A	192 K	\$524.95
MEM-65256A	256K	\$589.95

I/O-4 SSM MICROCOMPUTER

Two serial I/O ports plus two parallel I/O ports IOI-1010A A & T __ \$245.00

ISO BUS-JADE COMPUTER

Silent, simple and on SALE! A better motherboard 6 SIN /51/" x 85/") 19 MH-

MBS-061B	Bare board	\$22.95
MBS-061A	A & T	\$49.95

12 Slot (91/4" x 85/6") | 10 MHz

MBS-121B	Bare board		\$34.95
	Kit		\$69.95
MBS-121A	A & T		\$89.95
	18 Slot (141/2" x 81/6")	6MHz	

MBS-181B Bare board -\$139 95

MBS-181K Kit ____ MBS-181A A & T .

Priced Too Low To Advertise!

S-100 BOARDS ON SALE!

COMPUPRO, SD SYSTEMS. CCS, MULLEN, ADC & JADÉ COMPUTER

WE WILL TRY TO BEAT ANY **ADVERTISED PRICE IN THIS** MAGAZINE!

ISOBAR

The ISOBAR looks like a standard multi-outlet power strip, but contains surge suppression circuitry and built-in noise filters, plus a 15amp circuit breaker

EME-115105	4 receptacle	 \$59.95
EME-115100	8 receptacle	 \$69.95

DOUBLE D-JADE COMPUTER

High reliability, double density disk controller IOD-1200B Bare board & hdwr man _ \$59.95 IOD-1200K Ki: w/hdwr & sftwr man
IOD-1200A A & T w/hdwr & sftwr man
SFC-59002001F CP/M 2.2 with Double D _ \$299.95 \$325.00

THE BUS PROBE

Best selling inexpensive S-100	diagnostic analyzer
TSX-200B Bare board	\$59.95
TSX-200K Kit	\$179.95
TSX-200A A & T	\$199.95

SBC-200 SD SYSTEMS

4 MHz Z-80A CPU with serial and parallel I/O CPU-30200A A & T _ \$339.95

VERSAFLOPPY II—SD SYSTEMS

Double density disk controller for 51/4" and 8" IOD-1160A A & T with PROM _ IOD-1170A Versafloppy II/696 A & T _ __\$349.95 SFC-55009047F CP/M 3.0 with VF-II _ \$80.00

THE BIG Z—JADE

2 or 4 MHz switchable Z-80 CPU board with serial I/O CPU-30200B Bare board w/manual — CPU-30201K Kit w/manual — CPU-30201A A & T \$35.00 \$179.95 \$199.00

ULTRA-VIOLET EPROM ERASERS

Inexpensive erasers for industry or home XME-3100 Spectronics w/o timer _ XME-3101 Spectronics with timer _ XME-3200 Logical Devices _____ \$69.50 \$49.95

5¼ inch DISK DRIVES

TANDON TM 100-1 SS DD 48 TPI

MSM-551001 _ \$225.00 ea 2 for \$195.00 ea SHUGART SA 400L SS DD 48 TPI MSM-104000 _ _ \$209.00 ea 2 for \$199.95 ea TANDON TM 100-2 DS DD 48 TPI MSM-551002 _ \$229.00 ea 2 for \$225.00 ea MPI B52 DS DD 48 TPI can be substituted for CDC MSM-155200 _ _ \$275.00 ea 2 for \$270.00 ea MPI B51 SS DD 48 TPI MSM-155100 __ \$209.00 ea 2 for \$199.00 ea MPI B91 Single sided, Quad Density 96 TPI MSM-155300 ___ _ \$285.00 ea 2 for \$275.00 ea

51/4" CABINETS/POWER SUPPLY

_ \$400.00 ea 2 for \$390.00 ea

MPI B92 Double sided Quad density 96 TPI

MSM-155400 _

51/4" CABINE 1971 CHEEND-000216 Single cab w/power supply ___ \$69.95

SIEMENS FDD 100-8 Single sided, double density

8 inch DISK DRIVES

___ \$179.00 ea 2 for \$175.00 ea MSF-201120 _ SHUGART SA 801R Single sided, double density
MSF-10801R \$355.00 ea 2 for \$349.00 ea SHUGART SA-851R Double sided, double density MSF-10851R _ __ \$459.00 ea 2 for \$455.00 ea QUME DT-8 Double sided, double density MSF-750080 _ _ \$479.00 ea 2 for \$459.00 ea TANDON TM 848-1 SS DD thin-line \$369.00 ea 2 for \$359.00 ea MSF-558481 TANDON TM 848-2 DS DD thin-line _ \$439.00 ea 2 for \$435.00 ea MSF-558482 ___ NEC FD1165 DS DD thin-line MSF-851 165 ___ _ \$450.00 ea 2 for \$440.00 ea NEC FD1164 SS DD thin-line MSF-851164 _ _ \$360.00 ea 2 for \$350.00 ea

DISK SUB-SYSTEMS JADE

Handsome metal cabinet with proportionally balanced air flow system, rugged dual drive power cable kit, power switch, line cord, fuse holder, cooling fan, nevermar rubber feet, all necessary hardware to mount two 8-inch disk drives, power supply, and fan. does not include signal cable

Dual 8" Sub-Assembly Cabinet

END-000420	Bare cabinet	849.95
END-000421	Cabinet kit	\$199.05
END-000431	A & T	\$249.95

8" Sub-Systems—Singal Sided, Double Density

END-000423 Kit w/2 Siemens FD100-8Ds _ \$579.00 END-000424 A & T w/2 Siemens FD100-8Ds \$595.00 END-000433 Kit w/2 Shugart SA-801 RS _ \$939.00 END-000434 A & T w/2 Shugart SA-801 RS \$969.00

8" Sub-Systems-Double Sided, Double Density

END-000427 A & T w/2 Qume DT-8s \$1229.00
END-000436 Kit w/2 Shugart SA-851 Rs \$1199.00
END-000437 A & T w/2 Shugart SA-851 Rs \$1219.00

DUAL SLIMLINE SUB-SYSTEMS

Dual 8-Inch Slimline Cabinet END-000820 Bare cabinet _____ END-000822 A & T w/o drives __ \$50 Q5

Dual 8-Inch Silmline Sub-avatems

END-000843 Kit w/2 SS DD drives \$869.00 END-000844 A & T w/2 SS DD drives \$879.00 END-000845 Kit w/2 DS DD drives \$1060.00 END-000846 A & T w/2 DS DD drives \$1090.00

DISK DRIVE POWER SUPPLY

Sufficient current to power up to three 8" drives PSD-206A List Price 149.00 _ \$89.95

We accept cash, checks, credit cards, or purchase orders from qualified firms and institutions. Prices quoted are for prepaid orders only and are subject to change without notice. Minimum prepaid order \$15.00 California residents add 61/2% tax. Export customers outside the U.S. or Canada please add 10% to all prices. Shipping and handling charges via UPS Ground 50¢/lb UPS Air \$1.00/lb minimum charge \$3.00

PRINTERS



MODEMS



SMARTMODEM—HAYES

Sophisticated direct-connect auto-answer/auto-dial modem, touch tone or pulse dialing. RS232C interface programmable

IOM-5500A	Smartmodem 1200	\$475.00
IOM-5550A	1200B for IBM PC	\$399.95
IOM-5400A	Smartmodem 300	\$199.00
IOK-1500A	Hayes Cronograph	\$199.00
IOM-1100A	Micromodem 100	\$349.00
IOM-2000A	Micromodem Ile	\$259.00

1200 BAUD SMART CAT NOVATION

103/212 Smart Cat and 103 Smart Cat, 1200 and 300 baud, built-in dialer, auto re-dial if busy, auto answer/disconnect, direct connect, LED readout displays mode anafog/digital loopback self tests, usable with multi-line phones

IOM-5241A	300 Baud 103 Smart Cat	\$229.95
IOM-5251 A	1200 Baud 212/103 Smart Cat	\$549.95

J-CAT MODEM—NOVATION

1/5 the size of ordinary modems, Bell 103, manual or auto-answer, automatic answer/orginate, direct connect, built-in self-test, two LEDs and audio beeps provide status information

IOM-5261A Novation J-Cat ______\$119.00

SMART BUY IN MODEMS SIGNALMAN

Direct connect, low cost, high quality, and state-of-the-art features. Includes FREE! subscription to the Source

MARK I Universal 300 baud, automatic originate/ answer selection, RS232C IOM-5600A 300b RS-232 \$79.95

MARK VII Universal 300 baud, auto-answer, auto-dial RS-232 modem

dial RS-232 modem IOM-5610A Deluxe RS-232 300b ______\$149.95

NEW! MARK XII New Universal 1200 Baud autoanswer, auto-dial modern with all the popular features of the Hayes Smartmodern 1200

IOM-5620A 1200B deluxe modem _____\$399.95

EPSON PRINTERS SAVE At Least \$150.00!

CALL US FOR THE BEST DEAL ON THE WORLD'S BEST SELLING LINE OF PRINTERS!

EPSON RX-80 100 CPS w/tractor, graphics PRM-29082 A 499.00 Value, Save 200.00 __\$299.95

EPSON RX-80FT 100 CPS with FREE graphics PRM-29084 Friction & tractor feed _ SAVE \$150.00

EPSON MX-80FT 80 CPS with FREE graphics

PRM-28082 Friction & tractor feed _ SAVE \$150.00 EPSON MX-100 100 CPS 15" platten

PRM-28100 Friction & tractor _____ SAVE \$150.00

EPSON FX-80 160 CPS with FREE graphics PRM-29080 Friction & tractor leed _ SAVE \$150.00

PRM-29100 Friction & tractor feed __ SAVE \$150.00

OKIDATA-MICROLINE 92 & 93

160 CPS, true correspondence quality printing, full graphics, IBM PC compatible (optional), handles single sheet as well as fan-fold paper, professional design construction and quality

PRM-43092	Oki 92 parallel List 699.00	\$479.95
PRM-43093	Oki 93 parallel List 1199.00	\$795.95
PRA-43181	2K serial board	\$115.00
PRA-43086	IBM PC ROMS for 92	_ \$49.95
PRA-43087	IBM PC ROMS for 93	_ \$49.95
PRA-43080	Extra ribbon (2)	\$9.95
PRA-43088	Tractor for Oki 92	\$54.95

MICROLINE 82, 83, & 84

120 CPS (82, 83) 200 CPS (84), industry standard printers, serial and parallel interfaces, true lower case descenders, handles single-sheet as well as fan fold

Oki 82 List Price 599.95	_ \$379.95
Oki 83 w/ FREE! tractor	_ \$625.95
Oki 84 parallel List \$1399.00 _	\$925.00
Oki 84 serial List 1499.00	_ \$995.00
2K serial board	\$159.95
Extra ribbons 82/5	_ \$9.95
Tractorfor Oki 82	\$54.95
Ribbons 83, 84, 93	\$9.95
	Oki 83 w/ FREE! tractor Oki 84 parallel List \$1399.00 _ Oki 84 serial List 1499.00 _ EX serial board _ Extra ribbons 82/! Tractorfor Oki 82

GEMINI 10X & 15X

Star Micronics—up to 120 CPS, full graphics, friction and tractor feed, Epson FX-80 compatible

PRM-66010	Gemini 10X	SAVE \$150.00
PRM-66015	Gemini 15X	SAVE \$150.00
PRA-66200	Serial board, G-10,	\$69.00
PRA-66202	Serial board, G-10.	5X \$55.00
PRA-66206	10X, 15X 4K serial	\$109.00

NEW! DELTA 10

160 CPS. up to 16K buffer, serial and parallel interfaces, graphics friction and tractor, FX-80 compatible PRM-66120 _______ Save \$150.00

COMREX CR-II

Best buy in letter quality printers. NEW! from Comrext full featured letter quality printer, FREE! 5K buffer, logic seeking bi-directional printing, boldface proportional spacing, double-strike, backspace, underling, true super script and sub script, drop in daisy wheel cartridge

PRD-11101	CR-II parallel	\$495.0
	CR-II serial	\$589.9
PRA-11100	Tractor option	\$99.9
PRA-99700	Cut sheet feeder	\$189.9
PRA-11115	Keyboard option	\$179.9

SILVER REED EXP-550

Economical daisy wheel printer with 200 words per minute (18 CPS), full 15-inch platen, Diablo 630 protocol, 10, 12, 15 pitch or proportional printing. Very quiet, very reliable; a bargain in the under \$1000 letter quality printer market

PRD-52001	Parallel, List 895.00	\$669.00
PRD-52002	Serial, List 995.00	\$775.00
PRA-52000	Tractor, List 159.95	\$129.00

Save



MONITORS

AMDEK

AMDEK MONITORS

Full line of high quality monochrome and color video

VDM-801270	Video 310 Amber (IBM)	\$159.00
VDM-801260	Video 300 Green	\$135.95
VDM-801265	Video 300 Amber	\$149.95
VDC-801310	Color-I (composite)	\$289.95
VDC-801320	Color-II (RGB)	
VDC-801325	Color-II plus (analog RGB) .	\$439.95
VDC-801330	Color III (RGB)	\$399.95
VDC-801340	Color IV (analog RGB)	\$775.95
VDA-80990	DVM-2 (Apple IIIII+)	\$129.95
VDA-809901	DVM-80E (Apple IIe)	\$139.95

BEST MONITORS AVAILABLE!

Ultra-high resolution, up to 22 MHz, 1000 lines per inch, amber or green phoshpor, FREE! tilt and swivel base, US manufacturer

VDM-881220	12" green 22 MHz	\$149.95
VDM-881210	12" amber 22 MHz	\$149.95
VDM-880920	9" green 18 MHz	\$139.95
VDM-880910	9" amber 18 MHz	\$139.95

12-inch GREEN—ZENITH

15 MHz, 40 or 80 column

VDM-201201 12" green ______\$94.95

STARWRITER F10

High speed letter quality printer, 40 CPS daisywheel. Extensive built-in word processing functions, up to 15 inch paper width. Uses standard Diablo style print-wheels

PRD-22010 F10/parallel _____\$1125.00

MANNESMAN-TALLY

Spirit	80 CPS 10"	parallel	PRM-32100	\$329.00
				\$588.00
180L	160 CPS 15"		PRM-32181	\$828.00

Place Orders Toll Free!

Continental U.S.A. (800) 421-5500

Inside California (800) 262-1710

Los Angeles Area (213) 973-7707

NUMBER ONE





AMBER & GREEN \$129 12" MONITORS

For complete specifications, see page 24 of our New '83/'84 Engineering Selection Guide.

List Price SALE Price Part Number Description BATAXKGI2N Green Screen (Sh. Wt. 18 lbs.) \$179.00 \$119.00 Amber Screen (Sh. Wt. 18 lbs.) \$189.00 \$129.00

SAVE ON RGB MONITORS, TOO!

BATAXRGBI	Medium Resolution (30 lbs.)	\$399.00	\$329.00
BATAXRGB3	Super-High Resolution (30 lbs)	\$699.00	\$569.00
RAYAYR CRA20	IBM" Styling HuRes RGR (30 lbs.)	5699.00	\$569.00

CPU 68K CSC 10MHz

CPU 8086/8087 A&T

CPU 8086/8087 CSC

CPU 8085/88 A&T

CPU 8085/88 CSC

3/6MHz CPU-7 A&T

3/6MHz CPU-Z CSC

DISK CONTROLLER BOARDS

BAPOR171ACPM DISK 1 (A&T) w/CP/M* 22 \$67000 \$489.00

w/manuals & BIOS, 8" S/O Disk

CP/M-86" for CPU 8085/88

w/manuals, BIDS 8" S/D Disk

disk controller w/CP/M-80° &

I/O BOARDS

BAGBT56010/56531 SS1 w/8231 Math Chip A&T \$645.00 \$579.00 BAGBT56010/56320 SS1 w/8232 Math Chip A&T \$645 00 \$570.00 Interfacer 3 - 8 port serial (A&I) \$699.00

> ics Parallel, 1 Parallel (A&T) 8/16 BIT MEMORY DOARDS

CP/M* 22 for Z80/8085

& CPU 8086/87 CPUs

w/CP/M* 22 (A&T)

CP/M-86* (A&T)

I/D (A&T)

When purchased with two 8" disk drives: \$450 00

DISK I Floppy controller (A&T) \$495.00 \$425.00

DISK 2 8" hard disk controller \$795 00 \$725.00

DISK 3 ST-506 type 51/4" hard \$795.00 \$725.00

System Support 1 Multifunction \$450.00 \$375.00

interfacer4 - 3 Serial, 1 Centron- \$450 00 \$389.00

RAM 15 12MHz 32K Static A&1 \$ 550 00 \$ 485.00

HAM 21 12 MHz 128K Static ASTS 995 00 \$ 895.00

RAM 22 12MHz 256K Static A&T\$1750 00 \$1549.00

M-Drive/H 512K RAM Disk A&T \$1475 00 \$1195.00

\$975 DO \$850 OO

CPU BOARDS LIST Price Sale Price

Co-Processor w/8086 only A&TS 750 00 \$ 675.00

Co-Processor w/8086 only CSC\$ 850.00 \$ 765.00

\$ 850.00 \$ 765.00

\$1050 00 \$ 939.00

St 150 00 \$1065 00

\$ 595.00 \$ 497.87

\$ 325.00 \$ 279.00 \$ 425.00 \$ 347.87

\$249 00

495.00 \$ 389.00

POWER TYPE 18 CPS DAISYWHEEL **PRINTER**



- - Wheels and Ribbons are QUME Compatible
 - Selector Switches for Columns Line Spacing and Paper Length

BASTRPOWERTYPE Daisywheel Printer (Sh. wt. 22 lbs.) \$499.00

MANNESMANN TALIY



Letter Quality Dot Matrix Printer

- 160 cps
 40 cps (Letter Quality)
- Serial & Parallel Interface Double wide characters
- Tractor and friction feed "Bullet-Proof" cast frame with metal cabinet

Not the Cheapest -Just the Best Dollar Value!

UUS	tile pest polici value.	,
BATALMT160L	80 column / 160 cps (21 lbs.)	\$589.00
BATALMT180L	132 column / 160 cps (28 lbs.)	\$829.00
BATALMTRIB160	Replacement Ribbon for MT160L(1 lb)	\$ 15.75
BATALMTRIB180	Replacement Ribbon for MT180L(1 lb.)	\$ 17.80

ompuPro

BAGRT51068

BAGBT51568

RACRTS1086

BAGBT51586

BAGBT51067

BAGRT51567

BAG8T51080

BAGBT51580

BAGBTS 1060

BAGRT51560

BAGRT54018

BAG8T41000

RACRY41050

BAGRT54025

8AGBT54030

BAGRT53030

BAGRT53040

BACRTS2016

BAGBT52021

BAGBT52012

BAGBT1200

The World's Largest Dealer of S-100 Boards

SDSystems

	List Price Sate Price
BAS0S38095	SBC-300 4MHz Z80A CPUA&TS 741.00 \$ 619.00
BAS0538092	SBC-300 6MHz Z80B CPU A&T\$ 825 00 \$ 689.00
BAS0538007	Z80 Starter System A&T \$ 450.00 \$ 399.00
BASUS38088	ExpandoRAM IV 256K A&T \$1145.00 \$ 975.00
88085202AB	ExpandoRAM IV 256K \$1990 00 \$1675.00 w/EDC A&T
BAS0538097	ExpandoRAM III/696 256K \$ 825 00 \$ 749.00
BAS0S38076	PROM-100 w/software A&T \$ 285.00 \$ 219.00
BAS0S38082	RAM Disk 256K A&T \$ 875 00 \$ 775.00
RASDS3ROR1	ROM Disc 128K A&T \$ 350.00 \$ 319.00

25 00 \$ 749.00 35.00 \$ 219.00 75 00 \$ 775.00 0.00 \$ 319.00 1/D-8 4-Port Async Ser. A&T \$ 600.00 \$ 549.00 1/0-8 8-Port Async Ser A&T \$ 695.00 \$ 589.00 RASOS3RD96 BAS0S38093 1/O-8 4 Sync. 4 Async. 8-Port S 795 00 \$ 699.00 BAS0S38094 Serial I/O A&T

Versafloppy III Floppy & ST-506 \$ 895 00 \$ 759.00 BAS0538099 Hard Disk Controller BAPOBVF339145* w/5 44" unbanked CP/M" 3.0 \$1083.00 \$ 888.00

BAP0BVF339146* w/8" unbanked CP/M" 3 0 \$1083 00 \$ 888.00 \$1083 00 \$ 888.00 BAP0BVF339147* w/514" banked CP/M" 3.0 BAP0BVF339148* w/8" banked CP/M* 3.0 \$1083.00 \$ 888.00 RASDS3A093 Versatloppy II/696 (A&T) S 40000 \$ 344.00 BAPOBYF239141* w/51/4" unbanked CP/M® 3.0 \$ 588.00 **\$ 424.00** \$ 588.00 **\$ 424.00**

BAP0BYF239142* w/8" unbanked CP/M" 3.0 BAPOBYF239143° w/51/4" banked CP/M® 3.0 588 00 \$ 424.00 BAP0BYF239144* w/8" banked CP/M" 3.0 \$ 588 00 \$ 424.00 *CP/M-Plus" (3 0) configured for the SBC-300

See Complete Specifications on Pages 12-25 Of Our '83/'84 Engineering Selection Guide

Poctagon

BOARD LEVEL PRODUCT

BADCTCPU816	B/16 Bit SBC (A&T)	5 895 00 \$ 795.00
BAOCT8087NOP	8087 for CPU 8/16	\$ 300.00
BADCTCPM86	CP/M-86*	\$ 150.00
BACCTCONCPM8	Concurrent CP/M-86®	\$ 195.00
BADCTMPM86	MP/M-86*	\$ 495.00
BAOCTHOC	ST-506 Hard Disc Controller	\$ 595 00 \$ 525.00
BAOCTHOSUBI9	19.2Mb Hard Disc Subsystem	\$2295.00 \$ 195.00
BAOCTS256TOO	256K Static RAM (A&T)	\$1850.00 \$1719.00
BAOCTO512K	512K Dynamic RAM (A&T)	\$1450.00 \$1345.00
See	Specifications on Page:	s 12-27

Of Our '83/'84 Engineering Selection Guide

COMPLETE OCTAGON 8/16" SYSTEMS

BABCT816SMPM w/256K Static RAM & MP/M-86"	\$7350.00
BADCTB16SCPM w/256K Static RAM & Concurrent CP/M-	86 \$7350.00
BAOCTB160MPMw/512K Dynamic RAM & MP/M-86	\$7350.00
BADCTB160CPM w/512K Dynamic RAM & Concurrent	\$7350.00
CD/M-86	

See Complete Specifications on Page 5 Of Our New '83/'84 Engineering Selection Guide

MACROTECH International Corp.

5-100 Boords



See Page 16 Of Our New '83/'84 Engineering Selection **Guide for Complete Specifications**

Ordering Information: The 256K and 384K versions include the fully socketed Host card. The 512K and larger versions also include the fully socketed "piggy-back" card.

List Price Sale Price BAMACMAX256 256K Dynamic RAM (A&T) \$1125.00 \$1165.00 BAMACMAX3B4 384 Dynamic RAM (A&T) \$1467.00 \$1395.00 BAMACMAX512 512K Dynamic RAM (A&T)
BAMACMAXM 1 MEG Dynamic RAM (A&T) \$1880.00 \$1795.00 \$2449.00 \$2325.00 \$2449.00 MAX Technical Manual BAMACMAXTM 15.00 BAMACMAXVOSK MAX Virtual Disk Software supplies \$ 25.00 on 8" S/D Disk

Memory Mapping Option \$ 91.00 Attention CompuPro CPU 8085/88 Users: You must order the CPU modification hardware to insure complete compatibility.

BAMACGBYMOD Hardware modification fo \$ 10.00 CompuPro CPU 8085/88

DISK DRIVES

	51/4" Hard Disk	SALEPRICE
BANCP1382	Micropolis 20 4/25 9 Mb (12 lbs.)	\$1465.00
BAMCP1303	Micropolis 33.9/43.2 Mb (12 lbs.)	\$1875.00
BAMCP1304	Micropolis 40.8/51.9 Mb (12 lbs.)	\$2195.00
BATHD7M501	Tandon 6 Mb (9 lbs.)	\$ 749.00
BATNOTM502	Tandon 12 Mb (9 lbs.)	\$ 895.00
BATHOTM503	Tandon 19 Mb (9 lbs.)	\$1049.00
BAHHD5002	Dual Hard Disk Enclosure	\$ 395.00

51/4" Floody Disk Drives

BAMPI51*	MPI Full Height SS 48TPI (5 lbs.)	\$200.00	
BAMPI52*	MPI Full Height DS 48TPI (5 lbs)	\$270.00	
BAMPI91*	MPI Full Height SS 96TPI (5 lbs.)	\$275.00	
BAMPI92*	MPI Full Height DS 96TPI (5 lbs.)	\$400.00	
BAMPI501	MPI 1/2-Height SS 48TPI (4 lbs)	\$280.00	
BAMPI502	MPI 1/2-Height DS 48TPI (4 lbs.)	\$300.00	
BAMPI901	MPI 1/2-Height SS 96TPI (4 lbs.)	\$300.00	
BAMPI902	MPI 1/2-Height DS 96TPI (4 lbs.)	\$355.00	
BATHOTM1001	TAndon Full Height SS 48TPI	\$225.00	
BATNOTM1002	Tandon Full Height DS 48TPI	\$260.00	
BATNOTM1014	Tandon Full Height DS 96TPI	\$390.00	
*Replace with M	for MPI Door, or \$ for Shugart SA400 Type Door		
	BAMPI52* BAMPI91* BAMPI92* BAMPI501 BAMPI502 BAMPI902 BAMPI902 BAMPI902 BATNOTM1001 BATNOTM10014	BAMPIS2* MPI Full Height DS 48TPI (5 lbs.) BAMPI91* MPI Full Height DS 96TPI (5 lbs.) BAMPIS01 MPI Full Height DS 96TPI (5 lbs.) BAMPIS02 MPI V2-Height DS 48TPI (4 lbs.) BATHOTMHO01 TANGON Full Height DS 96TPI (4 lbs.) BATHOTMHO02 TANGON Full Height DS 48TPI TANGON Full Height DS 48TPI TANGON Full Height DS 96TPI	BAMPI52* MPI Full Height DS 48TPI (5 lbs) \$270.00 BAMPI91* MPI Full Height DS 96TPI (5 lbs) \$275.00 BAMPI92* MPI Full Height DS 96TPI (5 lbs) \$400.00 BAMPI501 MPI ½-Height SS 48TPI (4 lbs) \$280.00 BAMPI502 MPI ½-Height DS 48TPI (4 lbs) \$300.00 BAMPI903 MPI ½-Height DS 96TPI (4 lbs) \$355.00 BAMPI904 MPI ½-Height DS 96TPI (4 lbs) \$355.00 BATHOTMI001 Tandon Full Height DS 48TPI \$225.00 BATHOTMI002 Tandon Full Height DS 48TPI \$260.00

	ت مسال السائل المسال المسالك ا	
BASHUBO1 R	Shugart Full Height SS (18 lbs)	\$389.00
BASHU851R	Shugart Full Height DS (18 lbs)	\$525.00
BAQMEOT8	Oume Full Height DS (18 lbs.)	\$475.00
BAMITM289463	BB Mitsubishi Full Height DS (18 lbs.)	\$380.00
BAMPI415	MPI Full Height SS (11 lbs.)	\$380.00
BAMPI425	MPI Full Height DS (11 lbs.)	\$480.00
BAMPI410	MPI Dual 1/2-Height SS (22 lbs.)	\$760.00
BAMPI420	MPI Dual 1/2-Height DS (22 lbs.)	\$830.00
BAMPI41M	MPI 1/2-Height SS (9 lbs.)	\$380.00
BAMP142M	MPI 17-Hemhii DS (9 lbs.)	\$460.00
BATNOTM8481	Tandon 1/2-Height SS (9 lbs.)	\$395.00
BATNOTMB482	Tandon 1/2-Height DS (9 lbs)	\$495.00

BAYCT8800GFB Interlacer 1 2 Serial (A&T) \$295 00 \$219.00 BAYCTSSOOGF2B Interface: 2 3-Par 1-Ser (A&T) \$325.00 \$239.00 BAYCTMOOGER178 RAM 17 64K 10MHz \$450.00 \$389.00 Static RAM (A&T)

Manufactured by Vector Electronic Co. under Ilcanso from CompuPro

MAINFRAMES

20 Slot Desk Top (A&T)

For more CompoPro Spacifications see pages 2-33 of our New Cutaton

20 Slot Rack Mount (A&T)

NUMBER ONE IN SERVICE one in Price



HITACHI DUAL TRACE SCOPES

YEAR WARRA

FOR COMPLETE SPECIFICATIONS ON HITACHI OSCILLOSCOPES, SEE PAGES 82 & 83 IN OUR '83/'84 ENGINEERING SELECTION GUIDE

Low Profile

BAHITY222 List Price: \$695.00

SALE PRICE:

(Shipping Weight: 17 lbs.)

40MHz with

Delay Line BAHITY422 List Price: \$895.00

SALE PRICE:

60MHz with

Trigger View

BAHITIESOF List Price: \$1195.00

SALE PRICE:



100MHz Delayed Sweep/

Quad Trace BAHITV1050F List Price: \$1595.00

SALE PRICE:

(Shipping Weight: 31 lbs.)

A UNIT OF GENERAL RIGHALS

Uninterruptable

SOLA

Power System



For more specifications, see page 94 of Engineering Selection Guide.

equipment, or data terminals

A mini UPS goes one step further than aminicomputer regulator. It provides the same voltage, noise, and brownout protection plus maintains power to keep equipment running smoothly during a blackout. When a power failure occurs, the internal maintenance free battery continues powering the inverter without the use of any switching devices. This provides uninterrupted, conditioned AC power to the critical load

PORTABLE 120VAC 60Hz UNINTERRUPTABLE POWER SYSTEMS

	MX. DUT.	nimenations	Approx. PRILE		46
Part Number	VA rating/ Time	H x W x D Weight	Shipping	l list	SALE
BASLA260050400301	400/20min	12x19x11	95lbs.	\$1617.00	\$1406.00
BASLA260050750300	750/10mm	12x19x11	125lbs.	\$1722.00	\$1497.00

BASLA401751BA0 Add-onbattery pack (120 lbs.) \$1014.00 \$882.00 The Micro/Mini Computer Ultra Isolated Regulator provides instantaneous voltage regulation, and ultra isolation from both transverse and common mode noise for any type of load. It is particulary applicable in systems involving mini or microcomputers, POS equipment, industrial control

MINICOMPUTER REGULATORS With Line Cord

BASLA6313070	70	12 x 6 x 6	10lbs. \$ 192.05	\$ 159.00
BASLA6313114	140	12x 6x 6	18lbs. \$ 251.85	\$ 209.00
BASLA6313125	250	14x 8x 8	31lbs \$ 300.15	\$ 249.00
BASLA6313150	500	17x 9x 9	47lbs. \$ 416.30	\$349.00
BASLAB313175	750	17x 9x 9	60lbs \$ 530 15	\$ 439.00
BASLA8313210	1000	17x 9x 9	75lbs \$ 614 10	\$ 519.00
BASLA6313220†	2000	17x11x11	108lbs \$104420	\$ 889.00
t linit is supplied wit	th 30 amn tu	vist type plan	and recentacies	•

AC SURGE PROTECTORS FOR YOUR COMPUTER

THE LEMON™ SOURS SURGES

Part Number	Description	Ust Price	Our Price	
BAEPOLEMON	6 outlet wall mount		\$44.95	
BAEPOLIME	6 outlet 41/2' cord w/power switch	\$8950	\$69.95	
(\$	Shipping weight on above ite	rns 4 lbs each)		

EMI-RFI FILTERED ACSURGE PROTECTOR

BAEPOORANGE	6 outlet 41/2" cord	\$139.95	\$104.95	
	w/power switch			
RAFPOPFACH	3 outlet wall mount	\$ 9750	\$ 74 95	

(Shipping weight on above items 4 lbs each) AC POWER LINE MONITOR/ SURGE PROTECTOR BAEPOHAWK (Sh. Wt. 6 lbs) \$195.00 \$149.00 BAEPOHAWK (Sh. Wt. 6 lbs)

SPECIAL PURCHASE DISKETTES!!

公TD 8" DOUBLE DENSITY

BATOKFIS

SINGLE SIDED

BATDKF2D DOUBLE SIDED

ATARI & COMMODORE PLUG AND RUN PRINTERS!

Complete with Built-In Interface Cables!



BAAXMAT100A For ATARI (Sh. Wt. 11 lbs.)

BAAXMCB100A For COMMODORE (11 lbs.)

BAAUMEPIDEA 30 cps; 80 col dot matrix printer (11 lbs.) \$199.00

1200 BAUD MODER

Part Number



AUTO ANSWER

ERFE SOFTWARE

Part Number	Description	List Price	SALE Price
BAPOBPASSTELB	Password Mindem w/Com- minication Software 8" CP/M"	S528 00	\$396.00
BAPOBPASSTFIS	Passwerd Modern w/Com- munication Software 514" Apple	S528 00	\$398.00
BAPOBASIALTELB	Auto Dial 212A Modern w/Communication Software 8" Cl	S678 00 P/M*	\$495.00
BAPOBADIALTELS	Auto Dial 212A Mixiem w/Communications software 51/4"	S678 00 Apple	\$495.00
BAPOB5100TEL8	S 10 Mindem Card w operating software on 8" CP M1 diskette	\$528 00	\$398.00

Description

For more details on Moderos, see pages 36 & 30 of our New Catalog.

List Price SALE Price

BADCHO400P 1200 Baud Smartmodem \$695.00 \$514.95 **BADCHOZOOP** 300 Baud Smartmodem \$279.00 199.00 349.00 299.00 BADCH0300P Chronograph MicroModem 100 \$249.00 BADCHOLOOP \$399.00 BADCHOOOP MicroModein II \$379 00 BADCH1200B IBM- PC" Modem card \$599.00 499.00

RIXON

1200 Baud Direct Connect w/10 Number Memory

BARIXR212A	1200 Baud Stand Alone unit	\$495 00	\$449.00
BARIXPC212A	1200 IBM PC" modem (2 lbs.)	\$495.00	\$449.00
BARIXPCCOM1	IBM PC" Modem Soltware (1	lb)	\$ 89.00
BAPOBRIXIBM	IBM Modem & Software Togeti	ne (3 lbs.)	\$539.00

Are You A Regular Customer Of PRIORITY ONE ELECTRONICS?

Look for your January Issue of PRIORITY INTERRUPT

— a NEW Sixteen-Page Newsletter Containing:

- Special Pricing Available ONLY Through Our Newsletter
 - Tech Tips
 Profiles of our major supliers
 - In-depth product reviews
 Customer "Talk-Back"

 Meet the Priority One People
 Application Notes Phone Today and Get On Our

Priority Interrupt Mailing List!



Don't Miss Out On This Unique Offer!

PRIORITY JONES ELECTRONICS



5

9161 Deering Ave. Chatsworth, CA 91371-5887

ORDER TOLL FREE (800) 423-5922 - CA, AK, HI CALL (213) 709-5111

Terms, U.S. VISA, MC, BAC, Check, Money Order, U.S. Funds Only, Ca residents add61/2/86 Sales Tax, MINIMUM PREPAID ORDER \$15.00. Include MINIMUM SHIPPING & HANDLING of \$3.00 for the first 3 lbs. plus40¢ for each additional pound. Orders over 50 lbs. sent freight collect Just in case, include your phone number. Prices

subject to change without notice. We will do our best to maintain prices through January, 1984. Many quantities are limited. Sorry, no rainchecks, no refunds or exchang es on sale merchandise. Credit card orders will be charged approriate freight. Sale prices for prepaid orders only. We are not responsible for typographical errors * MADE IN USA * BUY FACTORY DIRECT *

DISK DRIVE SPECIALS We've Lowered Our Prices



Offering A Complete Selection And. THE LOWEST PRICES IN BYTE!

8" Shugart 801R SS/DO — The Industry Standard	\$355.00
8" Shugart 851R Double Sided 1.2 Meg — The Old Reliable	
8" Quime Datatrak-8 DS/DD "THE BEST" of the Soppys	
8" Mitsubishi Full Height Double Sided 1 Year Parts + Labor	445.00
8" Miltsubishi Thiniline DS/DD 1 Year P+L Direct Drive	465.00
8" Tandon 848-1 Slimline SS/DD 600K BYTES D.C. Motor	.355.00
8" Tandon 848-2 Slimiline Double Sided 1.2 Meg. D.C. Motor	475.00
8" Siemens 160-8 SS/DD ON SALE NOW!!! But How Long?	169.00
5% " Mitsubishi Fuli height 96T.P.1 DS/DD 750K M4852	
5 % " Mistubishi Slimline 96T.P.1. DS/DD 750K M4853	
5 % " Ourne 142 Slimline DS/DD	375.00
5 % " Tandon TM-100-2 I.B.M. PC Add-on! DS/DD 4B T.P.I	259.00
5%" Tandon TM 100-4 DS/DD 96T.P.I. 750K	369.00
* WINCHESTER HARD DISKS	

SPECIALS 51/4" Miniscribe Hard Disk

*10 Meg \$749 *5 Meg \$589

8" Quantum 20" Megabyle Winchester — Two Platters	1895.0
8" Quantum 40" Meg Four Platter — Most Popular	2395.0
8" Quantum 85" Megabyte - Special Order on this Monster!	. 2895.0
8" IOMEGA 10- Meg." Removeable Disk Drive with SCSI Controlle	ed Inter-
face Board. Runs up to lour drives	1895.0
8" IOMEGA 10 Meg* Cartridge Drive - No Control Interlace	. 895.0
8" 10 Meg* Removeable Cartridge Media #M-2000-51 ,	
LAST MINUTE SPECIAL! Buy any Winchester hard disk drive above Western Digital hard disk interface board AT COST!	e and get fly 295.00



California Computer Systems

YEAR END SALE **SAVE \$61.00**

New CCS2066 64K Dynamic Memory

• 65,536 bytes of Dynamic RAM • Z-80/8080, S-100 compatible • Port bank/16 levels of 64K = system memory of 1024K • Independently addressed in 16K blocks • 200ns access and data lines • Hysteresis drivers and receivers for high noise immunity and minimal bus loading effects. Part #8-5000-50

YEAR END SYSTEM SALE

- 2300A Mainframe 2066 64K Memory 2810 Z-80A CPU All AC/OC & Data Cables
- 2422 Disk Controller
 CP/M Operating System
 2719 2-Port RS-232 Serial
 8-bit Parallel I/O

A powerful package at ONLY \$1495.00

CCS CALSTAR SYSTEM

ou available and with FREE SSFTWARE: « Perfect Writer » Perfect Calc » Perfect Speller

New available and with FREE SOFTMANE: * Perfect Writer * Refract Calc * Perfect Speller and * Perfect Free.

This powerful single box system includes: * 2-80 with 128X of RAA6 expandable to 23.0 operating system * 0 from parallel and two serial ports * Reads and writes the IBM 3740 termal (compatible with XOR) ARD * Two double-sided double-density 8" floppy drives for 2.4 Megabytes of termatled storage ARD * Writ run hero or more 8" or 5% * floppys. Part #%-1500-05

ON SALE NOW

Regular-63295.99 - Our Price Only \$2695.00



SPECIAL ONLY \$450.00

Limit 5 per customer

XOR-500 DAISYWHEEL PRINTER

A letter-quality daisy-wheel printer at an unheard of wholesale price. This 20 cps workhorse features a dalsy-wheel compatible with OUME's products. Full 132 column format with 256 character buffer, serial AND parallel interfacing (standard), 8 level automatic impression control—original and 3 copies. The \$450.00 price is not a misprint. High reliability and quality performance sums-up the XOR-550 Dalsy-wheel Printer.

XOR-500 TERMINAL SLASHED! Cut another \$50



deal for our customers. Features: +Screen tilt + Detached keyboard +9 cursor control keys \$5 function keys \$7 screen attributes \$25th status line \$50-19.2 Kbaud \$Column plus field tab \$AND MORE *All these features with a full 6 month warranty makes this terminal the best buy on the market.

FANTASTIC SAVINGS!



ON THE ORIGINAL S-100 MOD

For engineers, hobbiests, and anyone who wants to save a bundle, the S1-M00 is the answer. Full regulated power to run up to feur floppy disks coupled with a mamoth S-100 power supply and 12 stol bus, makes the S1-M00 an exceptional computer base. Single board design means no wring from the power suppoly to the motherboard. This eliminates all ground loop problems associated with other brands of mainframes who are lorced to use termination. The S1-MOD is being offered this month with a matching S-100-12 cabinet. Fan cooled, fused with reset and keylock the cabinet is also enamel painted and silk screened Four A.C. outlets are provided for peripheral hookup and plenty of cutouts available for RS-232, centronics + others. Our regular \$225.00 price for the \$1-MOO and 250.00 price for our 12 slot cabinet is being SLASHED!

SPECIFICATIONS: Regulated +5V @ 5A Unregulated

+5V @ 5A +8V @ 3DA +24V @ 3A +15V @ 5A -5V @ 1A -15V @ 5A



SAVE OVER

Don't settle for those cheap 6 slot immitations you've seen elsewhere in this mag OWN THE BEST! XOR S-1 MOD and S-100-12 Cabinet\$395.009

DUAL DRIVE SUBSYSTEMS





HORIZONTAL OR VERTICAL Fully Assembled and Tested Units

ONE YEAR P+L WARRANTY

On Shugart and Mitsubishi Subsystems

w/two Misubishi DS/DD Assem. + Tested 2.4 Meg \$1170.00	
w/two Shugart 801R SS/DD Assem. + Tested 1.2 Meg975.00	
w/two Shugart 851R DS/DD Assem. + Tested 2.4 Meg1225.00	
w/two Siemans 120-8 SS/DD Assem. + Tested 1.2 Meg675.00	
w/two Qume DT-8 DS/DD Assem. + Tested 2.4 Meg 1250.00	
Cabinet Assem. & Tested w/Power Supply and Accs. 235.00	
Cabinet Top and Bottom with Mounting Hardware ., Only 69.50	
All cabinets A & T and subsystems include all AC/DC wiring and 50 pin data	

requires an external 50 pin cable part #C-6000-01\$ 25.0	
5¼" Subsystems — Cabinet — Power Supply — Drives — Cables	
w/two 48TPI SS/DD includes all cables Assem. + Tested	0
w/Iwo 48TPI DS/DD includes all cables Assem. + Tested 595.0	0
w/two 96TPI DS/DD includes all cables Assem. + Tested 695.0	0

CUSTOMER SERVICE HOTLINE 1 - (714) 898-5525

DO YOU IBM-PC 16-BIT COMPUTER TO PROCESS YOUR DATA?

COMPLETE SYSTEM

Model XPC with MS/DOS features:

CP/M-86 operating system available at only \$65.00

- ★64K memory
- **★Green CRT**
- ★2 serial, one parallel port
- ★2 floppy drives for a total of 750K storage
- **★Optional EPROM to 32K**
- **★**Optional Hard Disk add-on
- **★**Optional floppy add-on
- ★Optional 8087 math co-processor
- ★Multi-function keyboard (this is one part of the system that's NOT like IBM's, it's better)
- ★Fully expandable memory On-Board to 256K PLUS 5 expansion slots (all IBM compatible)
- ★All available through U.S. Micro Sales and YES it's all fully IBM compatible

HIDINADIA

THE XPC

A New Model PC by XOR

So close to the IBM PC you'll have to look twice. Due to the thousands of requests we've been receiving by phone, mail and visitors, we've responded by getting XOR to design this fantastic 16-bit IBM duplicate. We're offering a ONE YEAR warranty (vs. 90 days). Need more information? Order the manual for \$5.00 (plus shipping). This low price includes drives, controllers, monitor, power supply, etc. About the keyboard...lf you've ever seen or used the IBM PC keyboard, you'll understand why we HAD to come up with something better — and we did! As a matter of fact, for those of you who own an IBM PC - it's time to take a hammer to that keyboard and call Toll Free to pick-up one of our compatible replacement keyboards at only\$239.00


BASIC COMPUTER

ONLY

\$895

The Features:

- ★64K RAM memory
- ★ Expandable to 256K
- *Full monitor PROM
- **★IBM PC compatibility**
- ★ Multi-function key-
- board and cable



INCLUDES: ★8 level interrupt ★2 serial and one parallel port ★3 timer channels ★4 DMA channels ★Reset port **★Speaker port ★and MORE!**



NO Locations to Serve You

ORDER TOLL FREE

800-435-9357

in III. (815) 485-4002

800-854-8174 In Calif. (714) 898-1492



like I.B.M. Corp. Atari Corp., Mattel Elec., Kennedy Space Center, Edwards A.F.B., Motorola Corp., Raytheon, and Pacific Technology buy product by m parts and labor warranty on all XOR O.E.M. products. It could be our state of the art technology, or even the factory direct sales and service. We th with over 1000 possible configurations. If you don't see it advertised, call us today, chances are we CAN custom build the system YOU need.



and many utilities on two disks. Add on a hard disk when you need more storage. 'The software and hardware that comes with each 5¼" system, is ready to run a pair of 8" single or double sided floppies, just plug in the 50 pin data cable to the system — many other configurations are available."

\$1445.00 \$1595.00 \$1645.00



that leaves an S-100 slotopen for expandability. Choose from 5, 10, and 16 megabyte sizes (6.5, 12, + 20 megabyte unformatted.) In-cludes CP/M operating system. One year parts and labor warranty. Includes software and controller floopys

1/2 Height Floppys #S-1000-81 \$2195.00 y #S-1000-90 \$2345.00 oppy #S-1000 \$2795.00 wit

5 Meg Hard Disk w/375 Floppy #S-1000-81 5 Meg Hard Disk w/750K Floppy #S-1000-90 10 Meg Hard Disk w/2 1.5M Floppy #S-1000 16 Men Hard Disk w/2 1.5M Floony #S-1000

\$2895.00




Meg w/Dual SS/DD

as well as any byte size sector. Expandable? Yes, add a hard disk or cartridge subsystem when your data base grows. You've pro seen some 'look-a-like'; 4-slot systems lately, but the measure up the XO Micro Manager

CP/M System

#S-1000-40 #S-1000-39 P/M) #S-100 IS. CP/M) #

THE BASIC PROFESSIONAL FLOPPY, HARD DISK AND TAPE BACKUP *



2.4 NIEQ US/DU 64K Z-8UA CY/M System

This "industry Standard" computer leatures a 12 sof motherboard 30 amp power supply
2 senat RS-232 ports, centronics paratiel port and CP/M software. The XOR disk controller
included, will read and write the I.B.M. 3740 format (8" CP/M standard) as well as R/W
single on double sided, single or double density, and any byte/size section. One year parts
\$2345.00




20 Meg winchester w/2.4 Meg Fioppys

For the serious professional this system features the famous S-100-12 cabinet with XOR's S1-MOD 12-slot motherboard. The Quantum hand disk has two 10 Meg platters (A: and B:) One platter can be "backed-up" on another, 2/DS/DO 1.2 lloppys are used for software en-



Backup your process data on the full I? megablys tape drive and be able to go their between any of the three peoples is to tool versionly, then CP/M from hard data or facely, change tapes for archival storage. Reads and writes the IBM 3740 Format (8° CPM standard) r5-1000-69 \$5390.00

Above system 40 megabyte hard disk #S-1000-82




10 Meg Cartridge Disk And 1.2 Meg Floppy An office systemal an almost underwadeprice when you consider the two end applicable software that cones with the syste. Ten megabytes of formatted storage on a removable carbog-cisk allows unlamited storage space with extra 10 Meg cartridges available at \$50.00 each. With the speed and reliability of a hard cisk and removability of a floppy, this office master is the conocer 45 0007-6385.00



TWO 10 Meg Removable and DS/DD Floppy

Destined to be our #1 seller and no one else makes anything like it. A true state-of-the-art system with virtually notlimit to storage capacities in 10 Meg removable cartridges. Backup problems? Get high speed backup from carridge to cartridge, ten megabytes worth, in 6 minutes! HINT. We don't use "PIP." Future technology here today, #S-100-76 \$4595.00



4 User Cartridge Disk System

Four users and two 10 megabyte removable cathridge disks may be just what your want to automate your office or small business, with all the software packages you'll ever need. A multi-user resist on of the system at left, these users can be up to 100 feet away from each other. Most any ter inal will work with the user ports. #S-1000-80\$5825.00

THE BUSINESS PROFESSIONALS: HARD DISK MULTI-USER SYSTEMS *










Circle 163 on inquiry card.





age vears worked retirement benefits

The U.S. Department of Labor has a free booklet that will help you answer these questions and a lot more. Send for it today.

40

Write: Pensions. Consumer information Center, Pueblo, Colorado 81009

U.S. Department of Labor



Circle 278 on inquiry card.

PROPORTIONAL SPACING

capability PS is easier to read and allows up to a third more text on a page without appearing cluttered. Using it is as easy as turning on bold or underline and is done right in your document, then printed by WordStar automatically!

Easy to readinstructions for printing in PS, setting two or more justified columns on a page, underlining spaces between words, and nore. The techniques will work on all versions of WordStar, and will drive Diablo, Xerox, Qume, NEC, C.Itoh and other daisywheel printers. No technical knowledge is needed.

P8 on WardSter - \$20 poetpold Please send me_ Copies. Enclosed is my check (or Visa/MC# and exp. date) , made out to:

WRITING CONSULTANTS Suite 138

11 Creek Bend Drive Fairport, New York 14450
Call Toll Free 1-800-227-3800 Ext. 7018

Dealer inquires invited

Circle 382 on inquiry card.

on WordStar

Now you can have the professional appearance of typeset text using WordStar's built in print

8051-Based Single-Board Computer with Monitor/Debugger

FROM SHARING PERIPHERALS

APPART

Circle 13 on inquiry card.

ADD/ NET

. TO INDUSTRIAL DATA

ACQUISITION AND CONTROL

ADD/NET" Expandable auto-data transfer via RS-232C, RS422, GPIB-488, HDLC. Easy menu setup.

CALL OUR ENGINEERS TODAY

(305) 293-2002 ADROIT ELECTRONICS, INC.

Dept. A, 3790A Silver Star Rd.

Orlando, FL 32808

 Versatile - 4 28-pin byte-wide sockets; monitor will program EEPROMs.

Affordable - just \$335
Perfect for System Development and Educational Applications





\$300.00

8/16 Bit Fast Static Ram



Lexicomp's SR-64K is the ideal low cost/ advanced technology memory board for \$100/ 1EEE 696.D2.1 systems integrators.

Features:

24 Bit Addressing • 10 MHz Speed • 8000-FFFF Deselectable • Phantom. Pin 67 Send for free brochure and price list.

Lexicomp

67 Valley Road-POB 222-Lexington, MA 02173 Telephone: (617) 862-3088

Circle 220 on inquiry card.

APPLE USERS FOURTEEN FUN & **EDUCATIONAL PROGRAMS**

-ARTIFICIAL INTELLIGENCE TRAVELING SALESMAN PROBLEM KNIGHT'S TOUR

-UTILITIES

LISTING FORMATTER RECOVER LOST PROGRAMS DEBUGGER

MICRO P

A NEW PROGRAMMING LANGUAGE

-VOICE SYNTHESIS RECORD YOUR VOICE MAKE YOUR APPLE TALK

AND MORE! LISTABLE & UNPROTECTED!

ONLY \$24.95!

FREE SHIPPING ALPHA ENTERPRISES PO BOX 522 DENTON, TX 76201

Circle 17 on inquiry card.

WHY JDR MICRODEVICES? **OUR CUSTOMERS SAY IT VERY WELL:**

ANATEK

September 9, 1983 Becky

JDR Microdevices 1224 S. Bascom Ave. San Jose, CA 95128

Becky:

Thank you so much for the speedy reshipment of the order we placed. Our experlence with JDR has been excellent, and the manner in which you handled this situation will reinforce that impression.

Thanks,

Howard Katz

25 April 1983

JDR Microdevices, Inc. Office of the President 1224 S. Bascom Avenue San Jose, CA 95128

I am writing this letter to highly com-I am writing this letter to nightly com-Dear Sir. mand the salvice shotoed the by the emproyees or west of wow one and the work of the sections of t only do I find your pricing points to belifors' pri the service diven each customer by far exceeds any that I Pare Leceived from other comboueur distributors. I have found that any order or problem has been handled Ough of bionism use near remond

These two attributes are combined in Inese two attributes are combined in a seemingly successful business to a seemingly successful business to approach that should continue to approach that should be seemingly successful business. tious manner. approach that around common to prosper in the future i mought that would take this opportunity to Monig take this obbounding to allow my appreciation for a for wall contage. Thank you very much.

Sincerely. David Lovelace JDR Microdevices 1224 S. Bascom Ave. San Jose, CA 95128

Dear Sir or Madam:

I want to thank you personally for the help you gave in updating one of my orders. It was truly a service that you did not have to provide but nevertheless fulfilled

I have been buying merchandise from your organization for years now and intend to be one of your major customers in the future. In a recent inquiry from TI they asked who my major suppliers for MOS memories and LSI circuitry were and why. I placed the name of your organization down for both entries for several reasons

(1)* You run a total service operation.

(2)* You have the largest range of merchandise.

(3)* You have the lowest prices. (We compared you to 4 leading distributors.)

You carry 100% quality components.

You have several delivery options.

You have delivery shipped within 2 weeks.

You can ship within 3 days with Blue Label Air.

(8)* You provide telephone orders. (Toll free number is excellent.)

(9) You include an updated catalog in every order.

(10)* You are the first to carry new technology LSI circuitry. (Before others.)

You sell not only IC packages but periphery and accessories as well.

(12)* You have regular SALES on merchandise.

*NOTE: Items marked with asterisk indicate features most favorable to my firm.

We at Computer Research Technology are behind you 100%! Keep up the excellent work!

Sincerely,

Sebastian Sullivan Supervising Engineer Computer Research Technology

JDR Microdevices 1224 S. Bascom Ave. San Jose, CA 95128 Dear Reyna:

Enclosed please find the 4164-200 RAM chip as per our phone conversation on 08/24/83.

want to thank you for your cooperation and swift action.... This is usually a rare quality not found in most of the mail order firms we've dealt with in the past. can assure you that you will be at the top of our list whenever we require any of your fine products.

Patrick Grace President TECHNI-SOFT

Dear JDR:

...lime for something that I don't normally do. That is congratulate JDR for the great service I have received in the past. I have ordered quite a number of times this past year and am continually impressed with the Iriendly sales stall, the speed at which the order arrives and the accuracy of the orders. I do quite a bit of business through the mail and JDR has been the best firm that I have dealt with. So, please keep up the good work. My associates and I really appreciate it!

> Thank a bunch, Gordon Scott Mather

JDR Microdevices

1224 S. Bascom Avenue, San Jose, CA 95128 800-538-5000 • 800-662-6279 (CA) (408) 995-5430 • Telex 171-110

64K DYNAMIC 200 NS

TMM2016 2KX8 STATIC \$415

4000

4001

4006 4007

4008

4010 4011

4012 4013

4014 4015

4016

4017

4018

4019

4020

4021

4022

4023

4024

4025

4026

4027

3.95 2.95

2.95 2.95 2.95 2.95

2.95 2.95 2.95 2.95 2.95

2.95 2.95 2.95 2.95 2.95 2.95 2.95

2.95 2.95 2.95 2.95

2.95 2.95 2.95 2.95 2.95 2.95 2.95

CMOS

4528

4531

4538

4539

4541

4543 4553

4555

4556

4581

4582

4584

4585

4702

74C00

74C02

74C04

74C08

74C10

74C14

74C20

74C30

74C32

74C42

.95 1.95 1.95 1.95 2.64 1.19

5.79 .95 .95 1.95 1.95 .75

12.95 .35 .35

.35 .35

.59 .35 .35

1.29

.29

.89

.29

95

.45 .25

.25

.79

.39

.69

.79

.75

.79

.79

.29

.65

.29

45

CRYSTALS

32.768 khz

2.097152

2.4576 3.2768 3.579545

5.0688

5.185 5.7143

6.0 6.144 6.5536

10.0 10.738635 14.31818

16.0 17.430

17.430 18.0 18.432 20.0 22.1184

32.0

8.0

2.0

STATIC RAMS 2101 5101 2102-1 (450ns) (450ns) (cmos) (450ns) 1.95 256 x 4 256 x 4 3.95 .89 .99 1024 x 1 1024 x 1 256 x 4 256 x 4 2102L-4 2102L-2 (450ns) (LP) (450ns) (250ns) (450ns) (450ns) (450ns) (250ns) (300ns) (200ns) 1.49 2.49 2.99 2111 2112 2114 8/9.95 8/10.95 8/12.95 1024 x 1024 x 4 2114-25 2114L-4 2114L-3 (LP) (LP) (CMOS) 8/13.45 8/13.95 2.49 9.95 4.95 3.49 3.99 4.49 9.95 4.15 4.95 6.15 2114L-2 TC5514 TC5516 (650ns (250ns 2048 x 2147 TMS4044-4 TMS4044-3 4096 x 4096 x (55ns (450ns 4096 (30000 TMS4044-2 MK4118 4096 x 1 1024 x 8 (200ns (250ns 2048 x 2049 x 2048 x TMM2016-200 (2000 TMM2016-150 TMM2016-100 100ns 6.15 4.75 4.95 8.95 5.95 6.95 (200ns) (150ns HM6116-4 2048 x (cmos) (cmos) HM6116-3 HM6116-2 HM6116LP-4 2048 x 8 2048 x 8 (120ns icmos 2048 x 8 2048 x 8 2048 x 8 (200ns (cmos)(LP HM6116LP-3 HM6116LP-2 (150ns) (120ns) (cmos)(LP 7.6132 4096 34.95 (150ns) (cmos) 49.95

LP = Low Power Qstat = Quasi-Static

TMS4027 UPD411

MM5280

MCM6665

DYNAMIC RAMS

(250ns) (300ns) (300ns) (200ns)

EPHUMS.					
1702	256 x 9	(1us)		4.50	
2708	1024 x 8	(450ns)		3.95	
2758	1024 x 8	(450ns)	(5v)	5.95	
2716	2048 x 8	(450ns)	(5v)	3.95	
2716-1	2048 x 8	(350ns)	(5v)	5.95	
TMS2516	2048 x 8	(450ns)	(5v)	5.50	
TMS2716	2048 x 8	(450ns)		7.95	
TMS2532	4096 x 8	(450ns)	(5v)	5.95	
2732	4096 x 8	(450ns)	(5v)	4.95	
2732-250	4096 x 8	(250ns)	(5v)	8.95	
2732-200	4096 x 8	(200ns)	(5v)	11.95	
2732A-4	4096 x 8	(450ns)	(5v) (21vPGM)	6.95	
2732A	4096 x 8	(250ns)	(5v) (21vPGM)	9.95	
2732A-2	4096 x 8	(200ns)	(5v) (21vPGM)	13.95	
2764	8192 x 8	(450ns)	(5v)	6.95	
2764-250	8192 x 8	(250ns)	(5v)	7.95	
2764-200	8192 x 8	(200ns)	(5v)	19.95	
TMS2564	8192 x 8	(450ns)	(5v)	14.95	
MCM68764	8192 x 8	(450ns)	(5v) (24 pln)	39.95	
MCM68766	8192 x 8		(5v) (24 pln)(pwr dn.)	42.95	
27128	16384 x 8	(300ns)		29.95	

EDDOME

5v = Single 5 Voit Supply 21vPGM = Program at 21 Volta

EPROM ERASERS

	Timer	Capacity Chip	Intensity (uW/Cm²)	
PE-14		9	8,000	83.00
PE-14T	X	9	8,000	119.00
PE-24T	X	12	9,600	175.00
PL-265T	X	30	9,600	255.00
PR-125T	×	25	17,000	349.00
PR-320T	X	42	17,000	595.00

- Computer managed inventory – virtualiv no back orders!
- Very competitive prices!
- Friendly staff!
- Fast service most orders shipped within 24 hours!

TMS4027	4096 x 1	(250ns)	1.99
UPD411	4096 x 1	(300ns)	3.00
MM5280	4096 x 1	(300ns)	3.00
MK4108	8192 x 1	(200ns)	1.95
MM5298	8192 x 1	(250ns)	1.85
1116-300	16384 x 1	(300ns)	8/11.75
1116-250	16384 x 1	(250ns)	8/7.95
116-200	16384 x 1	(200ns)	8/12.95
116-150	16384 x 1	(150ns)	8/14.95
116-120	16384 x 1	(120ns)	8/29.95
2118	16384 x 1	(150ns) (5v)	4.95
MK4332	32768 x 1	(200ns)	9.95
164-200	65536 x 1	(200ns) (5v)	5.95
4164-150			
	65536 x 1	(150ns) (5v)	6.95
MCM6665	65536 x 1	(200ns) (5v)	8.95
FMS4164-15	65536 x 1	(150ns) (5v)	8.95

SV = single 5 volt supply

6800		6500		8000	0	8200		Z-80	
68000	49.95	6502 1 MH	Z 4.95	8035	5.95	8202	24.95	2.5 MI	
6800	2.95	6504	6.95	8039	5.95	8203	39.95		
6802	7.95	6505	8.95	INS-8060	17.95	8205	3.50	Z80-CPU	3.95
6803	19.95	6507	9.95	INS-8073	49.95	8212	1.80	Z80-CTC	3.95
6808	13.90	6520	4.35	8080	3.95	8214	3.85	Z80-DART	10.95
6809E	14.95	6522	6.95	8085	4.95	8216	1.75	Z80-DMA	14.95
6809	11.95	6532	9.95	8085A-2	11.95	8224	2.25	Z80-PIO	3.95
6810	2.95	6545	22.50	8086	24.95	8226	1.80	Z80-SIO/0	11.95
6820 6821	4.35 2.95	6551	11.85	8087 8088	29.95	8228	3.49	Z80-SIO/1	11.95
6828	14.95	2 MH	Z	8089	89.95	8237	19.95	Z80-SIO/2	11.95
6840	12.95	6502A	6.95	8155	6.95	8237-5	21.95		11.95
6843	34.95	6522A	9.95	8155-2	7.95	8238	4.49	Z80-SIO/9	
6844	25.95	6532A	11.95	8156	6.95	8243	4.45	4.0 M	hz
6845	14.95	6545A 6551 A	27.95 11.95	8185	29.95	8250	10.95	Z80A-CPU	4.49
6847	11.95	HM E	2 11.93	8185-2	39.95	8251	4.49	Z80A-CTC	4.95
6850	3,25	6502B	9.95	8741	29.95	8253	6.95	Z80A-DART	9.95
6852	5.75			8748	24.95	8253-5	7.95		
6860	7.95	210		8755	24.95	8255	4.49	Z80A-DMA	12.95
6875	6.95	DISC				8255-5	5.25	Z80A-PIO	4.49
6880	2.25	CONTRO		CRT		8257	7.95	Z80A-SIO/0	12.95
6883	22.95	1771	16.95			8257-5	8.95	Z80A-SIO/1	12.95
68047	24.95	1791	24.95	CONTROL		8259	6.90	Z80A-SIO/2	12.95
68488	19.95	1793	26.95	6845	14.95	8259-5	7.50	Z80A-SIO/9	12.95
6800 =	IMHZ	1795	29.95	68B45	19.95	8271	79.95	6.0 M	h =
68B00	10.95	1797 2791	49.95 54.95	HD46505SP	15.95	8272	39.95		
68802	22.25	2793	54.95	6847	11.95	8275	29.95	Z80B-CPU	9.95
68009E	29.95	2795	59.95	MC1372	6.95	8279	8.95	Z80B-CTC	12.95
68809	29.95	2797	59.95	68047	24.95	8279-5 8282	10.00 6.50	Z808-PIO	12.95
68B10	6.95	6843	34.95	8275	29.95	8283	6.50	Z80B-DART	19.95
68B21	6.95	8272	39.95	7220	99.95	8284	5.50	Z80B-SIO/2	39.95
68840	19.95	UPD765	39.95	CRT5027	19.95	8286	6.50		
61B45	19.95	MB8876 MB8877	29.95 34.95	CRT5037	24.95	8287	6.50	ZILO	G
68850	5.95	1691	17.95	TMS9918A	39.95	8288	25.00	Z6132	34.05
68B00 =		2143	18.95	DP8350	49.95	6289	49.95	Z8671	39.95

	4027	.45	14042	1.23
	4028	.69	74C48	1.99
UARTS	4029	.79	74C73	.65
AY3-1014 6.95	4030	.39	74C74	.65
AY5-1013 3.95	4034	1.95	74C76	.80
AY3-1015 6.95	4035	.85	74C83	1.95
PT1472 9.95	4040	.75	74C85	1.95
TR1602 3.95	4041	.75	74C86	.39
2350 9.95	4042	.69	74C89	4.50
2651 8.95	4043	.85	74C90	1.19
IM6402 7.95	4044	.79	74C93	1.75
IM6403 8.95	4046	.85	74C95	.99
INS8250 10.95	4047	.95	74C107	.89
GENERATORS	4049	.35	74C150	5.75
BIT-RATE	4050	.35	74C151	2.25
	4051	.79	74C154	3.25
MC14411 11.95 BR1941 11.95	4053	.79	74C154	1.75
4702 12.95	4060	.89	74C157	
COM5016 16.95	4066	.39	74C160	1.19
COM8116 10.95	4068			
MM5307 10.95		.39	74C162	1.19
	4069	.29	74C163	1.19
FUNCTION	4070	.35	74C164	1.39
MC4024 3.95	4071	.29	74C165	2.00
LM566 1.49 XR2206 3.75	4072	.29	74C173	.79
	4073	.29	74C174	1.19
8038 3.95	4075	.29	74C175	1.19
	4076	.79	74C192	1.49
LUCO	4078	.29	74C193	1.49
MISC.	4081	.29	74C195	1.39
UPD7201 29.95	4082	.29	74C200	5.75
TMS99532 29.95	4085	.95	74C221	1.75
ULN2003 2.49	4086	.95	74C244	2.25
3242 7.95	4093	.49	74C373	2.45
3341 4.95	4098	2.49	74C374	2.45
MC3470 4.95	4099	1.95	74C901	.39
MC3480 9.00	14409	12.95	74C902	.85
11C90 13.95	14410	12.95	74C903	.05
95H90 7.95 2513-001 UP 9.95	14411	11.95	74C905	10,95
2513-001 UP 9.95	14412	12.95	74C906	.95
20 13-002 EOW 8:35	1441B	7.95	74C907	1.00
	14433	14.95	74C908	2.00
CLOCK	4502	.95	74C909	2.75
CIRCUITS	4503	.65	74C910	9.95
	4508	1.95	74C911	8.95
MM5314 4.95 MM5369 3.95	4510	.85	74C912	8.95
MM5375 4.95	4511	.85	74C914	1.95
MM58187 12.85	4512	.85	74C915	1,19
MM58174 11.95	4514	1.25	74C918	2.75
MSM5832 3.95	4515	1.79	740920	17.95
3.43	4516	1.55	74C921	15.95
	4518	.89	74C922	4.49
KEYBOARD	4519	.39	74C923	4.95
CHIPS	4520	.79	74C925	5.95
AY5-2376 11.95	4522	1.25	74C926	7.95
AY5-3600 11.95	4526	1.25	74C928	7.95
AY5-3600 PRO 11.95	4527	1.85	74C929	19.95
0000 7 110 11.00	100	1100	. 10023	. 4.40

4527 VISIT OUR RETAIL STORE

HOURS: M-W-F, 9-5

T-Th., 9-9

Sat. 10-3

PLEASE USE YOUR CUSTOMER NUMBER WHEN ORDERING

TERMS: Minimum order \$10. For shipping and handling include \$2.50 for UPS Ground and \$3.50 for UPS Air. Orders over 1 lb. and foreign orders may require additional shipping charges — please contact our sales department for the amount. CA residents must include 5% sales tax. Bay Area and LA residents include 6% sales tax. subject to change wilhout notice. We are not responsible for lypographical errors. We reserve the right to limit quantities and to substitute manufacturer. All merchandise subject to prior sale.

Microdevices

1224 S. Bascom Avenue, San Jose, CA 95128 800-538-5000 • 800-662-6279 (CA)

(408) 995-5430 • Telex 171-110



MICRODEVICES AT MICROPRICES

ALL MERCHANDISE 100% GUARANTEED

(ASTEC UM1082) QUANTITIES LIMITED

* PRESET TO CHANNEL 3	
* USE TO BUILD	
TV-COMPUTER INTERFACE	
* +5 VOLT OPERATION	
TO TOLL OF ENTINOIS	

NOW ONLY \$695

IDEAL FOR HOBBYIST, BENCHWORK & DO-IT-YOUR-SELFERS! 90-DAY WARRANTY! NEW & UNUSED! QUANTITIES LIMITED!

ASTEC AA11190

*	QUAD OUTPUT SWITCHING
	DESIGN AS USED IN APPLE III
+	+5 @ 1A: -5 @ 25A

NOW ONLY

* +5 @ 4A; -5 @ .25A * +12 @ 2.5A; -12 @ .30A; 15.5"x4.5"x2"

\$5990

SIGMA INSTRUMENTS

- Model 2PC2241

 * DESIGNED FOR DEC EQUIPMENT * FUSE PROTECTED * LINEAR DESIGN * AUXILIARY AC OUTLET
 - NOW ONLY
- +5 @ 4A; -15V @ 1.5A; 12.25"x4"x4.75"

\$1995

OUR BUYER BLEW

& BOUGHT TOO MANY OF THESE GEMS!

41	16	250NS		8/	7.	95
DYN	AMIC	RAM	AM5298	8K x 1		.95

CAPACITORS

TANTALUM

	6V	10 V	15 V	20V	25V	35V
.22uf						,40
.27						.40
.33						.40
.47				.35		.50
.68						.45
1.0			.40	.40	.45	.45
1.5				.45		.50
1.8						.75
2.2		.35	.40	.45		.65
2.7		.40	.45			.90
3.3		.45	.50	.55	.60	.65
3.9		.45				
4.7	.45	.55		.60	.65	.85
6.8			.70		.75	
8,2						1.00
10	.55	.65	.80	.85	.90	1.00
12	.65		.85	.90		
15	.75	.85	.90			
18			1.25			
22		1.00	1.35			_
27			2.25			
39		1.50				
47	1.35					
56	1.75					
100		3.25				
270	3,75					

		DI:	3C		
10pf	50V	.05	470	50V	.05
22	50V	.05	560	50V	.05
25	50V	.05	680	50V	.05
27	50V	.05	820	50V	.05
33	50V	.05	.001uf	50V	.05
47	50V	.05	.0015	50V	.05
56	50V	.05	.0022	50V	.05
68	50V	.05	.005	50V	.05
82	50V	.05	.01	50V	.07
100	50V	.05	.02	50V	.07
220	50V	.05	.05	50V	.07
330	50V	.05	.1	12V	.10
			.1	50V	.12

DICC

MONOLITHIC

.1 uf-mono 50V .18 .47uf-mono 50V .25 ,01uf-mono 50V .14

ELECTROL VIIC

ELECTROLYTIC						
1	RADIAL			AXIAL		
.47uf	50V	.14	1uf	50V	.14	
1	25V	.14	4.7	16V	.14	
2.2	35 V	.15	10	16V	.14	
4.7	50V	.15	10	50V	.16	
10	50V	.15	22	16 V	.14	
47	35V	.18	47	50V	.20	
100	16V	.18	100	15 V	.20	
220	35V	.20	100	35V	.25	
470	25V	.30	150	25V	.25	
2200	16 V	.60	220	25V	.30	
001	MPU"	FED	330	16V	.40	
			500	16V	.42	
G	RAD	E	1000	16V	.60	
26.000	uf 30V	3.95	1500	16 V	.70	
,			5000	16 V	.85	

OPTO-ISOLATORS

4N26	1.00	MCA-7	4.25
4N27	1.10	MCA-255	1.75
4N28	.69	IL-1	1.25
4N33	1.75	ILA-30	1.26
4N35	1.25	ILQ-74	2.75
4N37	1.25	H11C5	1,25
MCT-2	1.00	TIL-111	1.00
MCT-6	1.50	TIL -113	1.75

DIODES

	1N751	5.1 volt zener	.25
	1N759	12.0 volt zener	.25
	1N4148	(1N914) switching	25/1.00
	1N4004	400PIV rectifier	10/1.00
	KBP02	200PIV 1.5amp bridge	.45
	KBP04	400PIV 1.5amp bridge	.55
Ĺ	VM48	Dip-Bridge	.35

NEW UN-USED MILEEIN FANS

MOI I III AIIO	
4.68" Square	14.95
3.125" Square	14.95
HEAT SINKS	
TO-3 style	.95
TO-220 style	.35

SWITCHES SPDT mini-toggle DPDT mini-toggle 1,50 PST mini-pushbutton

Ù		ent	Π	W	CE	S
			AI			
ľ		CR	OP	d	Œ	Š
TI	R/	NI:	SIS	T	OR	S

2N918	.50	MPS3706	.15
MPS918	.25	2N3772	1.85
2N2102	.75	2N3903	.25
2N2218	.50	2N3904	.10
2N2218A	.50	2N3906	.10
2N2219	.50	2N4122	.25
2N2219A	.50	2N4123	.25
2N2222	.25	2N4249	.25
PN2222	.10	2N4304	.75
MPS2369	.25	2N4401	.25
2N2484	.25	2N4402	.25
2N2905	.50	2N4403	.25
2N2907	.25	2N4857	1.00
PN2907	.125	PN4916	.25
2N3055	.79	2N5086	.25
3055T	.69	PN5129	.25
2N3393	.30	PN5139	.2
2N3414	.25	2N5209	.2
2N3563	.40	2N6028	.35
2N3585	.40	2N6043	1.7
PN3565	.25	2N6045	1.7
MPS3638	.25	MPS-A05	.2
MPS3640	.25	MPS-A06	.2
PN3643	.25	MPS-A55	.2
PN3644	.25	TIP29	.6
MPS3704	.15	TIP31	.7
mr 33704	. 13	TIP32	.7
		52	

BYDASS CADS

		117000	A: 0
01	UF	DISC	100/6.00
01	UF	MONOLITHIC	100/12.00
1	UF	DISC	100/8.00
1	UF	MONOLITHIC	100/15.00

LED LAMPS

	1-99	100-u
JUMBO RED	.10	.09
JUMBO GREEN	.18	.15
JUMBO YELLOW	.18	.15
LED MOUNTING HARDWARE	.10	.09

LED DISDLAVS

LED DISPLATS					
.43"	CC	1.21			
.3"	CA	.91			
.3"	CC	.91			
.375"	CC	1.2			
.5"	CC	1.4			
.5"	CA	1.49			
.270"	HEX W/LOGIC	9.9			
	.43" .3" .3" .375" .5"	.43" CC .3" CA .3" CC .375" CC .5" CC			

RESISTORS

1/4 WATT 5% CARBON FILM ALL STANDARD VALUES EROM 1 OHM TO 10 MEG OHM

I HOM I OTHER TO TO ME	
50 PCS. SAME VALUE	.02
100 PCS. SAME VALUE	.02
1000 PCS. SAME VALUE	.01

	1-99	100
& pin ST	.13	.11
14 pin ST	.15	.12
16 pin ST	.17	.13
18 pln ST	.20	.18
20 pin ST	.29	.27
22 pln ST	.30	.27
24 pin ST	.30	.27
28 pin ST	.40	.32
40 pin 57	.49	.39
64 pin ST	4.25	call
ST = SOL	DERT	AIL
8 pin WW	.59	.49
14 pin WW	.69	.52
16 pin WW	.69	.58
18 pin WW	.99	.90
20 pin WW	1.09	.98
22 pin WW	1.39	1.28
24 pin WW	1.49	1.35
28 pin WW	1.69	1.49
40 pin WW	1.99	1.80
WW = WI	REWR	AP
16 pin ZIF	5.95	cali
24 pin ZIF	7.95	call
28 pin ZIF	8.95	call

IC SOCKETS

DIP

ZIF = TEXTOOL (Zero Insertion Force)

SWITCHES		
4 POSITION	.85	
5 POSITION	.90	
6 POSITION	.90	
7 POSITION	.95	

Microdevices

1224 S. Bascom Avenue, San Jose, CA 95128 800-538-5000 • 800-662-6279 (CA)

(408) 995-5430 • Telex 171-110

VISIT OUR RETAIL STORE

HOURS: M-W-F, 9-5

T-Th., 9-9

Sat. 10-3

PLEASE USE YOUR CUSTOMER NUMBER WHEN ORDERING

TERMS: Minimum order \$10. For shipping and handling include \$2.50 for UPS Ground and \$3.50 for UPS Air. Orders over 1 lb. and foreign orders may require additional shipping charges — please contact our sales department for the amount. CA residents must include 6% sales tax. Bay Area and LA residents include 6% Processubject to change without notice. We are not responsible for typographical errors. We reserve the right to limit quantities and to substitute manufacturer. All merchandise subject to prior sale.

\$495

2764 64K EPROM

MICROCOMPUTER HARDWARE HANDBOOK FROM ELCOMP — \$14.95

Over 800 pages of manufacturers data sheets on most commonly used IC's. Includes:

- * TTL 74/74LS and 74F
- * CMOS
- ★ Voltage Regulators
- Memory RAM, ROM, EPROM
- CPU's 6800, 6500, Z80, 8080, 8085, 8086/8
- MPU support & interface -6800, 6500, Z80, 8200, etc.

BEST SELLING BOOKS

OSBORNE/MC GRAW-HILL

Apple II User's Guide	16.95
CRT Controller's Handbook	. 9.95
68000 Assembly Language	
Programming	16.99
CBASIC User Guide	15.00
SYBEX	
Your First Computer	8.95

0.12	
Your First Computer	3.95
The CP/M Handbook 14	.95
The PASCAL Handbook 18	1.95
Microprocessor Interfacing	
Techniques	.95
	-

TRANSFORMERS FRAME STYLE

12.6VAC	2amp	4.95
12.6VAC CT	2amp	5.95
12.6VAC CT	4amp	7.95
12.6VAC CT	8amp	10.95
25.2VAC CT	2amp	7.95

PLUG CASE STYLE

250ma	3.95
500ma	4.95
1amp	5.95
2amp	6.95
	500ma 1amp

DC ADAPATER

6,9,12 VDC selectable with universal adapter

NOTE: Please include sufficient amount for shipping on above items.

DISK DRIVES TANDON

TM100-1 51/4" (FOR IBM) SS/DD 229.00 TM100-2 5%" (FOR IBM) DS/DD 259.00

SHUGART SA 400L 51/4" (40 TRACK) SS/DD 199.95


SA 400 54" (35 TRACK) SS/DD 189.95 PERTEC

FD-200 54" SS/DD 179.95 FD-250 5%" DS/DD 199.95

MPI

MP-52 5W" (FOR IBM) DS/DD" 249.00

NOTE: Please Include sufficient amount for shipping on above items.



8-INCH

FD 100-8 SHUGART 801 EQUIV. SS/DD - 10/\$175 EA.

FD 200-8 **SHUGART 851 EQUIV.** DS/DD - 10/\$220 EA.

EDGE-CARD CONNECTORS

9-100 ST	3.95
8-100 WW	4.95
72 pln 5T	6.95
72 pin WW	7.85
50 pin ST	4.95
44 pin ST	2.95
44 pln WW	4.95





CABINETS FOR 51/4" DISK DRIVES CABINET #1 \$29.95

- ★ DIMENSIONS 8% x 515/6 x 315/6"
- ★ COLOR MATCHES APPLE
- ★ FITS STANDARD 5½" DRIVES. INCL. SHUGART
- * INCLUDES MOUNTING HARDWARE AND FEET

NOTE: Please include sufficient amount for shipping on above items.

- CABINET #2 \$79.00
- * COMPLETE WITH POWER SUPPLY, SWITCH, LINE CORD, FUSE & STANDARD **POWER CONNECTOR**
- ★ DIMENSIONS: 11½ x 5¾ x 3¹¾6"
- ★ +5V @ 1 AMP, +12V @ 1.5 AMP
- * FITS STANDARD 51/4" DRIVES
- * PLEASE SPECIFY **GRAY OR TAN**

VISIT DURING

SATURDAY 10 to 3

CENTRONICS

IDCEN36	Ribbon Cable	36 Pin Male	5.95
DCE.436/F	Ribbon Cable	36 Pin Female	8.95
CEN36	Solder Cup	36 Pin Male	7.95

DIP CONNECTORS

DESCRIPTION	HIGH RELIABILITY TOOLED ST IC SOCKETS	COMPONENT CARRIERS (DIP HEADERS)	RIBBON CABLE DIP PLUGS (IDC)
ORDER BY	AUGATER-ST	ICCxx	IDPag
CONTACTS 8	.99	.65	
14	.99	.75	1.45
16	.99	.65	1.65
18	1.69	1.00	
20	1.89	1.25	
22	1.89	1.25	
24	1.99	1.35	2.50
28	2.49	1.50	
40	2.99	2.10	4.15

For order instructions see "IDC Connectors" below.

RIBBON CABLE

	SINGLE	COLOR	COLOR CODED					
CONTACTS	1′	10'	1′	10′				
10	.50	4.40	.83	7.30				
16	.55	4.80	1.00	8.80				
20	.65	5.70	1.25	11.00				
25	.75	6.60	1.32	11.60				
26	.75	6.60	1.32	11.60				
34	.98	8.60	1.65	14.50				
40	1.32	11.60	1.92	16.80				
50	1.38	12.10	2.50	22.00				

D-SUBMINIATURE

ORDER BY CONTACTS 9 15 25 37	SOLDE	R CUP	RIGHT PC SC	ANGLE OLDER		CABLE	HOODS		
	MALE	FEMALE	MALE_	FEMALE	MALE	FEMALE	BLACK	GREY	
ORDER BY	DBxxP	DBxxS	DBxxPR	DBxxSR	IDBxxP	IDBxxS	HOOD-B	HOOD	
CONTACTS 9	2.08	2.66	1.65	2.18	3.37	3.69	_	1.60	
15	2.69	3.63	2.20	3.03	4.70	5.13	_	1.60	
25	2.50	3.25	3.00	4.42	6.23	6.84	1.25	1.25	
37	4.80	7.11	4.83	6.19	9.22	10.08		2.95	
50	6.06	9.24		_		***	_	3.50	

For order instructions see "IDC Connectors" below.

MOUNTING HARDWARE 1.00

IDC CONNECTORS

	SOLDER HEADER	RIGHT ANGLE SOLDER HEADER	WW HEADER	RIGHT ANGLE WW HEADER	RIBBON HEADER SOCKET	RIBBON HEADER	RIBBON EDGE CARD
ORDER BY	IDHxxS	IDHxxSR	IDHxxW	IDHxxWR	IDSxx	IDMxx	IDEXX
CONTACTS 10	.82	.85	1.86	2.05	1.15	at the same of the	2.25
20	1.29	1.35	2.98	3.28	1.86	5.50	2.36
26	1.68	1.76	3.84	4.22	2.43	6.25	2.65
34	2.20	2.31	4,50	4.45	3.15	7.00	3.25
40	2.58	2.72	5.28	4.80	3.73	7.50	3.80
l 50	3,24	3.39	6.63	7.30	4.65	8.50	4,74

ORDERING INSTRUCTIONS: Insert the number of contacts in the position marked "xx" of the "order by" part number listed. Example: A 10 pin right angle solder style header would be IDH10SR.

FOR APPLE COMPUTER USERS







* 35 Track w/Apple Controller

* 40 Track Controller and DOS Available (Call for Price)

JDR 16K RAM CARD FOR APPLE II+ * 2 YEAR WARRANTY

* 2 YEAH WARRANTY & Bare PC Card \$14.95

JDR COOLING FAN CLEARANCE SALE!

* With Surge Protection

* Quantities Are Limited!

OTHER ACCESSORIES FOR APPLE II

* BSR Control Options Available

KRAFT JOYSTICK \$39.95

micromax Ma

VIEWMAX-80 NOW ONLY \$15995

- ★ 80 Column Card for Apple II+
 - * Video Soft Switch
 - * Inverse Video * 2 Year Warranty

VIEWMAX-80e NEW \$12995

- ★ 80 Column Card for Apple IIe
- ★ 64K RAM Expandable to 128K

\$47.60 64K RAM Upgrade

GRAPHMAX \$12995

- * Hi Resolution Graphics
- * Printer Card
- ★ Centronics Parallel Interface

Graphmax with Color

& Zoom Options \$149.95

MA SYSTEMS

FD-35 DISK DRIVE\$229.95

* Shugart Mechanism - Made in U.S.A.

* Direct Replacement for Apple Disk II * 1 Year Warranty CONTROLLER CARD\$69.95

★ One Year Warranty

APPLE COMPATIBLE POWER SUPPLY

- ★ Use To Power Apple-Type Systems
- * +5V @ 5A +12V @ 3A -5V @ .5A -12V @ .5A

* Instructions Included





FEDERAL EXPRESS

SERVICES

AVAILABLE

PRINTERLINK

* Low Cost Centronics Parallel Interface with Cable and Manual

MESSENGER

- * Serial Interface Connects Virtually Any Serial Device
- * Includes Cable

\$9900 TIMELINK

* Real-Time Clock Calendar with Alarm

ALL WITH ONE YEAR WARRANTY



MONOCHROME

BMC BM 12AUW GREEN 12" NEW	. \$89.95
BMC BM 12AUY 18 MHZ AMBER	\$139.95
NEC JB1201M - 20 MHZ GREEN	\$169.00
ZENITH zvm-121 - 15 MHZ GREEN	. \$99.00

COLOR

BMC BM-AU9191U COMPOSITE 13" \$279.00 AMDEK COLOR 1 - COMPOSITE \$335.00 NO C.O.D. ORDERS PLEASE

SS/DD SOFT SECTOR

29.95

SS/DD 10 SECTOR HARD

29.95

NASHUA DISKETTES

51/4" WITH HUB RING

 MD1 SOFT SECTOR, SS/SD
 19.95

 MD1D SOFT SECTOR, SS/DD
 26.25

 MD2D SOFT SECTOR, DS/DD
 30.75

 MD2F SOFT SECTOR, DS/QUAD DENSITY 45.00 MD110 10 SECTOR HARD, SS/SD. . . . 19.95 MD210D 10 SECTOR HARD, DS/DD 30.75

8" WITHOUT HUB RING

SOFT SECTOR, SS/SD 24.75 FD1D SOFT SECTOR, SS/DD 30.00 FD2D SOFT SECTOR, DS/DD 36.75

JDR Microdevices

1224 S. Bascom Ave. • San Jose, CA 95128

(408) 995-5430 • Telex 171-110

Copyright 1983 JDR Microdevices

VISIT OUR RETAIL STORE

HOURS: M-W-F, 9-5

T-Th., 9-9

Sat. 10-3

PLEASE USE YOUR CUSTOMER NUMBER WHEN ORDERING

TERMS: Minimum order \$10. For shipping and handling include \$2.50 for UPS Ground and \$3.50 for UPS Air. Orders over 1 lb. and foreign orders may require additional shipping charges — please contact our sales department for the amount. CA residents must include 5% sales tax, Bay Area and LA residents include 6%. Prices subject to change without notice. We are not responsible for typographical errors. We reserve the right to limit quantities and k substitute manufacturer. All merchandise subject to prior sale.

Unclassified Ads

WANTED: Information, documentation, and peripherals for Altair 8800b manufactured by MITS to be used in a vocational-electronics class. K. Luhrs. Education Department, California Rehabilitation Center, POB 1841, Norco, CA 91760.

WANTED: Hospital wishes to purchase or welcomes donation of one or more Tektronix 4051 computers. Dr. Peter Hulick, Lynchburg General Hospital, Lynchburg, WA 24506. WANTED: If you need answers to any questions concerning

WAN IED: If you need answers to any questions concerning CP/M. Pascal. C language, piogramming techniques, computer and software selection criteria, or related topics, ask me. I will locate the answers to your questions. Send SASE. Bhavisyat, RD I, Box 331. Moundsville. WV 26041.

WANTED: Unitarian-Universalist churches need used computing equipment, or unused manufacturer's over-runs or out-dated units. Have immediate requirements for DEC-compatible LO Printer, two Atari-compatible disk drives, and two Atari-compatible printers. All tax-deductible. Also, willing to exchange information and equipment. Unitarian Universalist Computer Interchange, clo D. P. Lantz, 1373 Howell Dr., Newark, OH 43055, [614] 344-6600.

FOR TRADE: I am interested in exchanging software with Commodore 64 users. Send a full list of all your software, plus a SASE for my list. ICCC, Kim/Moser, 127 East 15th St., New York, NY 10023

WANTED: We would like to exchange ideas, suggestions, and information regarding software and hardware with other Epson OX-10 owners from anywhere and everywhere. Bruce and Lynn Holloway, 8 Tri City Rd. Apt. 10. Dover, NH 03820. WANTED: Information on licensing, copyrighting, or protecting software to insure the buyer agrees not to change the software. V.E.H., 914 North Court, Rockford, IL 61103.

WANTED: People with knowledge of sequential text files of Apple II Plus and TRS-80 Models it and III. Possible formation of a computer club [I have an Apple II Plus 64K and access to TRS-80s). Also, information on procedures for on and off of Reset and CTRL-C keys: knowledge and/or advice for selling software and/or forming a software company; Applesoft 3.3 BASIC Compilers and offers too. Will trade Apple game programs and utilities. George R. Lewycky, 7 Durst Dr., Milltown, NLD 1880.

WANTED: Last updated version of Heath tape O.S. and use of Phi-Decks with Heath cassette board. C.T. Huth, 146 Schonhardt St., Tiffin, OH 44883.

WANTED: Information and/or correspondence with users of Timex/Sinclair computers about clubs, programs, books, modems, software, and hardware. I will also trade cassette programs. Greg C. Backman, Naval Base Seattle, 7500 Sand Point Way NE, Seattle, WA 98115.

FOR SALE: Apple II 4BK Applesoft in ROM with Applesoft and reference manuals; 2½ years old: \$890. Disk II with the DOS 3.3 manual: \$295. Disk II controller card: \$60. All in good condition: \$1200. All U.S. funds. I will pay shipping. Louis Roy, 2590 4th Ave., \$5-Georges Ouest, Cte Beauce, Quebec G5Y 388. Canada.

398. Canada. FOR SALE: HP-41C system: HP-41C, asking \$167/was \$250: Ouad RAM, \$63/595; Two each RAM, \$20/\$60: PPC ROM with manuals, \$200/\$95: circuit-analysis ROM, \$20/\$30: card reader, \$143/\$215; bar-code reader, \$83/\$125: homebrew I/O breakout, \$10/\$30: three 3-inch binders of software and information, \$80/\$120. Everything above: asking \$500/was \$1020, shipping included. Jan Steinman, 4622 North 3rd St., Arlington, VA 22203, [703] 524-7560.

TO TRADE: I would like to swap Apple II programs: games, utilities, and business. Send me a list of your programs and I will send you mine. Also looking for people interested in corresponding, Matthias Pohl, Heidelbergerstr 33,6901 Mauer, West Germany.

WANTED: High school student and future hacker would appreciate any kind of electronic junk or broken equipment you could send. I will pay shipment. Ricardo Correa K., Metsakorvente 6.A.4, 08500 Lohja as. Finland.

FOR TRADE: I would like to swap IBM PC software. Need graphics, games, utilities, financial, education, and home programs. Have many Hench programs, send so disk ror one or mine. D. Coulombe, Box 1283 Notre-Dame, Levis, Ouebec G6W 6A8 Canada.

WANTED: Reset key cover for Apple II keyboard to prevent Reset accidents when reaching for the Return key, or name of a supplier. Paul Connolly, 389 Courtland Ave., Stamford, CT 0000, 1201, 321, 3318

06906, [203] 327-3318.

FOR SALE: Shugart SA400: \$125. BASF 6106 SSDD: \$160. S-100

BK static RAM board: \$35. M6800 S-100 board: \$50. Datamedia

1521A video terminal: \$300 [\$1100 new]. All currently in use, like

new, with full documentation, UPS prepaid. Inquire about back

issues of BYTE. Robert Boyd, Woodlawn Ave.. Box 1044. Kenne
bunkport, ME 04046.

FOR SALE: HP 60BD Signal Generator 10-420 MHz spare tubes, works: \$325. Dual Siemens FDD-100-5 51/4-inch drives with power supply and signal cable: \$400. New TI-59 calculator. hardly used: \$125. K. W. Humbard, Cape Lisburne AFS AK, APO Seattle, WA 98716, [907] 725-1237.

WANTED: Computer pen pais who want to connect with others via a modern, send your name, address, phone number, time you're available, and interests (programming or games, etc.) to Computer Pals, c/o Steve Smith, POB 27533, Atlanta, GA 30327

FOR SALE: TRS-BO Model I, Level II with 16K and lowercase hardware installed: \$250. Also, Radio Shack Line Printer II with interface cable for TRS-BO: \$300. Keith Wishart, Rt. 2 Box 13, Mapleton, MN 56065, [507] 524-3921.

FOR SALE: Radio Shack Quick Printer II with manual and cables for connection to Model I CPU and expansion interface. Perfect condition: \$100. Michael Friedman, 495 East 18 St., Brooklyn, NY 11226, (212) 282-4029.

WANTED: High school student with an interest in computers is looking for donations of equipment or manuals in any condition. Will try to cover shipping costs. Scott Fahey, 7 Boundary Circle, Brockton, MA 02402, [617] 588-4444.

WANTED: For Texas Instruments TI 99/4A: peripherals expansion system, modern, drives, RS-232C interface card, P-code card, or any other TI hardware or software. Wayne M. DeMello, 26 Norwell St., South Dartmouth, MA 02748, (617) 994-7885.

WANTED: Target game for SOL computer wanted, including any information or source code (300 bps tape). Need information on tape format. Also, Tarbell cassette interface for \$25 or less. Michael Dunn, 45 Livingston Rd. #501, West Hill, Ontario MIE IKB. Canada. (416) 266-1635.

FOR SALE: Radio Shack Line Printer II (same as Centronics #730-I) with parallel interface for 9½-inch fixed-pinfeed or up to 8½-inch cut-sheet or roll paper; excellent condition, with dust cover, one ribbon, and manual. Will include cable for TRS-80 Model III and/or a homemade interface for direct connection to TRS-80 Model I keyboard, if desired. Shipped prepaid in US. on receipt of certified check: \$350, offers considered. David Shinn, 28 Wagon Bridge Run, Moorestown, NJ 08057.

FOR SALE: Public domain software for VIC-20 and CBM-64. Many useful games, utilities, and more. Includes complete documentation. Program-Pac with 10 CBM-64 programs: S5. Ten programs on tape for VIC-20: S5. Add S1 for shipping. Prepaid; check or money order. Also, inquire about user group forming. J. Jesrani, 1052 Southeast 54th Ave., Ocala. FL 32671.

FOR SALE: Apple II Plus 48K without disk or monitor. Two years old. in perfect condition. Includes serial interface and 10 games on cassette: \$900. Mike Underwood. 11122 Fairhaven Ct. Apt E. Fairfax. VA 22030, [703] 352-0180.

FOR SALE: Two OSI C3B four-user systems. Both feature 200K static RAM. dual 8-inch floppy disks, and BOM Winchester disk. One system features one Centronics printer port and three RS-232 ports. The other features one Centronics printer port and one RS-232 port. Includes manuals, timeshare software, some customs software, and assorted goodles: \$13,000 each or prices negotiable. Rapid Die & Molding, 800 East Amelia, Cassville, WI 53806, (608) 725-5114 (ask for Barry).

FOR SALE: TRS-80 Model I 48K two Percom drives, lowercase conversion, Percom double-density board, RS-232, cassette, Ouick Printer II, and all dust covers. All cables and many programs included. \$1700; I'll ship. Rick Thompson, 1212 El Camino Reale, Socorro. NM 87801.

FOR SALE: Ithaca Intersystems DPS-I computer includes mainframe, front panel, Series II processor board, MIO board with two parallel and two serial ports, vectored interrupts, FDC-2 DMA disk controller, 64K of 8-7/6-bit memory, Also, a Heath H-I9 terminal, and 8-inch double-density disk with power supply and cabinet. Software includes Pascal-2, CP/M, relocatable macro assembler, and m-bug. New \$5200, sell \$2500. Keith Pattison, 9629 Bradhudh Ct., Sacramento, CA 95827, 1916. 361-3648.

FOR SALE: Commodore 64: \$275. Gemini printer with interface for Commodore: \$450. Dennis Hallingstad, (608) 259-2392. FOR SALE: BYTE Vol. I No. 12 and all issues of Vol. 2. 3. 4. 5. 6, and Vol. 7, No. 9; (inclusive. 68 consecutive issues). Best offer for all. W. J. Holland, 2675 Gulf of Mexico, Longboat Key.

FOR SALE: 12-inch RGB color monitor. Taxan RGB I: like new, only used several hours. Compatible with Apple II. Apple III. IBM and others: 5295 or best offer. David Klotzbach. 25 Columbia Circle. Plymouth, MA 02360. (617) 747-0430.

WANTED: Collections of software, programs, books, manuals, or magazines to buy pertaining to Atari 400/800. Stephanie Ring, Star Route Box 132, Staples, MN 56479, (218) 587-2838.

FOR SALE: Hewlett-Packard HP-4IC calculator, card reader, quad RAM: \$225. Also, bar-code wand, timer module, extended function, extended memory modules, AME port extender, and HHC 16K EPROM box. Also, wanted: Commodore 2031 single disk drive in good condition. John E. Barnes. 13 Alcott Dr., Wilmington, DE 19808, [302] 453-3622 days, 994-7831 evenings.

FOR SALE: Powertext Word Processing-System by Beaman Porter Inc., Apple III, version 1.61, brand new: \$100 or best offer H. R. Flores, 113 Fairmont Ave., Worcester, MA 01604, (617) 756-2980.

FOR SALE: Okidata 84A printer with 200 cps, near letterquality, high-resolution (144 by 144 dots per inch) graphics, downloadable character set, full software control, Also, free PROMs from manufacturer for future enhancements, parallel interface, friction/tractor feed, perfect condition: \$700. 2K serial board: \$75. Or both: \$750. Make an offer. D. B. Phuoc, Box 4403, Hayward, CA 94540, [408] 970-3832.

FOR SALE: BYTE, all issues from 1976 thru 1979. Make offer. G. March, 2110 Country Club Pkwy. SE, Cedar Rapids, IA 52403, (319) 364-0092.

FOR SALE: Novation 212 auto-cat modern. Brand new condition, asking \$500. Arnold Slavin, 655 Union Blvd., Totowa, NJ 07511, [201] 256-2300.

WANTED: College student would appreciate a donated computer for experiments. Vatche Terzian, 2421 Foothill Blvd. #22B, La Verne, CA 91750.

WANTED: SOL-20 systems manual, sections III and IX and Solos operating system manual, I will pay for duplication and postage. Jeff Henkels, 1312 Birch, Ames, IA 50013, [515] 294-7298.

WANTED: I have a BASIC-E compiler and interpreter; I need a users manual or other documentation for BASIC-E language. Will buy, rent, or borrow. Wm. F. Fowler, 4014 Hillwood Court, Belssville, MD 20705.

FOR SALE: New Xerox 820 CPU module with printer port, communications port, and disk interface. ADDS Regent 40 terminal with printer port and manuals. Diablo 1650 38-cps daisywheel letter-quality printer with manual, RS-232C serial interface, and 1200 bps. Debbie Pullinger, 208-D Stephen Ave., Mary Esther, FL 32569, 1904] 581-3319 after 5 p.m. CT.

FOR SALE: NEC 8001A computer, new condition: \$375. Bob Quint, 4378 Gina St., Fremont, CA 94536, [415] 657-7385.

WANTED: Used, serviceable, Xerox 88 character, metalized (9R2IIOO series) printwheels with over twenty typestyles. Which typestyles do you have? Bob Greenawalt, 9239 De Adalena St., Rosemead, CA 91770, (213) 572-0419 evenings.

FOR SALE: BYTE, first 16 issues, good condition, best offer. Edw. L. Hayden, 16 Decatur Ave., Annapolis, MD 21403, (301) 267-6098.

WANTED: Apple II user interested in parameters needed to back up protected software using current copy programs such as Locksmith, Nibbles Away, etc. I am complising a master list of parameters. Those who contribute may receive a copy. Philip McDermott, 1500 Aubudon Parkway, Louisville, KY 40213, [502] 635-7867.

WANTED: Hewlett-Packard HP-IL digital cassette drive, HP-IL interface module, and HP-IL printedplotter (HP 821 2A) all for HP-4ICV. Must be in good condition, reasonably priced. M. C. Akisoglu, 120 Canterbury Lane, McMurray, PA 15317, [412] 237-7490.

FOR SALE: Software (in English and Spanish) for engineering, statistical analysis, process-control applications, as well as games and useful word processors for the VIC-20 (4K RAM, 22 column), José G. V. Humérez, casilla 525, Sucre, Bolivia, South America. WANTED: To trade Visicalc and PFS File & Report programs for Apple III and to swap for same for use on Apple II Plus. Also, other programs to swap. Let's trade lists. G. M. Koellisch, 106 Reno Dr., Louisville, OH 44641.

FOR SALE: Heath H-8 computer. 32K RAM, serial/cassette interface board, extender board, Heath H-9 video terminal. Software: BUG-8, TED-8, HASL-8. Extended Benton Harbor BASIC. All schematics, assembly, and operation manuals. Also, EC-1100 BASIC programming course and EC-1108 Assembly Lanugage course. Radio Shack CTR-41 cassette player. REmark magazine, all issues. Bill Ward, 3621 Lowden, Kalamazoo, MI 49008, [616] 445-2948.

FOR SALE: Several programs and games for Victor 9000 available in MS-DOS. dBASE II, Wordstar/Mailmerge/Spelling, Muttiplan. Report Manager (Victorcalc), Programmers Tool Kit, Graphics Tool Kit, BASIC Compiler, Pascal, and FORTRAN: \$100 to \$200. Bruce Glenn, Image Equipment, 90 Park Ave., New York, NY 10016, [212] 697-8606.

FOR SALE: Two disk drives, Tandem TMI00-1, 514-inch (for IBM), SS/DD drive, no power supply or case: \$170 each. Jim Lovewell, 1490 East Juana, San Leandro, CA 94577, [415] 351-6207.

UNCLASSIFIED POLICY: Readers who have computer equipment to buy, sell, or trade or who are requesting or giving advice may send a notice to BYTE for inclusion in the Unclassified Ads section. To be considered for publication, an advertisement must be noncommercial (individuals or bona fide computer clubs only), typed double-spaced on plain white paper, contain 75 words or fewer, and include complete name and address. This service is free of charge; notices are printed once only as space permits. Your confirmation of placement is appearance in an issue of BYTE as we engage in no correspondence. Please allow at least three months for your ad to appear. Send your notices to Unclassified Ads, BYTE/McGraw-Hill, POB 372, Hancock, NH 03449.

Unclassified Ads

FOR SALE: An unused Apple II Language Card: \$130 or best offer. K. Sung, O-II Pine Grove, Ypsilanti, MI 48197, [313] 483-7998. WANTED: Professional software for the dimensioning of heatplate exchangers when given the desired temperature sanitary warm water can supply, the needed temperature of the primary circuit, the dimensions and number of the plates, and the thermic coefficient of the exchanger. Also, software for chemical balance needed for ideal swimming pool-water conditions. M. Riccieio, Lloyd & Limaio SA, Rue Dufour 34, CH-2500 Bienne 3. vitzerland; tel: (032) 42 43 66; Telex: 349 475

WANTED: Apple software to trade. Serid a list and SASE of your games or utilities software and I will send you mine. Ralph Boswell, 8 George Washington Dr., Titusville, NJ 08560.

FOR SALE: Wintek System, 32K RAM, refresh card, two serial and two parallel ports. Monitor in ROM, cassette interface at 300 to 2400 bos. BASIC in ROM, BK open ROM slots, 8-slot motherboard, power supply. Wintek terminal, Setchell-Carlson monitor, modern, TSC cassette BASIC (extended), TSC Relocator, Wintek Editor/Assembler, and more: \$1350. February '80through January '83 68000 Micro Journal, Make an offer, John Adams, 8303 Kend Rd., Cincinnati, OH 45236. (513) 793-2338

WANTED: If you're building a digital synthesizer (like I am) or if you want to share ideas, let's start DSIG, Digital Synthesis Information Group, Shane Bouslough, Pond View Rd., RR2, Wading

River, NY 11792, (516) 929-6436.

WANTED: 5-100 components, IMSAI or Cromemco mainframe. Ciomemco TUART, 16FDC, ZPU, 64KZ Rev J. CCS 2066 RAM. Possibly interested in S-100 hard disk, 9-track 1600 BPI tape, and I/O boards. Gary Sanford, POB 1689, Lowell, MA 01853, [617] 263-2389 evenings.

FOR SALE: DECLISH homebiew system, KD II CPU with EIS/FIS, DLV II, 64K-bytes RAM, Unibus adapter. RK 11 disk interface with Diablo 33 disk drive. Also, second Diablo drive and all power supplies. Will run BASIC and FORTRAN under RT 11: \$2000 or best offer, David Barr, 37 Ruthven Place, Summit, NJ. 0790i, (20i) 582-3227 days.

FOR SALE: Texas Instruments 742 intelligent terminal with a Silent 700 ASR terminal, 80-column thermal printer, two built-in digital-cassette tage drives under full program control, 2K of programmable RAM, a built-in 1200-bps modem (requires a DAA phone company interface), and two serial RS-232C interfaces. Also, Assembler mini Word Processor, utilities, manuals, digitalcassette tapes, and supplies included: \$500. Neal Fahrer, 5909 Dr., Culver City, CA 90230, [213] 836-8615.

WANTED: Zorba owners who would like to start (or join) a user's group for Telcon's Zorba to explore its potential by exchanging information, ideas, advice, software, and a newsletter. Jeffrey

Timm. 6-I Aspinwood Way, Baltimore, MD 21237. FOR SALE: Burroughs L5000 accounting machine in excellent condition. Printer has 25-inch carriage with 250 print positions and three feeds: one friction and two pin. Full alpha and numeric keyboards with 24 auxiliary subroutine keys. Built-in hard disk and paper-tape reader. Would consider trade for mini computer system or 77 David A. Livsey, POB 990, Escondido, CA 92025.

WANTED: Names and addresses of Superbrain users groups around the country that I may correspond with or join. Also interested in CP/M users groups using 514-inch disk formats. Want to sell: printer cable for Atari 850 interface to standard 36-pin parallel-printer port. Reasonable. L. David Paquette, 14 North Ridge, Ballston Lake, NY 12019, [518] 899-6376.

FOR SALE: New and used 5-100 hoards 780-based CPU boards with serial port and parallel port: \$120, 8K static RAM boards: \$40. Input/output boards with three serial and two parallel ports: \$95. L. Cobbledick, 192 River Valley Dr., Chesterfield, MO 63017, [314] 576-0957 nights or 569-2660 days. FOR SALE: Memorex 5440 disk cartridges for Diablo series 40

disk drives or CDC Hawk disk drives. \$15 each or will trade. Blane Woodard, 4942 North Diversey, Whitefish Bay, WI 53217, (414)

963-1423 evenings

WANTED: High school student/programmer seeking correspondence with owners of TRS-80 Color Computers to exchange programs and information, Glen Button, POB 536, Cheshire, CT

FOR TRADE: Large library of Apple software to trade. Send me a list with SASE of your programs and I'll send you mine. Wayne Reibold, 205 North Loraine Ave., Glendora, CA 91740.

A Popular Preview

The Product Preview of Hewlett-Packard's HP 150 proved to be the most popular article in BYTE's October issue. Staffers Phil Lemmons and Barbara Robertson will have to forfeit the \$100 prize. For his User's Column, "New Computers, Boards, Languages, and Other Tidbits," Dr. Pournelle won the \$50 prize. For third place, readers selected "An Interview: The HP 150's Design-team Leaders." also written by the authors of October's winning Product Preview. In fourth place is "The Unix Tutorial, Part 3: Unix in the Microcomputer Marketplace," written by David Fiedler. And Steve Ciarcia won fifth place with the second part of his Circuit Cellar project entitled "Build the Micro D-Cam Solid State Video Camera, Part 2: Computer Interfaces and Control Software." Congratulations to these authors.

вомв BYTE's Ongoing Monitor Box

Article #	Page	Article	Author(s)
1	37	Build the Circuit Cellar Term-Mite ST Smart Terminal,	
		Part 1: Hardware	Ciarcia
2	53 61	BYTE West Coast: Beyond the Word Processor User's Column: Too Many Leads, or What in	Lemmons
		*;71#"*7 Goes First?	Pournelle
4	104	Reason and the Software Bus	Korns-
5	122	A General-Purpose Robot-Control Language	Prendergast, Slade, Winkless
6	134	1984, the Year of the 32-bit Microprocessor	Mateosian
7	154	Memory Cards: A New Concept in Personal'	2.11/11/2
		Computing	Mills
8	172	Computer-aided Design	Jadrnicek
9	213	Speech Recognition: An Idea Whose Time Is	
	- 11	Coming	White
10	226	Using Natural-Language Systems on Personal	Eisenberg,
		Computers	Hill
11	243	Portables—1984 and Beyond: Idea-Processing Soft-	Winer,
		ware and Portable Computers	Winer
12	251	Beyond the Application Program: A Different	
		Approach to Integrated Software	Banning
13	268	The Zenith Z-100	Skier
14	282	Pinball Construction Set	Holden
15	288	The TRS-80 Model 16B with Xenix	Barry,
			Jacobson
16	324	Naturallink to Dow Jones News/Retrieval	Haas
17	339	The Vamp DVM-1 Computer/TV Interface Kit	Gillette
18	349	The Einstein Compiler	Callamaras
19	354	The Basis 108	Bates
20	362	Bubbles on the S-100 Bus, Part 1: The Hardware	Wheeler
21	384	Mockingbird: A Composer's Amanuensis	Maxwell,
			Ornstein
22	403	The VU68K Single-Board Computer	Carter,
			Bonds
23	417	Translating the SAS Language into BASIC	Bass
24	437	A Software Review Method That Really Works	Citron
25	442	Real-Time Clocks and PC-DOS 2.0	Broadwell

Correspondence

Address all editorial correspondence to the editor at BYTE, POB 372, Hancock, NH 03449, Unacceptable manuscripts will be returned if accompanied by sufficient first-class postage. Not responsible for lost manuscripts or photos. Opinions expressed by the authors are not necessarily those of BYTE. Entire contents copyright © 1983 by BYTE Publications Inc. All rights reserved. Where necessary, permission is granted by the copyright owner for libraries and others registered with the Copyright Clearance Center (CCC) to photocopy any article herein for the flat fee of \$1.50 percopy of the artitile or any part thereof. Correspondence and payment should be sent directly to the CCC, 21 Congress St., Salem, MA 01970. Specify ISSN 0360_ 5280/83. \$1.50. Copying done for other than personal or internal reference use without the permission of McGraw-Hill is prohibited. Requests for special permission or bulk orders should be addressed to the publisher. BYTE® is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 USA or 18 Bedford Row, Dept. PR, London WCIR 4EJ England.


Reader Service

Inquiry No. Page No. 1 SUPER WAREHOUSE 443
1ST NATIONAL COMPUTER 523
1ST PLACE SYSTEMS 445
20TH CENTURY PLASTICS 424
3R COMPUTERS 363
800 SOFTWARE 69
A-SYSTEMS 439
A.S.T. RESEARCH 113
AB COMPUTERS 505
ABC COMPUTER SD
ABC COMPUTER LTD 518
ABC DATA PRODUCTS 238
ACL INC. 276
ACTION COMPUTER 89
ADDMASTER CORP. 506
ADROIT ELECTRONIC INC. 550
ADV. COMP. PROD. 538, 539
ADV. DIGITAL CORP. 247
ADV. GRAPHIC ENGINEERING 512
ADV. SYS. CONCEPTS 470
ALPHA BYTE 304
ALPHA BYTE 304
ALPHA BYTE 304
ALPHA NUMERIC 439
AM MICRO 396
AMDEK CORP. 52
AMER. BUYING & EXPORT 298
AMER. SQUARE COMP. 301
AMERICAN TOURISTERS 97
ANADEX 157
ANN ARBOR TERMINALS 366
ANTEX DATA SYS. 428
APPARAT INC. 107
APPLE COMPUTER INC. CII, 1
APPLE COUNTRY LTD. 501
APPLEWARE INC. 514
ARTIFICIAL INTL. RESEARCH 516
ASHTON-TATE 303
ASHTON-TATE 303
ASHTON-TATE 303
ATARI SOFT 408, 409
AVOCET 155
BB B ELECTR. 506
BASF SYSTEMS 71
BAY TECHNICAL ASSOC. 259
BELANGER RESEARCH ASSOC. 426
BELL, JOHN ENGR. 503
BG COMPUTER APPLICATIONS 502
BHRT 212
BINARY TECHNOLOGY 550
BORLAND INT'L. 183
BOTTOM LINE, THE 67
BROKER SOFTWARE SRPV. 320
BUSINESS SOFTWARE 87
BYTE PUBL. BACK ISSUES 398
BYTE PUBL. BACK 20 21 27 30 31 48 49 52 61 62

Inquiry No. Page No. COMPUPRO 277
COMPUPRO 389
COMPUSERVE 163
COMPUSERVE 163
COMPUSERVE 163
COMPUTER ACCESSORIES 181
COMPUTER CHANNEL 245
COMPUTER CHANNEL 245
COMPUTER CONTINUUM 504
COMPUTER CONTINUUM 504
COMPUTER CONTINUUM 504
COMPUTER CONTINUUM 504
COMPUTER FOOD PRESS 516
COMPUTER INNOVATIONS 260
COMPUTER MAIL ORDER 382, 383
COMPUTER PRICE CLUB 516
COMPUTER PRICE CLUB 517
COMPUTER SOFTWARE ASSOC 512
COMPUTER TECHNOLOGY 504
COMPUTER TECHNOLOGY 504
COMPUTER TECHNOLOGY 504
COMPUTER TECHNOLOGY 506
COMPUTER WAREHOUSE 147
COMPUTER WAREHOUSE 147
COMPUTER WAREHOUSE 147
COMPUTERS AND MORE 83
COMPUTERS AND MORE 80
COMPUTERS WHOLESALE 203
COMPUTERS WHOLESALE 203
COMPUTERS WHOLESALE 203
COMPUTERS WHOLESALE 203
COMPUTERS WHOLESALE 201
CONCURRENT CORP. 380
CONCUPLAPOINTE 210, 211
CONROLINK 114
CONSOLINK 114
CONSOLINK 115
CONTRIOL ELECTR. INC. 215
CONTROL BATA 151
CONTROL BATA 151
CONTROL BATA 151
CONTROL BECTR. INC. 215
CONTROL BATA 151
CONTR 86 87 13 EDGE MICROSYSTEMS 329
EDUCATIONAL MICROCOMP. 439
ELCOMP 510
ELECTRADE CO. 516
ELECTRADE CO. 518
ELECTRONIC PROTECTION DEV. 36
ELECTRONICS SECIALISTS 320
ELECTRONICS SECIALISTS 320
ELLIS COMPUTING INC. 427
EMERY AIR FREIGHT 319
EMPRICAL RESSEARCH GROUP 415 149 150 151 EMERY AIR FRICINI 32 EMPIRCAL RESEARCH GROUP 415 ENGINEERING SPECIALTIES 506 ENTER COMPUTER 109 EXCEL 419 EXCEL 449 EXPOTEK 291

Inquiry No. Page No. FALCON SAFETY PROD. 150 FIGURE-LOGIC BUS. EQUIP. 506 FIGURE-LOGIC BUS. EQUIP. 550 FIGURE-LOGIC BUS. EQUIP. 550
FILIP-IT 299
FLOPPY DISK SERV. INC. 511
FORMULA INT'L. 520
GENERAL TECHNOLOGY 205
GENIE COMPUTER CORP. 359
GAG ENGINEERING 79
GIFFORD COMP. SYS. 79
GILTRONIX, INC. 510
GRAY MARKET, THE 500
GRAY MARKET, THE 500
GREAT SALT LAKE COMP. 531
GREAT SALT LAKE COMP. 531
GREAT SALT LAKE COMP. 531
GREAT SALT LAKE COMP. 535
HANDWELL CORP. 526
HAE COMPUTRONICS 137
HAM DISK DRIVE SERVICES 440
H.H.S. MICROCOMPPOD. 400, 401
HEATH COMPANY 76
HEWLETT-PACKARD 264, 265
HEWLETT-PACKARD 441
HITACHI 327
HOUSTON INISTR. DIV OF
BAUSH & LOMB 60
HUMAN DESIGNED SYS. 233
IBM CORP. 246, 249
IBM SSD 435
IMAGE COMPUTER 506
IN-SYNC 508
INCOMM 48
INDEPENDENT BUSN.SYS.INC. 361
INTERGATIVE MICROWARE 318
INTERACTIVE MICROWARE 318
INTERACTIVE STRUCT. 82
INTERCONTN.IMICRO SYS. 231
INTERDATA SYSTEMS INC. 510
INTERTEC DATA SYS. 11
IPF 454
INTERACTIVE STRUCT. 82
INTERCONTN.IMICRO SYS. 231
INTERDATA SYSTEMS INC. 510
INTERTEC DATA SYS. 11
IPF 454
INTERCONTN.IMICRO SYS. 231
INTERDATA SYSTEMS INC. 550
JDR MICRODEVICES INC. 551
JDR MICRODEVICES INC. 555
JDR MICRODEVICES INC. 555
JDR MICRODEVICES INC. 556
JBS SYSTEMS 126
JUKI INDUSTRY OF AMERICA 313
KADAK PRODUCTS 424
KAYPRO 390
KELLY COMP. SUPPLIES 518
KELLY COMP. SUPPLIES 518
KELLY COMP. SUPPLIES 518
KELLY COMP. SUPPLIES 518
KELLY COMP. SUPPLIES 510
LABORATORY MICROWARE 365
KERN PUBLICATIONS 469
KEYTRONICS CORP. 103
KNAUFT CO. 508
KNOWLEDGE SYS. 331
LABORATORY MICROSYS. 391
LABORATORY MICROSYS. 502
LIBERTY GROUP SYS. 502
LYOO COMPUTER 517
MACHOLES 516
LOMAS DATA PRODUCTS 245
LIBERTY GROUP SYS. 504
LYCO COMPUTER 517
MACHOLES 510
MAXEL DATA PRODUCTS 486 184 129 209 210 212 214 469 234 468 235 236 237

Inquiry No. Page No. OSDERNEIMENGER VIFILE 223, 224, 225
OZTECH 512
PACIFIC COMPUTERS 298
PACIFIC EXCHANGES 504, 506, 508, 512, 514, 518, 530, 550
PACIFIC INFOTECH CORP. 420
PAN AMERICAN ELEC. INC. 510
PANASONIC IND. CO. 413
PASCOT 26
PC NETWORK 343
PC WARE INC. 240, 241
PEGASUS DATA SYS. 68
PERCOM DATA 7
PHONE I, INC. 25
PJS 530
PRACTICAL PERIPH. 165
PRACTICAL PERIPH. 294
PRINCETON GRAPHIC SYS. 50, 51
PRINTER 274
PRINTER STORE, THE 62
PRIORITY ONE 546, 547
PRO MICROSYSTEMS 512
PROMETHEUS PRODUCTS 119
PRYOR CORP. 22
PURCHASING AGENT, THE 142
QUADRAM CORP. 20, 21
QUANT SYSTEMS 512
QUBIE DISTRIBUTING 216, 217
QUBIE DISTRIBUTING 305
RADIO SHACK CIV
RANA SYSTEMS 17
RANA SYSTEMS 19
RELMS 444
ROCKY MTN. SOFTWARE 196, 197
ROGERS LABS 508
RL PROGRAMMING AIDS 506
RYDEX INDUSTRIES CORP. 149
S-100 DIV. 696 CORP. 141
SAFEWARE 391
SAGE COMP. TECH. 421
SCION CORP. 8
SCOTTSDALE SYSTEMS 127
SCREENWARE 502
SEATTLE COMP. PRODS. 416
SEEQUA COMP, CORP. 167
SELECTONE COMP. 20
SILICON SPECIAL TIES 32
SLICER COMPUTERS 70
SLE SYSTEMS 504
SOFTCRAFT 222
SOFTESMYTHE SOFTWARE 476
SOFTWARE BANC 229
288 291 30



317

Inquiry No. Page No. SOLUTIONWARE CORP. 530 SRX SYSTEMS 508 STANDARD DATACOM 433 STAR MICRONICS 191 STAR SOFTWARE SYS. 436 STAR SOFTWARE SYS. 436 SUN SOFTWARE 348 SUNNY INT'L. 498 SUNNOL SYSTEMS 381 SUNTRONICS 500 SUPERSOFT 315 SUIDERSOFT 317 501 502 478 339 SUPERSOFT 315 SUPERSOFT 317 SWIG 195 SYNCOM 386 SYSTAT INC. 94 TAB BOOKS 193

TATUM LARS 516

TAVA CORP. 263 TAYCO BUSINESS FORMS 514 TDK ELECTRONICS 132, 133, TEKTRONIX INC. 58, 59 TEKTRONIX Y3-312 175 TEKTRONIX Y3-312 175 TELAUTOGRAPH CORP. 232 TELETEK ENTERPRISES, INC. 23 TELTONE 66 TERMINAL DATA CORP. 510 TERMINALS TERRIFIC 360 TEXAS COMPUTER SYS. 237 TEXAS INSTRUMENTS 120, 121, 311 TEXAS INSTRUMENTS 438 THREE M COMPANY 297 TINNEY, ROBERT GRAPHICS 200 TITAN TECHNOLOGIES 375 TITAN TECHNOLOGIES 377 492 464 356

Inquiry No.

500 358

Inqu	uiry No.	Page No.
360 361 362 363	TRANSACTION TRANSTAR 1 TRANSTAR 4	14
364	TRISTAR DA	
365	TSK ELECTR	
465	U.S. AIR FOR	
367		SALES 548, 549
366	U.S. ROBOTI	
368	UNIPRESS S	OFTWARE INC. 300
370	VIDEX 15	
371	VISUAL TECH	H. INC. 261
477	VISUAL TECH	H. INC. 346, 347
•	VLM COMPU	TER ELECTR. 530
372	VOTRAX 293	
373	VR DATA 295	

WADSWORTH ELECTR.PUB.CO. 158

375	WANG ELECTR.PUB.INC. 91
•	WAREHOUSE SOFTWARE 370
376	WASHINGTON COMP.SYS. 351
377	WCB COMPUTERS 510
378	WHITESMITHS LTD 145
379	WILLIAMS, MARK CO. 138
380	WINTEK CORP. 508
	WOODWORKS 502
382	WRITING CONSULTANTS 550
384	WYSE TECHNOLOGY 169
385	X COMP 199
481	XEROX EDUC, 335

*Correspond directly with company.

Page No.

BYTE ADVERTISING SALES STAFF:

J. Peter Huestis, Advertising Sales Manager, 70 Main Street, Peterborough, N.H. 03458 Tel (603) 924-9281

Page No.

NEW ENGLAND ME, NH, VT, MA, RI Paul McPherson, Jr. [617] 262-1160 McGraw-Hill Publications **607 Boylston Street** Boston, MA 02116

ATLANTIC NJ (NORTH), NY, NYC, CT Eugene Duncan (212) 512-2096 McGraw-Hill Publications 1221 Avenue of the Americas-39th Floor New York, NY 10020

Dick McGurk (212) 512-3588 McGraw-Hill Publications 1221 Avenue of the Americas—39th Floor New York, NY 10020

EAST PA [EAST], NJ (SOUTH), MD, VA, W.VA, DE, Daniel Ferro (215) 496-3833 McGraw-Hill Publications Three Parkway Philadeiphia, PA 19102

SOUTHEAST NC, SC, GA, FL, AL, TN Maggle McClelland (404) 252-0626 McGraw-Hill Publications 4170 Ashford Dunwoody Road-Suite 420 Atlanta, GA 30319

MIDWEST IL, MO, KS, IA, ND, SD, MN, WI, NB Jack-Anderson (312) 751-3740 McGraw-Hill Publications Blair Building 645 N. Michigan Ave. Chicago, IL 60611

GREAT LAKES, OHIO REGION MI, OH, PA (ALLEGHENY), KY, IN, EASTERN CANADA Dennis Riley (313) 352-9760 McGraw-Hill Publications 4000 Town Center-Suite 770 Southfield, MI 48075

SOUTHWEST, ROCKY MOUNTAIN UT, CO, WY, OK, TX, AR, MS, LA Alan Morris (214) 458-2400 McGraw-Hill Publications Prestonwood Tower-Suite 907 5151 Beltline Dallas, TX 75240

SOUTH PACIFIC Southern CA, AZ, NM, LAS VEGAS Page Goodrich (714) 557-6292 McGraw-Hill Publications 3301 Red HIII Ave Building #1, Suite 222 Costa Mesa, CA 92626

Karen Niles (213) 480-5243, 487-1160 McGraw-Hill Publications 3333 Wilshire Boulevard #407 Los Angeles, CA 90010

Inquiry No.

NORTH PACIFIC HI, WA, OR, ID, MT, NORTHERN CALIF, NV (EXCEPT LAS VEGAS), W. CANADA David Jern (415) 362-4600 McGraw-Hill Publications 425 Battery St. San Francisco, CA 94111

BIII McAfee (415) 964-0624 McGraw-Hill Publications 1000 Elwell Court-Suite 225 Palo Alto, CA 94303

WEST COAST SURPLUS AND RETAIL ACCOUNTS Tom Harvey (805) 964-8577 3463 State St.-Suite 256 Santa Barbara, CA 93105

Post Card Mailings National Bradley Browne (603) 924-6166 **BYTE Publications** 70 Main Street Peterborough, NH 03458

International Advertising Sales Representatives:

Mr. Hans Csokor Publimedia Reisnerstrasse 61 A-1037 Vienna, Austria

Mrs. Gurit Gepner McGraw-Hill Publishing Co. 115 Yosephtal St. Bat Yam, Israel 866 561 321 39

Mr. Fritz Krusebecker McGraw-Hill Publishing Co. Liebigstrasse 27C D-6000 Frankfurt/Main 1 West Germany 72 01 81

Mrs. Maria Sarmiento Pedro Teixeira 8, Off. 320 Iberia Mart 1 Madrid 4, Spain 45 52 891

Mr. Andrew Karnig Andrew Karnig & Associates Kungshoisgatan 10 112 27 Stockholm, Sweden 08 51 68 70

Mr. Michael Sales McGraw-Hill Publishing Co. 17 rue Georges Bizet F 75116 Paris 720 33 42

Mr. Arthur Scheffer McGraw-Hill Publishing Co. 34 Dover St. London W1X 3RA England 01 493 1451

Mr. Emilio Zerboni McGraw-Hill Publishing Co. Via Flavio Baracchini 1 20123 Milan, Italy 86 90 656

05-49/50 Tanglin Shopping Center 19 Tanglin Rd. Singapore 1024 Republic of Singapore

Seavex, Ltd. Room 102, Yu Yuet Lal Bidg. 43-55 Wyndham St. Central Hong Kong

McGraw-Hill Publications Overseas Corp. Room 1528 Kasumigaseki Bidg. 3-2-5 Kasumigaseki, Chiyoda-Ku Tokyo 100, Japan

JANUARY 1984

BUTE READER SERVICE



For fastest service transfer mailer label from wrapper to coupon provided at the right. Requests cannot be honored unless zip code is given. This card valid for 90 days only. NOTE—If label is missing or defaced fill out coupon carefully—PLEASE PRINT—this is the only way to get requested material to you.

TABILITY		4134
[11+)	(Company)	
Address		
City	State Zip	

I purchased this copy by Subscription Newsstand, computer store, or bookstore 1111 133 155 177 199 221 243 265 287 309 331 353 375 397 419 441 463 485 507 529 | 551 573 595 617 639 | 661 683 705 727 749 | 2 24 46 68 112 134 156 178 200 222 244 266 288 310 332 354 376 398 420 442 464 486 508 530 552 574 596 618 640 662 684 706 728 750 772 794 90 3 25 47 69 113 135 157 179 201 91 223 245 267 289 311 333 355 377 399 421 443 465 487 509 531 553 575 597 619 641 663 685 707 729 751 773 795 4 76 48 70 97 114 136 158 180 202 224 246 268 290 312 334 356 378 400 422 444 466 488 510 532 554 576 598 620 642 664 686 708 730 752 774 796 5 27 49 71 93 115 137 159 181 203 225 247 269 291 313 335 357 379 401 423 445 467 489 511 533 555 577 599 621 643 665 687 709 731 753 775 797 6 28 50 72 94 116 138 160 182 204 226 248 270 292 314 336 358 380 402 424 446 468 490 512 534 556 578 600 622 644 666 688 7!0 732 754 776 798 117 139 161 183 205 227 249 271 293 315 447 469 491 513 535 557 579 601 623 645 667 689 711 733 755 777 799 7 29 51 73 337 359 381 403 425 228 250 272 294 316 8 30 52 74 138 140 162 184 206 338 360 382 404 426 448 470 492 514 536 558 580 602 624 646 668 690 712 734 756 778 800 9 31 53 75 1 19 141 163 185 207 229 251 273 295 317 339 361 383 405 427 449 471 493 515 537 559 581 603 625 647 669 691 713 735 757 10 32 54 76 98 120 142 164 186 208 230 252 274 296 318 340 362 384 406 428 450 472 494 516 538 560 582 604 626 648 670 692 714 736 758 780 802 11 33 55 77 99 121 143 165 187 209 231 253 275 297 319 341 363 385 407 429 451 473 495 517 539 561 583 605 627 649 671 693 715 737 759 781 803 122 144 166 188 210 232 254 276 298 320 342 364 386 408 430 562 584 606 628 650 782 804 12 34 56 78 100 452 474 496 518 540 672 694 716 738 760 123 145 167 189 211 343 365 387 409 431 673 695 717 739 761 13 35 57 79 101 233 255 277 299 321 453 475 497 519 541 563 585 607 629 651 783 805 14 36 58 80 102 784 806 124 146 168 190 212 234 256 278 300 322 344 366 388 410 432 454 476 498 520 542 564 586 608 630 652 674 696 718 740 762 15 37 59 81 103 125 147 169 191 213 235 257 279 301 323 345 367 389 411 433 455 477 499 521 543 565 587 609 631 653 675 697 719 741 763 785 807 16 38 60 82 104 126 148 170 192 214 236 258 280 302 324 346 368 390 412 434 456 478 500 522 544 566 588 610 632 654 676 698 720 742 764 786 808 17 39 61 83 105 127 149 171 193 215 237 259 281 303 325 347 369 391 413 435 457 479 501 523 545 567 589 611 633 655 677 699 721 743 765 787 809 18 40 62 84 106 128 150 172 194 216 238 260 282 304 326 348 370 392 414 436 458 480 502 524 546 568 590 612 634 656 678 700 722 744 766 788 810 129 151 173 195 217 239 261 283 305 327 349 371 393 415 437 459 481 503 525 547 569 591 613 635 657 679 701 723 745 767 19 41 63 85 107 789 811 20 42 64 86 108 130 152 174 196 218 240 262 284 306 328 350 372 394 416 438 460 482 504 526 548 570 592 614 636 658 680 702 724 746 768 790 812 241 263 285 307 329 21 43 65 87 109 131 153 175 197 219 351 373 395 417 439 461 483 505 527 549 571 593 615 637 659 681 703 725 747 769 791 813 22 44 66 88 110 132 154 176 198 220 242 264 286 308 330 352 374 396 418 440 462 484 506 528 550 572 594 616 638 660 682 704 726 748 770 792 814

line to the editor's desk. Each month, the two top-rated authors receive bonuses based on your evaluation. First look at the list of this month's articles and corresponding article numbers flocated in the unclassified ads section on the page preceding the Reader Service list), then rate each article you've read as Excellent, Good, Fair, or Poor. based on your overall impression of the article, by circling the approrpiate number in each column below. Your feedback helps us produce the best possible

Article No.	1	- 2	- 5	- 9	3	0	,	8	9	10	11	12	13	14	15	16	17	18	19	20	23	22	23	24	25
Excellent		5	9	13	17	. 1	25	29	33	37	41	45	49	53	57	61	65	69	73	7.7	81	.85	89	93	97
Good	+1	6	10	14	16		26	30	34	38	42	46	50	54	58	62	66	70	74	78	82	26	90	94	98
Fair	3	-/	11	15	19	23	27	31	35	39	43	47	51	55	59	63	67	71	75	79	83	87	91	95	99
Poor	4	8	12	16	20	24	28	32	36	40	44	48	5.2	56	60	64	68	72	76	80	84	88	92	96	100
Article No.	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
Excellent	101	105	109	113	17	121	125	129	133	137	[4]	145	149	153	157	161	165	169	173	177	181	185	189	193	197
Good	102	106	110	114	118	122	126	130	134	138	14.2	146	150	154	158	162	166	170	174	178	182	186	190	194	198

103 | 107 | 111 | 115 | 119 | 123 | 127 | 131 | 135 | 139 | 143 | 147 | 151 | 155 | 159 | 163 | 167 | 171 | 175 | 179 | 183 | 187 | 191 | 195 | 199

116 120 124 128 132 136 140 144 148 152 156 160 164 168 172 176 180 184 188 192 196 200

Comments

RUTE READER SERVICE



For fastest service transfer mailer label from wrapper to coupon provided at the right. Requests cannot be honored unless zip code is given. This card valid for 90 days only. NOTE—If label is missing or defaced fill out coupon carefully—PLEASE PRINT—this is the only way to get requested material to you.

Austria Blan

Fair

Name		4114
(7dle)	(Company)	
Address		
City	State Zip	
I purchased this copy by	Subscription Newsstand, computer store, or bo	okstore

111 133 155 177 199 221 243 265 287 309 331 353 375 397 419 441 463 485 507 529 551 573 595 617 639 661 683 705 727 749 771 793 2 24 46 68 90 112 134 156 178 200 222 244 266 288 310 332 354 376 398 420 442 464 486 508 530 552 574 596 618 640 662 684 706 728 750 772 794 223 245 267 289 311 333 355 377 399 421 443 465 487 509 531 553 575 597 619 641 663 685 707 729 751 773 795 3 25 47 69 113 135 157 179 201 91 114 136 158 180 202 224 246 268 290 312 334 356 378 400 422 444 466 488 510 532 554 576 598 620 642 664 686 708 730 752 774 796 4 26 48 70 97 5 27 49 71 93 115 137 159 181 203 225 247 269 291 313 335 357 379 401 423 445 467 489 511 533 555 577 599 621 643 665 687 709 731 753 775 797 6 28 50 72 94 116 138 160 182 204 226 248 270 292 314 336 358 380 402 424 446 468 490 512 534 556 578 600 622 644 666 688 710 732 754 776 798 7 29 51 73 95 117 139 161 183 205 227 249 271 293 315 337 359 381 403 425 447 469 491 513 535 557 579 601 623 645 667 689 711 733 755 777 799 8 30 52 74 96 118 140 162 184 206 228 250 272 294 316 338 360 382 404 426 448 470 492 514 536 558 580 602 624 646 668 690 712 734 756 778 800 9 31 53 75 119 141 163 185 207 229 251 273 295 317 339 361 383 405 427 449 471 493 515 537 559 581 603 625 647 669 691 713 735 757 779 801 450 472 494 516 538 120 142 164 186 208 230 252 274 296 318 340 362 384 406 428 560 582 604 626 648 670 692 714 736 758 780 802 10 32 54 76 98 231 253 275 297 319 671 693 715 737 759 11 33 55 77 99 121 143 165 187 209 341 363 385 407 429 451 473 495 517 539 561 583 605 627 649 781 803 562 584 606 628 650 672 694 716 738 760 12 34 56 78 100 122 144 166 188 210 232 254 276 298 320 342 364 386 408 430 452 474 494 518 540 782 804 343 365 387 409 431 13 35 57 79 101 123 145 167 189 211 233 255 277 299 321 453 475 497 519 541 563 585 607 629 651 673 695 717 739 761 783 805 14 36 58 80 102 124 146 168 190 212 234 256 278 300 322 344 366 388 410 432 454 476 498 520 542 564 586 608 630 652 674 696 718 740 762 784 806 15 37 59 81 103 125 147 169 191 213 235 257 279 301 323 345 367 389 411 433 455 477 499 521 543 565 587 609 631 653 675 697 719 741 763 785 807 16 38 60 82 104 126 148 170 192 214 236 258 280 302 324 346 368 390 412 434 456 478 500 522 544 566 588 610 632 654 676 698 720 742 764 786 80B 127 149 171 193 215 237 259 281 303 325 347 369 391 413 435 457 479 501 523 545 567 589 611 633 655 677 699 721 743 765 787 809 17 39 61 83 105 128 150 172 194 216 238 260 282 304 326 348 370 392 414 436 458 480 502 524 546 568 590 612 634 656 678 700 722 744 766 788 810 18 40 62 84 106 129 151 173 195 217 239 261 283 305 327 349 371 393 415 437 459 481 503 525 547 569 591 613 635 657 679 701 723 745 767 19 41 63 85 107 789 811 20 42 64 86 108 130 152 174 196 218 240 262 284 306 328 350 372 394 416 438 460 482 504 526 548 570 592 614 636 658 680 702 724 746 768 21 43 65 87 109 131 153 175 197 219 241 263 285 307 329 351 373 395 417 439 461 483 505 527 549 571 593 615 637 659 681 703 725 747 769 791 813 22 44 66 88 110 132 154 176 198 220 242 264 286 308 330 352 374 396 418 440 462 484 506 528 550 572 594 616 638 660 682 704 726 748 770 792 814

To get further information on the products advertised in BYTE, fill out the reader service card with your name and address. Then circle the appropriate numbers for the advertisers you select from the list. Add a 20-cent stamp to the card, then drop it in the mail. Not only do you gain information, but our advertisers are encouraged to use the marketplace provided by BYTE. This helps us bring you a bigger BYTE. The index is provided as an additional service by the publisher, who assumes no liability for errors or omissions.

PLACE STAMP HERE



PLACE STAMP HERE

READER SERVICE PO BOX 298 DALTON, MA 01226 USA

		USA	Canada Mexico
SUBSCRIPTIONS III	□ I year	S 21	□ \$23
	2 years		□ \$42
4114	3 years		□ \$61
For a subscription to BYTE, please complete this card.			
Almana	553 Europe (air delivery) payment enclosed		
Name	S37 Elsewh	ere (surface ma	ail) payment
Address	enclosed		
	(Air mail rate	es available upon	request)
City	Please remit in US funds drawn on a		
State Zip Country	USE	ank. Thank you.	•
Cond. No.	☐ Check enclo	sed (Bonus: [N	orth America
Card No.		A issue—receive	
Expiration date	o,, o		e price of 12)
Four digits above name—Master Charge only	Marjon I has p	W754*	
SignatureDate	☐ Bill me (North	America only)	
Please allow eight weeks for processing. Thank you.			

SUBSCRIPTIONS PAR		USA	Canada Mexico	
20B2CKIP HONS I'MI	□ I year	\$21	☐ S23	
	2 years	\$38	□ \$42	
For a subscription to BYTE, please complete this card.	14 3 years	S55	□ \$61	
Name	S53 Europe (ai	S53 Europe (air delivery) payment enclosed		
(varie	S37 Elsewher	e (surface mail)	payment	
Address	enclosed			
	(Air mail rates	available upon r	equest)	
City Zip Country		in US funds draw ink. Thank you.	n on a	
Card No.	Check enclose	☐ Check enclosed (Bonus: [North America		
Expiration date	only] one EXTRA	only] one EXTRA issue—receive 13 issues for the price of 12)		
Four digits above name—Master Charge only	= 00	NZA.		
Signature Date	Bill me (North)	America only)		
Diagra allow eight weeks for projecting. Thank you				

Note our speed offer! Don't Miss An Issue!
Send cash with your over Don't Miss An Issue! and receive 13 155 Mes

For the price of 12 for delivered to

Chortin Ambrica only place

Chortin Chortin Ambrica only place

Chortin Chortin

Each month BYTE will bring you the latest in microcomputer technology.

DISCOVER and IMPLEMENT new ideas. Don't miss the original information presented in the pages of BYTE.

With BYTE you'll always be among the first to know about the important breakthroughs, worthwhile new equipment, and innovative projects in the world of computing.

CHALLENGE US to deliver the very best ideas in microcomputers and advanced technology to you. Return the attached card todayl

Subscribe to BYTE—the world's leading computer magazine.

PLACE STAMP HERE



PLACE STAMP HERE

SUBSCRIPTIONS PO Box 590 Martinsville NJ 08836 USA History will record as a profound irony that the most powerful word processing package ever created for the IBM® Personal Computer can be worked with two fingers.



It was created by Leading Edge, specifically to take advantage of the power of the IBM PC, plus the simplicity that all that power ought to be able to give you—but didn't.

Until now, you could go for the simplicity, and end up with a somewhat glorified typewriter. Or you could go for the power, and go nuts performing dozens of commands to do even the simplest things.

But with Leading Edge Word Processing™ you get both.

Processing™ you get both.
You don't have to start with an ounce of understanding about word processing.

You don't even have to be a terrific typist. [Matter of fact, the worse you type, the more the help.]

So come along:

Hunt and peck your way into the future.



Leading Edge Products Inc., Headquarters and Retail Division, 225 Turnpike Street, Canton, Mass. 02021 (800) 343-6833 (617) 828-8150
*1BM is a registered trademark of International Business Machines Corporation.

Call Margie for the dealer nearest you.

Radio Shack Presents the Transportable TRS-80®

The New Model 4P Computer—From the World's Largest Computer Retailer



The Computer for Today's Upwardly Mobile Society

If you're headed for success, our newest TRS-80 can help you get there in record time. The Model 4P is a compact, disk-based desktop computer with a big difference: it has a handle. So wherever your work may take you, you can get a handle on scheduling problems, ever-changing sales projections, and last minute reports. It's like having your office with you on trips, at home—anywhere!

A Completely Portable, Self-Contained System

We don't sacrifice features for portability, either. The Model 4P comes standard with two 184,000-character disk drives and 64K internal memory. You also get a full 80-character by 24-line 9" display, an electric typewriter-quality keyboard with numeric keypad, and printer and communications interfaces. And you can add an extra 64K of memory, an internal modem or even external hard disk drives!

"Off the Shelf" Software

In addition to running the entire selection of TRS-80 Model III/4 disk software, you can add the optional CP/M Plus™ operating system to use thousands of additional ready-to-run programs.

Easy to Use, Easy to Tote

The Model 4P works anywhere there's AC. And when you're ready to move on, slip the keyboard into the hi-impact case, snap on the protective cover and go. It weighs just 26 pounds.

Like Every TRS-80, We Stand Behind the "4P" 100%

Tandy Corporation is a two-and-one-half billion dollar company with over 6,600 stores nationwide. That means software, service, leasing plans and friendly faces are always just around the corner.

Available Nationwide

Stop by your nearest Radio Shack Computer Center, participating store or dealer today and find out where Model 4P will take you.

Radio Shaek

The biggest name in little computers®
A DIVISION OF TANDY CORPORATION

Circle 303 on inquiry card.



TRS-80 Model 4P Computer

179900

Commercial Lease Available For Only \$65 Per Month (Plus Applicable Use/Sales Tax)

Prices apply at participating Radio Shack stores and dealers CP/M Plus is a trademark of Digital Research.